



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 2-AUG-2010
Account: STRGOL

CERTIFICATE WH10095083

Project: Eagle Gold

P.O. No.: EGP10-028

This report is for 57 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 2-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G319683		1.76	<0.005	<0.5	1.51	19	60	<0.5	<2	0.08	<0.5	3	24	9	0.82	<10
G319684		1.52	<0.005	<0.5	5.11	29	260	0.9	<2	0.34	<0.5	9	44	17	2.61	10
G319685		5.94	0.006	<0.5	4.30	26	200	1.0	<2	0.27	<0.5	5	34	12	2.10	10
G319686		6.36	0.032	<0.5	4.41	46	180	0.7	<2	0.35	<0.5	5	37	34	2.15	10
G319687		1.59	0.006	<0.5	4.12	31	170	0.9	<2	0.58	<0.5	6	34	21	2.42	10
G319688		2.43	<0.005	<0.5	6.35	33	380	1.4	3	0.24	<0.5	11	46	21	3.11	10
G319689		4.75	0.006	<0.5	5.59	94	330	1.2	<2	0.78	<0.5	8	44	25	2.95	10
G319690		0.12	0.100	<0.5	6.28	52	570	1.9	<2	0.01	<0.5	3	64	20	3.44	20
G319691		2.21	0.007	<0.5	3.29	29	150	0.8	<2	0.56	<0.5	7	31	18	2.32	10
G319692		2.56	<0.005	<0.5	4.55	7	240	0.9	<2	0.43	<0.5	7	37	25	3.15	10
G319693		8.83	0.022	<0.5	6.42	50	440	1.5	<2	0.35	<0.5	12	50	29	3.38	20
G319694		5.84	<0.005	<0.5	7.75	6	640	2.1	<2	0.28	<0.5	15	65	37	3.71	20
G319695		5.47	<0.005	<0.5	7.57	9	620	2.1	<2	0.25	<0.5	16	66	37	4.66	20
G319696		4.67	<0.005	<0.5	9.49	21	920	2.9	<2	0.40	<0.5	21	91	65	5.00	30
G319697		5.58	<0.005	<0.5	9.14	7	850	2.8	<2	0.33	<0.5	17	86	53	5.05	30
G319698		4.89	<0.005	<0.5	8.81	5	840	2.7	<2	0.28	<0.5	16	85	40	4.66	20
G319699		5.52	<0.005	<0.5	8.62	12	690	2.6	<2	0.28	<0.5	16	71	35	4.20	20
G319700		4.37	<0.005	<0.5	6.61	11	430	1.5	<2	0.36	<0.5	11	48	21	3.15	20
G321901		4.39	0.416	0.6	5.76	943	380	1.6	<2	0.45	<0.5	8	43	55	3.35	10
G321902		7.98	0.009	<0.5	6.53	58	440	1.5	<2	0.52	0.8	10	51	22	3.10	20
G321903		5.33	0.021	<0.5	6.85	191	420	1.9	<2	0.61	<0.5	12	52	27	3.78	20
G321904		5.09	0.005	<0.5	7.16	13	510	1.7	<2	0.55	<0.5	10	59	25	3.60	20
G321905		5.57	<0.005	<0.5	5.56	12	320	1.2	<2	1.02	<0.5	8	43	17	3.01	10
G321906		4.95	<0.005	<0.5	7.10	9	520	1.7	<2	0.44	<0.5	11	54	28	3.27	20
G321907		6.33	0.140	<0.5	7.32	740	540	1.8	<2	0.40	<0.5	15	58	77	4.12	20
G321908		4.00	0.135	<0.5	6.70	1220	450	1.8	<2	0.37	<0.5	9	51	108	3.51	20
G321909		4.77	<0.005	<0.5	8.60	88	680	2.5	<2	0.29	<0.5	16	74	37	3.90	20
G321910		0.11	0.102	<0.5	5.54	51	500	1.6	<2	<0.01	<0.5	3	55	15	3.15	10
G321911		4.88	<0.005	<0.5	7.74	11	550	2.0	<2	0.38	<0.5	13	62	32	3.62	20
G321912		4.06	<0.005	<0.5	7.06	17	490	1.8	<2	0.57	<0.5	12	58	28	3.92	20
G321913		5.53	0.020	<0.5	7.42	99	600	2.0	<2	0.51	<0.5	13	64	39	3.71	20
G321914		4.59	<0.005	<0.5	5.36	<5	330	1.2	<2	0.61	<0.5	8	45	17	2.53	10
G321915		4.90	<0.005	<0.5	7.06	<5	530	2.0	<2	0.61	1.2	12	57	31	3.71	20
G321916		0.57	<0.005	<0.5	0.07	<5	20	<0.5	<2	20.6	<0.5	<1	<1	<1	0.48	<10
G321917		4.69	0.005	<0.5	5.80	7	390	1.3	<2	1.07	<0.5	9	50	23	2.88	20
G321918		3.96	0.009	<0.5	9.55	39	820	3.0	<2	0.48	<0.5	17	81	52	4.47	30
G321919		3.30	<0.005	<0.5	10.30	15	910	2.8	<2	0.57	<0.5	20	112	60	5.41	30
G321920		6.69	<0.005	<0.5	4.99	<5	320	1.2	2	0.67	<0.5	7	42	18	2.61	10
G321921		5.82	<0.005	<0.5	4.48	5	270	1.0	<2	0.81	<0.5	6	35	21	2.56	10
G321922		4.82	<0.005	<0.5	4.16	<5	250	0.9	2	0.82	<0.5	5	33	19	2.37	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 2-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sn ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G319683		0.27	10	0.08	102	<1	0.43	4	180	4	0.02	<5	2	<10	23	<20
G319684		1.11	20	0.46	254	<1	1.50	15	220	16	0.03	6	7	<10	74	<20
G319685		0.99	20	0.36	356	<1	1.05	15	250	307	0.01	<5	5	<10	58	<20
G319686		0.90	20	0.43	218	<1	1.31	11	240	2240	0.14	<5	5	<10	75	<20
G319687		0.72	20	0.53	383	<1	1.08	15	230	3260	0.35	5	5	<10	81	<20
G319688		1.75	30	0.75	284	<1	0.95	21	250	41	0.18	<5	9	<10	70	<20
G319689		1.68	30	0.85	678	<1	0.73	20	250	23	0.29	<5	8	<10	83	<20
G319690		1.90	30	0.30	72	<1	0.14	17	150	549	0.01	29	12	<10	39	<20
G319691		0.83	20	0.57	476	<1	0.43	10	200	14	0.32	<5	4	<10	66	<20
G319692		1.06	20	0.71	375	1	0.85	19	260	17	0.33	<5	6	<10	83	<20
G319693		1.89	30	0.77	424	1	0.86	26	290	15	0.41	<5	9	<10	96	20
G319694		2.61	40	0.82	354	1	0.57	34	330	18	0.51	<5	12	<10	110	20
G319695		2.46	40	1.00	477	1	0.56	34	370	17	0.59	<5	12	<10	95	<20
G319696		3.53	50	1.17	602	2	0.44	45	490	20	0.88	<5	16	<10	93	20
G319697		3.27	40	1.10	557	2	0.47	39	500	19	0.74	<5	16	<10	105	20
G319698		3.19	60	1.01	477	1	0.52	37	450	18	0.50	<5	15	<10	118	20
G319699		2.65	50	0.92	436	1	0.43	38	400	18	0.54	<5	14	<10	104	20
G319700		1.79	40	0.74	391	<1	0.74	21	280	13	0.44	<5	9	<10	81	20
G321901		2.01	40	0.68	385	1	0.48	19	270	113	1.30	48	7	<10	177	20
G321902		1.92	30	0.78	417	<1	0.78	21	280	15	0.37	<5	9	<10	93	20
G321903		1.93	30	0.90	349	1	0.66	22	270	13	0.44	<5	9	<10	109	<20
G321904		2.09	40	0.80	394	<1	0.88	24	420	13	0.44	<5	10	<10	114	20
G321905		1.33	30	0.83	638	<1	0.93	18	250	12	0.32	<5	7	<10	119	<20
G321906		2.30	40	0.75	363	<1	0.78	24	300	14	0.51	<5	10	<10	102	20
G321907		2.42	40	0.94	390	2	0.68	30	320	16	0.55	6	11	<10	98	<20
G321908		2.27	40	0.85	260	1	0.68	23	290	13	0.58	6	10	<10	101	20
G321909		3.03	50	0.90	288	1	0.71	34	360	25	0.53	<5	13	<10	142	20
G321910		1.60	30	0.26	64	1	0.12	13	140	15	0.01	21	10	<10	35	<20
G321911		2.39	40	0.86	295	<1	0.91	29	290	22	0.53	<5	11	<10	123	20
G321912		2.16	40	0.97	436	1	0.90	27	410	17	0.61	<5	10	<10	133	20
G321913		2.46	40	0.87	400	1	0.62	29	300	19	0.73	<5	12	<10	133	20
G321914		1.38	30	0.66	359	<1	1.05	16	210	13	0.32	<5	7	<10	114	<20
G321915		2.14	40	0.83	386	1	0.80	24	290	12	0.49	<5	10	<10	135	20
G321916		0.03	<10	12.30	209	<1	0.01	<1	160	<2	0.01	<5	<1	<10	40	<20
G321917		1.67	30	0.79	409	1	0.78	19	210	12	0.44	<5	8	<10	151	<20
G321918		3.63	50	1.11	336	<1	0.63	41	360	26	0.94	<5	15	<10	114	20
G321919		3.83	40	1.42	469	2	0.56	57	440	25	1.12	7	17	<10	113	20
G321920		1.31	30	0.66	361	<1	0.90	19	200	14	0.36	<5	7	<10	97	<20
G321921		1.27	20	0.78	382	<1	0.80	16	180	9	0.31	<5	6	<10	131	<20
G321922		1.16	20	0.73	350	<1	0.80	13	160	7	0.29	<5	5	<10	133	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 2-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
G319683		0.07	<10	<10	9	<10	9
G319684		0.24	<10	<10	43	<10	58
G319685		0.19	<10	<10	31	<10	41
G319686		0.18	<10	<10	28	<10	33
G319687		0.18	<10	<10	27	<10	51
G319688		0.28	<10	<10	53	<10	70
G319689		0.24	<10	<10	47	<10	59
G319690		0.32	<10	<10	79	<10	52
G319691		0.14	<10	<10	24	<10	47
G319692		0.21	<10	<10	42	<10	57
G319693		0.31	<10	<10	63	<10	65
G319694		0.35	<10	<10	87	<10	75
G319695		0.35	<10	<10	85	<10	85
G319696		0.47	<10	<10	130	<10	95
G319697		0.44	<10	<10	131	<10	106
G319698		0.44	<10	<10	113	<10	99
G319699		0.38	<10	<10	94	<10	92
G319700		0.29	<10	<10	60	<10	61
G321901		0.24	<10	<10	51	10	39
G321902		0.30	<10	<10	62	<10	87
G321903		0.31	<10	<10	61	<10	62
G321904		0.34	<10	<10	70	<10	65
G321905		0.25	<10	<10	45	<10	49
G321906		0.33	<10	<10	68	<10	56
G321907		0.35	<10	<10	72	<10	73
G321908		0.30	<10	<10	63	<10	51
G321909		0.42	<10	<10	95	<10	79
G321910		0.29	<10	<10	69	<10	43
G321911		0.36	<10	<10	78	<10	76
G321912		0.34	<10	<10	73	<10	69
G321913		0.34	<10	<10	81	<10	69
G321914		0.27	<10	<10	45	<10	49
G321915		0.33	<10	<10	69	<10	150
G321916		<0.01	<10	<10	2	<10	12
G321917		0.28	<10	<10	65	<10	59
G321918		0.45	<10	<10	111	10	105
G321919		0.55	<10	<10	159	10	125
G321920		0.25	<10	<10	43	<10	57
G321921		0.21	<10	<10	36	<10	52
G321922		0.20	<10	<10	34	<10	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 2-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
G321923		8.07	<0.005	<0.5	7.06	50	510	1.8	<2	0.64	<0.5	10	58	28	3.27	20
G321924		5.24	0.082	<0.5	8.78	719	710	2.3	<2	0.57	<0.5	14	73	45	3.92	20
G321925		5.54	1.325	<0.5	9.95	4790	790	2.9	17	0.83	<0.5	21	80	48	4.80	30
G321926		5.51	<0.005	<0.5	9.70	28	750	2.7	<2	0.30	<0.5	16	78	44	4.93	30
G321927		5.33	<0.005	<0.5	7.65	10	550	2.1	<2	0.58	<0.5	14	63	40	4.24	20
G321928		5.36	<0.005	<0.5	6.67	12	430	1.5	<2	0.63	<0.5	11	51	34	3.18	20
G321929CD		<0.02	<0.005	<0.5	6.68	6	440	1.6	<2	0.63	<0.5	10	52	35	3.23	20
G321930		7.01	<0.005	<0.5	9.34	28	730	2.7	<2	0.33	<0.5	15	78	43	4.02	30
G321931		5.69	0.005	<0.5	12.15	11	1050	3.7	2	0.28	<0.5	21	107	57	5.43	40
G321932		6.03	0.009	<0.5	11.30	20	940	3.5	2	0.21	<0.5	21	94	56	5.22	30
G321933		7.04	0.007	<0.5	3.67	25	220	0.9	<2	0.62	<0.5	6	36	20	1.63	10
G321934		5.83	0.009	<0.5	1.04	<5	20	<0.5	<2	0.31	<0.5	5	26	11	0.68	<10
G321935		4.65	0.015	<0.5	1.41	5	30	<0.5	<2	0.32	<0.5	4	29	9	0.79	<10
G321936		1.26	<0.005	<0.5	1.38	<5	30	<0.5	<2	0.29	<0.5	3	44	5	0.73	<10
G321937		4.50	0.029	<0.5	1.60	<5	20	<0.5	<2	0.54	<0.5	5	25	16	0.77	<10
G321938		7.08	0.020	<0.5	6.40	118	380	1.6	<2	0.73	<0.5	18	55	37	2.79	20
G321939		3.74	0.011	<0.5	7.46	21	590	2.0	<2	0.60	<0.5	14	63	37	3.69	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 2-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sn ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G321923		2.31	40	0.82	338	<1	0.72	25	390	15	0.44	5	10	<10	96	20
G321924		2.81	50	0.80	274	<1	0.68	37	300	21	0.93	8	14	<10	109	20
G321925		3.67	50	1.01	347	<1	0.44	49	340	24	1.20	15	15	<10	125	20
G321926		3.36	50	0.99	270	<1	0.61	39	320	22	0.75	6	15	<10	118	20
G321927		2.56	40	0.96	438	<1	0.62	31	340	16	0.68	5	12	<10	121	20
G321928		1.84	30	0.78	446	<1	1.17	25	250	18	0.40	<5	9	<10	116	<20
G321929CD		1.87	30	0.80	459	<1	1.19	24	260	18	0.42	<5	9	<10	117	<20
G321930		3.35	50	0.94	307	<1	0.39	38	380	23	0.48	<5	15	<10	109	20
G321931		4.62	60	1.26	400	<1	0.46	54	400	24	0.82	6	19	10	121	20
G321932		4.20	50	1.22	286	<1	0.34	49	340	20	0.75	8	18	<10	97	20
G321933		1.11	20	0.45	213	<1	0.57	12	210	8	0.33	5	5	<10	82	<20
G321934		0.15	10	0.14	121	<1	0.49	4	180	<2	0.16	<5	1	<10	37	<20
G321935		0.19	10	0.18	150	<1	0.72	5	210	4	0.13	<5	1	<10	42	<20
G321936		0.17	20	0.17	144	<1	0.76	4	200	3	0.09	<5	2	<10	38	<20
G321937		0.15	10	0.20	147	<1	0.82	3	170	3	0.18	<5	1	<10	61	<20
G321938		2.00	40	0.68	254	<1	1.06	27	260	7	0.64	5	10	<10	93	<20
G321939		2.83	40	0.79	424	<1	0.57	29	300	11	1.04	8	11	<10	83	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 2-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10095083

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
G321923		0.34	<10	<10	67	<10	68
G321924		0.40	<10	<10	97	10	83
G321925		0.42	<10	<10	114	10	97
G321926		0.44	<10	<10	106	<10	105
G321927		0.36	<10	<10	80	10	84
G321928		0.33	<10	<10	61	<10	73
G321929CD		0.34	<10	10	62	<10	74
G321930		0.41	<10	<10	101	<10	88
G321931		0.59	<10	<10	150	10	122
G321932		0.49	<10	<10	137	10	119
G321933		0.17	<10	<10	33	<10	28
G321934		0.05	<10	<10	6	<10	8
G321935		0.06	<10	<10	10	<10	10
G321936		0.08	<10	<10	10	<10	11
G321937		0.05	<10	10	4	<10	10
G321938		0.28	<10	<10	67	<10	44
G321939		0.34	<10	<10	77	<10	72