



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 17-AUG-2010
Account: STRGOL

CERTIFICATE WH10102792

Project: Eagle Gold

P.O. No.: EGP10-036

This report is for 43 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017040		2.71	<0.005	<0.5	6.58	18	2010	3.3	<2	2.49	<0.5	5	31	4	1.84	20
I017041		5.93	0.022	<0.5	7.15	29	2040	3.0	<2	2.24	<0.5	7	32	3	2.12	20
I017042		3.77	0.067	<0.5	7.26	77	1380	3.1	<2	2.58	<0.5	7	30	5	2.29	20
I017043		5.05	0.043	<0.5	6.96	90	1910	3.3	<2	2.31	<0.5	6	34	5	2.33	20
I017044		5.23	0.274	<0.5	7.17	121	1780	3.3	<2	2.19	<0.5	7	32	4	2.29	20
I017045		4.70	0.008	<0.5	7.64	50	2010	3.4	<2	2.25	<0.5	8	31	5	2.52	20
I017046		5.04	<0.005	<0.5	7.35	17	1880	3.2	<2	2.34	<0.5	8	30	5	2.27	20
I017047		5.13	0.037	0.8	7.15	62	1220	2.8	<2	1.77	4.9	5	27	9	2.86	20
I017048		5.34	0.412	1.1	6.58	3350	1520	2.6	2	2.09	6.8	6	29	47	3.36	10
I017049		5.95	0.164	<0.5	7.10	183	2080	2.9	2	2.30	<0.5	7	31	4	2.19	20
I017050		0.02	0.781	2.4	7.21	14	650	0.9	6	3.29	<0.5	22	41	7860	7.63	20
I017051		5.68	<0.005	<0.5	7.11	19	1870	3.1	<2	2.49	<0.5	6	32	8	2.32	20
I017052		5.95	0.094	<0.5	6.65	30	1130	2.3	<2	1.77	<0.5	3	27	5	2.06	20
I017053		4.67	0.042	<0.5	6.83	47	1420	2.9	<2	2.58	<0.5	6	30	7	2.39	20
I017054		4.77	0.161	<0.5	6.95	218	2080	2.7	2	2.01	<0.5	6	29	5	2.01	20
I017055		4.97	0.011	<0.5	7.66	44	1890	3.1	<2	2.53	<0.5	6	32	5	2.48	20
I017056		0.74	<0.005	<0.5	0.08	<5	20	<0.5	<2	21.2	<0.5	<1	2	<1	0.54	<10
I017057		4.58	1.265	<0.5	6.99	2290	2090	2.9	<2	2.28	<0.5	6	32	5	2.55	20
I017058		5.49	1.790	0.5	7.53	1050	1920	3.2	<2	2.50	<0.5	7	35	6	2.65	20
I017059		4.82	0.757	0.7	7.27	481	1710	2.8	4	2.37	<0.5	6	32	44	3.05	20
I017060		4.76	0.254	<0.5	7.25	2420	2040	2.6	<2	1.77	<0.5	7	32	6	2.71	20
I017061		6.07	0.105	<0.5	7.44	477	1930	2.5	2	1.52	<0.5	6	31	8	2.84	20
I017062		6.47	0.219	<0.5	7.41	351	1820	2.5	6	1.56	<0.5	4	31	7	2.71	20
I017063		4.88	0.028	<0.5	7.31	505	2210	2.6	2	1.80	<0.5	4	34	11	2.51	20
I017064		5.66	0.039	<0.5	6.77	1070	2070	2.7	<2	2.15	<0.5	7	35	12	2.44	20
I017065		5.39	0.013	<0.5	6.88	162	1620	2.6	<2	2.19	<0.5	6	29	12	2.50	20
I017066		5.93	<0.005	<0.5	7.25	67	2070	2.7	2	2.26	<0.5	5	30	4	2.33	20
I017067		5.68	0.031	0.5	7.19	1180	1800	2.9	<2	2.65	<0.5	6	32	8	2.59	20
I017068		5.23	0.140	7.4	7.26	1310	1060	2.5	<2	1.50	6.3	4	27	167	4.72	20
I017069		<0.02	0.261	6.9	7.22	1230	1100	2.5	<2	1.52	5.9	5	28	171	4.83	20
I017070		5.95	0.167	0.8	7.21	726	1460	2.7	<2	2.11	0.5	6	31	29	3.13	20
I017071		5.47	0.503	<0.5	7.45	1640	1750	3.1	<2	2.38	<0.5	7	32	9	2.82	20
I017072		5.57	0.014	<0.5	7.48	506	1560	2.9	<2	2.33	<0.5	6	34	8	2.67	20
I017073		5.76	0.198	0.7	7.53	1980	1520	3.0	<2	2.23	<0.5	7	31	24	3.41	20
I017074		5.86	0.502	1.5	7.13	3680	610	2.5	15	1.65	<0.5	9	27	39	6.94	20
I017075		5.96	0.023	<0.5	7.09	1040	1480	2.8	<2	2.34	<0.5	5	32	13	2.77	20
I017076		5.42	0.076	1.8	7.28	565	1460	3.0	4	2.30	<0.5	6	28	126	3.46	20
I017077		6.06	<0.005	<0.5	7.60	76	1730	3.3	2	2.67	<0.5	7	32	8	2.60	20
I017078		5.09	<0.005	<0.5	6.96	26	1550	2.8	<2	2.67	<0.5	6	34	10	2.41	20
I017079		5.21	<0.005	<0.5	7.15	19	1510	3.4	<2	2.61	<0.5	5	30	8	2.35	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017040		3.53	20	0.70	254	1	1.82	19	590	22	0.01	<5	6	530	<20	0.29
I017041		3.82	30	0.77	264	1	1.64	21	620	23	0.01	16	7	490	20	0.29
I017042		3.36	30	0.71	289	<1	1.50	19	630	24	0.02	18	6	356	20	0.30
I017043		3.51	30	0.72	300	23	1.76	19	630	25	0.03	8	6	480	20	0.30
I017044		3.48	30	0.75	298	<1	1.69	19	610	27	0.02	10	6	474	20	0.29
I017045		3.67	30	0.78	306	<1	1.78	19	650	28	0.02	<5	7	507	20	0.32
I017046		3.57	30	0.73	303	<1	1.72	20	640	28	0.04	<5	6	493	20	0.30
I017047		3.29	40	0.68	863	5	0.47	15	610	249	0.37	39	6	214	20	0.27
I017048		3.14	30	0.65	748	24	0.93	15	550	280	1.14	77	6	289	20	0.22
I017049		3.55	30	0.71	283	<1	1.61	19	620	25	0.05	6	6	439	20	0.28
I017050		2.85	<10	2.12	646	608	2.44	19	1220	11	1.02	<5	16	578	<20	0.38
I017051		3.48	20	0.70	305	5	1.69	18	640	23	0.04	5	6	472	20	0.30
I017052		2.84	30	0.70	307	<1	0.30	12	470	20	0.09	20	5	161	20	0.27
I017053		3.38	20	0.79	403	<1	0.92	20	610	20	0.07	19	6	345	20	0.28
I017054		3.46	30	0.66	333	6	1.33	18	610	20	0.15	15	6	372	20	0.27
I017055		3.25	30	0.79	314	2	1.81	19	660	19	0.06	<5	7	487	20	0.28
I017056		0.03	<10	13.45	215	<1	0.01	<1	160	<2	0.02	<5	<1	36	<20	<0.01
I017057		3.31	30	0.78	336	1	1.72	20	640	24	0.14	<5	6	451	20	0.27
I017058		3.49	30	0.76	355	2	1.81	19	670	28	0.08	<5	7	492	20	0.31
I017059		3.22	20	0.75	458	7	1.35	18	660	22	0.45	<5	7	388	20	0.28
I017060		3.27	30	0.74	366	6	1.79	19	640	55	0.17	<5	6	382	20	0.25
I017061		3.31	40	0.76	362	<1	1.74	17	630	57	0.15	<5	6	333	20	0.24
I017062		3.23	30	0.74	354	<1	1.74	16	620	56	0.12	<5	6	341	20	0.23
I017063		3.40	30	0.71	335	<1	1.79	20	640	50	0.09	<5	6	415	20	0.27
I017064		3.54	30	0.77	364	2	1.59	19	640	36	0.20	<5	6	425	30	0.30
I017065		3.08	30	0.73	381	<1	1.50	18	610	28	0.12	<5	6	394	20	0.26
I017066		3.65	30	0.69	358	6	1.47	18	650	57	0.06	<5	6	440	20	0.27
I017067		3.54	30	0.76	366	2	1.52	20	660	34	0.11	7	6	483	20	0.30
I017068		3.17	40	0.64	2820	2	0.48	19	600	1500	0.51	583	6	198	20	0.25
I017069		3.12	40	0.65	2820	1	0.50	17	600	1505	0.52	565	6	200	20	0.25
I017070		3.22	30	0.75	776	7	0.69	18	650	90	0.32	64	6	259	20	0.27
I017071		3.40	30	0.79	416	<1	1.36	18	670	40	0.24	9	7	409	20	0.29
I017072		3.14	30	0.69	408	<1	1.30	22	670	33	0.17	<5	7	382	20	0.31
I017073		3.18	30	0.71	477	<1	1.29	20	620	52	1.08	8	7	351	20	0.27
I017074		3.26	40	0.64	927	<1	0.35	19	590	254	4.22	208	6	189	20	0.25
I017075		2.99	30	0.72	425	3	1.16	19	650	38	0.19	18	6	390	20	0.29
I017076		3.22	30	0.70	756	1	1.24	18	620	122	0.57	75	6	387	20	0.29
I017077		3.37	30	0.76	362	<1	1.86	20	680	29	0.04	<5	7	507	20	0.33
I017078		3.38	20	0.76	373	<1	1.48	18	650	30	0.04	8	7	433	20	0.31
I017079		3.20	20	0.66	327	<1	1.82	19	640	24	0.03	<5	6	475	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 17-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I017040		<10	10	35	100	33
I017041		<10	<10	35	1570	42
I017042		<10	<10	35	30	42
I017043		<10	<10	36	450	45
I017044		<10	<10	35	30	52
I017045		<10	<10	36	20	50
I017046		<10	10	36	20	52
I017047		<10	<10	33	70	898
I017048		10	<10	32	70	1130
I017049		<10	<10	34	10	40
I017050		<10	<10	193	10	92
I017051		<10	<10	36	190	45
I017052		<10	<10	32	10	37
I017053		<10	<10	33	10	42
I017054		<10	<10	33	100	38
I017055		<10	<10	35	40	38
I017056		<10	10	2	10	13
I017057		<10	<10	34	40	42
I017058		<10	<10	36	30	65
I017059		<10	<10	35	80	49
I017060		<10	<10	33	450	91
I017061		<10	<10	33	20	110
I017062		<10	<10	34	20	101
I017063		<10	<10	35	80	70
I017064		<10	<10	36	30	62
I017065		<10	<10	33	20	55
I017066		<10	<10	33	240	102
I017067		<10	<10	36	20	70
I017068		10	<10	31	40	1160
I017069		<10	<10	32	40	1110
I017070		<10	<10	35	180	190
I017071		<10	<10	36	20	68
I017072		<10	<10	37	10	71
I017073		<10	<10	35	230	79
I017074		<10	<10	31	20	67
I017075		10	<10	35	20	72
I017076		<10	<10	33	10	150
I017077		<10	<10	38	<10	69
I017078		<10	<10	37	40	70
I017079		<10	<10	36	80	59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 17-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I017080		5.82	<0.005	<0.5	7.29	21	1530	3.2	<2	2.50	<0.5	6	31	5	2.35	20
I017081		5.40	<0.005	0.5	7.09	14	1570	3.1	<2	2.70	<0.5	7	30	8	2.42	20
I017082		5.16	<0.005	<0.5	7.05	14	1350	3.0	<2	2.44	<0.5	7	27	9	2.15	20



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

[illegible]



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 17-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10102792

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I017080		<10	<10	36	10	59
I017081		<10	<10	36	<10	76
I017082		<10	<10	33	<10	75