



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 14-AUG-2010  
Account: STRGOL

**CERTIFICATE WH10104860**

Project: Eagle Gold

P.O. No.: EGP10-40

This report is for 47 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: ANDY RANDELL  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
H235701		5.35	0.006	<0.5	7.30	85	1440	3.0	<2	3.01	<0.5	8	51	8	3.00	20
H235702		5.37	0.975	<0.5	7.32	2370	1400	3.0	<2	3.00	<0.5	10	55	11	3.18	20
H235703		4.43	0.015	<0.5	7.55	379	1080	3.3	<2	2.70	<0.5	8	38	5	3.13	20
H235704		5.54	0.009	<0.5	7.50	37	1580	3.3	2	3.20	<0.5	7	38	1	2.40	20
H235705		5.38	<0.005	<0.5	7.09	28	1540	3.3	<2	3.24	<0.5	6	40	1	2.22	20
H235706		6.18	<0.005	<0.5	6.41	21	1390	3.1	<2	3.19	<0.5	5	35	1	2.04	20
H235707		5.86	<0.005	<0.5	7.45	14	1530	3.3	<2	3.17	<0.5	7	39	3	2.30	10
H235708		4.79	<0.005	<0.5	6.98	18	1360	3.1	<2	3.32	<0.5	7	50	2	2.56	20
H235709		4.96	<0.005	<0.5	6.82	16	1360	3.1	<2	3.38	<0.5	8	51	2	2.47	20
H235710		0.06	0.082	<0.5	5.70	113	550	1.8	<2	0.02	<0.5	2	60	16	3.25	10
H235711		6.51	<0.005	<0.5	7.11	226	1330	3.2	<2	3.34	<0.5	7	51	2	2.66	20
H235712		5.36	<0.005	<0.5	7.55	17	1380	3.3	<2	3.50	<0.5	8	55	2	2.62	20
H235713		5.32	<0.005	<0.5	7.17	17	1330	3.3	<2	3.74	<0.5	7	60	4	2.90	20
H235714		5.78	<0.005	<0.5	7.06	130	1270	3.4	<2	3.42	<0.5	7	56	4	2.52	20
H235715		3.97	<0.005	<0.5	7.44	21	1380	3.3	<2	3.03	<0.5	9	53	4	2.58	20
H235716		0.66	<0.005	<0.5	0.07	<5	30	<0.5	<2	21.2	0.5	4	1	<1	0.43	<10
H235717		5.86	<0.005	<0.5	8.01	29	1340	3.4	<2	3.65	<0.5	8	51	5	2.81	20
H235718		5.86	<0.005	<0.5	7.89	90	1200	3.3	2	3.91	<0.5	6	46	1	2.39	20
H235719		5.92	<0.005	<0.5	8.13	14	1490	3.4	<2	3.60	<0.5	6	45	3	2.53	20
H235720		5.84	<0.005	<0.5	7.64	16	1460	3.2	2	3.09	<0.5	6	32	2	2.05	20
H235721		5.65	<0.005	<0.5	8.19	16	1530	3.5	<2	3.47	<0.5	6	35	3	2.20	20
H235722		5.56	<0.005	<0.5	7.88	15	1470	3.5	2	3.39	<0.5	6	33	3	2.17	20
H235723		5.50	<0.005	<0.5	7.51	13	1400	3.6	<2	3.30	<0.5	5	35	11	2.03	20
H235724		5.62	<0.005	<0.5	8.11	19	1650	3.4	3	3.03	<0.5	6	46	13	2.33	20
H235725		6.10	<0.005	<0.5	8.25	15	1520	3.3	2	3.09	<0.5	6	35	6	2.45	20
H235726		5.39	<0.005	<0.5	7.39	16	1390	3.2	<2	3.02	<0.5	6	34	5	2.23	20
H235727		5.96	0.007	<0.5	8.13	606	1530	3.2	4	3.14	<0.5	6	35	6	2.45	20
H235728		5.98	<0.005	<0.5	7.95	14	1410	3.2	2	3.21	<0.5	7	36	5	2.26	20
H235729 CD		<0.02	<0.005	<0.5	8.06	11	1430	3.2	<2	3.25	<0.5	6	35	6	2.32	20
H235730		5.55	<0.005	<0.5	8.16	22	1500	3.2	2	3.16	<0.5	7	37	11	2.43	20
H235731		5.12	<0.005	<0.5	8.42	11	1570	3.1	<2	3.16	<0.5	6	36	10	2.52	20
H235732		5.55	<0.005	<0.5	7.95	18	1500	3.5	3	3.37	<0.5	5	42	13	2.23	20
H235733		5.68	<0.005	<0.5	7.73	127	1520	3.3	2	3.13	<0.5	5	40	12	2.16	20
H235734		5.73	<0.005	<0.5	7.94	19	1650	3.4	<2	3.43	<0.5	5	36	4	2.08	20
H235735		5.58	<0.005	<0.5	8.01	18	1600	3.7	<2	3.59	<0.5	5	38	3	2.05	20
H235736		4.49	<0.005	<0.5	7.78	16	1560	3.5	3	3.39	<0.5	5	37	3	2.02	20
H235737		6.32	<0.005	<0.5	7.67	11	1550	3.3	3	3.09	<0.5	6	41	2	2.28	20
H235738		5.61	<0.005	<0.5	8.00	13	1630	3.4	3	3.30	<0.5	6	34	1	2.13	20
H235739		5.50	<0.005	<0.5	7.84	22	1750	3.3	3	3.33	<0.5	5	35	1	2.07	20
H235740		5.39	<0.005	<0.5	7.56	20	1570	3.4	<2	3.41	<0.5	5	37	<1	1.81	20

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
H235701		2.99	30	1.14	502	5	1.97	11	690	37	0.02	<5	9	587	20	0.32
H235702		3.03	40	1.10	529	3	1.80	13	680	38	0.16	6	9	526	20	0.32
H235703		2.55	40	0.59	570	3	1.05	17	710	25	0.01	9	8	287	20	0.29
H235704		2.71	30	0.88	361	3	2.31	17	690	17	<0.01	<5	8	718	20	0.34
H235705		2.62	30	0.82	373	8	2.43	16	700	15	0.01	<5	7	746	20	0.33
H235706		2.30	20	0.73	339	5	2.25	14	620	16	<0.01	<5	6	723	<20	0.31
H235707		2.81	30	0.93	368	4	2.24	16	670	22	0.02	<5	8	699	20	0.33
H235708		2.76	30	1.17	443	6	2.20	12	620	26	0.01	<5	8	704	20	0.30
H235709		2.61	30	1.16	447	3	2.22	11	640	23	0.01	<5	8	712	<20	0.30
H235710		1.69	30	0.28	67	2	0.12	15	150	16	<0.01	20	10	39	<20	0.27
H235711		2.69	30	1.08	462	2	2.14	11	660	31	0.01	7	8	680	<20	0.31
H235712		2.52	40	1.26	478	3	2.34	13	680	26	0.01	<5	9	755	20	0.32
H235713		2.49	30	1.31	558	2	2.32	12	680	24	0.01	<5	10	717	20	0.33
H235714		2.47	30	1.09	439	3	2.23	11	680	38	0.02	<5	9	717	<20	0.32
H235715		2.70	30	1.03	408	3	2.14	11	690	30	0.01	<5	9	683	20	0.32
H235716		0.03	10	12.65	206	<1	0.01	<1	150	<2	<0.01	<5	<1	49	<20	<0.01
H235717		2.70	30	1.31	498	<1	2.28	12	740	32	0.02	<5	9	718	20	0.32
H235718		2.18	30	1.31	441	2	2.46	11	710	21	0.01	<5	9	839	20	0.31
H235719		2.74	30	1.23	426	2	2.43	14	770	25	0.02	<5	9	769	20	0.34
H235720		2.55	40	0.96	329	1	2.23	13	670	17	0.01	<5	7	706	20	0.30
H235721		2.56	30	1.01	354	10	2.50	15	740	21	0.02	<5	8	791	20	0.33
H235722		2.58	30	0.99	347	6	2.47	15	740	20	0.02	<5	7	760	20	0.33
H235723		2.35	20	0.94	334	2	2.54	15	710	27	0.02	<5	7	780	20	0.33
H235724		3.08	40	1.03	355	2	2.23	21	720	32	0.03	<5	7	682	20	0.32
H235725		3.17	30	1.00	375	1	2.21	14	700	27	0.03	<5	8	679	20	0.32
H235726		2.90	30	0.95	369	5	2.20	14	700	29	0.03	<5	7	654	20	0.31
H235727		3.09	30	1.00	380	2	2.28	13	720	26	0.06	<5	8	701	20	0.32
H235728		2.84	30	0.96	372	3	2.30	14	690	28	0.03	<5	7	704	20	0.31
H235729 CD		2.86	30	0.96	377	3	2.30	16	700	28	0.03	<5	7	714	20	0.32
H235730		2.93	30	0.98	387	3	2.28	15	700	30	0.05	<5	7	702	20	0.32
H235731		2.96	40	0.97	388	4	2.22	16	730	30	0.03	<5	8	694	20	0.34
H235732		2.74	30	0.92	360	1	2.30	17	680	36	0.02	<5	8	736	20	0.30
H235733		2.70	30	0.77	345	3	2.21	14	630	36	0.02	<5	7	710	20	0.28
H235734		2.64	30	0.86	350	3	2.38	12	650	24	0.01	<5	7	816	20	0.28
H235735		2.58	30	0.89	345	4	2.55	14	680	22	0.01	<5	7	841	20	0.29
H235736		2.58	30	0.83	334	<1	2.37	14	670	22	0.02	<5	7	776	20	0.29
H235737		2.84	30	0.86	357	<1	2.13	14	640	25	0.01	<5	8	665	20	0.28
H235738		2.68	30	0.93	350	<1	2.31	14	680	23	0.01	<5	8	742	20	0.30
H235739		2.96	30	0.94	306	1	2.32	16	700	18	0.01	<5	7	735	20	0.31
H235740		2.67	30	0.83	303	3	2.32	17	670	15	0.01	<5	7	781	20	0.30

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 14-AUG-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
H235701		<10	10	55	20	59
H235702		<10	10	58	<10	64
H235703		<10	<10	47	20	58
H235704		<10	<10	43	70	45
H235705		<10	10	45	<10	40
H235706		<10	10	41	40	39
H235707		<10	10	45	20	52
H235708		<10	10	55	120	47
H235709		<10	10	54	30	46
H235710		<10	<10	73	<10	45
H235711		<10	10	55	<10	52
H235712		<10	10	55	<10	52
H235713		<10	10	64	30	56
H235714		<10	10	60	<10	49
H235715		<10	10	58	<10	48
H235716		<10	<10	1	<10	20
H235717		<10	10	58	30	58
H235718		<10	20	54	40	46
H235719		<10	10	51	40	56
H235720		<10	10	39	80	47
H235721		<10	20	43	10	50
H235722		<10	20	43	10	53
H235723		<10	10	41	70	53
H235724		<10	10	43	20	62
H235725		<10	10	42	40	63
H235726		<10	10	42	150	61
H235727		<10	10	42	80	63
H235728		<10	10	41	90	61
H235729 CD		<10	20	42	80	62
H235730		<10	10	43	220	66
H235731		<10	10	44	20	82
H235732		<10	10	43	20	56
H235733		<10	10	42	90	48
H235734		<10	10	43	180	42
H235735		<10	10	42	220	41
H235736		<10	20	42	30	42
H235737		<10	10	43	10	51
H235738		<10	20	42	10	46
H235739		<10	10	41	140	37
H235740		<10	20	40	700	33

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 14-AUG-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
H235741		5.43	<0.005	<0.5	7.96	15	1370	3.6	<2	3.75	<0.5	5	37	6	1.90	20
H235742		5.46	<0.005	<0.5	7.71	22	1730	3.3	2	3.28	<0.5	4	37	5	1.90	20
H235743		5.30	<0.005	<0.5	7.88	14	1820	3.3	5	3.30	<0.5	5	32	2	1.95	20
H235744		5.75	<0.005	<0.5	7.84	12	1670	3.3	4	3.22	<0.5	5	31	<1	2.00	20
H235745		5.40	<0.005	<0.5	7.47	12	1630	3.3	<2	3.32	<0.5	5	35	1	1.95	10
H235746		3.59	0.041	<0.5	7.18	1915	1500	3.5	2	4.00	<0.5	6	30	1	1.77	20
H235747		1.40	<0.005	<0.5	7.10	89	1470	2.7	<2	2.56	<0.5	5	25	1	1.33	20

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 14-AUG-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
H235741		2.28	30	0.94	308	3	2.61	16	690	19	0.01	<5	7	905	20	0.31
H235742		2.78	30	0.78	290	6	2.31	15	680	18	0.01	<5	7	748	20	0.31
H235743		2.83	30	0.85	301	3	2.32	16	710	20	<0.01	<5	7	740	20	0.31
H235744		2.75	30	0.88	309	2	2.30	11	670	16	<0.01	<5	7	754	20	0.30
H235745		2.70	30	0.90	313	17	2.34	12	650	17	<0.01	<5	7	765	20	0.29
H235746		2.21	20	0.69	278	1	2.50	12	630	10	0.10	<5	7	878	20	0.28
H235747		2.31	30	0.56	196	18	1.64	14	580	15	0.03	<5	6	630	20	0.25

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 14-AUG-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10104860**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
H235741		<10	20	41	330	36
H235742		<10	10	40	60	37
H235743		<10	10	39	180	38
H235744		<10	10	40	110	39
H235745		<10	10	43	40	35
H235746		<10	20	40	70	24
H235747		<10	10	38	990	26

Comments: An additional Au-AA24 check result for sample H235702 reports 1.525ppm.