



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 21-AUG-2010
This copy reported on
4-APR-2011
Account: STRGOL

CERTIFICATE WH10108414

Project: Eagle Gold

P.O. No.: EGP10-041

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7-AUG-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-22 | Sample login - Rcd w/o BarCode |
| BAG-01 | Bulk Master for Storage |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-36 | Fine Crushing - 85% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA24 | Au 50g FA AA finish | AAS |
| ME-ICP61 | 33 element four acid ICP-AES | ICP-AES |

To: STRATAGOLD CORPORATION
ATTN: ALLAN JACOBS
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 21-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10108414

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | Au-AA24 Au ppm 0.005 | ME-ICP61 Ag ppm 0.5 | ME-ICP61 Al % 0.01 | ME-ICP61 As ppm 5 | ME-ICP61 Ba ppm 10 | ME-ICP61 Be ppm 0.5 | ME-ICP61 Bi ppm 2 | ME-ICP61 Ca % 0.01 | ME-ICP61 Cd ppm 0.5 | ME-ICP61 Co ppm 1 | ME-ICP61 Cr ppm 1 | ME-ICP61 Cu ppm 1 | ME-ICP61 Fe % 0.01 | ME-ICP61 Ga ppm 10 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|
| I050851 | | 2.71 | 0.007 | <0.5 | 7.30 | 105 | 1500 | 2.6 | <2 | 2.78 | <0.5 | 10 | 49 | <1 | 3.38 | 20 |
| I050852 | | 3.20 | <0.005 | <0.5 | 7.71 | 55 | 1580 | 2.7 | <2 | 2.37 | <0.5 | 10 | 61 | 2 | 3.58 | 20 |
| I050853 | | 3.10 | <0.005 | <0.5 | 1.57 | 12 | 120 | <0.5 | <2 | 0.01 | <0.5 | 1 | 36 | <1 | 0.79 | <10 |
| I050854 | | 4.06 | <0.005 | <0.5 | 0.12 | 7 | 10 | <0.5 | <2 | 0.01 | <0.5 | 1 | 64 | 1 | 0.69 | <10 |
| I050855 | | 3.26 | <0.005 | <0.5 | 7.39 | 33 | 760 | 1.8 | <2 | 0.10 | <0.5 | 6 | 65 | 24 | 3.73 | 20 |
| I050856 | | 1.91 | 0.012 | <0.5 | 7.57 | 646 | 1330 | 2.7 | <2 | 0.21 | 1.1 | 27 | 56 | 8 | 6.48 | 20 |
| I050857 | | 2.80 | <0.005 | <0.5 | 2.52 | 76 | 170 | 0.6 | <2 | 0.01 | <0.5 | 2 | 34 | 14 | 1.04 | 10 |
| I050858 | | 2.45 | 0.005 | <0.5 | 6.99 | 200 | 1610 | 2.7 | <2 | 2.33 | <0.5 | 10 | 60 | 3 | 3.34 | 20 |
| I050859 | | 3.56 | 0.014 | <0.5 | 7.07 | 270 | 1520 | 2.7 | <2 | 1.76 | <0.5 | 10 | 59 | 2 | 3.37 | 20 |
| I050860 | | 0.07 | 0.073 | <0.5 | 6.00 | 74 | 580 | 1.9 | <2 | 0.02 | <0.5 | 3 | 56 | 19 | 2.96 | 20 |
| I050861 | | 2.57 | <0.005 | <0.5 | 7.58 | 146 | 810 | 2.8 | <2 | 0.05 | 0.6 | 6 | 53 | 28 | 2.68 | 20 |
| I050862 | | 4.23 | <0.005 | <0.5 | 1.76 | 58 | 350 | 0.6 | <2 | 0.55 | <0.5 | 2 | 41 | 3 | 1.35 | <10 |
| I050863 | | 2.47 | <0.005 | <0.5 | 0.17 | <5 | 20 | <0.5 | <2 | 0.03 | <0.5 | 2 | 35 | 4 | 1.21 | <10 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 21-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10108414

| Sample Description | Method Analyte Units LOR | ME-ICP61 K % | ME-ICP61 La ppm | ME-ICP61 Mg % | ME-ICP61 Mn ppm | ME-ICP61 Mo ppm | ME-ICP61 Na % | ME-ICP61 Ni ppm | ME-ICP61 P ppm | ME-ICP61 Pb ppm | ME-ICP61 S % | ME-ICP61 Sb ppm | ME-ICP61 Sc ppm | ME-ICP61 Sr ppm | ME-ICP61 Th ppm | ME-ICP61 Ti % |
|--------------------|-----------------------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 5 | 1 | 1 | 20 | 0.01 |
| I050851 | | 3.00 | 30 | 1.43 | 631 | <1 | 1.66 | 7 | 790 | 18 | 0.01 | <5 | 10 | 584 | 20 | 0.32 |
| I050852 | | 3.00 | 40 | 1.51 | 609 | <1 | 1.70 | 9 | 880 | 18 | <0.01 | <5 | 11 | 630 | 20 | 0.39 |
| I050853 | | 0.75 | 20 | 0.10 | 50 | 1 | 0.02 | <1 | 50 | 31 | 0.01 | 9 | 2 | 11 | <20 | 0.06 |
| I050854 | | 0.05 | 10 | 0.01 | 67 | 1 | 0.01 | <1 | 20 | 41 | 0.01 | 8 | 1 | 3 | <20 | <0.01 |
| I050855 | | 2.81 | 50 | 0.77 | 227 | <1 | 0.66 | 13 | 320 | 13 | 0.05 | 6 | 12 | 127 | 20 | 0.31 |
| I050856 | | 3.12 | 30 | 1.40 | 1490 | <1 | 0.95 | 42 | 680 | 41 | 0.02 | <5 | 11 | 208 | 20 | 0.18 |
| I050857 | | 0.65 | 20 | 0.06 | 91 | <1 | 0.02 | <1 | 110 | 13 | 0.01 | <5 | 3 | 27 | <20 | 0.16 |
| I050858 | | 3.13 | 30 | 1.40 | 533 | <1 | 1.59 | 13 | 790 | 26 | 0.02 | <5 | 10 | 543 | 20 | 0.33 |
| I050859 | | 3.12 | 30 | 1.41 | 515 | <1 | 1.58 | 11 | 770 | 21 | 0.01 | <5 | 10 | 538 | 20 | 0.27 |
| I050860 | | 1.98 | 40 | 0.29 | 126 | <1 | 0.10 | 13 | 250 | 16 | 0.01 | 18 | 10 | 29 | <20 | 0.26 |
| I050861 | | 3.12 | 50 | 0.36 | 302 | <1 | 0.05 | 15 | 550 | 17 | 0.01 | 11 | 10 | 9 | 20 | 0.20 |
| I050862 | | 0.67 | 20 | 0.31 | 180 | <1 | 0.34 | 2 | 720 | 11 | 0.01 | <5 | 3 | 128 | <20 | 0.07 |
| I050863 | | 0.04 | 10 | 0.02 | 162 | 1 | 0.01 | 3 | 70 | 3 | 0.04 | <5 | 1 | 3 | <20 | 0.01 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 21-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10108414

| Sample Description | Method Analyte Units LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|-----------|----------|-----------|----------|
| | | Tl | U | V | W | Zn |
| | | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| I050851 | | <10 | <10 | 66 | <10 | 57 |
| I050852 | | <10 | <10 | 73 | <10 | 54 |
| I050853 | | <10 | <10 | 12 | <10 | <2 |
| I050854 | | <10 | <10 | 1 | <10 | <2 |
| I050855 | | <10 | <10 | 69 | <10 | 74 |
| I050856 | | <10 | <10 | 56 | <10 | 363 |
| I050857 | | <10 | <10 | 25 | <10 | 9 |
| I050858 | | <10 | <10 | 66 | <10 | 50 |
| I050859 | | <10 | <10 | 61 | <10 | 45 |
| I050860 | | <10 | <10 | 67 | <10 | 54 |
| I050861 | | <10 | <10 | 57 | <10 | 88 |
| I050862 | | <10 | <10 | 14 | <10 | 13 |
| I050863 | | <10 | <10 | 2 | <10 | 4 |