



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 7-SEP-2010
Account: STRGOL

CERTIFICATE WH10116819

Project: Eagle Gold

P.O. No.: EGP-56

This report is for 68 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 21-AUG-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 7-SEP-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I016307		4.83	<0.005	<0.5	7.63	15	1700	3.2	<2	2.51	<0.5	8	32	12	2.43	20
I016308		5.30	<0.005	<0.5	7.61	12	1720	3.2	<2	2.52	<0.5	7	30	2	2.33	20
I016309		5.29	<0.005	<0.5	7.26	7	1740	3.1	<2	2.60	<0.5	7	32	3	2.29	20
I016310		0.09	0.348	0.8	7.66	<5	810	1.9	<2	2.41	<0.5	15	51	3650	5.11	20
I016311		5.63	<0.005	<0.5	6.48	30	1820	3.0	<2	2.48	<0.5	8	32	5	2.10	20
I016312		5.64	<0.005	<0.5	7.50	505	1760	2.9	<2	1.76	<0.5	7	30	12	2.78	20
I016313		6.39	0.051	3.8	7.69	742	1380	2.8	<2	0.98	3.5	5	31	37	3.35	20
I016314		4.69	3.30	7.2	6.99	5850	660	3.0	24	0.11	1.4	7	27	120	8.31	20
I016315		5.99	0.227	2.5	7.62	917	930	2.7	4	0.28	2.2	2	31	47	5.21	20
I016316		1.86	<0.005	<0.5	0.14	6	30	<0.5	<2	20.8	<0.5	1	<1	4	0.50	<10
I016317		5.87	0.005	<0.5	7.77	305	1730	3.0	<2	1.80	<0.5	12	31	7	2.67	20
I016318		5.52	<0.005	<0.5	7.47	146	1890	3.2	<2	2.23	<0.5	8	32	3	2.29	20
I016319		5.77	<0.005	<0.5	7.55	21	1860	3.2	<2	2.67	<0.5	8	36	4	2.43	20
I016320		5.74	<0.005	<0.5	6.63	8	1750	3.1	<2	2.61	<0.5	7	32	3	2.10	20
I016321		4.87	0.008	<0.5	6.93	99	1610	2.8	<2	2.17	<0.5	6	32	3	2.27	20
I016322		5.42	0.046	<0.5	6.77	103	1570	2.7	<2	2.05	<0.5	6	29	4	2.19	20
I016323		5.48	<0.005	<0.5	7.13	9	1780	3.3	2	2.64	<0.5	7	32	3	2.22	20
I016324		4.86	<0.005	<0.5	7.33	6	1700	3.2	<2	2.54	<0.5	6	33	4	2.43	20
I016325		5.90	<0.005	<0.5	6.97	18	1710	3.2	<2	2.37	<0.5	6	31	3	2.10	20
I016326		4.85	<0.005	<0.5	8.11	22	1740	3.5	<2	2.60	<0.5	7	31	3	2.37	20
I016327		2.94	<0.005	<0.5	7.17	49	1640	3.1	<2	1.97	<0.5	5	28	2	1.88	20
I016328		5.52	<0.005	<0.5	7.49	10	1820	3.2	2	2.59	<0.5	6	29	2	2.02	20
I016329		<0.02	<0.005	<0.5	6.90	14	1780	3.1	<2	2.55	<0.5	7	31	2	2.06	20
I016330		6.33	<0.005	<0.5	7.33	9	1570	3.3	2	2.53	<0.5	8	31	5	2.39	20
I016331		5.60	<0.005	<0.5	6.83	11	1700	3.1	<2	2.48	<0.5	7	32	7	2.27	20
I016332		5.65	<0.005	<0.5	7.26	12	1630	3.1	<2	2.47	<0.5	7	29	8	2.18	20
I016333		5.06	<0.005	<0.5	7.83	<5	1560	3.3	<2	2.56	<0.5	8	31	6	2.35	20
I016334		5.26	<0.005	<0.5	7.13	50	1520	3.4	<2	2.37	<0.5	6	29	9	2.24	20
I016335		5.95	<0.005	<0.5	7.22	121	1580	3.4	<2	2.59	<0.5	6	29	9	2.14	20
I016336		5.29	<0.005	<0.5	6.95	71	1540	3.2	<2	2.35	<0.5	6	25	12	1.98	20
I016337		6.42	<0.005	<0.5	7.22	9	1440	3.6	<2	2.25	<0.5	7	29	5	2.15	20
I016338		4.32	<0.005	<0.5	7.28	20	1570	3.6	<2	2.32	<0.5	6	28	5	1.97	20
I016339		4.88	0.778	<0.5	7.05	7580	1720	3.0	<2	2.11	<0.5	7	31	7	3.02	20
I016340		5.73	0.142	0.5	7.51	223	1350	3.4	<2	2.11	0.5	6	28	14	2.73	20
I016341		5.06	0.005	<0.5	7.72	31	1550	3.3	<2	2.32	<0.5	6	29	9	2.28	20
I016342		6.79	<0.005	<0.5	7.09	57	1800	3.2	<2	2.32	<0.5	6	28	6	1.99	20
I016343		3.97	<0.005	<0.5	7.29	16	1580	3.3	<2	2.41	<0.5	6	29	4	2.27	20
I016344		6.19	0.006	<0.5	7.23	435	1720	3.4	<2	2.30	<0.5	6	29	6	2.07	20
I016345		5.10	<0.005	<0.5	7.34	72	1580	3.7	<2	2.24	<0.5	5	26	5	2.13	20
I016346		4.59	0.134	<0.5	7.19	4950	2070	3.1	<2	2.06	<0.5	6	26	2	2.32	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-SEP-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I016307		3.52	30	0.76	336	<1	1.89	21	650	26	0.01	<5	7	521	<20	0.32
I016308		3.66	30	0.80	320	1	1.85	19	670	20	0.01	<5	7	518	20	0.32
I016309		3.59	30	0.75	320	1	1.86	20	650	18	0.01	<5	7	527	<20	0.32
I016310		3.15	10	1.47	531	274	2.50	23	1070	11	0.50	<5	13	462	<20	0.37
I016311		3.68	20	0.64	313	5	1.85	20	620	17	0.01	<5	6	503	<20	0.32
I016312		3.59	20	0.61	423	6	1.72	19	660	21	0.03	23	7	478	20	0.31
I016313		3.66	50	0.43	525	12	0.80	14	630	110	0.38	84	7	257	20	0.28
I016314		3.29	50	0.21	344	41	0.04	23	430	1190	1.93	357	7	27	20	0.17
I016315		3.58	50	0.33	1010	19	0.07	13	1010	218	0.14	108	7	60	20	0.28
I016316		0.05	<10	13.00	216	2	0.02	<1	200	<2	0.02	<5	<1	49	<20	0.01
I016317		3.54	40	0.59	588	5	1.33	22	660	24	<0.01	45	8	406	20	0.34
I016318		3.67	40	0.62	356	4	1.69	20	690	18	<0.01	17	7	481	20	0.33
I016319		3.67	40	0.75	307	2	1.93	20	700	21	<0.01	<5	7	522	20	0.34
I016320		3.61	30	0.74	253	4	1.85	19	640	18	0.01	<5	6	505	20	0.32
I016321		3.45	40	0.63	295	16	1.69	18	600	15	0.01	<5	6	410	20	0.28
I016322		3.49	40	0.61	293	13	1.67	17	580	17	0.01	<5	6	405	20	0.27
I016323		3.62	30	0.78	271	8	1.96	18	660	18	0.01	<5	6	530	20	0.33
I016324		3.62	30	0.83	320	2	1.93	18	660	19	0.01	<5	7	513	20	0.33
I016325		3.63	30	0.72	259	2	1.82	17	630	17	<0.01	<5	6	487	20	0.31
I016326		3.69	40	0.88	294	3	2.02	19	720	22	<0.01	<5	7	525	20	0.35
I016327		3.59	40	0.66	209	7	1.80	16	610	14	<0.01	<5	6	485	20	0.30
I016328		3.76	40	0.74	254	11	1.91	17	630	19	0.01	<5	7	515	20	0.31
I016329		3.78	30	0.70	261	10	1.92	17	610	21	0.01	<5	6	506	20	0.32
I016330		3.46	40	0.79	313	12	1.92	19	630	19	0.02	<5	7	498	20	0.32
I016331		3.45	30	0.77	304	3	1.88	18	620	22	0.02	<5	6	491	<20	0.31
I016332		3.69	30	0.75	313	2	1.80	18	610	27	0.03	<5	6	480	20	0.31
I016333		3.59	40	0.81	306	2	1.89	17	620	21	0.02	<5	7	501	20	0.31
I016334		3.47	30	0.72	319	3	1.80	17	600	32	0.02	<5	6	447	20	0.29
I016335		3.79	30	0.62	330	6	1.81	19	580	23	0.02	<5	6	423	20	0.28
I016336		3.74	30	0.63	325	1	1.52	16	540	26	<0.01	7	6	400	30	0.25
I016337		3.79	30	0.68	283	2	1.91	15	550	23	0.01	<5	6	454	20	0.27
I016338		3.83	30	0.69	268	3	1.93	14	570	24	0.02	<5	6	463	20	0.27
I016339		3.52	30	0.63	365	1	1.55	13	560	26	0.40	11	6	353	20	0.24
I016340		3.45	40	0.55	383	4	1.28	14	580	33	0.16	19	7	312	20	0.28
I016341		3.79	40	0.74	305	3	1.85	16	580	30	0.03	<5	7	474	20	0.29
I016342		3.92	30	0.71	273	1	1.85	18	600	24	0.02	<5	6	474	20	0.29
I016343		3.50	30	0.73	299	1	1.89	17	600	23	0.01	<5	7	480	20	0.30
I016344		3.91	30	0.70	275	1	1.84	18	560	25	0.04	<5	6	455	20	0.27
I016345		3.70	30	0.70	291	1	1.88	17	560	25	0.02	<5	6	447	20	0.27
I016346		4.11	40	0.64	223	24	1.70	14	570	19	0.25	<5	6	448	20	0.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-SEP-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I016307		<10	<10	39	10	51
I016308		<10	<10	40	10	42
I016309		<10	<10	38	20	42
I016310		<10	<10	138	<10	75
I016311		<10	<10	39	30	40
I016312		<10	<10	38	190	68
I016313		<10	<10	37	110	233
I016314		<10	<10	34	80	216
I016315		<10	<10	37	120	378
I016316		<10	<10	3	<10	20
I016317		<10	<10	41	40	181
I016318		<10	<10	40	500	40
I016319		<10	<10	41	170	41
I016320		<10	<10	38	60	35
I016321		<10	<10	35	210	32
I016322		<10	<10	34	300	34
I016323		<10	<10	39	480	37
I016324		<10	<10	40	130	43
I016325		<10	<10	36	120	37
I016326		<10	<10	40	90	48
I016327		<10	<10	33	1610	31
I016328		<10	<10	37	970	41
I016329		<10	<10	37	800	43
I016330		<10	<10	38	20	49
I016331		<10	<10	38	50	56
I016332		<10	<10	36	10	61
I016333		<10	<10	37	10	54
I016334		<10	<10	36	10	62
I016335		<10	<10	36	610	47
I016336		<10	<10	31	40	44
I016337		<10	<10	33	10	46
I016338		<10	<10	34	30	45
I016339		<10	<10	33	40	53
I016340		<10	<10	35	20	93
I016341		<10	<10	34	50	61
I016342		<10	<10	35	10	46
I016343		<10	<10	35	10	51
I016344		<10	10	33	30	49
I016345		<10	<10	32	90	48
I016346		<10	<10	32	230	25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 7-SEP-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I016347		6.43	0.008	<0.5	7.27	958	1660	3.3	<2	2.48	<0.5	6	31	4	2.51	20
I016348		5.10	<0.005	<0.5	11.65	30	1730	3.4	<2	2.71	<0.5	6	28	3	2.40	20
I016349		5.84	<0.005	<0.5	7.05	191	1750	2.9	3	1.90	<0.5	5	25	10	2.00	20
I016350		0.09	0.106	<0.5	5.69	47	520	1.7	<2	0.01	<0.5	3	59	19	3.26	10
I016351		5.31	<0.005	<0.5	7.31	62	1620	3.1	<2	2.21	<0.5	7	31	10	2.65	20
I016352		4.85	0.206	<0.5	7.32	331	2000	2.9	<2	2.06	<0.5	5	30	6	2.23	20
I016353		5.63	0.010	<0.5	7.42	133	2110	3.2	<2	2.57	<0.5	7	37	2	2.37	20
I016354		4.69	<0.005	<0.5	7.15	58	1720	3.2	<2	2.46	<0.5	6	32	2	2.06	20
I016355		5.77	<0.005	<0.5	7.64	43	1860	3.5	<2	2.80	<0.5	7	35	3	2.40	20
I016356		1.67	<0.005	<0.5	0.07	<5	20	<0.5	<2	22.1	<0.5	1	<1	1	0.47	<10
I016357		5.77	<0.005	<0.5	7.18	27	1690	3.1	<2	2.57	<0.5	7	32	2	2.26	20
I016358		5.45	<0.005	<0.5	7.37	36	1780	3.1	<2	2.67	<0.5	7	34	2	2.06	20
I016359		5.21	<0.005	<0.5	7.28	23	1750	3.2	<2	2.61	<0.5	8	34	3	2.43	20
I016360		4.12	0.013	<0.5	7.56	181	1640	3.1	<2	2.27	<0.5	5	31	4	2.16	20
I016361		3.59	<0.005	<0.5	6.83	21	2220	3.6	<2	2.83	<0.5	5	31	1	1.74	20
I016362		3.52	<0.005	<0.5	7.03	21	2350	3.2	<2	2.81	<0.5	6	33	3	1.75	20
I016363		4.71	0.091	<0.5	7.05	773	1690	3.0	<2	2.12	<0.5	7	34	3	2.61	20
I016364		5.35	<0.005	<0.5	7.53	21	1660	3.1	<2	2.63	<0.5	8	33	2	2.58	20
I016365		5.37	0.005	<0.5	7.53	24	1700	3.1	<2	2.47	<0.5	8	34	3	2.57	20
I016366		4.55	<0.005	<0.5	7.13	28	1580	3.1	<2	2.35	<0.5	8	31	2	2.44	20
I016367		5.10	<0.005	<0.5	7.00	12	1730	3.0	<2	2.55	<0.5	6	33	3	2.25	20
I016368		5.90	<0.005	<0.5	7.43	12	1670	3.1	<2	2.57	<0.5	8	34	3	2.41	20
I016369		<0.02	<0.005	<0.5	7.69	15	1730	3.2	<2	2.64	<0.5	8	35	3	2.48	20
I016370		5.60	0.016	<0.5	7.47	207	1770	3.2	<2	2.63	<0.5	9	37	4	2.61	20
I016371		5.32	<0.005	<0.5	7.52	33	1870	3.1	<2	2.56	<0.5	8	33	2	2.29	20
I016372		5.70	0.020	<0.5	7.28	64	1590	3.1	<2	2.40	0.6	8	34	9	2.83	20
I016373		6.01	0.088	0.5	7.42	4460	1270	3.0	<2	1.55	1.4	7	31	24	3.77	20
I016374		6.51	<0.005	<0.5	7.23	187	1710	3.2	<2	2.08	<0.5	7	30	3	2.28	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-SEP-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I016347		3.45	30	0.78	308	2	1.89	16	630	22	0.06	<5	6	468	20	0.31
I016348		3.73	110	1.06	284	<1	1.96	17	680	21	0.01	<5	11	614	50	0.31
I016349		3.64	40	0.66	280	<1	1.56	16	580	17	<0.01	<5	6	439	20	0.28
I016350		1.62	30	0.27	67	<1	0.12	17	150	19	0.01	19	11	39	<20	0.29
I016351		3.33	40	0.78	327	<1	1.49	18	610	24	<0.01	6	7	418	20	0.30
I016352		3.74	40	0.56	342	1	1.54	17	610	44	0.01	12	7	353	20	0.28
I016353		3.84	40	0.76	289	<1	1.90	16	650	22	0.01	6	7	516	20	0.31
I016354		3.69	40	0.75	264	<1	1.81	18	620	23	0.01	<5	7	488	20	0.30
I016355		3.67	40	0.84	303	<1	1.95	21	700	24	<0.01	<5	8	537	20	0.34
I016356		0.03	10	13.10	214	<1	0.01	<1	180	3	0.01	<5	<1	49	<20	<0.01
I016357		3.35	40	0.79	275	<1	1.84	18	650	25	<0.01	<5	7	497	20	0.30
I016358		3.84	40	0.87	266	<1	1.90	18	640	25	<0.01	<5	8	512	20	0.30
I016359		3.49	30	0.81	372	<1	1.88	17	660	22	0.01	<5	7	510	20	0.32
I016360		3.62	40	0.64	302	<1	1.64	16	640	32	0.01	10	7	426	20	0.30
I016361		3.94	30	0.79	239	10	1.96	18	650	13	<0.01	<5	7	568	20	0.31
I016362		4.24	40	0.87	244	8	1.82	19	660	17	<0.01	<5	8	558	20	0.32
I016363		3.38	40	0.83	305	<1	1.62	18	640	22	0.03	6	7	480	20	0.31
I016364		3.42	40	0.85	350	<1	1.84	18	690	24	0.01	<5	7	510	20	0.33
I016365		3.42	40	0.83	339	<1	1.86	17	680	22	<0.01	<5	8	524	20	0.33
I016366		3.30	40	0.80	329	<1	1.79	16	650	24	0.01	<5	7	492	20	0.32
I016367		3.54	40	0.84	289	4	1.81	17	650	20	0.01	<5	7	507	20	0.31
I016368		3.46	40	0.84	318	4	1.88	19	660	23	0.01	<5	7	517	20	0.33
I016369		3.55	40	0.87	327	4	1.94	18	680	25	0.01	<5	8	532	20	0.33
I016370		3.68	40	0.86	337	1	1.95	21	680	26	0.03	<5	7	523	20	0.33
I016371		3.78	40	0.83	296	<1	1.93	17	650	25	0.02	<5	7	524	20	0.31
I016372		3.49	40	0.78	461	<1	1.75	19	650	37	0.23	7	7	451	20	0.31
I016373		3.42	50	0.65	609	2	1.17	18	640	95	0.46	31	7	239	20	0.27
I016374		3.54	40	0.71	354	<1	1.78	17	660	22	<0.01	6	7	485	20	0.32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-SEP-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10116819

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I016347		<10	<10	37	10	48
I016348		<10	<10	37	20	48
I016349		<10	<10	33	60	48
I016350		<10	<10	72	<10	47
I016351		<10	<10	35	10	64
I016352		<10	<10	38	80	72
I016353		<10	<10	38	10	43
I016354		<10	10	36	110	41
I016355		<10	<10	41	10	47
I016356		<10	10	2	<10	19
I016357		<10	10	38	40	47
I016358		<10	<10	39	20	44
I016359		<10	<10	40	10	55
I016360		<10	<10	39	90	58
I016361		<10	<10	38	1240	24
I016362		<10	<10	43	1350	26
I016363		<10	<10	39	10	57
I016364		<10	10	41	10	56
I016365		<10	<10	40	20	52
I016366		<10	<10	39	10	64
I016367		<10	<10	39	90	43
I016368		<10	<10	40	90	53
I016369		<10	<10	40	90	55
I016370		<10	<10	42	10	55
I016371		<10	<10	38	10	47
I016372		<10	<10	40	20	123
I016373		<10	<10	37	40	261
I016374		<10	<10	37	190	59