



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 30-SEP-2010  
This copy reported on  
19-OCT-2010  
Account: STRGOL

**CERTIFICATE WH10130433**

Project: Eagle Gold

P.O. No.: EGP10-076

This report is for 37 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: ANDY RANDELL  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 30-SEP-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10130433**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I018259		5.41	<0.005	<0.5	6.92	<5	1540	3.2	<2	2.39	<0.5	7	32	10	2.23	20
I018260		6.02	<0.005	<0.5	6.76	8	1650	3.2	<2	2.62	<0.5	6	34	7	2.32	20
I018261		4.16	<0.005	<0.5	6.85	6	1650	3.2	<2	2.35	<0.5	7	47	5	2.13	20
I018262		3.76	<0.005	<0.5	6.88	6	1640	3.1	<2	2.34	<0.5	7	33	7	2.24	20
I018263		6.79	<0.005	<0.5	6.85	<5	1560	3.2	<2	2.38	<0.5	6	32	3	2.19	20
I018264		5.67	<0.005	<0.5	7.10	11	1490	3.1	<2	2.32	<0.5	6	30	4	2.17	20
I018265		5.94	0.006	<0.5	6.76	18	1510	2.9	<2	2.32	0.6	5	28	4	2.01	20
I018266		5.62	<0.005	<0.5	7.33	15	1710	3.3	<2	2.57	<0.5	7	36	10	2.41	20
I018267		4.98	<0.005	<0.5	6.83	8	1670	3.3	<2	2.61	<0.5	7	34	4	2.28	20
I018268		5.84	<0.005	<0.5	6.93	7	1660	3.4	<2	2.53	<0.5	7	33	5	2.46	20
I018269CD		<0.02	<0.005	<0.5	6.79	6	1700	3.4	<2	2.54	<0.5	8	34	3	2.40	20
I018270		5.76	0.021	<0.5	7.06	15	1740	3.3	<2	2.44	<0.5	8	34	4	2.35	20
I018271		6.22	0.010	<0.5	7.19	8	1680	3.3	<2	2.49	<0.5	6	31	4	2.26	20
I018272		5.11	<0.005	<0.5	7.45	<5	1620	3.4	<2	2.63	<0.5	8	34	4	2.51	20
I018273		5.56	<0.005	<0.5	7.24	6	1600	3.4	<2	2.54	<0.5	7	36	3	2.36	20
I018274		5.51	<0.005	<0.5	7.42	7	1670	3.5	<2	2.54	<0.5	8	34	4	2.49	20
I018275		5.64	<0.005	<0.5	7.19	5	1600	3.5	<2	2.56	<0.5	8	32	4	2.41	20
I018276		5.40	<0.005	<0.5	7.76	5	1600	3.4	<2	2.03	<0.5	7	32	6	2.51	20
I018277		3.03	0.005	<0.5	6.92	18	1510	3.5	<2	2.40	<0.5	8	29	4	2.33	20
I018278		5.36	<0.005	<0.5	7.23	14	1890	2.3	<2	1.96	<0.5	6	28	4	1.98	20
I018279		4.52	<0.005	<0.5	6.63	12	1370	3.3	<2	3.21	<0.5	7	28	11	2.35	20
I018280		5.74	<0.005	<0.5	7.32	12	1610	3.4	<2	2.54	<0.5	8	31	14	2.51	20
I018281		5.78	<0.005	<0.5	7.37	13	1560	3.3	<2	2.57	<0.5	7	32	10	2.43	20
I018282		5.52	<0.005	<0.5	7.06	18	1440	3.0	<2	2.27	<0.5	7	28	13	2.35	20
I018283		5.33	<0.005	<0.5	6.90	8	1510	3.0	<2	2.31	<0.5	7	30	12	2.31	20
I018284		5.72	<0.005	<0.5	7.27	15	1450	3.0	<2	2.39	<0.5	7	31	14	2.43	20
I018285		7.12	<0.005	<0.5	7.16	12	1470	3.2	<2	2.40	<0.5	7	31	13	2.33	20
I018286		5.03	<0.005	<0.5	7.35	15	1490	3.5	<2	2.42	<0.5	7	31	15	2.43	20
I018287		5.73	<0.005	<0.5	7.05	28	1470	3.1	<2	2.34	<0.5	7	30	12	2.43	20
I018288		5.99	<0.005	<0.5	7.66	22	1510	3.3	<2	2.52	<0.5	9	32	15	2.29	20
I018289		5.57	<0.005	<0.5	7.87	8	1500	3.1	<2	2.35	<0.5	8	33	13	2.35	20
I018290		0.08	0.342	0.9	8.10	16	790	1.9	6	2.31	<0.5	16	52	3570	4.93	20
I018291		5.50	<0.005	<0.5	7.51	15	1510	3.1	<2	2.24	<0.5	8	31	25	2.15	20
I018292		5.09	<0.005	<0.5	7.66	13	1300	3.0	<2	2.07	<0.5	7	29	11	2.10	20
I018293		5.77	<0.005	<0.5	7.61	18	1340	3.3	<2	2.10	<0.5	6	28	11	2.05	20
I018294		4.84	<0.005	<0.5	7.42	15	1350	3.2	<2	1.99	<0.5	6	28	13	2.00	20
I018295		4.51	<0.005	<0.5	7.22	22	1110	3.1	3	2.14	<0.5	7	25	11	1.96	20



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 30-SEP-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10130433**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I018259		3.44	30	0.64	311	<1	1.69	20	600	31	0.02	<5	6	462	<20	0.29
I018260		3.56	30	0.67	387	110	1.66	20	590	36	0.03	<5	6	463	<20	0.29
I018261		3.70	30	0.63	294	2	1.72	26	610	29	0.02	<5	6	462	<20	0.30
I018262		3.70	30	0.62	310	7	1.73	20	590	31	0.02	<5	6	465	<20	0.29
I018263		3.58	30	0.63	298	1	1.74	19	600	28	0.01	<5	6	466	<20	0.29
I018264		3.77	30	0.60	296	1	1.73	18	550	29	0.02	<5	6	447	<20	0.27
I018265		3.90	30	0.60	407	1	1.59	18	560	76	0.03	<5	6	426	<20	0.27
I018266		3.61	30	0.70	353	1	1.78	21	660	30	0.02	<5	7	486	<20	0.31
I018267		3.64	30	0.66	328	1	1.78	21	650	30	0.02	<5	6	492	<20	0.31
I018268		3.48	30	0.69	375	1	1.74	21	650	29	0.02	<5	7	476	<20	0.32
I018269CD		3.55	20	0.68	365	<1	1.78	22	660	29	0.02	<5	6	479	<20	0.32
I018270		3.57	30	0.68	322	<1	1.70	22	640	29	0.03	<5	6	474	<20	0.31
I018271		3.58	30	0.72	310	<1	1.80	19	650	29	0.02	<5	6	487	<20	0.30
I018272		3.52	30	0.78	356	1	1.83	22	680	28	0.02	<5	7	511	<20	0.32
I018273		3.45	30	0.76	350	1	1.80	24	650	27	0.01	<5	7	500	<20	0.31
I018274		3.47	30	0.79	360	1	1.80	23	650	29	0.01	<5	7	496	<20	0.31
I018275		3.43	30	0.73	342	1	1.78	21	650	29	0.02	<5	7	488	<20	0.31
I018276		3.65	40	0.68	344	<1	1.52	22	660	33	0.02	<5	7	426	20	0.31
I018277		3.34	30	0.73	334	1	1.98	22	630	27	0.02	6	6	427	<20	0.28
I018278		3.97	40	0.66	335	11	0.20	19	610	24	0.03	13	7	240	20	0.27
I018279		3.18	30	0.53	377	1	1.19	19	580	26	0.04	14	6	386	<20	0.28
I018280		3.53	30	0.70	366	1	1.64	22	660	49	0.06	<5	7	454	<20	0.31
I018281		3.39	30	0.71	343	1	1.74	22	620	32	0.04	<5	7	487	<20	0.31
I018282		3.48	30	0.66	334	1	1.67	19	580	37	0.05	5	6	448	20	0.28
I018283		3.23	30	0.71	337	<1	1.66	20	620	32	0.05	7	6	458	20	0.29
I018284		3.39	30	0.70	356	1	1.70	19	600	36	0.05	<5	7	460	20	0.29
I018285		3.41	30	0.69	345	1	1.73	20	600	36	0.05	<5	7	463	<20	0.29
I018286		3.53	30	0.69	354	<1	1.78	21	610	36	0.06	<5	6	474	<20	0.29
I018287		3.39	30	0.68	349	1	1.69	20	600	36	0.05	<5	6	460	<20	0.30
I018288		3.48	30	0.67	364	<1	1.72	22	660	47	0.06	<5	6	439	20	0.31
I018289		3.24	40	0.69	360	<1	1.68	22	620	34	0.04	<5	6	442	20	0.30
I018290		3.09	20	1.46	515	264	2.43	23	1110	17	0.48	<5	13	443	<20	0.36
I018291		3.40	30	0.66	333	<1	1.76	21	610	38	0.05	<5	6	444	20	0.29
I018292		3.43	30	0.62	335	<1	1.71	19	530	39	0.02	5	6	408	20	0.26
I018293		3.66	30	0.64	337	<1	1.79	17	540	44	0.03	5	6	423	20	0.27
I018294		3.77	20	0.55	319	<1	1.70	17	510	46	0.04	<5	5	415	20	0.25
I018295		3.49	20	0.53	316	<1	1.56	15	510	43	0.07	<5	5	366	20	0.24



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 30-SEP-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10130433**

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I018259		<10	<10	35	10	60
I018260		<10	<10	34	60	65
I018261		<10	<10	33	10	56
I018262		10	<10	34	20	57
I018263		<10	<10	34	30	57
I018264		10	<10	31	<10	52
I018265		10	<10	31	40	158
I018266		<10	<10	37	20	63
I018267		<10	<10	37	<10	60
I018268		<10	<10	37	10	63
I018269CD		<10	<10	38	10	64
I018270		<10	<10	36	10	56
I018271		<10	<10	35	<10	61
I018272		<10	<10	37	10	64
I018273		<10	<10	37	<10	65
I018274		<10	<10	37	40	71
I018275		<10	<10	37	<10	69
I018276		<10	<10	37	10	71
I018277		<10	<10	36	<10	57
I018278		<10	<10	36	350	43
I018279		<10	<10	33	<10	61
I018280		<10	<10	37	<10	110
I018281		<10	<10	38	<10	78
I018282		<10	<10	32	<10	76
I018283		<10	<10	34	<10	81
I018284		<10	<10	35	<10	81
I018285		<10	<10	34	<10	80
I018286		<10	<10	34	<10	78
I018287		<10	<10	34	<10	79
I018288		<10	<10	36	<10	101
I018289		<10	<10	34	<10	85
I018290		<10	<10	134	<10	76
I018291		<10	<10	34	<10	81
I018292		10	<10	29	<10	74
I018293		<10	<10	30	<10	80
I018294		<10	<10	27	<10	74
I018295		<10	<10	28	<10	71