



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 12-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10131467

Project: Eagle Gold

P.O. No.: EGP10-078

This report is for 75 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 15-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 12-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10131467

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017501		5.53	<0.005	0.6	6.52	13	1490	2.9	<2	2.51	<0.5	6	34	8	2.07	20
I017502		4.51	<0.005	0.6	6.58	67	1600	2.9	<2	2.18	<0.5	6	31	3	1.85	20
I017503		4.20	<0.005	0.7	6.87	67	1700	3.0	<2	2.04	<0.5	5	30	3	1.85	20
I017504		4.92	<0.005	0.5	7.02	23	1710	3.1	<2	1.98	<0.5	6	34	3	2.08	20
I017505		5.50	<0.005	0.6	7.01	9	1580	3.2	<2	2.16	<0.5	5	33	3	1.96	20
I017506		5.07	<0.005	0.6	7.12	19	1900	3.2	<2	2.17	<0.5	5	32	2	1.70	20
I017507		6.13	<0.005	<0.5	7.52	30	1920	3.4	<2	2.75	<0.5	7	26	4	2.34	20
I017508		5.38	<0.005	<0.5	7.16	10	1740	3.4	<2	3.14	<0.5	6	34	6	1.93	20
I017509		5.32	<0.005	<0.5	6.72	8	1700	3.2	<2	2.83	<0.5	5	35	5	1.92	20
I017510		0.14	1.425	<0.5	6.90	1280	640	9.1	<2	0.02	<0.5	2	254	34	3.39	10
I017511		5.21	<0.005	<0.5	6.94	8	1530	3.3	<2	2.93	<0.5	5	31	3	1.94	20
I017512		5.53	<0.005	<0.5	7.42	16	1670	3.4	<2	2.77	<0.5	5	33	4	2.17	20
I017513		4.90	<0.005	<0.5	6.97	15	1680	3.3	<2	2.81	<0.5	5	31	3	2.07	20
I017514		5.73	<0.005	<0.5	6.93	12	1830	3.2	<2	2.79	<0.5	5	31	5	2.16	20
I017515		4.78	<0.005	<0.5	7.11	<5	1500	3.1	<2	2.49	<0.5	6	28	5	2.16	20
I017516		1.28	<0.005	<0.5	0.09	<5	40	<0.5	<2	21.0	<0.5	2	5	1	0.47	<10
I017517		4.26	<0.005	<0.5	7.27	7	1750	3.4	<2	2.27	<0.5	5	30	4	2.05	20
I017518		5.45	<0.005	<0.5	7.62	11	1630	3.3	<2	1.90	<0.5	5	31	8	2.31	20
I017519		3.57	<0.005	<0.5	6.93	5	1760	3.0	<2	1.95	<0.5	7	28	7	2.11	20
I017520		2.84	<0.005	<0.5	7.46	21	1920	3.3	<2	1.55	<0.5	6	34	3	1.96	20
I017521		3.88	<0.005	<0.5	7.58	12	2110	3.2	<2	1.70	<0.5	6	30	7	1.85	20
I017522		4.53	<0.005	<0.5	7.16	12	1950	3.3	<2	1.53	<0.5	5	28	3	1.99	20
I017523		4.53	0.027	<0.5	6.84	533	1560	3.3	<2	2.05	<0.5	6	30	4	2.16	20
I017524		2.53	<0.005	<0.5	6.97	18	1890	3.2	<2	2.26	<0.5	5	26	4	1.88	20
I017525		3.11	<0.005	<0.5	6.58	13	1600	3.1	<2	2.52	<0.5	5	25	2	2.08	20
I017526		5.13	<0.005	<0.5	7.27	7	1500	3.1	<2	2.64	<0.5	6	27	5	2.07	20
I017527		3.28	<0.005	<0.5	7.34	13	1500	3.1	<2	2.45	<0.5	5	26	4	2.22	20
I017528		4.56	<0.005	<0.5	7.42	14	1640	3.2	<2	2.37	<0.5	7	28	3	1.90	20
I017529		<0.02	<0.005	<0.5	7.11	16	1620	3.1	<2	2.26	<0.5	6	27	2	2.03	20
I017530		5.23	<0.005	<0.5	7.31	<5	1660	3.3	<2	2.57	<0.5	7	30	3	2.05	20
I017531		5.28	<0.005	<0.5	7.47	5	1700	3.1	<2	2.58	<0.5	6	32	3	2.28	20
I017532		5.36	<0.005	<0.5	7.29	7	1550	3.1	<2	2.53	<0.5	6	27	2	2.02	20
I017533		5.13	<0.005	<0.5	7.16	8	1620	3.1	<2	2.61	<0.5	7	41	3	2.30	20
I017534		5.31	<0.005	<0.5	6.95	9	1820	2.9	<2	2.56	<0.5	7	34	1	1.92	20
I017535		5.42	<0.005	<0.5	6.99	16	1690	2.8	<2	2.50	<0.5	6	35	2	2.10	20
I017536		4.95	<0.005	<0.5	7.02	10	1620	2.9	<2	2.24	<0.5	7	31	1	1.75	20
I017537		5.10	<0.005	<0.5	6.77	12	1770	2.7	<2	2.06	<0.5	5	34	3	1.81	20
I017538		5.51	<0.005	<0.5	7.37	10	1660	2.9	<2	2.41	<0.5	7	32	5	1.92	20
I017539		4.98	<0.005	<0.5	7.10	17	1360	2.4	<2	1.91	<0.5	6	33	4	2.15	20
I017540		4.79	<0.005	<0.5	6.81	6	1350	2.4	<2	1.93	<0.5	6	31	7	1.88	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 12-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10131467

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017501		2.88	30	0.69	300	12	1.97	17	590	23	0.03	<5	7	581	20	0.29
I017502		3.00	30	0.63	260	5	1.95	16	600	20	0.01	<5	7	584	20	0.28
I017503		3.15	40	0.65	256	1	1.97	17	620	20	<0.01	<5	7	620	20	0.30
I017504		3.47	40	0.70	253	2	1.89	19	650	23	0.01	<5	7	523	20	0.31
I017505		2.97	40	0.69	258	10	2.19	15	650	22	0.01	<5	7	661	20	0.31
I017506		3.41	40	0.56	221	7	2.08	16	660	19	0.01	<5	7	694	20	0.30
I017507		3.73	40	0.81	310	4	2.08	17	670	22	0.01	<5	7	593	20	0.32
I017508		2.86	30	0.78	290	4	2.25	19	630	20	0.01	<5	7	700	20	0.30
I017509		3.24	30	0.70	270	6	1.97	16	580	18	0.01	<5	6	607	20	0.28
I017510		2.63	40	0.33	65	1	0.08	21	310	24	0.01	90	14	92	<20	0.29
I017511		2.96	30	0.73	281	16	2.07	15	600	20	0.01	<5	6	608	20	0.30
I017512		3.28	30	0.72	312	7	2.06	17	620	23	0.01	<5	7	587	20	0.31
I017513		3.23	30	0.73	279	4	2.03	16	620	19	0.01	<5	6	557	20	0.31
I017514		3.50	30	0.70	304	5	1.96	16	610	24	0.02	<5	6	532	20	0.30
I017515		3.64	30	0.69	274	6	1.88	15	580	27	0.03	<5	6	482	20	0.28
I017516		0.04	10	12.60	203	<1	0.01	1	210	2	0.01	<5	<1	46	<20	<0.01
I017517		3.63	30	0.67	257	6	1.97	16	600	27	0.02	<5	6	538	20	0.29
I017518		3.53	40	0.68	284	1	1.75	15	580	26	0.04	<5	6	474	20	0.28
I017519		3.66	30	0.64	275	4	1.79	15	570	26	0.03	<5	6	470	20	0.28
I017520		3.88	40	0.61	208	6	1.75	17	600	25	0.02	9	6	473	20	0.29
I017521		3.82	40	0.64	218	3	1.78	17	620	26	0.03	<5	6	498	30	0.28
I017522		3.88	30	0.60	214	8	1.75	17	610	24	0.02	<5	6	467	20	0.29
I017523		3.42	40	0.55	342	3	0.97	15	590	22	0.11	<5	7	316	20	0.29
I017524		3.79	30	0.53	250	3	1.34	16	610	23	0.03	<5	6	420	20	0.30
I017525		3.49	30	0.52	282	7	1.14	14	570	26	0.02	6	6	357	<20	0.27
I017526		3.36	40	0.62	284	1	0.56	16	620	25	0.03	9	7	263	20	0.30
I017527		3.28	40	0.69	263	5	0.56	20	620	22	0.02	<5	7	258	20	0.30
I017528		3.79	30	0.60	254	1	1.47	18	600	21	0.01	<5	7	401	20	0.31
I017529		3.76	30	0.57	258	1	1.45	17	610	20	0.01	<5	6	388	20	0.30
I017530		3.74	30	0.65	254	1	1.87	18	650	23	0.02	<5	7	485	20	0.31
I017531		3.88	30	0.76	289	3	1.88	17	600	23	0.01	<5	7	499	20	0.31
I017532		3.62	30	0.72	260	1	1.87	16	600	25	0.01	<5	6	476	<20	0.29
I017533		3.55	30	0.75	303	2	1.81	19	660	25	0.01	<5	6	484	20	0.31
I017534		3.80	30	0.70	264	3	1.75	17	640	22	0.01	<5	6	504	20	0.30
I017535		3.85	30	0.71	259	11	1.73	17	620	24	0.01	<5	6	492	20	0.30
I017536		3.77	30	0.62	213	1	1.66	15	590	26	0.02	<5	6	466	20	0.28
I017537		3.96	30	0.58	223	13	1.54	15	540	27	0.02	<5	6	453	20	0.26
I017538		4.05	30	0.66	268	2	1.74	15	590	32	0.03	<5	6	488	20	0.29
I017539		3.19	40	0.53	264	15	0.64	16	620	23	0.30	12	7	287	20	0.29
I017540		3.29	30	0.57	298	1	0.58	16	600	25	0.10	6	7	279	20	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 12-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10131467

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I017501		<10	10	34	90	47
I017502		<10	<10	33	50	40
I017503		<10	<10	34	240	33
I017504		<10	<10	37	30	42
I017505		<10	<10	36	190	34
I017506		<10	10	35	310	27
I017507		<10	10	39	110	39
I017508		10	10	37	190	37
I017509		<10	10	35	400	31
I017510		10	<10	89	20	48
I017511		<10	10	37	10	38
I017512		<10	10	36	40	44
I017513		<10	10	36	20	40
I017514		<10	10	34	60	44
I017515		<10	<10	34	110	46
I017516		<10	<10	2	<10	16
I017517		<10	10	33	120	47
I017518		10	10	32	30	50
I017519		<10	10	33	30	57
I017520		<10	10	34	40	40
I017521		<10	<10	33	20	48
I017522		<10	10	35	40	41
I017523		10	<10	39	240	38
I017524		<10	<10	34	180	40
I017525		<10	10	33	50	39
I017526		<10	10	36	90	56
I017527		<10	<10	35	190	41
I017528		<10	10	36	50	35
I017529		<10	10	34	60	35
I017530		<10	10	37	20	44
I017531		<10	10	36	20	45
I017532		10	10	34	70	41
I017533		<10	<10	38	20	49
I017534		<10	<10	37	60	39
I017535		<10	<10	37	40	40
I017536		<10	<10	33	190	37
I017537		<10	<10	33	130	40
I017538		<10	<10	35	100	63
I017539		<10	<10	36	70	44
I017540		<10	<10	37	40	59

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017541		5.03	0.138	6.8	7.11	1035	1700	2.8	<2	2.14	<0.5	7	34	14	1.96	20
I017542		4.90	<0.005	<0.5	7.11	10	1820	3.0	<2	2.61	<0.5	6	34	3	1.86	20
I017543		5.53	<0.005	<0.5	7.13	11	1620	3.1	<2	2.26	<0.5	7	39	3	2.20	20
I017544		5.02	<0.005	<0.5	7.19	7	1600	3.1	<2	2.51	<0.5	6	37	<1	1.97	20
I017545		5.92	<0.005	<0.5	6.08	9	1590	2.9	<2	2.26	<0.5	7	36	1	1.92	20
I017546		4.77	<0.005	<0.5	6.87	6	1600	3.0	<2	2.39	<0.5	7	37	3	2.20	20
I017547		5.28	<0.005	<0.5	7.11	5	1620	3.1	<2	2.64	<0.5	6	37	<1	2.00	20
I017548		5.67	<0.005	<0.5	7.43	6	1690	3.1	<2	2.57	<0.5	6	36	<1	2.23	20
I017549		5.13	<0.005	<0.5	7.14	11	1640	3.0	<2	2.57	<0.5	6	38	<1	1.92	20
I017550		0.10	0.358	1.0	8.00	14	780	1.9	<2	2.36	<0.5	15	53	3510	4.99	10
I017551		5.65	0.011	<0.5	7.26	247	1730	3.0	<2	2.38	<0.5	6	38	9	2.07	20
I017552		5.34	<0.005	<0.5	7.10	13	1660	2.9	<2	2.40	<0.5	6	36	3	1.89	20
I017553		4.73	0.490	<0.5	7.13	5350	1460	2.5	<2	1.93	<0.5	6	34	7	2.68	20
I017554		5.21	<0.005	<0.5	7.61	53	1670	3.2	<2	2.57	<0.5	7	47	5	2.13	20
I017555		5.48	0.114	<0.5	6.81	24	1590	3.0	<2	2.50	<0.5	6	38	3	2.04	20
I017556		1.75	<0.005	<0.5	0.11	<5	30	<0.5	<2	20.8	<0.5	1	6	<1	0.48	<10
I017557		5.48	0.016	<0.5	7.20	19	1580	3.2	<2	2.47	<0.5	7	36	4	1.97	20
I017558		5.65	0.066	<0.5	7.69	52	1620	3.3	<2	2.48	<0.5	7	39	5	2.36	20
I017559		6.02	0.009	<0.5	7.29	<5	1610	3.0	<2	2.36	<0.5	7	34	6	2.01	20
I017560		4.41	0.005	<0.5	6.84	120	890	1.7	<2	1.86	<0.5	6	30	5	2.67	20
I017561		4.14	0.427	<0.5	7.10	869	1090	1.8	<2	1.86	<0.5	6	33	19	2.32	20
I017562		4.60	0.454	<0.5	7.09	882	1020	1.9	<2	2.06	<0.5	6	30	28	2.72	20
I017563		4.30	0.014	<0.5	7.44	103	1430	2.2	2	1.65	<0.5	5	34	8	1.79	20
I017564		5.59	0.016	<0.5	7.73	169	1690	3.4	<2	2.57	<0.5	7	41	6	2.36	20
I017565		5.83	0.029	<0.5	7.63	265	1670	3.2	<2	2.38	<0.5	7	33	7	2.12	20
I017566		1.90	<0.005	<0.5	7.32	22	1550	2.4	<2	1.82	<0.5	6	33	5	2.38	20
I017567		5.08	0.021	<0.5	7.91	79	1620	3.4	<2	2.44	<0.5	8	37	8	2.18	20
I017568		4.71	<0.005	<0.5	7.46	43	1650	3.1	<2	2.43	<0.5	6	35	6	2.27	20
I017569		<0.02	0.005	<0.5	7.49	40	1680	3.1	<2	2.47	<0.5	7	38	6	2.09	20
I017570		6.30	0.043	<0.5	7.54	470	1540	2.8	<2	2.27	<0.5	6	35	14	2.32	20
I017571		3.58	<0.005	<0.5	7.55	50	1680	3.0	<2	2.24	<0.5	6	34	12	2.12	20
I017572		6.66	0.035	<0.5	7.14	508	1540	3.1	<2	2.39	<0.5	7	36	5	2.33	20
I017573		4.71	0.006	<0.5	7.46	133	1610	3.2	<2	2.55	<0.5	7	33	8	2.25	20
I017574		5.09	0.122	0.7	6.99	2670	1430	2.8	<2	2.26	0.5	6	36	82	2.61	20
I017575		5.63	<0.005	<0.5	6.99	29	1570	3.0	<2	2.47	<0.5	7	36	7	2.03	20

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 12-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10131467

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I017541		<10	<10	36	40	47
I017542		<10	<10	37	540	50
I017543		<10	<10	38	50	49
I017544		<10	<10	37	20	45
I017545		<10	<10	36	150	50
I017546		<10	<10	37	20	54
I017547		<10	<10	37	70	48
I017548		<10	<10	37	30	45
I017549		<10	<10	36	30	41
I017550		<10	<10	135	<10	67
I017551		<10	<10	37	40	38
I017552		<10	<10	35	60	54
I017553		<10	<10	32	50	104
I017554		<10	<10	37	150	60
I017555		<10	<10	35	190	41
I017556		<10	10	3	<10	15
I017557		<10	<10	34	150	54
I017558		<10	<10	36	40	64
I017559		<10	<10	35	20	59
I017560		<10	<10	31	70	48
I017561		<10	<10	32	90	47
I017562		<10	<10	31	50	42
I017563		<10	<10	37	50	43
I017564		<10	<10	38	30	57
I017565		<10	<10	35	10	60
I017566		<10	<10	36	60	47
I017567		<10	<10	38	10	72
I017568		<10	<10	36	20	60
I017569		<10	<10	36	20	60
I017570		<10	<10	34	20	64
I017571		<10	<10	36	70	72
I017572		<10	<10	36	60	58
I017573		<10	<10	37	10	65
I017574		<10	<10	35	130	142
I017575		<10	<10	36	80	90