



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 19-OCT-2010
Account: STRGOL

CERTIFICATE WH10133329

Project: Eagle Gold

P.O. No.: EGP10-081

This report is for 90 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017609		4.94	<0.005	<0.5	7.64	89	1740	3.6	<2	1.73	<0.5	6	37	5	2.52	20
I017610		0.14	0.349	0.8	7.60	14	820	1.9	3	2.47	<0.5	14	51	3490	5.23	20
I017611		5.37	<0.005	<0.5	7.01	21	1800	3.2	<2	1.75	<0.5	7	35	4	1.75	10
I017612		5.63	<0.005	<0.5	6.95	17	1640	3.3	<2	2.38	<0.5	5	38	5	2.02	20
I017613		5.61	<0.005	<0.5	6.74	60	1710	3.1	<2	3.40	<0.5	4	33	3	2.28	20
I017614		5.31	<0.005	<0.5	7.05	36	1730	3.0	<2	1.86	<0.5	4	33	2	1.76	20
I017615		5.80	<0.005	<0.5	6.73	22	2160	3.2	<2	2.91	<0.5	4	34	2	1.84	20
I017616		1.82	<0.005	<0.5	0.09	<5	30	<0.5	<2	21.0	<0.5	1	<1	1	0.47	<10
I017617		4.06	<0.005	<0.5	6.61	20	1820	3.1	<2	3.08	<0.5	5	36	3	2.07	20
I017618		3.26	<0.005	<0.5	6.71	14	1930	3.1	<2	2.70	<0.5	5	33	2	1.56	20
I017619		2.78	<0.005	<0.5	6.71	28	1390	2.7	<2	4.33	<0.5	3	27	3	2.38	20
I017620		4.03	<0.005	<0.5	6.75	20	1580	3.2	<2	2.48	<0.5	5	36	5	1.68	20
I017621		5.71	<0.005	<0.5	6.74	13	1680	3.0	<2	2.32	<0.5	4	34	3	1.71	20
I017622		4.98	<0.005	<0.5	6.77	10	1740	3.0	<2	2.37	<0.5	4	35	4	1.86	20
I017623		4.31	<0.005	<0.5	6.81	18	1880	3.1	<2	2.29	<0.5	3	34	1	1.60	20
I017624		5.79	<0.005	<0.5	6.68	17	1940	2.9	<2	2.66	<0.5	5	32	2	1.94	20
I017625		5.56	0.054	<0.5	7.17	23	1600	2.7	<2	1.99	<0.5	6	34	11	2.17	20
I017626		5.60	<0.005	<0.5	7.05	8	1650	3.1	<2	2.50	<0.5	7	37	4	2.02	20
I017627		5.46	<0.005	<0.5	7.52	12	1930	3.0	<2	2.57	<0.5	6	38	4	2.10	20
I017628		6.80	<0.005	<0.5	7.23	6	1890	3.0	<2	2.60	<0.5	6	37	6	2.11	20
I017629CD		0.06	<0.005	<0.5	7.72	13	1960	3.1	<2	2.69	<0.5	7	38	5	2.10	20
I017630		3.32	<0.005	<0.5	6.56	11	1610	2.1	<2	2.47	<0.5	7	32	4	2.02	20
I017631		3.38	<0.005	<0.5	7.43	12	1840	3.3	<2	2.42	<0.5	8	39	3	2.05	20
I017632		4.24	<0.005	<0.5	7.62	17	1680	2.3	<2	0.75	<0.5	7	36	2	1.90	20
I017633		2.99	<0.005	<0.5	7.76	15	1920	3.2	<2	1.42	<0.5	7	35	5	2.50	20
I017634		4.13	<0.005	<0.5	7.26	8	1850	3.1	<2	2.50	<0.5	7	38	3	2.07	20
I017635		3.87	<0.005	<0.5	7.29	11	1770	3.3	<2	2.61	<0.5	7	36	3	2.11	20
I017636		4.81	<0.005	<0.5	7.47	13	1870	3.1	<2	2.53	<0.5	7	37	4	2.13	20
I017637		5.91	<0.005	<0.5	7.50	13	1800	3.3	<2	2.69	<0.5	6	40	3	2.09	20
I017638		6.70	<0.005	<0.5	7.19	10	1870	3.0	<2	2.63	<0.5	8	40	2	2.16	20
I017639		4.64	<0.005	<0.5	7.16	11	1650	2.9	<2	2.71	<0.5	8	48	2	2.41	20
I017640		5.41	<0.005	<0.5	7.18	18	1540	2.8	<2	2.07	<0.5	5	29	4	1.45	20
I017641		6.29	<0.005	<0.5	7.24	14	1640	3.0	<2	2.25	<0.5	6	33	4	1.87	20
I017642		5.30	<0.005	<0.5	7.65	12	1780	3.1	<2	2.41	<0.5	6	32	3	1.94	20
I017643		4.09	<0.005	<0.5	7.72	13	1750	3.2	<2	2.52	<0.5	6	36	2	1.97	20
I017644		4.30	<0.005	<0.5	7.82	9	1920	3.2	<2	1.61	<0.5	7	33	2	1.89	20
I017645		4.32	<0.005	<0.5	7.42	16	1760	3.2	<2	2.47	<0.5	7	37	3	2.16	20
I017646		3.98	<0.005	<0.5	7.46	12	1830	3.1	<2	2.32	<0.5	6	36	4	2.03	20
I017647		4.84	<0.005	<0.5	7.45	12	1700	3.2	<2	2.49	<0.5	6	39	4	2.16	20
I017648		6.32	<0.005	<0.5	7.69	<5	1650	3.3	<2	2.58	<0.5	7	39	4	2.11	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017609		2.94	30	0.56	237	6	1.76	19	700	21	<0.01	<5	7	578	20	0.32
I017610		3.05	20	1.53	529	274	2.49	22	1110	14	0.50	<5	13	460	<20	0.38
I017611		3.02	40	0.54	184	3	1.88	15	620	21	0.01	<5	6	583	20	0.30
I017612		3.11	30	0.65	253	2	1.99	18	640	20	0.02	<5	6	615	20	0.31
I017613		3.03	40	0.47	298	3	1.37	17	590	19	0.01	<5	6	470	20	0.28
I017614		3.35	30	0.46	217	2	1.71	14	590	22	<0.01	<5	6	509	20	0.28
I017615		3.22	30	0.52	265	6	1.89	16	610	17	0.01	<5	6	632	20	0.30
I017616		0.04	10	12.40	201	2	0.01	<1	180	2	0.01	<5	<1	49	<20	<0.01
I017617		3.40	30	0.50	296	3	1.71	16	630	22	0.01	<5	6	520	20	0.30
I017618		3.33	30	0.44	228	5	1.72	15	590	19	0.01	<5	6	523	20	0.29
I017619		2.95	40	0.53	335	1	0.72	13	550	21	0.01	<5	6	292	20	0.27
I017620		3.19	30	0.45	224	3	1.89	15	590	19	0.02	<5	6	560	20	0.29
I017621		3.71	30	0.58	212	3	1.79	14	550	19	0.01	<5	6	506	20	0.28
I017622		3.71	30	0.58	224	2	1.79	16	560	21	0.01	<5	6	517	20	0.28
I017623		3.79	30	0.51	207	3	1.88	13	620	18	<0.01	<5	6	594	20	0.29
I017624		3.61	30	0.60	252	21	1.42	16	560	17	0.02	<5	6	466	20	0.28
I017625		3.09	40	0.60	344	11	1.16	20	640	29	0.13	<5	6	397	20	0.30
I017626		3.26	40	0.65	266	5	1.84	16	610	23	0.02	<5	6	548	20	0.29
I017627		3.67	40	0.73	292	5	1.65	18	640	25	0.05	<5	6	523	20	0.30
I017628		3.59	30	0.68	308	5	1.85	19	650	28	0.02	<5	6	558	20	0.31
I017629CD		3.72	40	0.73	312	4	1.91	16	660	26	0.02	<5	7	577	20	0.32
I017630		3.10	30	0.57	355	3	0.44	18	570	25	0.17	9	5	285	<20	0.28
I017631		3.63	40	0.67	265	8	1.81	18	660	24	0.02	<5	7	525	20	0.32
I017632		2.88	50	0.34	262	7	0.72	18	650	23	0.04	<5	6	284	20	0.30
I017633		3.46	50	0.55	404	2	1.51	20	610	32	0.03	<5	6	480	30	0.29
I017634		3.59	40	0.64	270	6	1.84	16	630	20	0.02	<5	6	571	20	0.30
I017635		3.74	30	0.77	264	8	1.94	20	670	23	0.02	<5	6	546	20	0.32
I017636		3.94	40	0.73	259	4	1.87	16	630	26	0.02	<5	6	555	20	0.30
I017637		3.73	40	0.73	286	6	1.93	16	650	24	0.01	<5	7	552	20	0.31
I017638		3.82	30	0.74	309	8	1.84	18	630	22	0.01	<5	7	550	20	0.30
I017639		3.82	30	0.87	379	19	1.84	17	670	21	0.01	<5	8	519	20	0.32
I017640		4.08	30	0.50	196	2	1.79	14	490	23	0.02	<5	5	486	20	0.23
I017641		4.03	30	0.56	255	9	1.83	16	550	27	0.02	<5	5	524	20	0.26
I017642		3.75	40	0.64	262	5	1.86	16	570	25	0.01	<5	6	556	20	0.28
I017643		3.81	40	0.60	262	4	1.88	16	580	23	0.01	<5	6	557	20	0.28
I017644		3.98	40	0.55	233	1	1.70	15	600	25	0.01	<5	6	492	20	0.28
I017645		3.74	40	0.71	280	7	1.86	17	630	28	0.02	<5	6	546	20	0.30
I017646		3.91	40	0.71	263	13	1.82	18	660	22	0.02	<5	6	551	20	0.31
I017647		3.72	40	0.70	273	7	1.89	17	630	27	0.02	<5	6	550	20	0.30
I017648		3.80	40	0.73	291	18	1.90	17	630	25	0.03	<5	7	547	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I017609		<10	10	39	230	56
I017610		<10	10	139	10	74
I017611		<10	<10	35	210	38
I017612		<10	10	37	20	41
I017613		<10	10	34	50	42
I017614		<10	10	34	90	38
I017615		<10	10	35	120	31
I017616		<10	<10	4	<10	15
I017617		<10	10	37	130	46
I017618		<10	10	34	50	27
I017619		<10	10	31	40	30
I017620		<10	10	36	10	32
I017621		<10	10	32	30	29
I017622		<10	10	32	40	30
I017623		<10	10	34	110	27
I017624		<10	10	33	140	23
I017625		<10	<10	37	400	48
I017626		<10	<10	35	80	34
I017627		<10	<10	36	310	39
I017628		<10	<10	36	100	52
I017629CD		<10	<10	38	90	54
I017630		<10	<10	33	130	45
I017631		<10	<10	39	120	38
I017632		<10	<10	35	70	33
I017633		<10	<10	33	20	38
I017634		<10	<10	36	80	33
I017635		<10	<10	38	240	35
I017636		<10	<10	36	60	35
I017637		<10	<10	37	120	40
I017638		<10	<10	38	70	48
I017639		<10	<10	46	80	57
I017640		<10	<10	27	40	37
I017641		<10	<10	30	170	42
I017642		<10	<10	32	80	43
I017643		<10	<10	32	30	38
I017644		10	<10	34	20	37
I017645		<10	<10	36	170	39
I017646		<10	<10	37	80	39
I017647		<10	<10	36	140	39
I017648		<10	<10	37	30	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017649		5.61	<0.005	<0.5	7.47	6	1790	3.1	<2	1.96	<0.5	6	37	2	2.01	20
I017650		0.08	0.871	1.8	7.62	<5	630	0.9	<2	3.13	<0.5	22	39	7680	7.18	20
I017651		5.69	<0.005	<0.5	7.72	15	1730	3.1	<2	1.69	<0.5	6	39	2	1.99	20
I017652		6.86	<0.005	<0.5	7.19	17	1500	3.0	<2	1.52	<0.5	7	31	5	1.85	20
I017653		3.65	<0.005	<0.5	6.85	13	1560	2.7	<2	1.05	<0.5	5	29	3	1.68	20
I017654		5.09	<0.005	<0.5	7.26	37	1620	3.1	<2	1.55	<0.5	6	32	2	1.80	20
I017655		5.06	<0.005	<0.5	7.16	17	1390	3.0	<2	1.60	<0.5	5	30	2	1.69	20
I017656		3.96	<0.005	<0.5	0.08	<5	40	<0.5	<2	20.0	<0.5	2	2	1	0.46	<10
I017657		5.61	<0.005	<0.5	6.88	5	1450	3.0	<2	2.13	<0.5	5	30	3	1.78	20
I017658		5.25	<0.005	<0.5	7.23	10	1340	3.1	<2	2.26	<0.5	6	36	1	1.82	20
I017659		3.90	<0.005	<0.5	7.55	6	1570	3.2	<2	2.03	<0.5	7	36	2	1.96	20
I017660		3.62	<0.005	<0.5	7.27	11	1420	3.0	<2	1.69	<0.5	5	29	2	1.63	20
I017661		3.49	0.007	<0.5	6.99	35	1180	2.5	3	1.10	<0.5	6	32	10	2.42	20
I017662		3.22	0.008	<0.5	6.76	32	1190	2.4	3	1.05	<0.5	4	27	7	2.15	20
I017663		5.48	0.025	<0.5	6.77	35	970	2.0	<2	1.15	<0.5	6	34	10	2.13	20
I017664		5.13	1.990	3.5	6.55	>10000	840	2.2	13	1.62	<0.5	6	29	24	2.95	10
I017665		5.23	0.692	<0.5	7.12	1210	1320	2.9	<2	2.00	<0.5	5	33	4	2.38	20
I017666		6.76	1.755	1.2	6.39	8600	900	2.3	8	1.50	1.0	4	30	6	2.93	20
I017667		3.97	1.160	0.6	7.00	4170	920	2.7	3	1.14	2.0	5	32	6	2.98	20
I017668		3.19	<0.005	<0.5	7.30	30	1500	2.2	<2	0.53	<0.5	6	33	3	2.63	20
I017669CD		<0.02	<0.005	<0.5	7.37	17	1550	2.1	2	0.53	<0.5	7	37	3	2.58	20
I017670		3.83	<0.005	<0.5	7.43	16	1850	3.3	<2	1.06	<0.5	7	36	3	1.76	20
I017671		6.18	<0.005	<0.5	7.21	21	1720	3.4	<2	1.34	<0.5	7	35	5	1.92	20
I017672		3.54	0.228	<0.5	7.00	2080	1660	3.0	2	0.54	<0.5	7	36	6	2.41	20
I017673		4.75	<0.005	<0.5	7.13	34	1820	3.0	<2	0.96	<0.5	5	33	3	2.00	20
I017674		5.91	<0.005	<0.5	7.19	17	1820	3.1	2	1.67	<0.5	7	39	2	1.91	20
I017675		4.26	<0.005	<0.5	6.12	14	1150	2.5	<2	3.61	<0.5	5	29	6	1.97	20
I017676		5.49	0.144	<0.5	6.77	12	1110	2.0	3	1.97	<0.5	6	32	7	2.34	20
I017677		4.93	<0.005	<0.5	6.58	11	1090	1.5	<2	1.49	<0.5	6	29	2	1.86	20
I017678		5.22	<0.005	<0.5	6.50	7	1270	2.9	2	3.68	<0.5	6	31	4	2.49	20
I017679		4.80	<0.005	<0.5	7.01	6	1390	2.9	<2	2.64	<0.5	5	39	6	1.62	20
I017680		4.38	<0.005	<0.5	7.09	7	1400	2.7	<2	2.60	<0.5	7	35	10	1.78	20
I017681		5.10	<0.005	<0.5	7.05	<5	890	1.6	2	2.14	<0.5	6	30	8	2.59	20
I017682		4.94	0.006	<0.5	7.41	20	70	1.2	2	0.52	<0.5	5	34	5	2.65	20
I017683		4.85	4.64	25.5	5.31	>10000	270	1.3	26	0.16	1.6	7	30	523	5.13	10
I017684		5.47	1.015	3.0	6.54	1525	350	1.9	7	0.22	3.4	6	34	344	2.80	20
I017685		5.09	0.140	<0.5	7.76	235	760	2.3	4	0.24	<0.5	8	39	33	1.58	20
I017686		4.93	<0.005	<0.5	7.96	12	480	1.3	<2	0.28	<0.5	7	34	3	2.10	20
I017687		5.57	0.497	0.9	6.95	3790	210	1.5	5	0.38	<0.5	6	32	171	3.05	20
I017688		5.12	5.09	6.1	6.93	>10000	230	1.5	46	0.22	<0.5	6	31	801	4.19	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017649		3.69	50	0.65	246	10	1.75	18	630	25	0.01	<5	6	529	20	0.30
I017650		2.83	20	2.04	624	593	2.42	14	1180	15	1.00	<5	17	610	<20	0.36
I017651		3.98	40	0.61	230	17	1.73	15	630	25	0.01	5	6	497	20	0.31
I017652		3.61	40	0.47	237	5	1.64	15	540	25	0.02	<5	5	439	20	0.25
I017653		3.79	40	0.33	281	6	1.42	14	510	25	0.02	<5	5	401	20	0.24
I017654		3.92	40	0.48	214	6	1.70	17	530	23	0.01	<5	5	475	20	0.25
I017655		3.77	40	0.48	220	3	1.72	13	500	24	0.01	<5	5	453	20	0.24
I017656		0.05	10	12.55	219	<1	0.01	<1	170	5	0.01	<5	<1	47	<20	<0.01
I017657		3.67	30	0.60	235	2	1.71	14	520	22	0.01	<5	5	471	20	0.25
I017658		3.55	40	0.69	288	4	1.78	13	530	25	0.01	<5	7	464	20	0.25
I017659		3.90	40	0.61	273	1	1.79	16	570	24	0.01	<5	6	482	20	0.27
I017660		3.88	30	0.53	209	1	1.71	14	510	23	0.01	<5	5	447	20	0.25
I017661		3.45	30	0.51	387	2	0.61	18	510	44	0.12	6	5	241	20	0.24
I017662		3.41	30	0.50	361	3	0.59	14	510	45	0.08	7	5	239	20	0.24
I017663		3.10	30	0.43	349	5	0.26	15	490	53	0.27	6	5	171	20	0.24
I017664		2.41	40	0.59	491	7	0.06	15	480	215	0.86	23	6	114	20	0.20
I017665		3.06	30	0.66	442	2	1.40	15	580	37	0.13	8	6	291	20	0.25
I017666		2.65	40	0.55	505	5	0.06	15	480	168	0.81	46	6	146	20	0.21
I017667		2.98	40	0.54	600	1	0.02	18	550	187	0.42	18	6	137	<20	0.24
I017668		3.23	40	0.34	448	1	0.55	18	660	23	0.07	6	7	234	20	0.30
I017669CD		3.28	50	0.34	441	1	0.56	20	660	24	0.07	6	7	241	20	0.30
I017670		3.73	40	0.44	209	1	1.46	22	720	24	0.03	<5	6	414	20	0.32
I017671		3.71	40	0.52	249	1	1.54	19	670	28	0.07	<5	7	423	20	0.31
I017672		3.46	50	0.37	359	5	0.90	19	630	31	0.16	5	6	248	20	0.27
I017673		3.95	50	0.45	298	9	1.20	18	670	22	0.03	<5	7	399	20	0.29
I017674		4.17	40	0.52	260	3	1.58	18	630	23	0.02	<5	6	495	<20	0.30
I017675		2.79	30	0.43	323	3	0.18	18	560	25	0.04	<5	6	236	<20	0.28
I017676		2.56	30	0.64	351	1	0.12	20	600	27	0.05	5	6	169	<20	0.28
I017677		2.38	30	0.38	267	13	0.11	21	600	22	0.25	16	6	157	<20	0.29
I017678		2.78	40	0.87	376	1	0.24	17	560	21	0.04	<5	6	278	<20	0.27
I017679		3.12	40	0.48	247	2	0.73	19	610	26	0.05	<5	6	326	20	0.29
I017680		3.06	30	0.49	280	1	0.49	19	630	28	0.05	11	6	291	<20	0.30
I017681		2.03	40	0.76	444	1	0.09	16	600	30	0.03	11	7	145	<20	0.28
I017682		0.14	40	0.30	540	4	0.01	13	660	27	0.10	16	8	15	20	0.30
I017683		1.00	30	0.14	509	2	0.01	13	440	454	3.05	510	5	10	<20	0.20
I017684		1.49	40	0.23	481	2	0.02	15	560	276	1.33	162	6	20	20	0.24
I017685		2.68	50	0.23	231	1	0.04	20	700	29	0.27	28	6	58	20	0.33
I017686		1.30	50	0.25	361	3	0.04	15	690	27	0.05	6	5	65	20	0.32
I017687		0.63	40	0.32	558	1	0.01	16	560	31	0.35	25	6	21	20	0.25
I017688		0.73	50	0.25	432	<1	0.01	16	560	91	1.69	128	6	13	20	0.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I017649		<10	<10	35	150	38
I017650		<10	<10	187	10	84
I017651		<10	10	35	150	45
I017652		<10	<10	29	60	42
I017653		<10	<10	27	430	36
I017654		<10	<10	29	240	31
I017655		<10	<10	27	40	36
I017656		<10	<10	2	<10	17
I017657		<10	<10	28	70	38
I017658		<10	<10	32	50	42
I017659		<10	<10	33	180	44
I017660		<10	10	29	80	40
I017661		<10	<10	29	50	109
I017662		<10	<10	28	80	104
I017663		<10	<10	28	50	91
I017664		<10	<10	27	70	102
I017665		<10	10	35	50	68
I017666		<10	<10	27	40	235
I017667		<10	<10	33	40	395
I017668		<10	<10	37	40	53
I017669CD		<10	<10	37	40	54
I017670		<10	<10	38	50	30
I017671		<10	<10	38	40	52
I017672		<10	<10	35	70	60
I017673		<10	<10	35	170	32
I017674		<10	<10	36	100	37
I017675		10	<10	34	110	59
I017676		<10	<10	35	40	60
I017677		10	<10	36	80	46
I017678		10	<10	34	70	40
I017679		10	<10	35	60	48
I017680		<10	<10	37	70	65
I017681		<10	<10	33	40	57
I017682		<10	<10	38	70	53
I017683		<10	<10	24	40	294
I017684		<10	<10	33	30	675
I017685		<10	<10	42	60	53
I017686		<10	<10	38	50	50
I017687		<10	<10	33	50	49
I017688		<10	<10	32	90	92



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 19-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

[illegible]



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10133329

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I017689		10	<10	42	40	64
I017690		<10	10	193	<10	88
I017691		<10	<10	39	40	66
I017692		<10	<10	36	60	67
I017693		<10	<10	37	70	60
I017694		<10	<10	35	50	78
I017695		<10	<10	46	80	82
I017696		<10	10	2	<10	15
I017697		<10	<10	43	90	77
I017698		<10	<10	41	40	64