



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 7-OCT-2010  
This copy reported on  
19-OCT-2010  
Account: STRGOL

**CERTIFICATE WH10134121**

Project: Eagle Gold

P.O. No.: EGP10-083

This report is for 87 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: ANDY RANDELL  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 7-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
G320472		6.60	0.046			0.7	7.42	1770	760	2.6	2	1.01	1.6	4	26	25
G320473		6.76	0.020			<0.5	7.46	36	1250	2.7	<2	2.28	1.7	5	27	10
G320474		4.23	0.052			<0.5	7.60	3490	1510	2.6	<2	1.00	<0.5	6	28	9
G320475		4.15	0.354			0.6	7.81	1920	1270	2.3	4	0.30	<0.5	6	28	35
G320476		5.72	0.124			<0.5	8.04	185	1260	2.4	2	0.31	1.0	7	31	11
G320477		6.66	>10.0		9.96	60.8	4.73	>10000	170	1.8	34	0.14	33.1	41	16	289
G320478		5.35	0.560			0.8	7.71	191	600	2.4	<2	0.27	1.6	6	28	18
G320479		3.83	0.248			<0.5	7.84	271	1020	2.5	3	0.34	<0.5	3	26	18
G320480		6.25	<0.005			<0.5	7.67	18	1740	3.3	2	2.34	<0.5	8	33	4
G320481		5.53	0.007			<0.5	7.93	42	1560	2.7	<2	0.62	<0.5	7	33	8
G320482		4.63	0.009			<0.5	8.04	44	1490	2.6	2	0.64	0.9	5	32	15
G320483		4.66	0.071			0.5	8.51	1025	1520	2.1	3	0.38	<0.5	8	33	6
G320484		4.94	<0.005			<0.5	7.52	7	1350	2.0	<2	0.37	<0.5	8	29	5
G320485		5.09	<0.005			<0.5	7.77	8	1480	2.2	<2	0.70	<0.5	8	30	4
G320486		3.03	0.032			<0.5	7.16	282	740	2.7	<2	0.19	0.6	4	25	26
G320487		4.04	0.226			0.5	6.93	1610	900	2.6	<2	0.37	0.6	6	27	24
G320488		2.96	<0.005			<0.5	7.34	27	1780	3.2	<2	2.13	<0.5	7	32	4
G320489		7.36	0.203			<0.5	7.59	119	1540	2.8	<2	1.74	<0.5	8	31	3
G320490		0.09	0.358			0.7	7.66	11	780	1.9	<2	2.28	<0.5	15	51	3450
G320491		5.40	1.120			<0.5	7.87	268	1360	1.7	<2	0.34	<0.5	7	30	9
G320492		4.80	<0.005			<0.5	7.81	10	1150	2.0	<2	0.24	<0.5	7	41	7
G320493		3.92	<0.005			<0.5	7.97	12	1360	1.8	<2	0.22	<0.5	9	30	7
G320494		2.48	0.027			<0.5	7.33	37	890	2.8	<2	0.21	1.0	5	26	35
G320495		2.44	0.007			<0.5	7.12	20	410	2.6	<2	0.40	<0.5	6	26	5
G320496		4.03	<0.005			<0.5	0.10	7	20	<0.5	<2	20.5	<0.5	<1	1	1
G320497		1.66	0.010			<0.5	7.53	63	450	2.9	<2	0.44	0.6	10	29	3
G320498		1.22	0.035			<0.5	7.01	981	750	2.7	<2	0.32	1.4	9	26	3
G320499		5.44	0.070			<0.5	7.42	72	1450	1.8	<2	0.47	<0.5	9	30	4
G320500		4.38	0.008			<0.5	7.00	105	1450	2.2	<2	0.79	<0.5	9	27	4
I051501		4.78	<0.005			<0.5	6.99	18	1440	2.5	<2	0.87	<0.5	6	31	5
I051502		2.63	<0.005			<0.5	7.27	21	1670	3.2	<2	0.91	<0.5	7	29	11
I051503		2.87	<0.005			1.7	8.71	31	1290	2.0	<2	0.76	<0.5	9	29	7
I051504		3.42	<0.005			0.9	7.38	37	1410	2.0	<2	0.94	<0.5	7	28	4
I051505		3.66	<0.005			<0.5	7.14	13	1530	2.8	<2	1.29	<0.5	7	27	4
I051506		3.48	4.29			<0.5	7.29	320	1680	3.2	<2	2.23	<0.5	7	29	3
I051507		4.28	0.014			<0.5	7.34	18	1670	3.3	<2	2.26	<0.5	6	31	6
I051508		3.57	<0.005			<0.5	7.10	33	1620	3.3	<2	1.81	<0.5	7	29	9
I051509		3.34	0.076			<0.5	7.03	775	1560	2.2	<2	1.46	<0.5	7	25	2
I051510		0.08	0.834			1.7	7.34	6	630	0.9	<2	3.15	0.7	21	39	7530
I051511		4.67	0.017			<0.5	7.02	32	1370	2.4	<2	1.44	<0.5	7	29	16

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 7-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm
		0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
G320472		5.45	20	3.43	40	0.83	1630	17	0.05	17	570	294	0.85	71	6	55
G320473		2.88	10	3.64	40	0.73	638	4	0.62	16	590	121	0.30	19	6	253
G320474		3.36	20	3.56	40	0.57	557	1	0.56	16	610	40	0.35	26	6	200
G320475		4.74	20	3.49	40	0.47	729	<1	0.10	22	640	61	1.19	21	7	102
G320476		3.09	20	3.72	50	0.38	759	<1	0.11	22	690	75	0.34	33	7	114
G320477		14.10	10	2.12	20	0.41	2770	2	0.02	46	360	1890	8.70	930	4	6
G320478		3.03	20	2.70	50	0.41	735	2	0.04	16	710	98	0.29	25	6	76
G320479		5.02	20	3.47	50	0.59	1560	6	0.10	15	650	42	0.48	25	7	87
G320480		2.50	20	3.56	30	0.70	346	1	1.77	22	640	24	0.02	9	7	503
G320481		2.98	20	3.47	50	0.38	566	1	0.50	23	660	25	0.15	12	7	216
G320482		3.74	20	3.50	50	0.44	771	7	0.49	21	640	85	0.28	12	7	208
G320483		3.71	20	3.21	50	0.28	606	<1	0.15	28	750	26	0.83	19	8	175
G320484		3.01	20	3.13	50	0.29	602	2	0.17	16	660	26	0.06	9	8	189
G320485		2.42	20	3.19	40	0.34	430	1	0.61	18	700	23	0.04	12	8	284
G320486		3.50	20	3.05	40	0.43	737	1	0.04	17	620	43	0.54	19	7	46
G320487		3.55	20	3.02	40	0.39	468	1	0.26	18	600	74	1.58	25	7	104
G320488		2.17	20	3.69	30	0.67	272	1	1.69	19	610	27	0.03	6	7	498
G320489		2.68	20	3.36	30	0.60	466	1	1.36	20	640	25	0.03	8	7	417
G320490		4.94	20	3.01	20	1.49	506	266	2.42	20	1050	16	0.48	<5	14	445
G320491		2.57	20	2.78	50	0.20	536	1	0.15	19	680	30	0.09	12	8	220
G320492		2.49	20	2.41	50	0.22	426	1	0.10	19	800	24	0.16	11	9	278
G320493		1.72	20	2.11	50	0.13	292	1	0.10	26	1190	28	0.05	18	6	517
G320494		5.32	20	3.18	50	0.66	1305	1	0.05	24	630	60	0.70	17	8	45
G320495		2.29	20	2.03	40	0.41	288	2	0.03	18	650	20	0.57	32	6	66
G320496		0.49	<10	0.03	<10	12.90	224	1	0.01	1	160	<2	0.01	<5	1	45
G320497		1.76	20	2.49	50	0.42	211	2	0.03	26	740	71	0.57	37	7	67
G320498		2.89	20	2.71	40	0.34	362	3	0.06	25	630	97	1.44	53	7	82
G320499		2.14	20	3.00	50	0.39	260	3	0.16	18	690	27	0.12	22	8	201
G320500		2.22	20	3.14	30	0.67	116	3	0.46	23	600	22	0.06	21	6	275
I051501		3.28	20	3.06	40	0.88	214	4	0.45	19	620	27	0.05	17	7	295
I051502		2.64	20	3.43	30	0.72	199	8	1.03	16	620	23	0.05	12	7	332
I051503		2.40	20	3.17	50	0.52	508	3	0.17	23	620	29	0.09	12	8	248
I051504		2.31	20	3.28	40	0.68	357	1	0.29	19	620	27	0.04	13	7	248
I051505		2.30	20	3.27	30	0.57	232	1	0.90	17	600	28	0.04	16	7	325
I051506		2.29	20	3.45	30	0.69	327	2	1.48	18	640	27	0.04	11	7	428
I051507		2.31	20	3.40	30	0.65	359	1	1.50	17	640	25	0.04	5	7	430
I051508		2.20	20	3.28	30	0.57	358	2	1.09	17	630	28	0.03	10	7	358
I051509		2.07	20	4.02	40	0.68	423	11	0.46	14	580	23	0.12	17	7	276
I051510		7.54	20	2.76	10	2.08	621	599	2.33	18	1140	17	0.95	<5	18	568
I051511		2.15	20	3.04	30	0.61	445	2	0.16	20	620	26	0.07	14	7	209

Comments: Additional Au-AA24 check result for samples I051563, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 7-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Th	Ti	Ti	U	V	W
		ppm	%	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10
G320472		20	0.21	<10	<10	30	10
G320473		20	0.26	10	<10	31	290
G320474		20	0.27	<10	<10	32	10
G320475		20	0.27	<10	<10	33	10
G320476		20	0.31	10	<10	36	10
G320477		<20	0.12	10	<10	20	40
G320478		20	0.27	10	<10	31	20
G320479		20	0.24	<10	<10	29	40
G320480		20	0.32	<10	<10	35	<10
G320481		20	0.32	<10	<10	36	10
G320482		20	0.30	10	<10	35	10
G320483		20	0.34	10	<10	41	20
G320484		20	0.30	<10	<10	34	20
G320485		20	0.32	<10	<10	37	20
G320486		20	0.26	<10	<10	34	30
G320487		20	0.25	<10	<10	32	30
G320488		20	0.31	<10	<10	35	<10
G320489		20	0.31	<10	<10	35	<10
G320490		<20	0.37	<10	<10	135	<10
G320491		20	0.32	<10	<10	37	10
G320492		20	0.33	<10	<10	43	40
G320493		20	0.34	<10	<10	34	30
G320494		20	0.25	<10	<10	36	20
G320495		20	0.28	<10	<10	32	30
G320496		<20	<0.01	<10	10	2	<10
G320497		20	0.32	<10	<10	35	40
G320498		20	0.27	<10	<10	32	30
G320499		20	0.30	<10	<10	35	20
G320500		20	0.29	<10	<10	32	40
I051501		20	0.28	<10	<10	32	30
I051502		20	0.30	<10	<10	33	20
I051503		20	0.30	<10	<10	34	40
I051504		20	0.30	<10	<10	34	20
I051505		20	0.30	<10	<10	33	<10
I051506		20	0.31	10	<10	35	<10
I051507		20	0.33	<10	<10	38	10
I051508		20	0.31	10	<10	36	20
I051509		20	0.27	<10	<10	31	220
I051510		<20	0.37	<10	<10	187	<10
I051511		20	0.30	<10	<10	35	40

Comments: Additional Au-AA24 check result for samples I051563, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 7-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm
		0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
I051512		4.13	<0.005			<0.5	6.56	12	1310	2.8	<2	2.67	<0.5	7	28	5
I051513		4.79	0.037			<0.5	6.99	727	1450	2.6	<2	0.80	<0.5	7	28	4
I051514		5.12	0.407			<0.5	7.80	3680	1490	2.6	<2	0.35	<0.5	6	30	5
I051515		3.89	0.018			0.9	6.80	189	1350	1.8	<2	0.79	<0.5	7	28	5
I051516		4.95	<0.005			<0.5	0.11	7	20	<0.5	<2	19.8	<0.5	<1	2	<1
I051517		4.29	0.042			<0.5	8.67	1250	1260	2.2	<2	0.62	1.0	10	33	7
I051518		4.26	<0.005			<0.5	7.85	23	1360	1.9	<2	0.68	<0.5	9	32	5
I051519		3.86	<0.005			<0.5	7.49	40	1380	2.3	<2	0.61	<0.5	9	33	4
I051520		4.41	0.019			<0.5	7.19	560	1780	3.4	<2	2.32	<0.5	6	32	7
I051521		5.97	<0.005			<0.5	6.85	74	1460	2.4	<2	1.05	<0.5	7	36	4
I051522		5.60	<0.005			<0.5	7.23	84	1510	2.4	<2	1.12	<0.5	7	29	6
I051523		5.66	0.008			<0.5	6.57	268	1840	3.0	<2	2.35	<0.5	6	32	4
I051524		4.05	<0.005			<0.5	7.19	32	1770	3.2	<2	2.24	<0.5	6	29	3
I051525		5.03	<0.005			<0.5	7.05	11	1590	3.2	<2	2.33	<0.5	6	30	2
I051526		4.69	<0.005			<0.5	7.14	20	1640	3.0	<2	1.92	<0.5	7	29	2
I051527		5.63	<0.005			<0.5	7.62	87	1610	2.5	<2	0.50	<0.5	7	30	2
I051528		4.27	0.040			<0.5	7.50	434	1950	2.4	<2	0.53	<0.5	7	32	4
I051529CD		<0.02	0.152			<0.5	7.66	450	2000	2.5	<2	0.55	<0.5	6	31	3
I051530		4.88	0.009			<0.5	7.66	212	1630	2.7	<2	0.73	<0.5	7	30	6
I051531		5.38	0.043			0.5	7.34	1860	950	2.6	<2	1.15	1.2	6	28	15
I051532		5.18	0.060	0.062		<0.5	7.05	1560	1830	3.0	<2	2.30	<0.5	8	32	6
I051533		4.65	0.509	0.524		<0.5	7.63	2620	2230	3.1	<2	2.48	<0.5	8	33	3
I051534		6.25	0.029	0.038		<0.5	7.09	1560	2170	2.8	<2	2.38	<0.5	5	31	1
I051535		4.78	0.150			<0.5	7.46	3850	2520	3.1	<2	2.47	<0.5	6	31	2
I051536		4.74	1.220			<0.5	7.02	763	2220	2.9	<2	2.46	<0.5	6	31	1
I051537		5.22	0.013			<0.5	7.31	390	2000	3.1	<2	2.35	<0.5	6	31	2
I051538		4.17	0.145			15.9	7.02	1340	560	2.6	<2	0.81	12.6	4	25	75
I051539		5.07	0.016			<0.5	6.99	823	1520	3.0	<2	2.24	1.8	6	29	4
I051540		5.09	<0.005			<0.5	7.07	66	1930	3.1	<2	2.44	<0.5	6	31	3
I051541		5.53	0.028			<0.5	7.54	678	850	3.0	<2	2.48	1.5	6	29	5
I051542		3.51	0.101			1.4	7.34	43	1420	3.0	<2	1.66	4.9	6	30	4
I051543		5.83	0.028			<0.5	7.11	62	1670	3.1	<2	2.85	<0.5	6	32	2
I051544		4.57	0.019			<0.5	7.00	1235	1790	3.0	<2	2.42	<0.5	6	29	1
I051545		4.03	0.010			3.2	7.43	127	1220	3.0	<2	2.19	11.5	6	29	16
I051546		4.34	0.100			<0.5	6.99	1645	1450	3.1	<2	2.57	1.4	6	34	2
I051547		5.74	0.035			<0.5	7.25	414	740	2.8	<2	2.14	2.9	3	28	6
I051548		6.02	0.265			<0.5	7.02	406	1990	3.1	<2	2.38	<0.5	5	35	<1
I051549		4.79	0.422			<0.5	6.90	1440	2060	2.9	<2	2.30	<0.5	6	35	1
I051550		0.08	1.470			<0.5	6.46	1250	620	9.2	<2	0.02	<0.5	2	237	30
I051651		5.17	0.815			<0.5	6.92	4280	2520	2.8	<2	2.11	<0.5	6	34	<1

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 7-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm
		0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
I051512		1.85	20	2.80	20	0.49	417	3	0.67	20	590	25	0.03	12	6	283
I051513		2.35	20	3.34	40	0.57	246	4	0.74	18	590	27	0.14	25	7	291
I051514		2.79	20	3.94	50	0.34	516	5	0.13	17	670	34	0.29	27	8	162
I051515		2.64	20	2.83	40	0.41	502	2	0.18	18	590	38	0.20	25	7	197
I051516		0.46	<10	0.03	<10	12.55	199	<1	0.01	<1	190	2	0.01	<5	1	46
I051517		3.18	20	3.10	70	0.49	580	3	0.16	20	660	66	0.41	21	9	208
I051518		2.35	20	3.07	40	0.43	425	2	0.16	19	700	30	0.05	10	8	178
I051519		1.81	20	3.09	40	0.44	319	2	0.15	25	670	33	0.07	13	8	202
I051520		2.38	20	3.43	30	0.66	335	1	1.59	22	660	31	0.05	7	7	465
I051521		2.14	20	3.22	40	0.50	356	1	0.44	23	640	32	0.05	13	7	232
I051522		2.10	20	3.26	50	0.52	364	1	0.45	23	630	31	0.05	12	7	241
I051523		2.28	20	3.58	30	0.59	429	1	1.43	17	600	45	0.07	7	6	402
I051524		2.40	20	3.38	30	0.68	317	<1	1.54	18	650	26	0.01	6	7	461
I051525		2.39	20	3.36	30	0.62	336	<1	1.55	17	640	22	0.02	8	6	460
I051526		2.59	20	3.47	40	0.56	429	1	0.96	19	640	22	0.03	7	6	350
I051527		3.10	20	3.32	50	0.47	563	<1	0.16	21	700	24	0.04	15	7	178
I051528		2.57	20	3.65	50	0.37	509	3	0.18	21	700	24	0.07	10	7	187
I051529CD		2.67	20	3.76	50	0.39	506	2	0.19	19	710	26	0.06	12	7	202
I051530		2.38	20	3.58	50	0.43	522	<1	0.34	23	720	49	0.25	13	7	201
I051531		3.91	20	3.16	50	0.63	1100	2	0.09	17	630	105	0.62	22	7	106
I051532		2.61	20	3.61	40	0.66	473	15	1.17	20	650	44	0.14	16	7	400
I051533		2.87	20	3.71	40	0.76	368	<1	1.71	20	690	25	0.15	8	7	523
I051534		2.38	20	3.93	40	0.67	307	8	1.54	17	640	20	0.09	8	6	496
I051535		2.35	20	5.06	30	0.72	280	1	1.65	19	700	22	0.21	8	7	533
I051536		2.25	20	4.65	30	0.75	321	<1	1.62	19	670	20	0.05	5	6	504
I051537		2.47	20	3.71	40	0.70	344	1	1.63	18	650	22	0.04	8	7	485
I051538		6.70	20	3.18	50	0.66	4960	<1	0.04	14	570	5270	1.80	2640	6	49
I051539		2.90	20	3.66	40	0.68	988	<1	0.93	18	660	285	0.11	144	6	353
I051540		2.43	20	3.59	40	0.68	342	<1	1.56	19	640	30	0.03	10	6	487
I051541		2.76	20	3.48	50	0.74	1195	1	0.25	20	650	139	0.29	69	7	196
I051542		2.93	20	3.47	40	0.53	1145	<1	0.47	18	640	285	0.20	96	6	247
I051543		2.80	20	3.52	30	0.74	483	<1	1.52	16	640	61	0.02	5	6	463
I051544		2.62	20	3.45	30	0.68	445	1	1.39	19	640	25	0.09	7	6	418
I051545		4.00	20	3.63	40	0.79	2140	<1	0.71	20	660	942	0.20	112	7	273
I051546		2.70	20	3.52	30	0.69	580	3	1.19	18	650	139	0.14	10	6	360
I051547		4.53	20	3.34	50	0.93	1975	<1	0.13	16	590	154	0.41	21	6	121
I051548		2.43	20	3.74	30	0.78	323	1	1.81	16	640	24	0.03	<5	6	517
I051549		2.30	20	4.05	30	0.78	290	1	1.74	16	610	21	0.08	<5	7	507
I051550		3.20	10	2.46	50	0.30	63	2	0.08	20	310	23	0.01	94	13	90
I051651		2.32	20	4.42	30	0.75	224	4	1.70	15	600	19	0.22	6	6	512

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 7-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Th	Ti	Ti	U	V	W
		ppm	%	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10
I051512		20	0.29	10	<10	33	20
I051513		20	0.29	<10	<10	33	50
I051514		20	0.31	<10	<10	36	20
I051515		20	0.27	<10	<10	31	30
I051516		<20	0.01	<10	20	2	<10
I051517		20	0.31	<10	<10	36	40
I051518		20	0.33	<10	<10	40	20
I051519		20	0.32	<10	<10	36	10
I051520		20	0.32	<10	10	38	10
I051521		20	0.30	<10	10	36	20
I051522		20	0.29	<10	10	36	20
I051523		<20	0.28	<10	10	35	10
I051524		20	0.31	<10	10	36	10
I051525		20	0.31	<10	10	36	10
I051526		20	0.30	<10	10	36	30
I051527		20	0.31	<10	<10	37	20
I051528		20	0.29	<10	<10	36	30
I051529CD		20	0.30	<10	<10	37	30
I051530		20	0.31	<10	<10	37	50
I051531		20	0.28	<10	<10	34	30
I051532		20	0.31	<10	10	37	10
I051533		20	0.32	<10	10	38	10
I051534		20	0.29	<10	10	35	30
I051535		20	0.30	<10	10	39	150
I051536		20	0.30	<10	10	38	50
I051537		20	0.31	<10	10	37	10
I051538		20	0.25	<10	<10	32	20
I051539		20	0.30	<10	10	36	10
I051540		20	0.31	<10	10	36	<10
I051541		20	0.30	<10	<10	36	20
I051542		20	0.31	<10	<10	37	10
I051543		20	0.30	<10	10	36	30
I051544		20	0.30	<10	10	36	10
I051545		20	0.30	<10	<10	37	20
I051546		20	0.30	<10	10	36	30
I051547		30	0.26	<10	<10	37	20
I051548		20	0.30	<10	10	37	10
I051549		20	0.28	<10	10	35	100
I051550		20	0.26	<10	<10	86	10
I051651		20	0.28	<10	10	35	110

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 7-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
I051652		4.62	0.080	0.115		<0.5	6.91	193	2120	2.9	<2	2.15	<0.5	6	31	1
I051653		3.85	0.186	0.891		<0.5	7.08	534	2030	3.0	<2	2.16	<0.5	6	32	1
I051654		5.88	0.023	0.069		<0.5	7.03	260	2100	3.1	<2	2.33	<0.5	6	34	1
I051655		5.12	0.017			<0.5	7.49	387	2150	3.2	<2	2.44	<0.5	7	34	4
I051656		2.91	<0.005			<0.5	0.09	<5	20	<0.5	<2	21.5	<0.5	1	<1	<1
I051657		5.11	0.220			<0.5	6.91	598	2060	2.9	<2	2.12	<0.5	7	32	3
I051658		3.04	0.221			5.0	5.94	366	1440	1.7	<2	1.18	<0.5	5	29	23

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 7-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm
		0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
I051652		2.21	20	4.02	40	0.76	258	1	1.64	16	610	22	0.02	5	6	481
I051653		2.43	20	3.77	30	0.77	310	<1	1.69	16	640	24	0.04	<5	6	494
I051654		2.45	20	3.97	30	0.81	296	1	1.77	17	650	22	0.02	<5	6	510
I051655		2.59	20	3.84	40	0.85	330	1	1.84	19	670	23	0.03	<5	7	520
I051656		0.47	<10	0.03	10	12.80	214	2	0.01	<1	170	2	0.01	<5	<1	49
I051657		2.26	20	3.84	20	0.76	278	2	1.71	17	610	26	0.04	<5	7	505
I051658		2.18	10	2.82	30	0.36	343	4	0.30	17	500	36	0.17	15	6	214

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 7-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10134121**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
I051652		20	0.29	<10	10	35	50	41
I051653		20	0.30	<10	10	36	10	57
I051654		20	0.30	<10	10	37	70	46
I051655		20	0.32	<10	10	39	30	55
I051656		<20	<0.01	<10	<10	4	<10	17
I051657		20	0.29	<10	<10	35	60	45
I051658		20	0.21	<10	<10	25	70	63

Comments: Additional Au-AA24 check result for samples I051653, I051528 and I051529CD are 0.419ppm, 0.104 ppm, and 0.257 ppm, respectively.