



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 7-OCT-2010
Account: STRGOL

CERTIFICATE WH10135880

Project: Eagle Gold

P.O. No.: EGP10-090

This report is for 56 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 7-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052157		5.45	<0.005	<0.5	7.66	17	1500	3.2	2	2.49	<0.5	8	32	16	2.53	20
I052158		6.14	<0.005	<0.5	7.92	16	1580	3.2	<2	2.57	<0.5	8	34	15	2.69	20
I052159		5.94	<0.005	<0.5	7.65	13	1460	3.2	2	2.45	<0.5	7	30	12	2.52	20
I052160		5.46	<0.005	<0.5	7.77	15	1490	3.3	<2	2.51	<0.5	7	32	14	2.57	20
I052161		5.08	<0.005	<0.5	7.57	5	1580	3.4	<2	2.49	<0.5	8	31	8	2.47	20
I052162		4.89	<0.005	<0.5	7.38	<5	1610	3.5	<2	2.50	<0.5	7	32	7	2.41	20
I052163		6.34	<0.005	<0.5	7.53	6	1550	3.6	<2	2.43	<0.5	8	32	7	2.38	20
I052164		5.43	<0.005	<0.5	7.37	5	1500	3.4	<2	2.52	<0.5	8	31	4	2.53	20
I052165		5.63	<0.005	<0.5	7.24	27	1490	3.5	<2	2.33	<0.5	7	31	4	2.17	20
I052166		5.12	<0.005	<0.5	6.82	14	1740	3.4	<2	2.22	<0.5	5	30	2	1.78	20
I052167		5.67	<0.005	<0.5	7.44	17	1550	3.1	<2	2.20	<0.5	7	29	7	2.20	20
I052168		5.50	<0.005	<0.5	7.54	13	1480	3.0	2	2.43	<0.5	7	37	14	2.50	20
I052169CD		<0.02	<0.005	<0.5	7.63	12	1450	2.9	2	2.40	<0.5	6	29	13	2.47	20
I052170		5.51	<0.005	<0.5	7.98	20	1510	3.2	<2	2.47	<0.5	8	28	13	2.57	20
I052171		5.28	<0.005	<0.5	7.82	22	1620	3.6	<2	2.41	<0.5	7	32	9	2.54	20
I052172		4.87	<0.005	<0.5	7.41	14	1620	3.2	<2	2.37	<0.5	8	34	10	2.44	20
I052173		6.22	<0.005	<0.5	7.71	9	1520	3.2	<2	2.49	<0.5	8	31	14	2.60	20
I052174		6.73	<0.005	<0.5	7.87	8	1570	3.4	<2	2.54	<0.5	7	33	13	2.56	20
I052175		4.39	<0.005	<0.5	7.78	8	1570	3.3	<2	2.59	<0.5	9	33	14	2.70	20
I052176		4.82	<0.005	<0.5	7.45	25	1510	3.2	2	2.47	<0.5	7	33	10	2.44	20
I052177		4.99	<0.005	<0.5	7.53	8	1510	3.3	<2	2.53	<0.5	8	33	8	2.54	30
I052178		5.75	<0.005	<0.5	7.46	8	1590	3.3	<2	2.54	<0.5	7	32	6	2.58	20
I052179		5.55	<0.005	<0.5	7.57	6	1610	3.4	<2	2.61	<0.5	8	31	10	2.65	20
I052180		5.15	<0.005	<0.5	7.39	7	1490	3.2	<2	2.46	<0.5	8	31	11	2.56	20
I052181		5.52	<0.005	<0.5	7.34	7	1370	3.3	<2	2.62	<0.5	8	32	6	2.55	20
I052182		5.30	<0.005	<0.5	7.37	14	1570	3.3	<2	2.53	<0.5	7	33	4	2.31	20
I052183		5.97	<0.005	<0.5	7.35	9	1490	3.3	<2	2.42	<0.5	7	33	5	2.44	20
I052184		5.32	<0.005	<0.5	7.10	11	1580	3.4	<2	2.22	<0.5	7	36	3	2.18	20
I052185		5.65	<0.005	<0.5	7.11	7	1550	3.4	<2	2.43	<0.5	8	34	5	2.39	20
I052186		5.52	<0.005	<0.5	7.41	6	1550	3.7	<2	2.61	<0.5	8	35	4	2.54	20
I052187		4.55	<0.005	<0.5	7.24	15	1430	3.1	2	2.44	<0.5	8	30	11	2.43	20
I052188		5.83	<0.005	<0.5	7.23	78	1510	3.1	<2	2.43	<0.5	8	34	10	2.42	20
I052189		5.40	<0.005	<0.5	7.35	35	1530	2.9	2	2.38	<0.5	8	29	17	2.41	20
I052190		0.07	0.864	2.2	7.60	7	600	0.9	4	3.14	<0.5	21	38	7550	7.24	20
I052191		5.89	<0.005	<0.5	6.91	7	1740	3.2	<2	2.45	<0.5	5	30	17	2.01	20
I052192		5.51	<0.005	<0.5	7.20	8	1590	3.5	<2	2.60	<0.5	8	34	5	2.41	20
I052193		3.22	0.018	<0.5	7.32	10	1450	3.5	<2	2.48	<0.5	7	33	8	2.47	20
I052194		11.05	<0.005	<0.5	7.64	10	1470	3.4	<2	2.46	<0.5	7	34	3	2.49	20
I052195		3.30	<0.005	<0.5	7.63	5	1490	3.5	<2	2.52	<0.5	8	34	3	2.53	20
I052196		4.68	<0.005	<0.5	0.08	<5	20	<0.5	2	20.8	<0.5	2	<1	2	0.48	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052157		3.50	40	0.77	387	<1	1.84	20	650	39	0.06	6	7	501	20	0.32
I052158		3.52	50	0.80	402	<1	1.82	21	670	39	0.06	5	8	505	20	0.32
I052159		3.39	50	0.77	383	<1	1.82	18	640	35	0.04	5	7	492	20	0.31
I052160		3.43	50	0.79	391	<1	1.83	20	650	35	0.05	<5	7	497	20	0.31
I052161		3.35	40	0.80	331	1	1.86	19	670	27	0.03	<5	7	508	20	0.32
I052162		3.37	40	0.80	312	1	1.89	20	680	23	0.03	<5	7	508	20	0.33
I052163		3.39	40	0.81	315	1	1.86	21	660	22	0.02	<5	7	508	20	0.32
I052164		3.33	40	0.76	343	<1	1.86	20	660	27	0.02	5	7	499	20	0.32
I052165		3.23	40	0.71	264	1	1.81	21	660	21	0.01	<5	7	478	20	0.30
I052166		3.99	40	0.73	198	4	1.64	18	620	18	<0.01	<5	7	512	20	0.27
I052167		3.65	50	0.75	297	6	1.77	19	610	28	0.03	5	7	489	20	0.30
I052168		3.48	40	0.77	374	<1	1.80	18	640	35	0.05	<5	7	489	20	0.31
I052169CD		3.44	50	0.76	370	<1	1.78	18	630	35	0.05	5	7	495	20	0.30
I052170		3.43	50	0.77	369	<1	1.84	19	650	34	0.04	5	7	518	20	0.31
I052171		3.35	50	0.81	339	1	1.88	20	690	23	0.03	<5	8	514	20	0.33
I052172		3.56	40	0.80	344	4	1.81	20	660	28	0.04	5	7	502	20	0.32
I052173		3.52	40	0.81	393	<1	1.85	19	660	34	0.05	<5	7	502	20	0.32
I052174		3.47	50	0.80	362	<1	1.87	19	660	31	0.04	<5	7	514	20	0.32
I052175		3.42	50	0.82	396	<1	1.83	21	680	30	0.06	<5	8	508	20	0.32
I052176		3.54	40	0.76	378	<1	1.78	17	660	33	0.03	<5	7	492	20	0.31
I052177		3.40	40	0.84	359	<1	1.87	20	670	26	0.03	<5	8	507	20	0.32
I052178		3.37	50	0.80	362	1	1.80	19	680	23	0.03	<5	7	500	20	0.32
I052179		3.42	40	0.81	361	<1	1.85	20	690	24	0.04	<5	7	521	20	0.33
I052180		3.31	50	0.80	382	<1	1.75	19	670	28	0.04	<5	7	498	20	0.32
I052181		3.26	40	0.86	417	<1	1.78	14	700	29	0.02	<5	7	514	20	0.31
I052182		3.48	40	0.81	326	18	1.84	18	670	24	0.02	<5	7	527	20	0.31
I052183		3.27	40	0.76	326	<1	1.82	18	650	22	0.02	<5	7	509	20	0.32
I052184		3.62	40	0.78	262	32	1.71	20	630	17	0.02	<5	7	489	20	0.31
I052185		3.39	40	0.76	311	<1	1.82	19	660	21	0.03	<5	7	509	20	0.31
I052186		3.25	40	0.80	333	<1	1.86	20	690	19	0.02	<5	7	520	20	0.33
I052187		3.50	40	0.67	373	<1	1.72	19	610	35	0.04	<5	7	475	20	0.29
I052188		3.52	40	0.75	379	<1	1.76	18	620	36	0.05	<5	7	468	20	0.29
I052189		3.58	40	0.70	363	<1	1.78	24	600	40	0.05	5	7	485	20	0.29
I052190		2.83	20	2.02	623	589	2.41	16	1160	13	0.98	6	19	604	<20	0.36
I052191		3.68	40	0.71	252	1	1.75	20	640	21	0.01	<5	7	516	20	0.30
I052192		3.38	40	0.75	293	<1	1.88	19	670	20	0.01	5	7	526	20	0.32
I052193		3.34	40	0.76	336	<1	1.86	19	660	27	0.02	<5	7	501	20	0.31
I052194		3.46	50	0.82	326	<1	1.86	15	640	22	0.01	<5	7	517	20	0.30
I052195		3.50	50	0.84	352	<1	1.92	18	660	25	0.01	<5	7	528	20	0.32
I052196		0.04	10	12.40	230	<1	0.01	<1	160	<2	0.01	<5	1	47	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I052157		<10	10	38	<10	93
I052158		<10	10	38	<10	93
I052159		<10	10	36	<10	88
I052160		<10	10	38	<10	90
I052161		<10	10	38	40	65
I052162		<10	10	39	50	62
I052163		<10	10	38	100	60
I052164		<10	10	38	30	61
I052165		<10	10	37	210	62
I052166		<10	10	36	450	30
I052167		<10	10	35	140	65
I052168		<10	10	36	<10	86
I052169CD		<10	10	35	<10	86
I052170		<10	10	36	<10	96
I052171		<10	10	39	70	78
I052172		<10	10	38	100	73
I052173		<10	10	37	20	85
I052174		<10	10	38	10	76
I052175		<10	10	39	<10	76
I052176		<10	10	38	10	79
I052177		<10	10	39	10	67
I052178		<10	10	38	10	61
I052179		<10	10	40	<10	70
I052180		<10	10	38	10	83
I052181		<10	10	38	<10	85
I052182		<10	10	38	150	65
I052183		<10	10	38	30	65
I052184		<10	10	41	190	42
I052185		<10	10	38	10	53
I052186		<10	10	39	40	55
I052187		<10	10	36	<10	88
I052188		<10	10	37	<10	77
I052189		<10	10	36	10	88
I052190		<10	10	187	10	87
I052191		<10	10	37	<10	39
I052192		<10	10	40	10	44
I052193		<10	10	39	10	59
I052194		<10	10	39	20	50
I052195		<10	10	41	10	57
I052196		<10	<10	4	<10	18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 7-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I052197		5.89	<0.005	<0.5	7.25	11	1500	3.2	<2	2.56	<0.5	8	31	5	2.44	20
I052198		5.25	<0.005	<0.5	7.41	8	1420	3.4	<2	2.76	<0.5	8	35	5	2.69	20
I052199		6.36	<0.005	<0.5	7.77	9	1550	3.4	<2	2.61	<0.5	10	36	9	2.88	20
I052200		5.14	<0.005	<0.5	7.64	9	1540	3.4	<2	2.55	<0.5	8	33	4	2.68	20
I017452		4.86	0.281	<0.5	7.31	14	1730	3.3	<2	2.48	<0.5	7	33	2	2.30	20
I017453		5.88	<0.005	<0.5	4.07	5	830	1.8	<2	1.41	<0.5	4	21	2	1.45	10
I017454		5.43	<0.005	<0.5	7.30	6	1470	3.3	<2	2.45	<0.5	8	33	2	2.53	20
I017455		5.49	<0.005	<0.5	7.45	21	1560	3.3	<2	2.46	<0.5	8	31	2	2.42	20
I017456		4.75	<0.005	<0.5	0.07	<5	20	<0.5	<2	21.1	<0.5	2	1	1	0.49	<10
I017457		5.11	<0.005	<0.5	7.48	17	1490	3.4	<2	2.23	<0.5	8	32	3	2.53	20
I017458		5.58	<0.005	<0.5	7.34	13	1480	3.4	<2	2.50	<0.5	7	34	1	2.29	20
I017459		5.95	<0.005	<0.5	7.37	10	1530	3.4	<2	2.49	<0.5	8	32	3	2.39	20
I017460		7.70	<0.005	<0.5	7.62	10	1630	3.3	<2	2.59	<0.5	7	33	3	2.40	20
I017461		6.45	<0.005	<0.5	7.11	9	1800	3.2	<2	2.45	<0.5	6	33	2	1.96	20
I017462		6.46	<0.005	<0.5	7.16	9	1790	3.3	<2	2.45	<0.5	6	31	1	1.94	20
I017463		6.19	<0.005	<0.5	7.55	7	1640	3.4	<2	2.63	<0.5	7	34	2	2.68	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 7-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052197		3.46	40	0.77	349	<1	1.85	16	660	27	0.02	<5	7	506	20	0.31
I052198		3.41	40	0.86	422	<1	1.84	17	680	28	0.02	<5	7	525	20	0.31
I052199		3.47	40	0.89	416	<1	1.84	22	680	27	0.03	<5	8	517	20	0.33
I052200		3.49	40	0.84	398	<1	1.88	17	680	22	0.01	<5	7	528	20	0.32
I017452		3.78	40	0.84	323	2	1.77	16	640	22	0.01	5	7	520	20	0.29
I017453		1.86	30	0.45	221	<1	0.97	8	370	15	0.01	<5	4	278	<20	0.18
I017454		3.45	40	0.82	374	<1	1.86	17	660	23	0.01	<5	7	510	20	0.31
I017455		3.60	40	0.78	302	<1	1.88	17	650	20	0.01	<5	7	517	20	0.30
I017456		0.02	10	12.65	231	1	0.01	<1	160	<2	0.01	<5	1	51	<20	<0.01
I017457		3.46	50	0.78	281	<1	1.74	18	640	21	0.01	<5	7	482	20	0.31
I017458		3.46	50	0.80	280	<1	1.71	18	650	20	0.01	<5	8	485	20	0.31
I017459		3.52	50	0.79	295	<1	1.84	18	650	22	0.01	<5	7	501	20	0.31
I017460		3.55	50	0.77	297	1	1.85	20	690	21	0.01	<5	8	529	20	0.32
I017461		4.03	40	0.74	221	12	1.72	19	650	17	<0.01	<5	7	530	20	0.31
I017462		4.01	40	0.74	217	11	1.80	19	660	18	<0.01	<5	7	541	20	0.31
I017463		3.35	40	0.80	411	<1	1.85	20	710	27	0.01	<5	7	535	20	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10135880

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I052197		<10	10	38	<10	62
I052198		<10	10	42	<10	72
I052199		<10	10	43	<10	71
I052200		<10	10	41	<10	63
I017452		<10	10	39	10	43
I017453		<10	<10	23	<10	36
I017454		<10	10	40	<10	57
I017455		<10	10	38	90	40
I017456		<10	<10	4	<10	19
I017457		<10	10	39	30	35
I017458		<10	10	39	50	37
I017459		<10	10	39	20	38
I017460		<10	10	41	50	44
I017461		<10	10	38	220	25
I017462		<10	10	39	170	27
I017463		<10	10	41	<10	64