



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 12-OCT-2010  
This copy reported on  
4-APR-2011  
Account: STRGOL

**CERTIFICATE WH10136244**

Project: Eagle Gold

P.O. No.: EGP10-086

This report is for 100 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 22-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| LOG-24   | Pulp Login - Rcd w/o Barcode       |
| LOG-22   | Sample login - Rcd w/o BarCode     |
| BAG-01   | Bulk Master for Storage            |
| CRU-QC   | Crushing QC Test                   |
| PUL-QC   | Pulverizing QC Test                |
| CRU-36   | Fine Crushing - 85% <2mm           |
| SPL-21   | Split sample - riffle splitter     |
| PUL-32   | Pulverize 1000g to 85% < 75 um     |
| LOG-22d  | Sample login - Rcd w/o BarCode dup |
| SPL-21d  | Split sample - duplicate           |
| PUL-32d  | Pulverize Split -Dup 85% <75um     |
| SPL-21t  | Split Sample - Triplicate          |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA24  | Au 50g FA AA finish          | AAS        |
| Au-GRA22 | Au 50 g FA-GRAV finish       | WST-SIM    |
| ME-ICP61 | 33 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD CORPORATION  
ATTN: ALLAN JACOBS  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP61<br>Ag<br>ppm | ME-ICP61<br>Al<br>% | ME-ICP61<br>As<br>ppm | ME-ICP61<br>Ba<br>ppm | ME-ICP61<br>Be<br>ppm | ME-ICP61<br>Bi<br>ppm | ME-ICP61<br>Ca<br>% | ME-ICP61<br>Cd<br>ppm | ME-ICP61<br>Co<br>ppm | ME-ICP61<br>Cr<br>ppm | ME-ICP61<br>Cu<br>ppm | ME-ICP61<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.05                  | 0.5                   | 0.01                | 5                     | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| I051577            |                                   | 1.34                      | <0.005               |                       | <0.5                  | 7.27                | 19                    | 1400                  | 3.2                   | <2                    | 2.19                | <0.5                  | 6                     | 30                    | 8                     | 2.14                |
| I051578            |                                   | 4.52                      | <0.005               |                       | <0.5                  | 7.53                | 36                    | 1570                  | 3.4                   | <2                    | 2.08                | <0.5                  | 7                     | 33                    | 7                     | 2.35                |
| I051579            |                                   | 4.02                      | <0.005               |                       | 0.6                   | 7.64                | 16                    | 1530                  | 3.2                   | <2                    | 2.19                | <0.5                  | 7                     | 32                    | 8                     | 2.38                |
| I051580            |                                   | 4.53                      | <0.005               |                       | <0.5                  | 7.52                | 21                    | 1610                  | 3.1                   | <2                    | 2.08                | <0.5                  | 7                     | 31                    | 5                     | 2.36                |
| I051581            |                                   | 4.25                      | <0.005               |                       | <0.5                  | 7.29                | 19                    | 1300                  | 3.8                   | 2                     | 2.49                | <0.5                  | 6                     | 31                    | 11                    | 2.03                |
| I051582            |                                   | 5.39                      | <0.005               |                       | <0.5                  | 7.19                | 14                    | 1300                  | 3.0                   | <2                    | 1.91                | <0.5                  | 6                     | 31                    | 7                     | 1.99                |
| I051583            |                                   | 4.57                      | <0.005               |                       | <0.5                  | 7.42                | 9                     | 1470                  | 3.1                   | <2                    | 2.32                | <0.5                  | 7                     | 31                    | 10                    | 2.26                |
| I051584            |                                   | 5.53                      | <0.005               |                       | <0.5                  | 7.20                | 12                    | 1630                  | 3.1                   | <2                    | 2.06                | <0.5                  | 6                     | 32                    | 5                     | 2.02                |
| I051585            |                                   | 5.17                      | <0.005               |                       | <0.5                  | 7.32                | 26                    | 1290                  | 3.0                   | <2                    | 1.90                | <0.5                  | 5                     | 32                    | 7                     | 1.98                |
| I051586            |                                   | 5.48                      | <0.005               |                       | <0.5                  | 7.59                | 7                     | 1700                  | 3.2                   | <2                    | 2.55                | <0.5                  | 6                     | 33                    | 2                     | 2.26                |
| I051587            |                                   | 5.42                      | <0.005               |                       | <0.5                  | 7.49                | 15                    | 1500                  | 3.3                   | <2                    | 2.19                | <0.5                  | 7                     | 33                    | 4                     | 2.36                |
| I051588            |                                   | 5.25                      | <0.005               |                       | <0.5                  | 7.38                | 16                    | 1330                  | 3.3                   | <2                    | 2.16                | <0.5                  | 7                     | 32                    | 9                     | 2.33                |
| I051589            |                                   | 5.38                      | <0.005               |                       | <0.5                  | 7.37                | 19                    | 1380                  | 3.1                   | <2                    | 2.07                | <0.5                  | 7                     | 30                    | 22                    | 2.24                |
| I051590            |                                   | 0.07                      | 0.357                |                       | 0.9                   | 7.25                | 15                    | 760                   | 1.8                   | 4                     | 2.38                | <0.5                  | 15                    | 52                    | 3300                  | 5.00                |
| I051591            |                                   | 6.01                      | <0.005               |                       | <0.5                  | 7.35                | 21                    | 1390                  | 3.0                   | <2                    | 2.29                | <0.5                  | 6                     | 31                    | 13                    | 2.23                |
| I051592            |                                   | 4.66                      | <0.005               |                       | <0.5                  | 7.47                | 24                    | 1490                  | 3.1                   | 2                     | 2.24                | <0.5                  | 7                     | 31                    | 11                    | 2.31                |
| I051593            |                                   | 5.62                      | <0.005               |                       | <0.5                  | 6.96                | 18                    | 1330                  | 3.0                   | <2                    | 2.17                | <0.5                  | 6                     | 31                    | 10                    | 2.12                |
| I051594            |                                   | 4.38                      | <0.005               |                       | <0.5                  | 7.43                | 25                    | 1420                  | 3.2                   | 2                     | 2.09                | <0.5                  | 7                     | 30                    | 10                    | 2.28                |
| I051595            |                                   | 5.22                      | <0.005               |                       | <0.5                  | 7.77                | 56                    | 1470                  | 3.4                   | <2                    | 1.79                | <0.5                  | 6                     | 31                    | 9                     | 2.36                |
| I051596            |                                   | 5.13                      | <0.005               |                       | <0.5                  | 0.14                | <5                    | 20                    | <0.5                  | 3                     | 20.2                | <0.5                  | 1                     | 4                     | 4                     | 0.51                |
| I051597            |                                   | 5.66                      | <0.005               |                       | <0.5                  | 7.44                | 47                    | 1460                  | 3.6                   | <2                    | 1.96                | <0.5                  | 6                     | 31                    | 11                    | 2.24                |
| I051598            |                                   | 4.98                      | <0.005               |                       | <0.5                  | 7.08                | 28                    | 720                   | 2.9                   | <2                    | 1.98                | <0.5                  | 3                     | 20                    | 8                     | 1.68                |
| I051599            |                                   | 5.25                      | <0.005               |                       | <0.5                  | 7.23                | 17                    | 1150                  | 3.1                   | <2                    | 2.12                | <0.5                  | 5                     | 26                    | 8                     | 1.93                |
| I051600            |                                   | 5.08                      | <0.005               |                       | <0.5                  | 7.46                | 18                    | 1230                  | 3.0                   | <2                    | 2.18                | <0.5                  | 5                     | 28                    | 8                     | 2.04                |
| I052001            |                                   | 5.67                      | <0.005               |                       | <0.5                  | 7.40                | 15                    | 1270                  | 3.1                   | <2                    | 2.10                | <0.5                  | 6                     | 29                    | 8                     | 2.03                |
| I052002            |                                   | 5.24                      | <0.005               |                       | <0.5                  | 7.54                | 11                    | 1330                  | 3.2                   | <2                    | 2.18                | <0.5                  | 6                     | 30                    | 8                     | 2.11                |
| I052003            |                                   | 4.77                      | <0.005               |                       | <0.5                  | 6.95                | 9                     | 1190                  | 3.2                   | <2                    | 2.20                | <0.5                  | 5                     | 27                    | 8                     | 1.94                |
| I052004            |                                   | 5.62                      | <0.005               |                       | <0.5                  | 7.30                | 8                     | 1230                  | 3.1                   | <2                    | 2.26                | <0.5                  | 6                     | 28                    | 13                    | 2.13                |
| I052005            |                                   | 4.39                      | <0.005               |                       | <0.5                  | 7.28                | 7                     | 1280                  | 3.1                   | <2                    | 2.22                | <0.5                  | 6                     | 45                    | 15                    | 2.07                |
| I052006            |                                   | 4.94                      | <0.005               |                       | <0.5                  | 6.81                | 5                     | 1380                  | 2.9                   | <2                    | 2.28                | <0.5                  | 7                     | 33                    | 13                    | 2.17                |
| I052007            |                                   | 5.86                      | <0.005               |                       | <0.5                  | 7.30                | 9                     | 1310                  | 3.2                   | <2                    | 2.46                | <0.5                  | 6                     | 32                    | 7                     | 2.09                |
| I052008            |                                   | 5.33                      | <0.005               |                       | <0.5                  | 7.31                | 10                    | 1560                  | 3.3                   | <2                    | 2.43                | <0.5                  | 6                     | 35                    | 8                     | 2.05                |
| I052009            |                                   | 5.38                      | <0.005               |                       | <0.5                  | 6.25                | 6                     | 1050                  | 5.6                   | <2                    | 3.79                | <0.5                  | 5                     | 31                    | 3                     | 1.63                |
| I052010            |                                   | 0.08                      | 0.357                |                       | 0.9                   | 7.20                | 15                    | 750                   | 1.8                   | 2                     | 2.36                | <0.5                  | 14                    | 48                    | 3270                  | 4.96                |
| I052011            |                                   | 5.64                      | <0.005               |                       | <0.5                  | 6.42                | 9                     | 1120                  | 4.7                   | <2                    | 3.20                | <0.5                  | 6                     | 31                    | 8                     | 1.96                |
| I052012            |                                   | 4.82                      | <0.005               |                       | <0.5                  | 7.00                | 5                     | 1110                  | 4.7                   | <2                    | 3.15                | <0.5                  | 7                     | 35                    | 3                     | 2.06                |
| I052013            |                                   | 5.17                      | <0.005               |                       | 0.5                   | 6.87                | 8                     | 680                   | 7.5                   | <2                    | 4.46                | <0.5                  | 4                     | 34                    | 2                     | 1.54                |
| I052014            |                                   | 5.51                      | <0.005               |                       | <0.5                  | 7.72                | <5                    | 1530                  | 3.4                   | <2                    | 2.62                | <0.5                  | 7                     | 36                    | 2                     | 2.38                |
| I052015            |                                   | 5.71                      | 0.015                |                       | <0.5                  | 7.75                | 9                     | 2020                  | 3.5                   | <2                    | 2.60                | <0.5                  | 6                     | 33                    | 1                     | 2.09                |
| I052016            |                                   | 4.20                      | <0.005               |                       | <0.5                  | 0.10                | <5                    | 20                    | <0.5                  | <2                    | 19.7                | <0.5                  | 1                     | 2                     | 2                     | 0.45                |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Ga<br>ppm<br>10 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>La<br>ppm<br>10 | ME-ICP61<br>Mg<br>%<br>0.01 | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01 | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01 | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sc<br>ppm<br>1 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Th<br>ppm<br>20 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| I051577            |                                   | 20                          | 3.47                       | 30                          | 0.68                        | 309                        | <1                         | 1.69                        | 18                         | 550                        | 32                         | 0.03                       | <5                         | 6                          | 426                        | 20                          |
| I051578            |                                   | 20                          | 3.54                       | 30                          | 0.73                        | 383                        | <1                         | 1.69                        | 19                         | 600                        | 31                         | 0.01                       | <5                         | 7                          | 431                        | 20                          |
| I051579            |                                   | 20                          | 3.47                       | 30                          | 0.76                        | 351                        | <1                         | 1.70                        | 20                         | 610                        | 30                         | 0.02                       | <5                         | 7                          | 452                        | 20                          |
| I051580            |                                   | 20                          | 3.42                       | 40                          | 0.76                        | 348                        | <1                         | 1.68                        | 21                         | 620                        | 24                         | 0.01                       | <5                         | 7                          | 452                        | 20                          |
| I051581            |                                   | 20                          | 2.87                       | 30                          | 0.69                        | 293                        | <1                         | 1.84                        | 17                         | 580                        | 26                         | 0.01                       | <5                         | 6                          | 502                        | 20                          |
| I051582            |                                   | 20                          | 3.70                       | 30                          | 0.61                        | 294                        | <1                         | 1.51                        | 16                         | 510                        | 33                         | 0.02                       | <5                         | 6                          | 382                        | 20                          |
| I051583            |                                   | 20                          | 3.55                       | 30                          | 0.72                        | 326                        | <1                         | 1.64                        | 17                         | 590                        | 33                         | 0.04                       | <5                         | 6                          | 438                        | 20                          |
| I051584            |                                   | 20                          | 3.18                       | 30                          | 0.71                        | 290                        | <1                         | 1.79                        | 19                         | 600                        | 25                         | 0.02                       | <5                         | 6                          | 474                        | 20                          |
| I051585            |                                   | 20                          | 3.60                       | 30                          | 0.60                        | 290                        | <1                         | 1.66                        | 17                         | 510                        | 35                         | 0.03                       | <5                         | 6                          | 420                        | 20                          |
| I051586            |                                   | 20                          | 3.80                       | 30                          | 0.80                        | 351                        | <1                         | 1.72                        | 18                         | 620                        | 26                         | 0.01                       | <5                         | 7                          | 495                        | 20                          |
| I051587            |                                   | 20                          | 3.50                       | 30                          | 0.72                        | 346                        | <1                         | 1.75                        | 19                         | 610                        | 28                         | 0.01                       | <5                         | 7                          | 437                        | 20                          |
| I051588            |                                   | 20                          | 3.48                       | 30                          | 0.65                        | 360                        | <1                         | 1.63                        | 18                         | 580                        | 41                         | 0.03                       | 6                          | 6                          | 394                        | 20                          |
| I051589            |                                   | 20                          | 3.40                       | 30                          | 0.63                        | 339                        | <1                         | 1.61                        | 17                         | 560                        | 39                         | 0.03                       | 5                          | 6                          | 387                        | 20                          |
| I051590            |                                   | 20                          | 2.97                       | 20                          | 1.44                        | 486                        | 254                        | 2.33                        | 20                         | 1020                       | 17                         | 0.45                       | <5                         | 12                         | 425                        | <20                         |
| I051591            |                                   | 20                          | 3.34                       | 30                          | 0.71                        | 324                        | <1                         | 1.69                        | 16                         | 550                        | 36                         | 0.04                       | <5                         | 6                          | 440                        | 20                          |
| I051592            |                                   | 20                          | 3.32                       | 30                          | 0.76                        | 332                        | <1                         | 1.72                        | 19                         | 600                        | 33                         | 0.04                       | <5                         | 6                          | 473                        | 20                          |
| I051593            |                                   | 20                          | 3.19                       | 30                          | 0.65                        | 314                        | <1                         | 1.63                        | 17                         | 540                        | 35                         | 0.04                       | <5                         | 6                          | 409                        | 20                          |
| I051594            |                                   | 20                          | 3.37                       | 40                          | 0.68                        | 315                        | <1                         | 1.66                        | 19                         | 580                        | 36                         | 0.03                       | <5                         | 6                          | 427                        | 20                          |
| I051595            |                                   | 20                          | 3.24                       | 40                          | 0.62                        | 360                        | <1                         | 1.68                        | 19                         | 610                        | 39                         | 0.02                       | 9                          | 7                          | 410                        | 20                          |
| I051596            |                                   | <10                         | 0.04                       | <10                         | 11.90                       | 200                        | <1                         | 0.02                        | 1                          | 190                        | <2                         | 0.01                       | <5                         | <1                         | 47                         | <20                         |
| I051597            |                                   | 20                          | 3.22                       | 30                          | 0.59                        | 331                        | <1                         | 1.56                        | 17                         | 610                        | 86                         | 0.03                       | 9                          | 7                          | 395                        | 20                          |
| I051598            |                                   | 20                          | 2.79                       | 20                          | 0.35                        | 637                        | <1                         | 1.42                        | 12                         | 460                        | 79                         | 0.11                       | 14                         | 5                          | 144                        | 20                          |
| I051599            |                                   | 20                          | 3.50                       | 30                          | 0.54                        | 315                        | <1                         | 1.65                        | 13                         | 470                        | 44                         | 0.03                       | <5                         | 5                          | 380                        | 20                          |
| I051600            |                                   | 20                          | 3.52                       | 30                          | 0.60                        | 328                        | <1                         | 1.77                        | 15                         | 500                        | 41                         | 0.03                       | 5                          | 6                          | 412                        | 20                          |
| I052001            |                                   | 20                          | 3.58                       | 30                          | 0.61                        | 318                        | <1                         | 1.76                        | 16                         | 500                        | 39                         | 0.02                       | <5                         | 6                          | 414                        | 20                          |
| I052002            |                                   | 20                          | 3.51                       | 30                          | 0.66                        | 318                        | <1                         | 1.78                        | 16                         | 520                        | 37                         | 0.03                       | <5                         | 6                          | 429                        | 20                          |
| I052003            |                                   | 20                          | 3.34                       | 30                          | 0.58                        | 289                        | <1                         | 1.74                        | 14                         | 490                        | 34                         | 0.04                       | <5                         | 5                          | 410                        | 20                          |
| I052004            |                                   | 20                          | 3.49                       | 30                          | 0.62                        | 336                        | <1                         | 1.74                        | 15                         | 520                        | 40                         | 0.05                       | <5                         | 6                          | 414                        | 20                          |
| I052005            |                                   | 20                          | 3.49                       | 30                          | 0.60                        | 303                        | <1                         | 1.77                        | 16                         | 510                        | 36                         | 0.05                       | <5                         | 6                          | 433                        | 20                          |
| I052006            |                                   | 20                          | 3.27                       | 30                          | 0.65                        | 305                        | <1                         | 1.69                        | 17                         | 540                        | 33                         | 0.05                       | <5                         | 6                          | 454                        | 20                          |
| I052007            |                                   | 20                          | 3.26                       | 30                          | 0.63                        | 287                        | 7                          | 1.76                        | 17                         | 530                        | 32                         | 0.03                       | <5                         | 6                          | 457                        | 20                          |
| I052008            |                                   | 20                          | 3.49                       | 30                          | 0.61                        | 261                        | 1                          | 1.85                        | 19                         | 530                        | 28                         | 0.03                       | <5                         | 6                          | 493                        | 20                          |
| I052009            |                                   | 20                          | 2.52                       | 20                          | 0.60                        | 238                        | 9                          | 2.29                        | 14                         | 560                        | 17                         | 0.01                       | <5                         | 5                          | 485                        | <20                         |
| I052010            |                                   | 20                          | 2.95                       | 20                          | 1.41                        | 479                        | 249                        | 2.33                        | 20                         | 1000                       | 18                         | 0.45                       | <5                         | 12                         | 426                        | <20                         |
| I052011            |                                   | 20                          | 2.74                       | 20                          | 0.68                        | 278                        | 4                          | 2.19                        | 19                         | 570                        | 25                         | 0.02                       | <5                         | 5                          | 477                        | <20                         |
| I052012            |                                   | 20                          | 2.65                       | 30                          | 0.71                        | 290                        | 2                          | 2.08                        | 18                         | 600                        | 23                         | 0.02                       | <5                         | 6                          | 551                        | 20                          |
| I052013            |                                   | 20                          | 1.69                       | 20                          | 0.76                        | 228                        | 6                          | 2.85                        | 15                         | 690                        | 12                         | <0.01                      | <5                         | 7                          | 792                        | 20                          |
| I052014            |                                   | 20                          | 3.41                       | 30                          | 0.80                        | 334                        | <1                         | 1.89                        | 20                         | 650                        | 25                         | 0.01                       | <5                         | 8                          | 514                        | 20                          |
| I052015            |                                   | 20                          | 3.92                       | 40                          | 0.78                        | 266                        | <1                         | 1.85                        | 17                         | 640                        | 19                         | 0.01                       | 5                          | 8                          | 546                        | 20                          |
| I052016            |                                   | <10                         | 0.04                       | 10                          | 12.60                       | 199                        | <1                         | 0.02                        | <1                         | 180                        | <2                         | 0.01                       | <5                         | 1                          | 48                         | <20                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 |
|--------------------|-----------------------------------|-----------|-----------|-----------|----------|-----------|----------|
|                    |                                   | Ti        | Ti        | U         | V        | W         | Zn       |
|                    |                                   | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| I051577            |                                   | 0.27      | <10       | <10       | 30       | <10       | 62       |
| I051578            |                                   | 0.29      | <10       | <10       | 34       | <10       | 84       |
| I051579            |                                   | 0.30      | <10       | <10       | 35       | 10        | 73       |
| I051580            |                                   | 0.30      | <10       | <10       | 34       | <10       | 69       |
| I051581            |                                   | 0.29      | <10       | <10       | 32       | 40        | 58       |
| I051582            |                                   | 0.25      | <10       | <10       | 28       | <10       | 64       |
| I051583            |                                   | 0.29      | <10       | <10       | 32       | <10       | 72       |
| I051584            |                                   | 0.29      | <10       | <10       | 33       | 20        | 58       |
| I051585            |                                   | 0.25      | <10       | <10       | 28       | <10       | 64       |
| I051586            |                                   | 0.31      | <10       | <10       | 35       | <10       | 60       |
| I051587            |                                   | 0.29      | <10       | <10       | 34       | <10       | 67       |
| I051588            |                                   | 0.28      | <10       | <10       | 33       | <10       | 98       |
| I051589            |                                   | 0.28      | <10       | <10       | 32       | <10       | 78       |
| I051590            |                                   | 0.35      | <10       | <10       | 132      | <10       | 72       |
| I051591            |                                   | 0.27      | <10       | <10       | 32       | 10        | 73       |
| I051592            |                                   | 0.29      | <10       | <10       | 34       | <10       | 80       |
| I051593            |                                   | 0.26      | <10       | <10       | 29       | <10       | 74       |
| I051594            |                                   | 0.29      | <10       | <10       | 33       | 10        | 82       |
| I051595            |                                   | 0.29      | <10       | <10       | 34       | <10       | 85       |
| I051596            |                                   | 0.01      | <10       | 10        | 2        | <10       | 17       |
| I051597            |                                   | 0.28      | <10       | <10       | 34       | 10        | 87       |
| I051598            |                                   | 0.20      | <10       | 10        | 24       | 30        | 95       |
| I051599            |                                   | 0.24      | <10       | 10        | 26       | <10       | 67       |
| I051600            |                                   | 0.24      | <10       | 10        | 27       | <10       | 70       |
| I052001            |                                   | 0.25      | <10       | <10       | 27       | <10       | 67       |
| I052002            |                                   | 0.26      | <10       | <10       | 32       | <10       | 69       |
| I052003            |                                   | 0.24      | <10       | <10       | 27       | 10        | 60       |
| I052004            |                                   | 0.25      | <10       | <10       | 28       | <10       | 70       |
| I052005            |                                   | 0.25      | <10       | 10        | 28       | <10       | 65       |
| I052006            |                                   | 0.27      | <10       | <10       | 31       | <10       | 66       |
| I052007            |                                   | 0.26      | <10       | <10       | 29       | 20        | 55       |
| I052008            |                                   | 0.28      | <10       | <10       | 40       | 10        | 54       |
| I052009            |                                   | 0.27      | <10       | 10        | 32       | 60        | 34       |
| I052010            |                                   | 0.35      | <10       | 10        | 130      | <10       | 70       |
| I052011            |                                   | 0.28      | <10       | <10       | 34       | 150       | 51       |
| I052012            |                                   | 0.30      | <10       | <10       | 36       | <10       | 50       |
| I052013            |                                   | 0.31      | <10       | <10       | 36       | 180       | 28       |
| I052014            |                                   | 0.31      | <10       | <10       | 37       | <10       | 58       |
| I052015            |                                   | 0.30      | <10       | <10       | 35       | 30        | 40       |
| I052016            |                                   | <0.01     | <10       | <10       | 2        | <10       | 16       |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP61<br>Ag<br>ppm | ME-ICP61<br>Al<br>% | ME-ICP61<br>As<br>ppm | ME-ICP61<br>Ba<br>ppm | ME-ICP61<br>Be<br>ppm | ME-ICP61<br>Bi<br>ppm | ME-ICP61<br>Ca<br>% | ME-ICP61<br>Cd<br>ppm | ME-ICP61<br>Co<br>ppm | ME-ICP61<br>Cr<br>ppm | ME-ICP61<br>Cu<br>ppm | ME-ICP61<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.05                  | 0.5                   | 0.01                | 5                     | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| I052017            |                                   | 6.17                      | <0.005               |                       | <0.5                  | 7.56                | 9                     | 1530                  | 3.2                   | <2                    | 2.56                | <0.5                  | 7                     | 34                    | 2                     | 2.33                |
| I052018            |                                   | 8.23                      | <0.005               |                       | 0.5                   | 7.03                | 6                     | 1000                  | 6.5                   | <2                    | 4.03                | <0.5                  | 5                     | 39                    | 3                     | 1.89                |
| I052019            |                                   | 3.59                      | <0.005               |                       | <0.5                  | 7.44                | <5                    | 1150                  | 3.5                   | <2                    | 3.86                | <0.5                  | 11                    | 56                    | 4                     | 3.15                |
| I052020            |                                   | 4.74                      | <0.005               |                       | <0.5                  | 7.59                | <5                    | 1500                  | 3.3                   | <2                    | 2.78                | <0.5                  | 8                     | 45                    | 3                     | 2.57                |
| I052021            |                                   | 5.67                      | <0.005               |                       | 0.5                   | 7.49                | <5                    | 1060                  | 5.5                   | <2                    | 3.44                | <0.5                  | 6                     | 34                    | 2                     | 1.94                |
| I052022            |                                   | 5.92                      | <0.005               |                       | <0.5                  | 7.42                | 7                     | 1090                  | 5.4                   | <2                    | 3.53                | <0.5                  | 6                     | 35                    | 2                     | 2.07                |
| I052023            |                                   | 5.55                      | <0.005               |                       | <0.5                  | 7.64                | 13                    | 1550                  | 3.4                   | <2                    | 2.44                | <0.5                  | 7                     | 36                    | 5                     | 2.41                |
| I052024            |                                   | 5.58                      | <0.005               |                       | <0.5                  | 7.24                | 29                    | 1320                  | 4.5                   | <2                    | 2.92                | <0.5                  | 7                     | 35                    | 2                     | 2.17                |
| I052025            |                                   | 5.48                      | <0.005               |                       | 0.6                   | 7.76                | 8                     | 220                   | 10.1                  | <2                    | 5.53                | <0.5                  | 3                     | 35                    | <1                    | 1.32                |
| I052026            |                                   | 5.55                      | 0.237                |                       | 0.6                   | 7.91                | 33                    | 360                   | 10.0                  | <2                    | 5.18                | <0.5                  | 5                     | 32                    | <1                    | 1.56                |
| I052027            |                                   | 6.67                      | 0.005                |                       | <0.5                  | 7.12                | 26                    | 930                   | 6.9                   | <2                    | 3.83                | <0.5                  | 5                     | 35                    | 2                     | 2.13                |
| I052028            |                                   | 4.65                      | <0.005               |                       | <0.5                  | 7.43                | 8                     | 1450                  | 3.3                   | <2                    | 2.42                | <0.5                  | 6                     | 35                    | 2                     | 2.26                |
| I052029CD          |                                   | <0.02                     | <0.005               |                       | <0.5                  | 7.39                | 10                    | 1470                  | 3.3                   | <2                    | 2.43                | <0.5                  | 7                     | 34                    | 2                     | 2.33                |
| I052030            |                                   | 6.90                      | <0.005               |                       | <0.5                  | 7.47                | 5                     | 1580                  | 3.1                   | <2                    | 2.38                | <0.5                  | 6                     | 34                    | 1                     | 2.17                |
| I052031            |                                   | 4.69                      | 0.274                |                       | 0.5                   | 7.71                | 18                    | 3330                  | 3.8                   | <2                    | 3.20                | <0.5                  | 5                     | 31                    | 1                     | 1.71                |
| I052032            |                                   | 6.17                      | <0.005               |                       | <0.5                  | 7.60                | 7                     | 1580                  | 3.2                   | <2                    | 2.50                | <0.5                  | 6                     | 39                    | 4                     | 2.41                |
| I052033            |                                   | 5.07                      | <0.005               |                       | <0.5                  | 7.56                | 6                     | 1630                  | 3.4                   | <2                    | 2.49                | <0.5                  | 7                     | 36                    | 2                     | 2.33                |
| I052034            |                                   | 5.89                      | <0.005               |                       | <0.5                  | 7.87                | 6                     | 1600                  | 3.7                   | <2                    | 2.74                | <0.5                  | 8                     | 37                    | 7                     | 2.49                |
| I052035            |                                   | 5.94                      | <0.005               |                       | <0.5                  | 8.02                | 7                     | 1630                  | 3.6                   | <2                    | 2.62                | <0.5                  | 8                     | 37                    | 7                     | 2.51                |
| I052036            |                                   | 5.79                      | <0.005               |                       | <0.5                  | 7.75                | 5                     | 1470                  | 3.5                   | <2                    | 2.60                | <0.5                  | 7                     | 41                    | 4                     | 2.50                |
| I052037            |                                   | 5.14                      | <0.005               |                       | 0.6                   | 7.76                | <5                    | 1480                  | 3.2                   | <2                    | 2.58                | <0.5                  | 7                     | 41                    | 9                     | 2.49                |
| I052038            |                                   | 5.96                      | <0.005               |                       | <0.5                  | 7.72                | 6                     | 1480                  | 3.0                   | <2                    | 2.47                | <0.5                  | 7                     | 37                    | 11                    | 2.45                |
| I052039            |                                   | 5.60                      | <0.005               |                       | <0.5                  | 7.65                | 6                     | 1500                  | 3.1                   | <2                    | 2.40                | <0.5                  | 7                     | 35                    | 11                    | 2.43                |
| I052040            |                                   | 5.97                      | <0.005               |                       | <0.5                  | 7.30                | 8                     | 1440                  | 3.0                   | <2                    | 2.30                | <0.5                  | 6                     | 33                    | 10                    | 2.24                |
| I052041            |                                   | 5.11                      | <0.005               |                       | <0.5                  | 7.88                | 9                     | 1490                  | 3.1                   | <2                    | 2.54                | <0.5                  | 6                     | 34                    | 11                    | 2.40                |
| I052042            |                                   | 5.79                      | 0.025                |                       | 0.5                   | 7.74                | 212                   | 1370                  | 3.2                   | <2                    | 2.04                | <0.5                  | 6                     | 32                    | 29                    | 3.93                |
| I052043            |                                   | 5.19                      | 0.284                |                       | 0.5                   | 7.54                | 629                   | 1380                  | 3.4                   | <2                    | 1.83                | <0.5                  | 6                     | 33                    | 25                    | 3.14                |
| I052044            |                                   | 7.21                      | 0.085                |                       | 0.6                   | 7.48                | 101                   | 820                   | 3.1                   | <2                    | 1.27                | 1.3                   | 4                     | 31                    | 24                    | 4.10                |
| I052045            |                                   | 5.14                      | >10.0                | 11.00                 | 5.6                   | 4.70                | >10000                | 40                    | 2.1                   | 86                    | 1.19                | 2.4                   | 16                    | 15                    | 360                   | 15.75               |
| I052046            |                                   | 6.02                      | 0.044                |                       | 0.7                   | 7.77                | 327                   | 1350                  | 3.4                   | <2                    | 1.90                | 0.7                   | 6                     | 32                    | 15                    | 3.24                |
| I052047            |                                   | 5.32                      | 0.010                |                       | <0.5                  | 7.44                | 43                    | 1460                  | 3.2                   | <2                    | 2.55                | <0.5                  | 7                     | 35                    | 3                     | 2.44                |
| I052048            |                                   | 5.78                      | 0.020                |                       | <0.5                  | 7.26                | 423                   | 1460                  | 3.2                   | <2                    | 2.53                | <0.5                  | 7                     | 37                    | 1                     | 2.34                |
| I052049            |                                   | 5.53                      | 0.242                |                       | <0.5                  | 6.97                | 1410                  | 1700                  | 3.1                   | 3                     | 2.44                | <0.5                  | 8                     | 36                    | 6                     | 2.48                |
| I052050            |                                   | 0.07                      | 0.873                |                       | 2.6                   | 7.27                | <5                    | 600                   | 0.9                   | 3                     | 3.21                | <0.5                  | 21                    | 41                    | 7230                  | 7.58                |
| I052051            |                                   | 5.63                      | <0.005               |                       | <0.5                  | 6.76                | <5                    | 1400                  | 3.0                   | <2                    | 2.47                | <0.5                  | 8                     | 35                    | 18                    | 2.38                |
| I052052            |                                   | 5.42                      | <0.005               |                       | <0.5                  | 7.03                | 16                    | 1460                  | 3.2                   | <2                    | 2.55                | <0.5                  | 8                     | 35                    | 3                     | 2.44                |
| I052053            |                                   | 5.40                      | 0.007                |                       | <0.5                  | 6.81                | 23                    | 1390                  | 3.1                   | <2                    | 2.41                | <0.5                  | 7                     | 36                    | 3                     | 2.52                |
| I052054            |                                   | 5.83                      | 0.022                |                       | 0.5                   | 6.86                | 28                    | 1410                  | 3.2                   | <2                    | 2.51                | <0.5                  | 8                     | 34                    | 5                     | 2.66                |
| I052055            |                                   | 5.94                      | <0.005               |                       | <0.5                  | 6.85                | 6                     | 1500                  | 3.1                   | <2                    | 2.50                | <0.5                  | 8                     | 36                    | 2                     | 2.18                |
| I052056            |                                   | 4.92                      | <0.005               |                       | <0.5                  | 0.09                | <5                    | 10                    | <0.5                  | 6                     | 20.2                | <0.5                  | 2                     | <1                    | 4                     | 0.48                |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Ga<br>ppm<br>10 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>La<br>ppm<br>10 | ME-ICP61<br>Mg<br>%<br>0.01 | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01 | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01 | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sc<br>ppm<br>1 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Th<br>ppm<br>20 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| I052017            |                                   | 20                          | 3.50                       | 30                          | 0.80                        | 307                        | 1                          | 1.84                        | 18                         | 640                        | 22                         | 0.01                       | <5                         | 8                          | 500                        | 20                          |
| I052018            |                                   | 20                          | 2.22                       | 20                          | 0.84                        | 309                        | 12                         | 2.37                        | 18                         | 640                        | 16                         | 0.01                       | <5                         | 8                          | 673                        | 20                          |
| I052019            |                                   | 20                          | 3.13                       | 30                          | 1.74                        | 574                        | 2                          | 1.90                        | 16                         | 700                        | 25                         | 0.01                       | 5                          | 12                         | 508                        | 20                          |
| I052020            |                                   | 20                          | 3.39                       | 30                          | 0.92                        | 407                        | <1                         | 1.88                        | 21                         | 670                        | 27                         | 0.02                       | <5                         | 9                          | 510                        | 20                          |
| I052021            |                                   | 20                          | 2.35                       | 40                          | 0.79                        | 301                        | 25                         | 2.20                        | 15                         | 650                        | 15                         | 0.01                       | <5                         | 8                          | 623                        | 20                          |
| I052022            |                                   | 20                          | 2.37                       | 30                          | 0.81                        | 318                        | 7                          | 2.20                        | 16                         | 660                        | 20                         | 0.01                       | <5                         | 8                          | 617                        | 20                          |
| I052023            |                                   | 20                          | 3.53                       | 30                          | 0.78                        | 312                        | <1                         | 1.84                        | 19                         | 630                        | 25                         | 0.02                       | <5                         | 8                          | 490                        | 20                          |
| I052024            |                                   | 20                          | 2.99                       | 30                          | 0.83                        | 269                        | 6                          | 2.01                        | 16                         | 630                        | 16                         | 0.02                       | <5                         | 8                          | 540                        | 20                          |
| I052025            |                                   | 20                          | 0.50                       | 50                          | 1.04                        | 261                        | 26                         | 2.87                        | 13                         | 660                        | 6                          | <0.01                      | <5                         | 8                          | 838                        | 20                          |
| I052026            |                                   | 20                          | 1.01                       | 40                          | 1.23                        | 246                        | 37                         | 3.31                        | 20                         | 680                        | 5                          | <0.01                      | <5                         | 9                          | 826                        | 20                          |
| I052027            |                                   | 20                          | 2.20                       | 30                          | 0.77                        | 558                        | 35                         | 2.12                        | 18                         | 630                        | 17                         | 0.02                       | <5                         | 7                          | 564                        | 20                          |
| I052028            |                                   | 20                          | 3.35                       | 40                          | 0.77                        | 286                        | <1                         | 1.76                        | 18                         | 610                        | 20                         | 0.02                       | <5                         | 8                          | 478                        | 20                          |
| I052029CD          |                                   | 20                          | 3.36                       | 30                          | 0.78                        | 293                        | 1                          | 1.77                        | 19                         | 610                        | 21                         | 0.01                       | <5                         | 8                          | 475                        | 20                          |
| I052030            |                                   | 20                          | 3.48                       | 40                          | 0.79                        | 263                        | <1                         | 1.76                        | 17                         | 600                        | 19                         | 0.01                       | <5                         | 8                          | 491                        | 20                          |
| I052031            |                                   | 20                          | 4.57                       | 30                          | 0.79                        | 240                        | <1                         | 1.91                        | 19                         | 660                        | 17                         | 0.01                       | <5                         | 9                          | 607                        | 20                          |
| I052032            |                                   | 20                          | 3.40                       | 40                          | 0.85                        | 335                        | <1                         | 1.80                        | 20                         | 660                        | 20                         | 0.02                       | <5                         | 8                          | 503                        | 20                          |
| I052033            |                                   | 20                          | 3.40                       | 30                          | 0.86                        | 300                        | <1                         | 1.86                        | 19                         | 670                        | 18                         | 0.02                       | <5                         | 8                          | 524                        | 20                          |
| I052034            |                                   | 20                          | 3.39                       | 30                          | 0.88                        | 362                        | <1                         | 1.98                        | 20                         | 690                        | 23                         | 0.03                       | <5                         | 9                          | 551                        | 20                          |
| I052035            |                                   | 20                          | 3.49                       | 40                          | 0.89                        | 354                        | <1                         | 1.87                        | 19                         | 680                        | 26                         | 0.03                       | <5                         | 9                          | 527                        | 20                          |
| I052036            |                                   | 20                          | 3.42                       | 40                          | 0.90                        | 370                        | <1                         | 1.89                        | 17                         | 630                        | 27                         | 0.02                       | <5                         | 8                          | 525                        | 20                          |
| I052037            |                                   | 20                          | 3.40                       | 40                          | 0.89                        | 391                        | <1                         | 1.80                        | 17                         | 650                        | 30                         | 0.04                       | <5                         | 9                          | 489                        | 20                          |
| I052038            |                                   | 20                          | 3.52                       | 40                          | 0.85                        | 364                        | <1                         | 1.79                        | 17                         | 630                        | 31                         | 0.05                       | <5                         | 8                          | 483                        | 20                          |
| I052039            |                                   | 20                          | 3.28                       | 40                          | 0.84                        | 339                        | <1                         | 1.74                        | 18                         | 630                        | 28                         | 0.05                       | <5                         | 8                          | 483                        | 20                          |
| I052040            |                                   | 20                          | 3.46                       | 30                          | 0.76                        | 337                        | <1                         | 1.69                        | 17                         | 600                        | 31                         | 0.04                       | <5                         | 8                          | 470                        | 20                          |
| I052041            |                                   | 20                          | 3.54                       | 40                          | 0.77                        | 358                        | <1                         | 1.80                        | 18                         | 640                        | 34                         | 0.04                       | <5                         | 8                          | 497                        | 20                          |
| I052042            |                                   | 20                          | 3.42                       | 50                          | 0.77                        | 1300                       | 1                          | 1.30                        | 15                         | 610                        | 29                         | 0.87                       | 8                          | 8                          | 386                        | 20                          |
| I052043            |                                   | 20                          | 3.63                       | 40                          | 0.65                        | 701                        | 5                          | 1.07                        | 17                         | 630                        | 27                         | 1.03                       | 26                         | 8                          | 319                        | 20                          |
| I052044            |                                   | 20                          | 3.40                       | 50                          | 0.70                        | 2530                       | 10                         | 0.34                        | 16                         | 610                        | 171                        | 0.43                       | 76                         | 8                          | 133                        | 20                          |
| I052045            |                                   | 10                          | 2.14                       | 30                          | 0.79                        | 5420                       | <1                         | 0.02                        | 17                         | 340                        | 6590                       | 9.30                       | 3990                       | 5                          | 38                         | <20                         |
| I052046            |                                   | 20                          | 3.56                       | 40                          | 0.73                        | 1415                       | <1                         | 1.05                        | 18                         | 640                        | 104                        | 0.32                       | 53                         | 8                          | 335                        | 20                          |
| I052047            |                                   | 20                          | 3.36                       | 40                          | 0.77                        | 372                        | <1                         | 1.73                        | 17                         | 630                        | 46                         | 0.03                       | 11                         | 8                          | 487                        | 20                          |
| I052048            |                                   | 20                          | 3.43                       | 30                          | 0.79                        | 341                        | <1                         | 1.72                        | 15                         | 620                        | 24                         | 0.03                       | <5                         | 9                          | 486                        | 20                          |
| I052049            |                                   | 20                          | 3.47                       | 30                          | 0.78                        | 315                        | 1                          | 1.79                        | 21                         | 630                        | 30                         | 0.08                       | <5                         | 6                          | 486                        | 20                          |
| I052050            |                                   | 20                          | 2.76                       | 20                          | 2.08                        | 608                        | 579                        | 2.40                        | 19                         | 1130                       | 13                         | 0.94                       | <5                         | 17                         | 580                        | <20                         |
| I052051            |                                   | 20                          | 3.33                       | 40                          | 0.75                        | 347                        | 2                          | 1.71                        | 16                         | 620                        | 27                         | 0.01                       | <5                         | 6                          | 466                        | 20                          |
| I052052            |                                   | 20                          | 3.28                       | 40                          | 0.75                        | 344                        | <1                         | 1.78                        | 16                         | 630                        | 24                         | 0.01                       | <5                         | 6                          | 477                        | 20                          |
| I052053            |                                   | 20                          | 3.22                       | 40                          | 0.73                        | 531                        | 1                          | 1.59                        | 19                         | 620                        | 28                         | 0.04                       | <5                         | 6                          | 442                        | 20                          |
| I052054            |                                   | 20                          | 3.39                       | 40                          | 0.76                        | 662                        | 1                          | 1.51                        | 16                         | 630                        | 38                         | 0.04                       | 10                         | 6                          | 433                        | 20                          |
| I052055            |                                   | 20                          | 3.23                       | 40                          | 0.74                        | 305                        | 4                          | 1.68                        | 15                         | 610                        | 19                         | 0.01                       | 5                          | 6                          | 462                        | 20                          |
| I052056            |                                   | <10                         | 0.04                       | 20                          | 12.55                       | 204                        | <1                         | 0.01                        | 2                          | 180                        | <2                         | 0.01                       | <5                         | <1                         | 46                         | <20                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 |
|--------------------|-----------------------------------|-----------|-----------|-----------|----------|-----------|----------|
|                    |                                   | Ti        | Ti        | U         | V        | W         | Zn       |
|                    |                                   | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| I052017            |                                   | 0.30      | <10       | <10       | 35       | <10       | 49       |
| I052018            |                                   | 0.32      | <10       | <10       | 38       | 170       | 39       |
| I052019            |                                   | 0.35      | <10       | <10       | 67       | 20        | 74       |
| I052020            |                                   | 0.32      | <10       | <10       | 40       | <10       | 73       |
| I052021            |                                   | 0.31      | <10       | <10       | 35       | 150       | 49       |
| I052022            |                                   | 0.32      | <10       | <10       | 36       | 120       | 50       |
| I052023            |                                   | 0.30      | <10       | <10       | 35       | <10       | 58       |
| I052024            |                                   | 0.30      | <10       | <10       | 36       | 230       | 39       |
| I052025            |                                   | 0.30      | <10       | <10       | 38       | 340       | 18       |
| I052026            |                                   | 0.29      | <10       | <10       | 45       | 2040      | 17       |
| I052027            |                                   | 0.30      | <10       | <10       | 36       | 50        | 39       |
| I052028            |                                   | 0.30      | <10       | <10       | 34       | 30        | 45       |
| I052029CD          |                                   | 0.29      | <10       | <10       | 34       | 40        | 45       |
| I052030            |                                   | 0.30      | <10       | <10       | 34       | 180       | 41       |
| I052031            |                                   | 0.27      | <10       | <10       | 41       | 230       | 31       |
| I052032            |                                   | 0.31      | <10       | <10       | 37       | 30        | 61       |
| I052033            |                                   | 0.32      | <10       | <10       | 36       | 20        | 52       |
| I052034            |                                   | 0.33      | <10       | <10       | 40       | <10       | 70       |
| I052035            |                                   | 0.33      | <10       | <10       | 39       | 10        | 70       |
| I052036            |                                   | 0.31      | <10       | <10       | 42       | 10        | 72       |
| I052037            |                                   | 0.31      | <10       | <10       | 37       | 20        | 77       |
| I052038            |                                   | 0.30      | <10       | <10       | 36       | <10       | 78       |
| I052039            |                                   | 0.31      | <10       | <10       | 35       | 20        | 74       |
| I052040            |                                   | 0.29      | <10       | <10       | 34       | 10        | 76       |
| I052041            |                                   | 0.30      | <10       | <10       | 35       | 10        | 82       |
| I052042            |                                   | 0.29      | <10       | <10       | 34       | 10        | 63       |
| I052043            |                                   | 0.29      | <10       | <10       | 35       | 10        | 43       |
| I052044            |                                   | 0.27      | <10       | <10       | 34       | 30        | 268      |
| I052045            |                                   | 0.11      | <10       | <10       | 19       | 30        | 314      |
| I052046            |                                   | 0.30      | <10       | <10       | 37       | 20        | 166      |
| I052047            |                                   | 0.30      | <10       | <10       | 35       | <10       | 70       |
| I052048            |                                   | 0.30      | <10       | <10       | 36       | <10       | 57       |
| I052049            |                                   | 0.30      | <10       | 10        | 37       | <10       | 68       |
| I052050            |                                   | 0.36      | <10       | 10        | 186      | <10       | 83       |
| I052051            |                                   | 0.30      | <10       | <10       | 36       | 40        | 69       |
| I052052            |                                   | 0.30      | <10       | 10        | 36       | <10       | 68       |
| I052053            |                                   | 0.29      | <10       | 10        | 36       | 30        | 65       |
| I052054            |                                   | 0.30      | <10       | <10       | 37       | 10        | 75       |
| I052055            |                                   | 0.29      | <10       | 10        | 35       | 30        | 48       |
| I052056            |                                   | <0.01     | <10       | <10       | 2        | <10       | 16       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 12-OCT-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10136244**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP61<br>Ag<br>ppm | ME-ICP61<br>Al<br>% | ME-ICP61<br>As<br>ppm | ME-ICP61<br>Ba<br>ppm | ME-ICP61<br>Be<br>ppm | ME-ICP61<br>Bi<br>ppm | ME-ICP61<br>Ca<br>% | ME-ICP61<br>Cd<br>ppm | ME-ICP61<br>Co<br>ppm | ME-ICP61<br>Cr<br>ppm | ME-ICP61<br>Cu<br>ppm | ME-ICP61<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.05                  | 0.5                   | 0.01                | 5                     | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| I052057            |                                   | 4.58                      | <0.005               |                       | <0.5                  | 6.97                | 8                     | 1550                  | 3.2                   | <2                    | 2.52                | <0.5                  | 8                     | 33                    | 2                     | 2.25                |
| I052058            |                                   | 5.42                      | 0.007                |                       | <0.5                  | 7.25                | 8                     | 1580                  | 3.1                   | <2                    | 2.67                | <0.5                  | 8                     | 41                    | 1                     | 2.37                |
| I052059            |                                   | 5.89                      | <0.005               |                       | 0.5                   | 6.86                | 10                    | 1530                  | 3.2                   | <2                    | 2.53                | <0.5                  | 8                     | 38                    | 2                     | 2.36                |
| I052060            |                                   | 5.63                      | <0.005               |                       | <0.5                  | 7.53                | 30                    | 1590                  | 3.2                   | 2                     | 2.69                | <0.5                  | 10                    | 45                    | 2                     | 2.47                |
| I052061            |                                   | 5.38                      | 0.013                |                       | <0.5                  | 7.08                | 23                    | 1590                  | 3.1                   | <2                    | 2.62                | <0.5                  | 8                     | 39                    | 2                     | 2.39                |
| I052062            |                                   | 5.70                      | 0.285                |                       | <0.5                  | 7.16                | 1230                  | 1730                  | 3.2                   | <2                    | 2.58                | <0.5                  | 8                     | 37                    | 2                     | 2.57                |
| I052063            |                                   | 5.75                      | 0.106                |                       | <0.5                  | 6.67                | 2310                  | 1740                  | 3.0                   | <2                    | 2.45                | <0.5                  | 8                     | 35                    | 2                     | 2.48                |
| I052064            |                                   | 6.32                      | 0.006                |                       | 0.5                   | 6.81                | 60                    | 1640                  | 3.0                   | <2                    | 2.43                | <0.5                  | 8                     | 35                    | 4                     | 2.44                |
| I052065            |                                   | 5.89                      | <0.005               |                       | 0.5                   | 6.74                | 12                    | 1550                  | 3.0                   | <2                    | 2.61                | <0.5                  | 8                     | 37                    | 2                     | 2.51                |
| I052066            |                                   | 4.02                      | 4.80                 |                       | <0.5                  | 6.76                | 2290                  | 1650                  | 3.2                   | <2                    | 2.53                | <0.5                  | 9                     | 35                    | 2                     | 2.57                |
| I052067            |                                   | 5.59                      | 0.027                |                       | <0.5                  | 7.19                | 18                    | 1610                  | 3.3                   | <2                    | 2.65                | <0.5                  | 8                     | 36                    | 2                     | 2.45                |
| I052068            |                                   | 4.46                      | 0.012                |                       | <0.5                  | 7.14                | 37                    | 1580                  | 3.1                   | 3                     | 2.45                | <0.5                  | 8                     | 31                    | 2                     | 2.30                |
| I052069CD          |                                   | <0.02                     | 0.014                |                       | <0.5                  | 7.20                | 41                    | 1620                  | 3.1                   | 2                     | 2.47                | <0.5                  | 8                     | 35                    | 2                     | 2.43                |
| I052070            |                                   | 5.94                      | <0.005               |                       | <0.5                  | 7.01                | 144                   | 1670                  | 3.1                   | <2                    | 2.49                | <0.5                  | 7                     | 35                    | 2                     | 2.29                |
| I052071            |                                   | 5.11                      | 2.15                 |                       | 1.6                   | 7.21                | >10000                | 690                   | 2.8                   | 4                     | 0.69                | 2.0                   | 8                     | 29                    | 50                    | 6.36                |
| I052072            |                                   | 6.32                      | >10.0                | 9.96                  | 2.9                   | 5.27                | >10000                | 380                   | 1.9                   | 22                    | 1.52                | <0.5                  | 6                     | 32                    | 2                     | 6.29                |
| I052073            |                                   | 5.25                      | 0.836                |                       | <0.5                  | 6.95                | >10000                | 2270                  | 2.4                   | 3                     | 1.58                | <0.5                  | 9                     | 34                    | 2                     | 3.60                |
| I052074            |                                   | 4.97                      | 0.179                |                       | <0.5                  | 6.79                | 2480                  | 2090                  | 2.8                   | <2                    | 2.73                | <0.5                  | 10                    | 69                    | 4                     | 2.67                |
| I052075            |                                   | 6.11                      | 0.219                |                       | <0.5                  | 6.96                | 6440                  | 2810                  | 1.9                   | <2                    | 1.26                | <0.5                  | 7                     | 32                    | 2                     | 2.06                |
| I052076            |                                   | 5.38                      | 0.078                |                       | <0.5                  | 6.62                | 1875                  | 1720                  | 2.9                   | <2                    | 2.22                | <0.5                  | 8                     | 29                    | 2                     | 2.05                |





2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 984 0221      Fax: 604 984 0218      [www.alsglobal.com](http://www.alsglobal.com)

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS    WH10136244**

[illegible]



2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

**STRATAGOLD CORPORATION**  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 12-OCT-2010  
Account: STRGOL

Project: Eagle Gold

# CERTIFICATE OF ANALYSIS WH10136244

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Ti       | Ti       | U        | V        | W        | Zn       |
|                    |                                   | %        | ppm      | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 10       | 10       | 1        | 10       | 2        |
| I052057            |                                   | 0.30     | <10      | <10      | 37       | 10       | 49       |
| I052058            |                                   | 0.30     | <10      | <10      | 38       | <10      | 57       |
| I052059            |                                   | 0.31     | <10      | 10       | 39       | 10       | 55       |
| I052060            |                                   | 0.33     | <10      | <10      | 40       | 50       | 57       |
| I052061            |                                   | 0.31     | <10      | 10       | 39       | 30       | 54       |
| I052062            |                                   | 0.31     | <10      | 10       | 39       | 20       | 58       |
| I052063            |                                   | 0.29     | <10      | <10      | 37       | 10       | 50       |
| I052064            |                                   | 0.31     | <10      | 10       | 38       | <10      | 61       |
| I052065            |                                   | 0.31     | <10      | 10       | 39       | <10      | 67       |
| I052066            |                                   | 0.30     | <10      | 10       | 37       | 10       | 63       |
| I052067            |                                   | 0.30     | 10       | <10      | 37       | <10      | 70       |
| I052068            |                                   | 0.30     | <10      | <10      | 36       | 10       | 61       |
| I052069CD          |                                   | 0.30     | <10      | 10       | 37       | 10       | 62       |
| I052070            |                                   | 0.29     | <10      | <10      | 36       | 10       | 61       |
| I052071            |                                   | 0.22     | <10      | <10      | 33       | 30       | 352      |
| I052072            |                                   | 0.16     | <10      | <10      | 27       | 60       | 62       |
| I052073            |                                   | 0.25     | <10      | <10      | 34       | 10       | 61       |
| I052074            |                                   | 0.30     | <10      | <10      | 48       | 10       | 71       |
| I052075            |                                   | 0.27     | <10      | <10      | 40       | 1260     | 43       |
| I052076            |                                   | 0.28     | <10      | <10      | 34       | 10       | 69       |
|                    |                                   |          |          |          |          |          |          |