



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 6-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10137376

Project: Eagle Gold

P.O. No.: EGP10-097

This report is for 88 Drill Core samples submitted to our lab in Whitehorse, YT,
Canada on 25-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017488		5.89	<0.005	<0.5	7.77	<5	1460	3.4	2	2.55	<0.5	7	35	5	2.45	20
I017489		5.37	<0.005	<0.5	7.73	8	1420	3.5	<2	2.47	<0.5	7	32	2	2.24	20
I017490		0.07	0.336	1.0	7.76	12	780	1.9	4	2.43	<0.5	15	50	3690	5.15	20
I017491		7.49	<0.005	<0.5	7.79	7	1450	3.4	<2	2.47	<0.5	7	33	7	2.45	20
I017492		5.77	<0.005	<0.5	7.64	16	1390	3.4	<2	2.37	<0.5	7	34	4	2.32	20
I017493		5.04	<0.005	<0.5	7.69	56	1390	3.3	<2	2.12	<0.5	7	34	3	2.36	20
I017494		6.08	<0.005	<0.5	7.67	35	1480	3.4	2	2.32	<0.5	7	31	2	2.32	20
I017495		5.38	<0.005	<0.5	7.77	25	1600	3.5	<2	2.29	<0.5	7	32	1	2.16	20
I017496		5.84	<0.005	<0.5	0.08	<5	90	<0.5	<2	20.3	<0.5	2	1	2	0.47	<10
I017497		5.91	<0.005	<0.5	7.64	9	1450	3.5	<2	2.55	<0.5	7	30	1	2.37	20
I017498		5.18	<0.005	<0.5	7.08	12	1520	3.4	<2	2.38	<0.5	7	28	2	2.24	20
I017499		5.64	<0.005	<0.5	7.21	10	1720	3.1	<2	2.21	<0.5	7	29	<1	2.15	20
I017500		5.75	<0.005	<0.5	7.35	13	1700	3.3	<2	2.28	<0.5	7	30	<1	2.09	20
G320278		5.26	<0.005	<0.5	7.49	14	1550	3.3	<2	2.25	<0.5	8	32	<1	2.31	20
G320279		5.97	<0.005	<0.5	7.38	5	1480	3.3	<2	2.36	<0.5	7	35	<1	2.32	20
G320280		7.23	<0.005	<0.5	7.95	8	1480	3.2	<2	2.38	<0.5	7	33	<1	2.40	20
G320281		5.77	<0.005	<0.5	7.89	7	1560	3.3	<2	2.39	<0.5	7	35	1	2.40	20
G320282		5.69	<0.005	<0.5	8.03	8	1490	3.2	<2	2.32	<0.5	6	34	<1	2.44	20
G320283		5.74	<0.005	<0.5	7.96	6	1790	3.3	<2	2.22	<0.5	6	30	<1	1.86	20
G320284		4.80	<0.005	<0.5	7.32	31	1990	2.5	<2	1.90	<0.5	5	28	<1	1.75	20
G320285		5.37	<0.005	<0.5	7.63	8	1450	3.1	<2	2.33	<0.5	8	32	3	2.39	20
G320286		5.43	<0.005	<0.5	8.07	7	1450	3.7	<2	2.43	<0.5	7	35	<1	2.45	20
G320287		5.89	<0.005	<0.5	7.56	23	1640	3.2	<2	2.44	<0.5	7	32	<1	2.26	20
G320288		5.20	<0.005	<0.5	7.84	8	1610	3.3	<2	2.45	<0.5	8	33	<1	2.51	20
G320289		5.84	<0.005	<0.5	7.89	6	1510	3.2	<2	2.46	<0.5	8	33	<1	2.55	20
G320290		0.08	0.352	1.0	7.56	12	780	1.9	<2	2.29	<0.5	16	48	3570	4.99	10
G320291		5.63	<0.005	<0.5	7.77	18	1650	3.4	<2	2.55	<0.5	8	33	1	2.50	20
G320292		5.96	<0.005	<0.5	7.85	<5	1590	3.4	<2	2.60	<0.5	8	34	1	2.66	20
G320293		5.83	<0.005	<0.5	7.59	5	1460	3.2	<2	2.46	<0.5	8	32	<1	2.57	20
G320294		7.69	<0.005	<0.5	7.29	<5	1430	3.1	<2	2.34	<0.5	7	31	<1	2.30	20
G320295		5.68	0.300	<0.5	7.45	24	1580	3.3	<2	2.43	<0.5	8	32	<1	2.50	20
G320296		4.08	<0.005	<0.5	0.08	<5	10	<0.5	<2	19.7	<0.5	1	<1	<1	0.44	<10
G320297		5.49	<0.005	<0.5	7.25	61	1600	3.3	<2	2.43	<0.5	8	33	1	2.49	20
G320298		5.45	<0.005	<0.5	7.33	39	1490	3.2	<2	2.58	<0.5	7	33	3	2.38	20
G320299		6.07	<0.005	<0.5	7.51	8	1370	3.1	<2	2.35	<0.5	7	31	1	2.36	20
G320300		2.16	<0.005	<0.5	4.58	34	920	1.7	<2	1.21	<0.5	4	33	1	1.57	10
I051679		5.77	<0.005	<0.5	7.44	20	1570	3.1	<2	2.38	<0.5	7	36	<1	2.31	20
I051680		5.87	0.010	<0.5	7.30	10	1490	3.1	<2	2.40	<0.5	7	37	1	2.39	20
I051681		5.45	<0.005	<0.5	7.46	<5	1540	3.1	<2	2.44	<0.5	7	32	<1	2.29	20
I051682		6.22	<0.005	<0.5	7.23	14	1460	3.1	<2	2.36	<0.5	8	31	1	2.43	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017488		3.54	30	0.81	369	<1	1.88	15	660	27	0.02	<5	7	510	20	0.31
I017489		3.40	40	0.78	324	<1	1.86	17	630	25	0.01	<5	6	499	20	0.30
I017490		3.20	10	1.48	533	278	2.58	18	1100	17	0.50	<5	12	467	<20	0.38
I017491		3.63	30	0.82	372	1	1.89	14	660	29	0.01	<5	7	511	20	0.31
I017492		3.56	30	0.81	328	1	1.91	16	650	28	0.01	<5	7	505	20	0.30
I017493		3.45	30	0.79	322	<1	1.81	16	630	29	0.01	<5	7	486	20	0.29
I017494		3.55	30	0.79	296	<1	1.89	16	650	26	0.01	<5	7	513	20	0.30
I017495		3.65	40	0.78	257	<1	1.90	16	660	23	<0.01	<5	7	527	20	0.30
I017496		0.03	<10	12.10	225	<1	0.01	<1	170	<2	0.03	<5	<1	48	<20	<0.01
I017497		3.45	30	0.79	329	<1	1.93	18	650	25	0.01	<5	6	514	20	0.31
I017498		3.47	30	0.72	325	1	1.83	16	620	26	0.01	<5	6	480	20	0.30
I017499		3.46	50	0.71	290	<1	1.68	20	600	25	<0.01	<5	7	486	20	0.29
I017500		3.42	50	0.75	244	<1	1.73	20	630	19	<0.01	<5	8	493	20	0.30
G320278		3.29	50	0.76	312	<1	1.78	21	630	20	<0.01	<5	8	484	20	0.30
G320279		3.13	40	0.77	331	4	1.78	19	610	24	0.01	<5	7	489	20	0.30
G320280		3.40	60	0.81	341	<1	1.77	17	620	27	0.01	<5	9	501	20	0.30
G320281		3.49	50	0.81	322	4	1.86	20	640	23	0.01	<5	8	518	20	0.32
G320282		3.70	50	0.84	355	6	1.81	19	610	25	0.01	<5	8	514	20	0.30
G320283		4.76	50	0.83	238	152	1.70	20	650	20	0.02	<5	8	540	20	0.29
G320284		4.55	50	0.68	211	4	1.33	17	580	19	<0.01	<5	7	479	20	0.26
G320285		3.32	50	0.79	340	<1	1.74	17	610	28	0.02	<5	8	492	20	0.29
G320286		3.53	50	0.88	309	3	1.85	19	630	23	0.01	<5	9	509	20	0.30
G320287		3.42	50	0.78	262	11	1.73	20	610	21	0.01	<5	8	485	20	0.30
G320288		3.32	50	0.78	342	<1	1.77	19	650	25	0.01	<5	8	494	20	0.31
G320289		3.39	50	0.81	375	<1	1.77	19	650	28	0.01	<5	8	504	20	0.31
G320290		3.01	30	1.43	514	267	2.40	21	1040	17	0.48	<5	14	442	<20	0.37
G320291		3.36	50	0.75	342	<1	1.72	22	650	25	0.01	<5	8	504	20	0.31
G320292		3.39	50	0.82	396	<1	1.84	19	670	28	0.01	<5	8	521	20	0.32
G320293		3.26	50	0.81	389	<1	1.69	17	620	29	0.01	<5	8	483	20	0.30
G320294		3.16	50	0.78	298	<1	1.72	16	600	23	0.01	<5	8	482	20	0.29
G320295		3.31	50	0.79	355	<1	1.79	17	640	25	0.01	<5	8	497	20	0.30
G320296		0.03	10	11.70	209	<1	0.01	1	180	<2	0.01	<5	1	43	<20	<0.01
G320297		3.16	40	0.75	381	<1	1.72	19	640	26	0.01	<5	8	443	20	0.31
G320298		3.22	40	0.76	337	1	1.75	16	650	24	0.02	<5	8	475	20	0.31
G320299		3.39	50	0.77	356	<1	1.71	14	600	33	0.02	<5	8	488	20	0.29
G320300		2.16	40	0.40	183	1	0.98	11	360	14	<0.01	<5	5	293	<20	0.17
I051679		3.69	50	0.83	313	15	1.78	17	640	22	0.01	<5	8	513	20	0.30
I051680		3.32	40	0.78	338	<1	1.81	17	630	26	0.01	<5	8	506	20	0.29
I051681		3.33	50	0.79	313	1	1.74	18	610	23	0.01	<5	8	508	20	0.29
I051682		3.19	40	0.77	340	<1	1.75	17	620	25	0.01	<5	7	483	20	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I017488		<10	<10	39	<10	66
I017489		<10	<10	36	30	59
I017490		<10	<10	142	<10	74
I017491		<10	<10	38	10	70
I017492		<10	<10	38	30	71
I017493		<10	<10	36	10	102
I017494		<10	<10	37	20	78
I017495		<10	<10	37	50	56
I017496		<10	10	3	<10	15
I017497		<10	<10	37	30	56
I017498		<10	<10	35	60	59
I017499		<10	<10	35	40	51
I017500		<10	<10	37	90	42
G320278		<10	<10	38	30	54
G320279		<10	<10	37	40	54
G320280		<10	<10	38	10	58
G320281		<10	<10	39	50	52
G320282		<10	<10	39	60	57
G320283		<10	<10	40	250	30
G320284		<10	<10	34	790	33
G320285		<10	<10	40	<10	67
G320286		<10	<10	39	70	42
G320287		<10	<10	37	180	37
G320288		<10	<10	40	<10	58
G320289		<10	<10	39	40	63
G320290		<10	<10	137	<10	73
G320291		<10	<10	40	20	50
G320292		<10	<10	41	<10	66
G320293		<10	<10	39	<10	68
G320294		<10	<10	37	10	45
G320295		<10	<10	39	10	57
G320296		<10	<10	2	<10	15
G320297		<10	<10	40	10	70
G320298		<10	<10	40	10	54
G320299		<10	<10	37	10	64
G320300		<10	<10	21	370	24
I051679		<10	<10	40	280	41
I051680		<10	<10	39	<10	51
I051681		<10	<10	38	40	43
I051682		<10	<10	38	<10	51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051683		5.17	<0.005	<0.5	7.15	8	1480	3.1	<2	2.42	<0.5	7	31	<1	2.41	20
I051684		5.33	<0.005	<0.5	7.34	5	1550	3.1	<2	1.89	<0.5	8	32	1	2.31	20
I051685		5.80	<0.005	<0.5	7.62	<5	1420	3.1	<2	2.23	<0.5	8	35	<1	2.50	20
I051686		4.87	<0.005	<0.5	6.81	12	1560	3.2	<2	1.89	<0.5	7	33	<1	2.25	20
I051687		1.83	<0.005	<0.5	7.47	34	1730	3.3	<2	1.56	<0.5	7	29	<1	2.24	20
I051688		2.61	<0.005	<0.5	7.49	<5	1500	3.4	<2	2.43	<0.5	6	33	<1	2.27	20
I051689		5.33	<0.005	<0.5	7.54	6	1520	3.2	<2	2.41	<0.5	7	31	<1	2.37	20
I051690		0.07	0.355	1.2	8.41	21	840	2.1	<2	2.46	<0.5	16	52	3940	5.30	20
I051691		5.52	0.007	<0.5	8.15	12	1760	3.4	<2	2.71	<0.5	7	31	7	2.47	20
I051692		5.64	0.005	<0.5	8.19	15	1700	3.5	<2	2.65	<0.5	8	31	2	2.44	20
I051693		5.11	<0.005	<0.5	7.97	8	1690	3.2	<2	2.59	<0.5	7	31	1	2.37	20
I051694		4.23	<0.005	<0.5	7.55	5	2150	2.9	<2	2.48	<0.5	6	31	<1	1.98	20
I051695		5.16	<0.005	<0.5	8.23	<5	1800	3.3	<2	2.64	<0.5	7	29	<1	2.28	20
I051696		4.00	<0.005	<0.5	0.08	<5	30	<0.5	<2	21.0	<0.5	<1	<1	<1	0.46	<10
I051697		5.42	<0.005	<0.5	8.03	13	1790	3.3	<2	2.70	<0.5	7	31	1	2.30	20
I051698		5.70	<0.005	<0.5	7.64	21	1770	3.2	<2	2.62	<0.5	7	30	<1	2.12	20
I051699		5.27	<0.005	<0.5	8.25	6	1600	3.5	<2	2.72	<0.5	8	34	1	2.59	20
I051700		5.48	<0.005	<0.5	7.05	19	1800	3.3	<2	2.75	<0.5	8	30	1	2.45	20
G320059		5.55	<0.005	<0.5	7.24	21	1690	3.2	<2	2.75	<0.5	7	29	2	2.46	20
G320060		5.65	<0.005	<0.5	7.06	8	1630	3.3	<2	2.68	<0.5	8	29	1	2.51	20
G320061		7.17	<0.005	<0.5	7.12	50	1660	3.3	<2	2.60	<0.5	8	29	2	2.57	20
G320062		8.74	<0.005	<0.5	7.28	20	1670	3.3	<2	2.60	<0.5	7	29	2	2.59	20
G320063		5.37	<0.005	<0.5	7.22	<5	1690	3.2	<2	2.63	<0.5	8	29	3	2.68	20
G320064		2.64	<0.005	<0.5	7.20	<5	1570	3.2	<2	2.69	<0.5	9	28	2	2.64	20
G320065		5.23	<0.005	<0.5	7.25	12	1510	3.0	<2	2.58	<0.5	8	29	2	2.48	20
G320066		5.25	<0.005	<0.5	7.37	10	1720	3.2	<2	2.72	<0.5	7	29	1	2.42	20
G320067		5.54	<0.005	<0.5	7.22	5	1640	3.3	<2	2.71	<0.5	7	28	1	2.50	20
G320068		5.09	0.005	<0.5	6.97	7	1540	3.3	<2	2.73	<0.5	8	28	1	2.62	20
G320069 CD		<0.02	0.033	<0.5	7.31	11	1640	3.6	<2	2.89	<0.5	8	31	1	2.77	20
G320070		5.77	<0.005	<0.5	7.16	9	1630	3.4	<2	2.73	<0.5	8	28	2	2.60	20
G320071		5.22	0.005	<0.5	7.12	10	1570	3.3	<2	2.61	<0.5	8	29	2	2.56	20
G320072		5.57	<0.005	<0.5	6.99	34	1530	3.4	<2	2.56	<0.5	8	29	1	2.36	20
G320073		5.25	<0.005	<0.5	7.15	7	1600	3.4	<2	2.65	<0.5	7	28	1	2.38	20
G320074		5.46	<0.005	<0.5	6.98	9	1620	3.4	<2	2.65	<0.5	8	29	2	2.21	20
G320075		5.76	<0.005	<0.5	7.13	12	1630	3.3	<2	2.64	<0.5	7	29	2	2.39	20
G320076		5.29	<0.005	<0.5	7.20	<5	1510	3.2	<2	2.53	<0.5	7	28	1	2.53	20
G320077		5.10	<0.005	<0.5	6.91	13	1600	3.1	<2	2.56	<0.5	7	31	2	2.37	20
G320078		5.86	<0.005	<0.5	7.16	<5	1420	3.1	<2	2.40	<0.5	6	27	2	2.40	20
G320079		5.61	0.032	<0.5	7.10	469	1340	3.1	<2	2.31	<0.5	7	30	2	2.37	20
G320080		5.47	<0.005	<0.5	7.10	<5	1400	3.1	<2	2.43	<0.5	7	26	2	2.39	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051683		3.37	40	0.76	325	<1	1.81	17	620	24	0.01	<5	7	501	20	0.30
I051684		3.25	40	0.66	316	<1	1.55	18	640	27	0.01	<5	8	436	20	0.30
I051685		3.23	50	0.77	381	<1	1.57	18	620	27	0.01	<5	9	443	20	0.30
I051686		3.21	40	0.65	264	<1	1.74	18	620	23	0.01	<5	7	457	20	0.29
I051687		3.52	50	0.68	239	2	1.74	18	640	22	0.01	<5	8	481	20	0.29
I051688		3.35	50	0.79	272	<1	1.85	19	640	21	<0.01	<5	8	492	20	0.30
I051689		3.45	50	0.78	300	<1	1.87	18	630	23	0.01	<5	8	508	20	0.31
I051690		3.21	20	1.53	555	302	2.58	35	1140	27	0.52	<5	13	487	<20	0.40
I051691		3.60	40	0.85	358	4	1.91	24	680	33	0.01	<5	7	545	20	0.34
I051692		3.50	40	0.82	344	1	1.98	24	690	24	0.02	<5	7	549	20	0.34
I051693		3.66	40	0.82	354	2	1.90	20	670	26	0.01	<5	7	545	20	0.33
I051694		4.05	40	0.77	255	8	1.67	21	630	24	<0.01	<5	7	536	20	0.31
I051695		3.71	40	0.80	314	6	1.88	22	680	26	0.01	<5	7	550	20	0.34
I051696		0.03	<10	12.95	221	1	0.01	2	200	4	0.01	<5	<1	50	<20	<0.01
I051697		3.61	40	0.83	330	2	1.90	22	690	27	0.01	<5	7	545	20	0.33
I051698		3.67	30	0.77	285	1	1.85	21	650	26	0.01	<5	6	537	20	0.31
I051699		3.41	40	0.81	394	2	1.95	23	690	30	0.01	<5	7	543	20	0.34
I051700		3.50	40	0.84	309	4	1.97	20	660	22	0.01	<5	7	530	<20	0.32
G320059		3.50	40	0.85	326	<1	1.89	19	640	22	0.01	<5	7	523	20	0.31
G320060		3.33	40	0.86	327	<1	1.89	19	650	21	0.01	<5	7	502	20	0.32
G320061		3.50	40	0.85	349	1	1.95	20	650	22	0.01	<5	7	484	20	0.32
G320062		3.40	40	0.85	347	<1	1.92	19	640	22	0.01	<5	7	485	20	0.31
G320063		3.62	40	0.84	374	1	1.97	20	650	26	0.01	<5	7	502	20	0.32
G320064		3.49	40	0.81	377	<1	1.99	19	650	26	0.01	<5	7	491	20	0.32
G320065		3.67	40	0.80	345	3	1.82	18	620	22	0.01	<5	7	479	20	0.30
G320066		3.58	40	0.80	305	<1	1.99	20	660	22	0.01	<5	7	520	20	0.32
G320067		3.52	40	0.81	322	1	1.97	19	650	22	0.01	<5	7	509	20	0.32
G320068		3.20	40	0.82	364	<1	1.93	20	650	17	0.01	<5	7	487	20	0.33
G320069 CD		3.41	40	0.87	385	1	2.07	21	690	24	0.01	<5	7	514	20	0.35
G320070		3.46	40	0.82	355	1	1.99	20	670	22	0.01	<5	7	503	20	0.33
G320071		3.37	40	0.80	360	1	1.94	19	650	23	0.01	<5	7	491	20	0.32
G320072		3.28	40	0.79	319	1	1.99	21	640	19	0.01	<5	7	483	20	0.31
G320073		3.44	40	0.79	317	1	2.01	20	640	23	0.01	<5	7	508	20	0.32
G320074		3.63	40	0.79	270	1	1.98	20	640	21	0.01	<5	7	523	20	0.32
G320075		3.59	40	0.84	307	2	1.94	19	640	21	0.01	<5	7	511	20	0.32
G320076		3.32	40	0.81	375	1	1.87	19	630	26	0.01	<5	7	476	20	0.31
G320077		3.38	40	0.83	308	1	1.81	18	630	21	0.01	<5	7	483	20	0.30
G320078		3.29	40	0.77	343	1	1.81	17	580	27	0.01	<5	7	454	20	0.28
G320079		3.49	40	0.71	318	1	1.79	17	560	28	0.04	<5	6	435	20	0.27
G320080		3.54	40	0.72	346	<1	1.83	17	570	29	0.01	<5	6	447	20	0.28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051683		<10	<10	39	<10	44
I051684		<10	<10	39	<10	55
I051685		<10	<10	40	<10	57
I051686		<10	<10	38	<10	38
I051687		<10	<10	38	40	29
I051688		<10	<10	38	70	33
I051689		<10	<10	39	10	39
I051690		<10	10	150	10	89
I051691		<10	10	41	50	47
I051692		<10	<10	40	20	43
I051693		<10	10	42	20	48
I051694		<10	<10	39	80	29
I051695		<10	10	41	50	43
I051696		<10	10	3	<10	16
I051697		10	<10	40	20	47
I051698		<10	<10	38	10	35
I051699		<10	<10	44	10	56
I051700		<10	<10	42	20	42
G320059		<10	<10	41	<10	44
G320060		<10	<10	41	10	43
G320061		<10	<10	40	10	56
G320062		<10	<10	40	10	56
G320063		<10	<10	40	30	66
G320064		<10	<10	39	<10	62
G320065		<10	<10	39	210	56
G320066		<10	<10	39	10	51
G320067		<10	<10	40	10	49
G320068		<10	<10	43	20	56
G320069 CD		<10	<10	46	20	59
G320070		<10	10	41	<10	49
G320071		<10	<10	39	<10	51
G320072		<10	<10	39	10	44
G320073		<10	<10	38	<10	44
G320074		<10	<10	40	80	37
G320075		<10	<10	40	50	43
G320076		<10	<10	39	<10	60
G320077		<10	<10	39	20	46
G320078		<10	<10	36	10	56
G320079		<10	10	33	10	58
G320080		<10	<10	34	10	56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 6-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G320081		6.05	<0.005	<0.5	7.12	12	1560	3.3	<2	2.58	<0.5	9	27	2	2.62	20
G320082		5.40	<0.005	<0.5	7.39	14	1730	3.2	<2	2.55	<0.5	8	28	2	2.36	20
G320083		5.61	0.006	<0.5	7.36	481	1720	3.4	<2	2.62	<0.5	8	29	2	2.64	20
G320084		6.35	0.026	<0.5	8.26	41	1680	3.4	<2	2.93	<0.5	10	37	10	2.90	20
G320085		6.00	0.289	<0.5	8.31	21	1680	3.4	<2	2.61	<0.5	8	36	2	2.51	20
G320086		5.43	0.022	<0.5	8.02	35	1730	3.5	<2	2.67	<0.5	7	34	2	2.49	20
G320087		5.45	0.025	<0.5	7.78	9	1640	3.3	<2	2.61	<0.5	7	33	2	2.50	20
G320088		4.16	<0.005	<0.5	7.70	12	1550	3.2	<2	2.51	<0.5	7	31	1	2.42	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 6-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
G320081		3.38	40	0.81	374	2	1.92	20	620	24	0.01	<5	7	496	20	0.32
G320082		4.12	40	0.80	322	2	1.87	19	660	24	0.01	<5	7	508	20	0.32
G320083		3.51	40	0.82	362	1	1.94	20	680	23	0.04	<5	7	507	20	0.32
G320084		3.66	30	0.95	483	1	1.92	24	740	43	0.04	<5	8	541	20	0.36
G320085		3.52	40	0.82	373	3	1.95	26	680	28	0.01	<5	7	534	20	0.34
G320086		3.50	40	0.79	397	2	1.91	24	690	27	0.02	<5	7	529	20	0.34
G320087		3.41	30	0.76	392	2	1.87	21	660	29	0.01	<5	7	523	20	0.34
G320088		3.29	30	0.78	376	2	1.76	22	650	26	0.01	5	7	483	20	0.32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10137376

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
G320081		<10	<10	39	<10	56
G320082		<10	<10	41	180	49
G320083		<10	<10	40	20	66
G320084		<10	<10	50	10	97
G320085		10	<10	41	20	56
G320086		<10	<10	40	10	62
G320087		<10	<10	40	10	61
G320088		<10	<10	38	10	64