



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 18-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10140012

Project: Eagle Gold

P.O. No.: EGP10-104

This report is for 69 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
I051267		5.72	0.023		<0.5	2.69	28	90	0.6	<2	0.88	<0.5	4	33	31	1.42
I051268		6.21	0.110		<0.5	5.27	239	440	1.1	<2	0.82	<0.5	10	52	198	2.46
I051269CD		<0.02	0.114		<0.5	5.15	228	440	1.1	<2	0.81	<0.5	8	52	203	2.45
I051270		3.91	0.186		<0.5	3.55	3320	230	0.9	<2	0.75	<0.5	11	42	64	2.20
I051271		6.24	0.010		<0.5	9.25	27	950	2.5	<2	0.38	<0.5	15	75	39	3.87
I051272		5.65	<0.005		<0.5	8.87	19	900	2.6	<2	0.42	<0.5	16	71	42	4.40
I051273		4.86	<0.005		<0.5	8.87	25	900	2.6	<2	0.54	<0.5	16	71	34	4.90
I051274		4.48	0.067		0.9	6.81	237	680	1.6	<2	0.41	7.8	13	56	145	3.17
I051275		5.52	0.018		0.5	7.72	95	770	1.8	2	0.36	0.8	13	68	56	4.10
I051276		5.77	0.041		1.3	8.19	156	820	1.9	<2	0.22	2.5	13	64	49	4.08
I051277		1.33	0.679		12.6	3.80	4770	250	1.0	<2	0.20	424	5	34	500	4.07
I051278		2.91	0.007		<0.5	2.91	20	100	0.6	<2	0.88	0.7	4	27	16	1.33
I051279		5.16	<0.005		<0.5	6.58	14	520	1.6	<2	0.54	<0.5	11	48	30	3.07
I051280		5.84	0.006		<0.5	5.78	18	550	1.5	<2	0.57	<0.5	9	42	22	2.60
I051281		4.82	<0.005		<0.5	5.64	20	500	1.5	<2	0.59	<0.5	8	40	17	2.43
I051282		6.14	0.006		<0.5	4.58	37	270	1.2	<2	0.50	<0.5	7	37	15	2.10
I051283		5.86	<0.005		<0.5	5.02	31	400	1.3	<2	0.53	<0.5	8	40	25	2.64
I051284		3.38	0.045		1.6	4.87	113	390	1.4	<2	0.90	5.6	7	38	40	2.61
I051285		3.81	0.160		<0.5	7.15	1410	500	2.2	<2	3.39	<0.5	11	45	73	3.99
I051286		3.97	0.068	0.069	<0.5	7.64	115	1240	2.5	2	2.99	<0.5	11	49	56	3.81
I051287		5.93	0.289	0.411	<0.5	7.61	484	940	2.3	17	2.77	<0.5	9	50	64	3.78
I051288		4.78	1.395	1.945	<0.5	8.18	4920	940	2.2	14	2.36	<0.5	12	52	82	4.07
I051289		5.29	0.069		<0.5	8.34	2700	1120	2.5	<2	2.66	<0.5	12	54	59	5.00
I051290		0.09	0.342		1.0	7.97	20	820	2.0	<2	2.44	<0.5	15	49	3610	5.16
I051291		5.23	0.198		<0.5	8.33	3510	1180	2.5	2	2.27	<0.5	11	52	67	4.41
I051292		4.88	1.100		<0.5	7.75	>10000	1410	2.7	11	2.97	<0.5	17	55	56	4.57
I051293		6.83	0.410		<0.5	7.30	>10000	770	2.5	3	2.46	<0.5	15	51	89	4.36
I051294		5.37	0.330		<0.5	7.28	5940	1140	2.4	3	2.72	<0.5	14	50	72	4.15
I051295		6.03	0.158		<0.5	7.46	2920	1300	2.3	<2	2.88	<0.5	13	49	48	3.91
I051296		4.10	<0.005		<0.5	0.07	15	20	<0.5	<2	21.9	<0.5	<1	<1	<1	0.51
I051297		5.70	0.224		<0.5	7.54	5700	1050	2.5	<2	2.43	<0.5	12	52	96	4.41
I051298		5.36	0.372		<0.5	7.01	9100	840	2.2	2	2.92	<0.5	13	50	163	3.97
I051299		4.76	0.353		<0.5	7.32	7410	820	2.3	<2	2.32	<0.5	12	51	129	4.33
I051300		5.85	0.195		<0.5	6.78	3980	480	2.0	2	2.75	<0.5	10	46	151	4.13
I051301		5.66	1.045		<0.5	6.99	>10000	780	2.2	5	2.93	<0.5	19	46	106	4.71
I051302		5.68	0.245		<0.5	7.11	4630	1180	2.4	3	2.43	<0.5	11	50	95	4.09
I051303		6.65	0.400		<0.5	7.10	6120	810	2.3	3	2.20	<0.5	15	48	128	4.06
I051304		6.30	0.585		1.0	7.14	8040	1250	2.0	5	3.47	1.0	21	57	55	4.52
I051305		6.90	0.309		<0.5	7.11	3680	830	2.2	4	3.13	<0.5	10	57	125	4.18
I051306		6.99	0.097		<0.5	7.22	282	690	2.1	<2	3.89	<0.5	9	57	36	4.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I051267		10	0.60	20	0.43	121	<1	0.02	9	160	13	0.40	8	3	32	<20
I051268		10	1.72	40	0.58	182	<1	0.08	25	270	19	0.82	40	8	137	20
I051269CD		10	1.68	40	0.57	181	<1	0.08	23	270	20	0.80	38	8	137	20
I051270		10	0.95	30	0.46	123	<1	0.05	15	210	22	0.93	28	5	86	<20
I051271		30	3.50	70	0.98	211	<1	0.22	39	490	15	0.75	23	15	84	20
I051272		30	3.06	60	1.19	208	<1	0.22	36	450	7	0.58	11	14	85	20
I051273		30	2.60	60	1.18	347	<1	0.18	32	440	13	0.24	37	13	248	20
I051274		20	2.37	50	0.71	352	<1	0.11	28	350	440	0.72	116	11	138	20
I051275		20	3.17	60	0.92	318	<1	0.15	35	390	75	0.98	22	13	61	20
I051276		20	3.52	60	0.89	583	<1	0.17	32	370	203	1.08	29	13	71	20
I051277		10	1.75	30	0.25	675	<1	0.03	10	200	1290	5.54	111	5	48	<20
I051278		10	0.78	20	0.39	242	<1	0.01	7	180	14	0.48	11	3	58	<20
I051279		20	2.16	50	0.74	219	<1	0.11	23	320	11	0.51	21	10	61	20
I051280		20	2.04	40	0.69	212	<1	0.09	18	300	10	0.43	12	8	208	20
I051281		20	1.90	40	0.70	192	<1	0.07	17	290	6	0.39	10	8	161	20
I051282		10	1.29	30	0.55	168	<1	0.04	13	230	12	0.42	5	6	43	<20
I051283		10	1.81	40	0.68	201	<1	0.06	18	240	66	0.66	8	7	66	<20
I051284		10	1.78	40	0.67	462	<1	0.04	17	310	435	0.97	109	7	272	20
I051285		20	2.65	50	1.51	463	1	0.04	7	690	40	0.86	38	13	489	20
I051286		20	2.79	50	1.40	417	<1	1.10	8	770	11	0.94	10	14	411	20
I051287		20	2.73	60	1.30	373	<1	0.50	8	770	13	0.99	11	13	356	30
I051288		20	2.39	60	1.27	332	<1	0.14	8	820	10	1.24	13	14	170	30
I051289		20	2.63	60	1.40	525	<1	0.10	9	810	11	0.62	9	14	135	30
I051290		20	3.11	30	1.49	521	274	2.50	22	1080	17	0.50	<5	14	476	<20
I051291		20	2.63	70	1.23	404	1	0.44	10	800	13	0.80	7	14	218	30
I051292		20	2.96	50	1.35	385	<1	1.47	9	770	10	1.39	7	13	477	20
I051293		20	2.73	50	1.44	248	<1	1.18	7	750	6	1.04	5	12	287	20
I051294		20	2.64	50	1.46	285	<1	1.45	8	750	9	1.11	<5	12	403	20
I051295		20	2.71	50	1.38	407	<1	1.42	8	770	10	0.99	<5	13	475	20
I051296		<10	0.02	10	12.90	236	<1	0.01	<1	170	7	0.02	<5	1	48	<20
I051297		20	2.59	50	1.41	250	<1	1.53	7	760	8	1.22	<5	13	422	20
I051298		20	2.74	50	1.52	274	<1	0.64	7	690	9	1.14	<5	12	301	20
I051299		20	2.40	50	1.50	236	<1	0.78	9	740	7	1.21	9	12	270	20
I051300		20	2.31	30	1.32	258	1	0.92	12	710	8	1.36	8	11	394	<20
I051301		20	2.62	40	1.46	255	1	0.83	9	720	9	1.51	11	12	367	20
I051302		20	2.94	40	1.28	268	1	1.45	11	780	11	1.10	7	12	423	<20
I051303		20	2.43	40	1.48	233	<1	1.06	8	750	11	1.07	7	12	287	20
I051304		20	2.36	30	1.66	534	<1	0.96	13	880	189	1.06	48	13	499	<20
I051305		20	2.45	40	1.63	383	<1	0.64	12	810	11	0.85	12	12	402	<20
I051306		10	2.32	40	1.81	603	1	0.06	10	870	11	0.52	14	13	405	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
I051267		0.09	<10	<10	15	<10	78
I051268		0.20	<10	<10	45	<10	100
I051269CD		0.19	<10	<10	44	<10	98
I051270		0.09	<10	<10	23	<10	63
I051271		0.38	<10	<10	100	<10	65
I051272		0.40	<10	<10	95	<10	85
I051273		0.40	<10	<10	88	<10	169
I051274		0.28	<10	<10	69	<10	960
I051275		0.32	<10	<10	85	<10	144
I051276		0.31	<10	<10	82	<10	386
I051277		0.12	<10	<10	41	<10	>10000
I051278		0.10	<10	<10	17	<10	105
I051279		0.27	<10	<10	57	<10	76
I051280		0.22	<10	<10	48	<10	32
I051281		0.21	<10	<10	48	<10	28
I051282		0.18	<10	<10	34	<10	20
I051283		0.19	<10	<10	41	<10	46
I051284		0.18	<10	<10	48	<10	853
I051285		0.35	<10	<10	71	10	62
I051286		0.39	<10	<10	77	<10	37
I051287		0.38	<10	<10	76	<10	49
I051288		0.39	<10	<10	79	10	26
I051289		0.40	<10	<10	82	10	36
I051290		0.38	<10	<10	139	<10	76
I051291		0.40	<10	<10	80	10	33
I051292		0.39	<10	<10	77	<10	34
I051293		0.35	<10	<10	75	20	21
I051294		0.36	<10	<10	74	10	25
I051295		0.38	<10	<10	76	10	35
I051296		<0.01	<10	10	3	<10	18
I051297		0.36	<10	<10	75	<10	22
I051298		0.33	<10	<10	68	10	31
I051299		0.34	<10	<10	74	10	19
I051300		0.34	<10	<10	71	10	20
I051301		0.33	<10	<10	69	10	19
I051302		0.36	<10	<10	73	<10	25
I051303		0.34	<10	<10	69	10	17
I051304		0.41	<10	<10	85	10	203
I051305		0.35	<10	<10	71	10	31
I051306		0.37	<10	<10	76	10	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
I051307		6.56	0.832		5.5	6.59	4850	480	2.0	21	3.40	7.0	12	62	461	4.87
I051308		6.08	0.039		<0.5	7.48	424	1130	2.3	2	3.62	<0.5	14	76	130	4.34
I051309		6.03	0.053		<0.5	7.59	900	1660	2.3	<2	3.52	<0.5	12	64	22	4.03
I051310		0.08	0.822		2.0	7.48	<5	620	0.9	<2	3.15	<0.5	20	38	7620	7.42
I051311		5.67	0.023		<0.5	7.59	196	1510	2.3	<2	3.55	<0.5	13	63	26	3.98
I051312		5.59	0.080		<0.5	7.62	976	1180	2.4	3	3.57	<0.5	12	65	43	4.30
I051313		6.84	0.116		<0.5	7.45	1490	1350	2.3	<2	3.20	<0.5	15	63	30	4.08
I051314		5.55	0.024		<0.5	7.39	111	1470	2.3	<2	3.36	<0.5	12	61	19	3.91
I051315		5.32	0.014		<0.5	7.11	93	1490	2.4	<2	3.18	<0.5	12	59	17	3.64
I051316		1.26	<0.005		<0.5	0.08	<5	20	<0.5	<2	19.7	<0.5	<1	1	5	0.50
I051317		6.55	0.008		<0.5	7.36	22	1330	2.4	<2	3.33	<0.5	12	57	10	3.57
I051318		5.27	0.011		<0.5	7.42	52	1480	2.3	<2	3.51	<0.5	10	54	9	3.49
I051319		5.91	0.006		<0.5	7.40	<5	1400	2.4	<2	3.29	<0.5	11	60	8	3.53
I051320		5.49	0.083		6.2	7.67	691	1100	2.7	<2	1.12	16.1	13	61	48	5.51
I051321		1.71	0.500		21.0	3.73	639	320	1.3	<2	0.19	45.6	5	45	81	8.39
I051322		1.63	0.452		22.3	2.48	431	200	0.8	<2	0.17	31.5	3	31	69	11.45
I051323		2.54	0.064		6.4	7.96	155	370	2.4	<2	0.36	37.6	14	75	74	5.64
I051324		3.49	<0.005		<0.5	2.99	6	120	0.7	<2	0.11	<0.5	7	33	22	1.66
I051325		2.98	0.005		<0.5	5.45	<5	220	1.2	<2	0.13	<0.5	10	52	12	1.95
I051326		3.86	0.009		<0.5	1.88	<5	50	<0.5	<2	0.08	<0.5	4	26	22	1.49
I051327		4.28	0.006		<0.5	2.62	<5	70	0.6	<2	0.10	<0.5	4	29	9	1.67
I051328		4.10	0.007		<0.5	1.79	12	80	<0.5	<2	0.07	<0.5	4	28	10	1.21
I051329CD		<0.02	0.008		<0.5	1.77	8	80	<0.5	<2	0.07	<0.5	3	33	9	1.39
I051330		4.35	0.005		<0.5	2.31	5	180	0.5	<2	0.09	<0.5	4	35	7	1.23
I051331		4.02	<0.005		<0.5	2.06	7	100	<0.5	<2	0.07	<0.5	3	27	7	0.98
I051332		3.36	0.006		<0.5	1.74	<5	20	<0.5	<2	0.07	<0.5	3	25	13	0.73
I051333		2.80	0.021		<0.5	2.10	21	40	0.5	<2	0.07	<0.5	4	27	19	1.15
I051334		4.16	0.007		<0.5	2.20	<5	40	0.5	<2	0.08	<0.5	4	28	12	0.96
I051335		3.34	0.026		<0.5	2.66	49	80	0.6	<2	0.06	<0.5	4	30	42	1.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I051307		20	2.54	30	1.66	634	<1	0.03	13	850	680	1.42	100	13	330	<20
I051308		20	2.59	30	1.73	718	1	0.73	14	1080	16	0.45	6	14	491	<20
I051309		20	2.62	40	1.78	660	<1	1.47	14	960	19	0.71	<5	14	619	<20
I051310		10	2.88	10	2.02	621	580	2.38	18	1170	18	0.95	<5	18	602	<20
I051311		20	2.49	40	1.84	629	1	1.64	14	930	16	0.64	<5	14	602	<20
I051312		20	2.66	30	1.64	569	1	1.27	14	950	20	0.88	<5	13	569	<20
I051313		20	2.57	40	1.74	575	1	1.63	12	880	29	0.74	<5	13	588	<20
I051314		20	2.81	30	1.74	613	<1	1.67	12	890	16	0.51	<5	12	596	<20
I051315		20	2.88	30	1.62	564	1	1.77	12	820	18	0.35	<5	11	547	<20
I051316		<10	0.04	<10	11.75	240	<1	0.01	3	160	<2	0.02	<5	<1	47	<20
I051317		20	2.86	40	1.56	581	<1	1.59	11	800	20	0.20	<5	12	556	20
I051318		20	2.98	40	1.64	604	1	1.62	9	790	24	0.16	<5	12	571	20
I051319		20	3.04	40	1.53	597	3	1.57	11	810	23	0.15	<5	12	573	20
I051320		20	3.12	40	1.15	1500	<1	0.56	16	850	1010	0.80	36	13	243	<20
I051321		10	1.59	20	0.57	8310	<1	0.01	12	460	>10000	1.48	9500	6	121	<20
I051322		10	1.04	10	0.66	12050	<1	0.01	10	280	>10000	1.63	>10000	4	48	<20
I051323		20	2.43	40	0.64	3040	1	0.01	22	1110	967	0.73	99	14	54	20
I051324		10	0.93	20	0.18	376	<1	0.01	18	340	60	0.31	24	4	49	<20
I051325		10	1.19	30	0.24	368	<1	0.04	25	420	14	0.09	16	10	26	<20
I051326		<10	0.32	10	0.10	284	1	0.01	14	180	9	0.26	15	2	26	<20
I051327		10	0.38	20	0.13	379	<1	0.01	7	280	7	0.08	8	4	39	<20
I051328		<10	0.57	10	0.09	224	<1	0.01	8	180	7	0.17	7	2	33	<20
I051329CD		<10	0.56	10	0.09	236	1	0.01	9	180	6	0.18	7	2	33	<20
I051330		10	0.72	20	0.09	228	1	0.02	7	280	7	0.14	6	3	26	<20
I051331		10	0.37	10	0.07	196	<1	0.01	7	210	4	0.17	6	3	26	<20
I051332		<10	0.17	10	0.05	148	1	0.01	10	150	6	0.17	8	2	12	<20
I051333		<10	0.12	10	0.05	206	<1	0.01	12	170	3	0.39	11	2	21	<20
I051334		<10	0.12	10	0.05	232	<1	0.01	8	180	10	0.18	9	2	99	<20
I051335		10	0.56	10	0.10	415	<1	0.01	12	180	10	0.55	14	4	129	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140012

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
I051307		0.34	<10	<10	80	10	923
I051308		0.45	<10	<10	99	<10	67
I051309		0.43	<10	<10	86	<10	57
I051310		0.36	<10	10	187	<10	82
I051311		0.41	<10	<10	82	<10	55
I051312		0.42	<10	<10	86	10	47
I051313		0.40	<10	<10	80	<10	54
I051314		0.41	<10	<10	81	<10	57
I051315		0.38	<10	<10	75	<10	51
I051316		<0.01	<10	10	3	<10	16
I051317		0.37	10	<10	72	<10	54
I051318		0.36	10	<10	71	<10	53
I051319		0.37	<10	<10	72	<10	54
I051320		0.39	<10	<10	79	10	2320
I051321		0.19	<10	<10	37	10	6770
I051322		0.12	<10	<10	25	10	4590
I051323		0.43	<10	<10	90	20	5390
I051324		0.19	<10	<10	37	<10	54
I051325		0.33	<10	<10	85	10	80
I051326		0.09	<10	<10	25	<10	27
I051327		0.18	<10	<10	37	10	32
I051328		0.15	<10	<10	30	<10	19
I051329CD		0.15	<10	<10	30	<10	19
I051330		0.19	<10	<10	34	10	20
I051331		0.13	<10	<10	26	<10	19
I051332		0.12	<10	<10	18	<10	13
I051333		0.13	<10	<10	17	10	16
I051334		0.13	<10	<10	14	10	28
I051335		0.13	<10	<10	27	10	24