



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 16-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10140013

Project: Eagle Gold

P.O. No.: EGP10-105

This report is for 55 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 16-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052668		2.91	<0.005	<0.5	7.17	656	890	1.5	<2	1.38	0.5	7	60	25	3.07	20
I052669		<0.02	<0.005	<0.5	6.91	625	850	1.5	<2	1.42	0.5	7	58	24	2.99	20
I052670		4.65	0.005	<0.5	5.64	613	470	1.3	<2	0.15	0.5	7	45	21	2.42	10
I052671		1.85	0.149	<0.5	4.75	821	340	1.0	<2	0.07	0.5	7	43	20	2.49	10
I052672		3.25	0.010	<0.5	5.91	862	650	1.3	<2	0.06	<0.5	1	54	15	1.67	10
I052673		2.09	0.544	0.5	6.19	2820	610	1.7	<2	0.05	0.5	11	55	39	4.12	20
I052674		4.40	0.009	<0.5	7.58	623	640	2.2	<2	0.09	1.4	10	64	34	3.50	20
I052675		3.18	0.033	<0.5	7.45	1925	780	2.2	<2	0.07	1.8	15	67	23	4.02	20
I052676		4.57	0.032	<0.5	8.48	1480	940	2.4	2	0.13	2.5	14	90	25	2.67	20
I052677		5.16	0.027	<0.5	3.33	1350	410	0.7	<2	0.05	1.3	2	39	4	0.96	10
I052678		4.05	0.027	<0.5	5.37	363	780	1.0	<2	0.10	0.6	2	36	7	0.97	10
I052679		4.88	0.067	<0.5	3.27	354	370	0.6	<2	0.05	0.6	1	38	5	0.82	10
I052680		4.94	0.010	<0.5	2.45	245	210	0.5	<2	0.02	<0.5	1	30	4	0.99	10
I052681		3.25	0.015	<0.5	2.59	287	240	0.5	<2	0.04	<0.5	1	30	43	1.27	10
I052682		3.60	0.138	<0.5	2.98	2670	290	0.8	<2	0.03	<0.5	1	43	8	1.15	10
I052683		4.85	0.015	<0.5	2.98	521	280	0.6	<2	0.02	<0.5	1	37	7	1.37	10
I052684		3.61	0.309	<0.5	3.49	1075	330	0.8	<2	0.02	0.5	1	40	4	1.80	10
I052685		3.18	0.174	0.8	3.56	8100	420	1.0	<2	0.01	1.3	<1	31	5	1.77	10
I052686		3.13	0.143	1.3	5.18	5080	590	1.6	<2	0.03	12.9	4	48	53	3.68	10
I052687		5.12	0.015	0.6	5.59	1045	610	1.6	<2	0.07	5.4	8	53	33	3.35	10
I052688		4.98	0.153	1.0	6.46	3800	720	1.7	<2	0.06	6.0	7	56	18	3.60	20
I052689		5.62	0.145	0.7	5.80	2270	620	1.7	<2	0.05	4.1	7	50	19	3.88	20
I052690		0.05	0.885	2.2	7.22	16	640	0.9	<2	3.11	<0.5	20	38	7460	7.20	20
I052691		3.61	0.053	0.5	2.76	2010	280	0.7	<2	0.02	0.7	2	29	18	1.96	10
I052692		4.23	0.120	0.7	4.14	4770	400	1.1	<2	0.03	3.6	12	35	27	4.46	10
I052693		6.87	0.029	<0.5	3.07	508	310	0.8	<2	0.03	1.6	2	35	8	1.55	10
I052694		4.12	0.056	0.5	3.53	939	320	0.8	<2	0.10	1.4	2	30	8	1.59	10
I052695		5.75	0.063	0.6	4.03	1205	370	1.1	<2	0.04	3.2	5	37	16	1.79	10
I052696		3.56	<0.005	<0.5	0.08	15	30	<0.5	<2	20.8	<0.5	1	<1	<1	0.48	<10
I052697		4.63	0.022	0.5	1.89	296	150	<0.5	<2	0.03	<0.5	1	31	4	0.83	<10
I052698		4.35	0.009	<0.5	5.91	432	790	1.7	<2	0.70	3.5	9	45	27	3.24	10
I052699		4.43	0.073	0.5	5.48	1340	760	1.4	<2	0.71	4.5	10	45	26	2.99	10
I052700		5.98	0.051	0.6	5.66	1115	650	1.6	3	0.42	0.9	8	49	22	2.47	10
I052701		2.27	0.121	<0.5	5.62	3250	730	1.5	<2	0.51	1.2	10	50	10	2.28	10
I052702		4.13	0.014	<0.5	6.31	704	840	2.0	2	0.53	<0.5	11	61	19	2.74	20
I052703		4.64	0.025	<0.5	7.04	394	1000	2.0	<2	0.62	<0.5	11	65	28	3.03	20
I052704		5.88	1.345	1.1	6.27	9490	810	1.8	3	0.72	0.7	21	52	24	4.06	20
I052705		5.27	0.767	2.0	7.55	207	1230	2.2	46	0.49	0.9	13	59	59	4.36	20
I052706		5.19	0.050	<0.5	8.86	60	2050	2.9	<2	0.43	0.5	17	70	20	4.37	20
I052707		5.79	0.203	1.1	8.57	42	2370	2.6	2	0.47	<0.5	17	68	46	4.84	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 16-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052668		2.75	40	0.43	352	2	0.69	17	330	27	0.17	11	10	229	<20	0.30
I052669		2.63	40	0.43	369	2	0.68	17	310	26	0.16	12	10	226	<20	0.29
I052670		1.75	40	0.12	159	1	0.08	20	240	14	0.07	36	8	40	<20	0.22
I052671		1.29	30	0.11	146	1	0.04	22	170	50	0.10	51	7	24	<20	0.19
I052672		2.04	30	0.10	41	2	0.07	14	180	173	0.14	66	7	44	<20	0.26
I052673		1.98	40	0.15	267	<1	0.05	24	450	192	0.10	102	9	32	<20	0.24
I052674		2.07	50	0.18	307	<1	0.06	31	530	24	0.09	31	11	37	20	0.30
I052675		2.35	40	0.16	270	<1	0.08	33	420	15	0.06	39	11	83	20	0.31
I052676		3.10	50	0.17	180	<1	0.11	29	660	11	0.09	25	13	89	20	0.40
I052677		1.19	30	0.07	47	<1	0.03	3	270	8	0.03	9	4	32	<20	0.12
I052678		2.71	20	0.10	43	<1	0.57	5	260	12	0.01	9	5	69	<20	0.15
I052679		1.17	20	0.08	32	<1	0.15	3	120	6	0.04	16	4	26	<20	0.11
I052680		1.01	20	0.06	30	<1	0.02	1	80	35	0.08	29	2	9	<20	0.09
I052681		1.12	20	0.08	37	4	0.03	4	100	26	0.09	24	3	12	<20	0.11
I052682		1.20	20	0.09	30	<1	0.03	3	190	11	0.06	33	4	9	<20	0.14
I052683		1.23	20	0.08	35	<1	0.02	3	90	27	0.05	43	3	8	<20	0.12
I052684		1.47	20	0.10	37	<1	0.03	3	110	86	0.10	75	4	9	<20	0.14
I052685		1.68	20	0.09	38	<1	0.02	<1	190	206	0.24	128	3	6	<20	0.10
I052686		2.36	30	0.24	322	<1	0.03	9	230	399	0.36	122	7	13	<20	0.19
I052687		2.09	40	0.21	232	1	0.04	20	470	164	0.17	47	8	41	20	0.24
I052688		2.84	40	0.39	396	2	0.05	18	290	298	0.22	39	9	14	<20	0.23
I052689		2.65	30	0.29	290	1	0.05	18	270	104	0.31	32	8	10	<20	0.19
I052690		2.73	10	1.98	611	585	2.34	16	1130	14	0.94	<5	17	569	<20	0.35
I052691		1.22	20	0.08	71	2	0.03	2	110	17	0.09	17	3	11	<20	0.12
I052692		1.83	30	0.19	353	<1	0.04	14	130	22	1.36	28	5	8	<20	0.14
I052693		1.34	30	0.11	176	<1	0.03	3	160	89	0.09	47	3	9	<20	0.13
I052694		1.54	30	0.09	51	<1	0.03	4	490	88	0.14	53	4	15	<20	0.15
I052695		1.57	30	0.17	129	<1	0.03	8	200	54	0.10	40	5	16	<20	0.17
I052696		0.03	<10	12.35	224	<1	0.01	<1	170	2	0.02	<5	<1	44	<20	<0.01
I052697		0.85	20	0.06	31	<1	0.01	<1	100	95	0.02	58	1	5	<20	0.08
I052698		2.42	40	0.93	701	<1	0.13	28	320	9	0.03	19	8	64	20	0.25
I052699		2.26	30	0.88	1070	<1	0.27	27	260	65	0.15	21	8	70	<20	0.24
I052700		2.24	40	0.46	426	<1	0.21	18	490	23	0.25	13	8	55	<20	0.21
I052701		2.32	40	0.46	378	<1	0.53	18	160	16	0.24	12	7	101	<20	0.23
I052702		2.76	40	0.55	324	<1	0.37	24	380	16	0.25	<5	9	75	<20	0.29
I052703		3.53	40	0.75	350	<1	0.45	29	760	15	0.42	10	10	112	<20	0.32
I052704		2.91	40	0.68	652	<1	0.11	27	490	65	1.09	21	9	54	<20	0.20
I052705		3.39	40	0.82	817	<1	0.47	30	530	137	0.99	48	9	80	<20	0.23
I052706		3.66	40	0.97	908	<1	0.79	32	300	24	0.19	13	17	127	<20	0.37
I052707		4.31	40	1.10	969	<1	0.74	34	290	87	0.28	37	15	133	<20	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 16-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I052668		<10	<10	65	10	152
I052669		<10	<10	63	10	150
I052670		<10	<10	43	10	117
I052671		<10	<10	37	20	143
I052672		<10	<10	46	10	71
I052673		<10	<10	51	10	283
I052674		10	<10	60	10	273
I052675		<10	<10	64	30	300
I052676		<10	<10	79	20	163
I052677		<10	<10	23	10	68
I052678		<10	<10	30	<10	112
I052679		<10	<10	24	<10	70
I052680		<10	<10	16	<10	60
I052681		<10	<10	20	<10	63
I052682		<10	<10	24	10	71
I052683		<10	<10	23	10	146
I052684		<10	<10	28	10	171
I052685		<10	<10	16	10	32
I052686		<10	<10	48	20	739
I052687		<10	<10	57	20	628
I052688		<10	<10	52	20	451
I052689		<10	<10	45	20	404
I052690		<10	<10	183	<10	86
I052691		<10	<10	18	10	105
I052692		<10	<10	29	20	289
I052693		<10	<10	22	<10	168
I052694		<10	<10	23	10	191
I052695		<10	<10	30	<10	182
I052696		<10	10	3	<10	17
I052697		<10	<10	11	<10	139
I052698		<10	<10	46	<10	840
I052699		<10	<10	54	<10	798
I052700		<10	<10	47	<10	203
I052701		<10	<10	48	<10	191
I052702		<10	<10	64	<10	73
I052703		<10	<10	68	<10	58
I052704		<10	<10	56	10	131
I052705		<10	<10	67	<10	146
I052706		<10	<10	83	<10	107
I052707		<10	<10	81	<10	109



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 16-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

[illegible]



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

VANCOUVER BC V6E 3X2

Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 16-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140013

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I052708		<10	<10	89	<10	95
I052709		<10	<10	84	<10	70
I052710		<10	<10	137	<10	73
I052711		<10	<10	35	10	2490
I052712		<10	<10	32	10	83
I052713		<10	<10	56	20	66
I052714		<10	<10	48	<10	1115
I052715		<10	<10	55	<10	30
I052716		<10	20	3	<10	17
I052717		<10	<10	65	<10	47
I052718		<10	<10	53	<10	38
I052719		<10	<10	54	<10	24
I052720		<10	<10	39	10	239
I052721		<10	<10	42	<10	52
I052722		<10	<10	44	<10	51