



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 20-OCT-2010
Account: STRGOL

CERTIFICATE WH10140017

Project: Eagle Gold

P.O. No.: EGP10-101

This report is for 45 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 29-SEP-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140017

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051133		5.45	0.007	<0.5	6.98	31	1360	2.9	<2	0.65	<0.5	6	28	9	2.66	20
I051134		6.32	0.173	0.6	6.71	4050	1150	2.9	<2	1.40	1.0	14	26	27	3.75	20
I051135		5.25	0.014	0.5	6.56	26	1400	2.9	<2	1.96	<0.5	7	25	17	2.40	20
I051136		5.75	0.042	0.5	6.98	58	1060	2.8	<2	1.83	1.0	5	27	14	2.79	20
I051137		5.56	0.071	<0.5	6.73	273	1630	3.1	<2	2.32	<0.5	6	31	10	2.34	20
I051138		5.73	0.047	<0.5	6.93	2020	1520	3.2	<2	2.45	<0.5	7	32	7	2.35	20
I051139		5.95	0.011	<0.5	7.04	157	1820	3.0	<2	1.41	<0.5	6	26	7	2.14	20
I051140		5.98	0.163	0.5	7.43	1755	1510	3.4	<2	1.61	0.5	11	30	17	2.84	20
I051141		9.52	0.014	<0.5	7.55	99	1410	2.9	<2	0.92	<0.5	7	29	3	2.40	20
I051142		1.88	0.102	<0.5	7.29	96	1660	3.0	<2	1.90	<0.5	5	21	<1	1.91	20
I051143		5.25	0.675	0.5	7.30	7140	1910	3.2	<2	1.39	<0.5	6	22	4	3.02	20
I051144		6.39	0.046	0.5	7.27	90	1360	3.1	<2	0.96	2.0	6	24	12	3.14	20
I051145		7.02	0.059	0.8	7.75	587	1450	2.9	<2	1.03	<0.5	7	26	3	2.47	20
I051146		5.24	0.005	<0.5	7.32	27	1300	3.1	<2	0.94	<0.5	7	23	4	2.85	20
I051147		4.76	<0.005	<0.5	8.00	99	1240	1.7	<2	0.37	<0.5	6	25	2	1.41	20
I051148		6.19	0.036	<0.5	7.62	154	1270	1.8	<2	0.38	<0.5	8	28	8	2.31	20
I051149		5.65	0.029	<0.5	7.77	473	1490	2.7	<2	0.63	<0.5	7	30	3	2.47	20
I051150		0.09	0.840	2.6	7.56	9	640	0.9	2	3.26	<0.5	20	36	7500	7.56	20
I051151		5.89	0.022	<0.5	7.45	19	1370	3.1	<2	1.19	<0.5	6	26	20	3.07	20
I051152		4.79	0.233	<0.5	7.07	745	750	2.9	<2	1.52	<0.5	6	24	34	3.87	20
I051153		5.36	<0.005	<0.5	7.24	59	1160	2.9	<2	1.66	<0.5	7	26	3	2.99	20
I051154		6.24	0.439	1.7	7.03	1580	1370	3.2	<2	1.44	0.8	6	25	14	3.42	20
I051155		6.12	0.092	<0.5	7.53	140	640	2.0	<2	0.60	<0.5	7	31	1	2.70	20
I051156		2.00	<0.005	<0.5	0.10	7	20	<0.5	<2	20.5	<0.5	2	<1	<1	0.55	<10
I051157		4.91	<0.005	<0.5	7.76	20	1840	2.7	<2	1.72	<0.5	7	27	1	2.16	20
I051158		5.75	0.165	0.5	7.38	2820	1190	2.4	<2	0.46	0.5	7	28	8	2.92	20
I051159		5.41	0.022	<0.5	7.78	413	1590	2.1	<2	0.37	<0.5	9	31	3	2.16	20
I051160		5.42	0.104	<0.5	7.27	76	1460	2.9	<2	1.51	<0.5	7	26	9	2.69	20
I051161		5.21	0.069	0.5	7.01	395	1250	2.4	<2	0.48	1.6	6	27	17	3.30	20
I051162		5.05	0.017	0.5	7.13	35	1250	2.5	<2	0.55	1.7	6	26	12	2.49	20
I051163		5.99	<0.005	<0.5	6.98	12	1510	3.1	<2	2.31	<0.5	6	29	1	2.23	20
I051164		5.70	<0.005	<0.5	6.64	14	860	1.7	<2	0.73	<0.5	6	25	1	2.08	20
I051165		4.97	0.171	0.6	6.78	599	1150	2.1	<2	1.35	0.5	7	26	6	2.29	20
I051166		5.71	0.175	7.3	4.60	162	170	1.3	<2	0.28	<0.5	4	25	3	1.69	10
I051167		6.02	0.141	<0.5	2.54	234	280	1.2	<2	0.16	<0.5	3	26	9	1.08	10
I051168		5.51	0.091	<0.5	5.19	147	320	1.8	<2	0.58	<0.5	6	26	2	1.87	10
I051169CD		0.06	0.159	9.0	4.88	158	170	1.4	<2	0.29	<0.5	4	25	3	1.73	10
I051170		5.74	0.026	<0.5	7.72	409	400	1.8	<2	1.90	<0.5	6	31	10	3.24	20
I051171		5.87	<0.005	<0.5	7.20	17	1180	1.7	<2	2.02	<0.5	10	28	2	2.62	20
I051172		1.66	0.006	<0.5	7.43	22	1180	2.3	<2	2.03	<0.5	8	27	4	2.50	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140017

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051133		3.18	50	0.42	704	2	0.45	16	630	56	0.21	30	7	196	20	0.28
I051134		3.14	40	0.58	480	<1	0.88	15	590	41	1.34	29	7	250	20	0.25
I051135		3.23	30	0.60	332	2	1.03	15	570	51	0.29	11	6	321	20	0.26
I051136		3.24	40	0.72	791	<1	0.55	13	600	114	0.37	13	7	187	20	0.25
I051137		3.37	30	0.71	377	<1	1.60	14	610	28	0.10	<5	7	430	20	0.28
I051138		3.35	30	0.70	268	<1	1.72	15	620	20	0.15	<5	6	465	20	0.29
I051139		3.65	40	0.56	280	9	1.22	14	630	21	0.06	5	6	383	20	0.27
I051140		3.50	40	0.62	383	<1	1.22	18	680	92	0.41	26	7	360	20	0.30
I051141		3.04	40	0.46	423	4	0.74	17	710	41	0.05	17	8	269	20	0.30
I051142		4.42	30	0.65	276	<1	1.39	9	720	26	0.02	8	6	417	20	0.28
I051143		3.59	40	0.61	333	<1	1.34	13	640	40	0.52	17	6	393	20	0.26
I051144		3.36	40	0.59	729	<1	0.43	16	610	210	0.28	86	6	191	20	0.27
I051145		3.28	40	0.56	358	<1	0.82	17	670	48	0.11	17	7	274	20	0.30
I051146		3.30	40	0.57	381	9	0.77	15	640	30	0.10	15	7	286	20	0.26
I051147		2.98	40	0.22	173	<1	0.14	18	720	27	0.06	15	7	158	30	0.31
I051148		2.77	50	0.27	336	<1	0.13	19	720	29	0.11	16	8	142	30	0.31
I051149		3.13	50	0.39	390	<1	0.48	17	710	28	0.10	14	8	209	30	0.31
I051150		2.84	10	2.10	637	594	2.41	17	1170	12	0.97	<5	19	591	<20	0.36
I051151		3.22	40	0.63	725	<1	0.43	16	650	49	0.18	15	7	193	20	0.28
I051152		3.13	40	0.72	678	<1	0.06	13	600	34	1.22	25	7	89	20	0.25
I051153		3.04	40	0.72	534	<1	0.20	16	650	23	0.06	29	7	148	20	0.29
I051154		3.34	40	0.48	806	1	0.83	18	640	1470	1.21	761	7	257	20	0.27
I051155		2.02	50	0.46	510	1	0.06	18	690	26	0.09	27	8	83	20	0.30
I051156		0.04	10	12.60	230	<1	0.01	<1	190	2	0.02	<5	1	50	<20	<0.01
I051157		4.37	40	0.63	416	<1	0.54	21	710	27	0.05	15	8	304	20	0.30
I051158		3.31	40	0.43	534	<1	0.11	19	670	71	0.64	38	7	114	20	0.29
I051159		3.63	50	0.28	377	<1	0.16	22	760	23	0.10	31	8	185	30	0.31
I051160		3.42	40	0.59	454	<1	0.96	20	640	57	0.47	22	7	311	20	0.29
I051161		3.29	40	0.40	999	19	0.13	18	640	187	0.97	60	7	125	20	0.26
I051162		3.35	40	0.42	909	21	0.13	19	660	189	0.07	46	8	131	20	0.28
I051163		3.40	30	0.67	324	<1	1.48	17	630	26	0.02	<5	7	424	20	0.30
I051164		2.18	40	0.43	453	13	0.09	17	580	29	0.11	24	7	102	20	0.27
I051165		2.97	30	0.50	528	26	0.13	18	610	62	0.37	23	7	160	20	0.27
I051166		0.97	30	0.26	268	<1	0.01	9	330	15	0.48	49	4	20	<20	0.16
I051167		0.98	20	0.15	116	<1	0.02	6	190	11	0.41	40	3	34	<20	0.09
I051168		1.71	30	0.40	252	<1	0.02	13	420	16	0.72	36	5	36	20	0.20
I051169CD		1.02	30	0.28	281	<1	0.01	9	360	18	0.49	49	5	20	20	0.17
I051170		1.50	50	0.85	731	23	0.04	20	610	34	0.19	22	8	65	20	0.28
I051171		2.85	40	0.77	439	<1	0.15	27	650	27	0.09	15	7	168	20	0.30
I051172		3.16	40	0.79	436	<1	0.27	20	630	30	0.12	15	7	187	20	0.28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140017

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I051133		<10	<10	35	190	97
I051134		<10	<10	33	10	184
I051135		<10	10	33	200	78
I051136		<10	10	35	10	213
I051137		<10	10	36	<10	49
I051138		<10	10	36	30	36
I051139		<10	10	34	210	34
I051140		<10	10	38	10	112
I051141		<10	10	37	60	85
I051142		<10	10	33	20	46
I051143		<10	<10	32	50	72
I051144		<10	<10	34	20	343
I051145		<10	<10	37	10	71
I051146		<10	10	33	50	67
I051147		<10	<10	37	50	54
I051148		<10	10	39	50	51
I051149		<10	10	40	20	62
I051150		<10	10	188	<10	82
I051151		<10	<10	37	20	96
I051152		<10	<10	35	10	77
I051153		<10	<10	37	10	72
I051154		<10	<10	34	40	180
I051155		<10	<10	38	20	58
I051156		<10	10	2	<10	19
I051157		<10	<10	39	130	57
I051158		<10	<10	36	20	138
I051159		<10	<10	40	50	46
I051160		<10	<10	36	40	93
I051161		<10	<10	34	280	305
I051162		<10	<10	38	180	319
I051163		<10	10	36	<10	64
I051164		<10	<10	33	20	61
I051165		<10	<10	35	40	151
I051166		<10	<10	21	<10	33
I051167		<10	<10	12	<10	25
I051168		<10	<10	24	10	38
I051169CD		<10	<10	22	<10	33
I051170		<10	<10	35	20	60
I051171		<10	<10	36	30	64
I051172		<10	<10	35	<10	69



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

: STRATAGOLD CORPORATION

1066 WEST HASTINGS STREET, SUITE 680

VANCOUVER BC V6E 3X2

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 20-OCT-2010

Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140017

[illegible]



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Total # Pages: 3 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS	WH10140017
-------------------------	------------

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10140017

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I051173		<10	<10	36	10	61
I051174		<10	10	34	60	53
I051175		<10	10	37	40	73
I051176		<10	<10	37	10	55
I051177		10	<10	36	20	55