



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 20-OCT-2010
Account: STRGOL

CERTIFICATE WH10141590

Project: Eagle Gold

P.O. No.: EGP10-109

This report is for 86 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051342		1.48	0.021	<0.5	7.26	572	1410	2.5	<2	2.80	<0.5	10	55	19	3.35	20
I051343		1.30	0.055	<0.5	7.37	262	1310	2.4	2	3.04	<0.5	12	59	14	3.59	20
I051344		3.91	0.007	<0.5	7.68	256	1330	2.3	<2	3.23	<0.5	12	63	13	3.88	20
I051345		3.51	0.046	<0.5	7.66	509	1370	2.3	<2	3.34	<0.5	11	60	9	3.70	20
I051346		3.97	0.024	<0.5	7.98	671	1420	2.4	<2	3.39	<0.5	11	63	11	3.87	20
I051347		3.31	0.010	<0.5	7.90	101	1400	2.6	<2	3.33	<0.5	12	60	7	3.70	20
I051348		1.87	0.014	<0.5	7.26	84	1230	2.7	<2	3.23	<0.5	11	65	22	3.86	20
I051349		3.50	0.057	<0.5	6.98	625	1270	2.5	<2	3.03	<0.5	10	59	18	3.56	20
I051350		0.06	0.876	2.0	7.39	5	610	0.9	<2	3.09	<0.5	21	37	7520	7.27	10
I051351		6.19	0.052	<0.5	7.25	119	1300	2.2	<2	3.17	<0.5	11	58	18	3.54	20
I051352		6.05	0.012	<0.5	7.49	146	1360	2.2	<2	3.29	<0.5	12	59	21	3.59	20
I051353		5.53	0.015	<0.5	7.13	145	1380	2.3	<2	3.30	<0.5	11	59	11	3.41	20
I051354		5.85	<0.005	<0.5	7.47	8	1420	2.3	<2	3.70	<0.5	12	71	6	3.78	20
I051355		5.45	<0.005	<0.5	7.67	10	1400	2.5	<2	3.73	<0.5	12	71	2	3.82	20
I051356		2.32	<0.005	<0.5	0.08	6	20	<0.5	<2	20.0	<0.5	<1	3	3	0.49	<10
I051357		5.93	0.181	<0.5	7.91	1350	1370	2.3	2	3.61	<0.5	13	65	70	3.93	20
I051358		5.60	<0.005	<0.5	7.61	35	1410	2.2	<2	3.87	<0.5	14	69	5	4.00	20
I051359		5.52	<0.005	<0.5	7.88	12	1370	2.2	<2	4.15	<0.5	13	75	4	4.21	20
I051360		5.16	0.047	<0.5	8.02	264	1420	2.0	<2	4.06	<0.5	13	75	27	4.45	20
I051361		5.77	0.165	<0.5	7.85	1810	1470	1.9	<2	4.17	<0.5	15	77	39	4.62	20
I051362		5.48	0.145	<0.5	8.35	1510	1530	1.9	<2	4.33	<0.5	14	83	39	4.75	20
I051363		5.71	0.338	<0.5	7.94	3620	1310	1.7	4	3.88	<0.5	16	68	75	4.98	20
I051364		1.93	0.374	<0.5	6.52	7740	1060	1.2	2	3.27	<0.5	15	78	51	4.72	10
I051365		3.03	0.132	<0.5	8.73	1110	1530	1.7	<2	4.96	<0.5	20	98	45	5.77	20
I051366		6.07	0.021	<0.5	8.70	84	1530	1.6	<2	5.38	<0.5	20	100	24	5.81	20
I051367		6.27	0.053	<0.5	8.91	150	1380	1.7	<2	5.31	<0.5	22	106	29	5.99	20
I051368		6.26	0.143	<0.5	8.78	440	1380	1.8	3	4.97	<0.5	21	102	45	6.01	20
I051369		<0.02	0.123	<0.5	8.65	446	1380	1.8	6	4.93	<0.5	21	100	45	6.03	20
I051370		5.82	0.054	<0.5	8.96	232	1420	1.8	<2	5.15	<0.5	20	95	59	5.91	20
I051371		6.07	0.063	<0.5	8.87	178	1410	1.8	2	5.18	<0.5	19	84	38	5.75	20
I051372		4.45	0.128	<0.5	9.12	205	1660	1.7	2	4.56	<0.5	18	75	45	5.30	20
I051373		5.40	0.104	<0.5	8.81	88	1500	1.7	<2	5.14	<0.5	22	119	26	5.84	20
I051374		2.49	0.176	<0.5	8.90	44	1330	1.8	<2	5.31	<0.5	20	139	23	5.85	20
I051375		2.31	0.228	<0.5	7.64	470	1560	2.1	6	3.38	<0.5	14	85	27	4.01	20
I051376		6.97	0.071	<0.5	9.03	65	1720	1.8	<2	5.04	<0.5	20	131	36	6.07	20
I051377		4.42	0.129	<0.5	8.69	124	1610	1.8	3	4.62	<0.5	18	140	74	6.21	20
I051378		3.14	0.097	<0.5	8.40	158	1650	1.7	2	4.24	<0.5	25	132	53	5.81	20
I051379		4.94	0.127	<0.5	8.33	389	1320	2.0	4	3.97	<0.5	16	97	118	5.25	20
I051380		4.47	0.011	<0.5	7.90	65	1320	1.9	<2	4.37	<0.5	17	93	27	4.76	20
I051381		6.05	0.006	<0.5	7.77	65	1350	1.9	<2	4.50	<0.5	18	102	15	4.75	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051342		2.96	30	1.42	519	<1	1.60	14	760	25	0.06	<5	11	520	<20	0.35
I051343		2.79	30	1.48	582	<1	1.63	12	830	29	0.02	<5	12	540	<20	0.39
I051344		2.81	40	1.54	612	<1	1.44	14	830	33	0.03	<5	13	528	20	0.39
I051345		2.75	40	1.63	623	<1	1.58	12	860	27	0.03	<5	13	572	<20	0.39
I051346		2.87	40	1.74	629	<1	1.65	11	870	27	0.09	<5	13	596	<20	0.40
I051347		2.89	40	1.72	663	<1	1.65	12	850	32	0.03	<5	13	581	20	0.39
I051348		2.39	40	1.75	649	<1	1.70	11	860	23	0.05	<5	13	559	<20	0.41
I051349		2.76	30	1.60	521	<1	1.59	11	790	22	0.16	<5	11	519	<20	0.37
I051350		2.86	10	1.99	610	564	2.37	18	1150	15	0.94	<5	18	596	<20	0.36
I051351		2.83	30	1.66	633	1	1.62	11	820	26	0.06	<5	12	556	<20	0.38
I051352		2.87	40	1.62	629	<1	1.64	11	820	25	0.06	<5	12	596	20	0.38
I051353		2.73	30	1.54	599	<1	1.66	11	790	30	0.06	<5	11	582	<20	0.37
I051354		2.77	40	1.80	699	<1	1.66	12	890	26	0.04	<5	13	598	<20	0.41
I051355		2.72	40	1.83	720	<1	1.61	14	880	21	0.03	<5	13	602	<20	0.41
I051356		0.03	10	12.15	229	<1	0.01	3	170	<2	0.01	<5	<1	50	<20	<0.01
I051357		2.78	40	1.81	619	<1	1.60	12	890	19	0.19	<5	14	617	<20	0.40
I051358		2.58	40	1.85	709	<1	1.62	11	940	20	0.05	<5	13	645	<20	0.42
I051359		2.53	40	2.09	770	<1	1.63	13	990	21	0.04	<5	15	671	<20	0.44
I051360		2.42	40	2.10	671	<1	1.54	13	1030	12	0.22	<5	15	641	<20	0.46
I051361		2.24	30	2.16	617	<1	1.52	14	1090	12	0.37	<5	15	654	<20	0.49
I051362		2.33	40	2.26	655	<1	1.58	16	1130	13	0.36	<5	16	687	<20	0.50
I051363		2.21	30	2.27	516	<1	1.32	12	1090	9	0.51	<5	17	557	<20	0.54
I051364		1.77	30	2.06	444	<1	0.95	14	900	6	0.75	<5	16	401	<20	0.44
I051365		2.38	40	3.05	839	<1	1.30	17	1300	9	0.43	<5	22	640	<20	0.63
I051366		2.33	40	3.15	910	<1	1.37	18	1320	11	0.35	<5	23	722	<20	0.64
I051367		2.14	40	3.27	891	<1	1.38	19	1360	10	0.59	<5	25	689	<20	0.65
I051368		2.27	40	3.15	829	<1	1.42	17	1360	9	0.67	<5	23	697	<20	0.66
I051369		2.28	40	3.16	833	<1	1.42	17	1360	10	0.70	<5	23	699	<20	0.67
I051370		2.23	40	3.07	777	<1	1.44	18	1390	11	0.73	<5	22	719	<20	0.64
I051371		2.15	30	2.90	735	<1	1.45	18	1420	11	0.64	<5	19	750	<20	0.64
I051372		2.46	40	2.82	687	<1	1.18	18	1460	9	0.30	<5	18	624	<20	0.68
I051373		2.24	40	3.51	843	<1	1.39	27	1520	13	0.54	<5	23	723	<20	0.62
I051374		2.28	50	3.62	875	<1	1.41	29	1430	9	0.55	<5	24	709	<20	0.58
I051375		2.46	60	1.92	478	<1	1.98	18	770	11	0.54	<5	11	696	20	0.44
I051376		2.38	40	3.47	811	<1	1.38	30	1420	11	0.55	<5	32	728	<20	0.65
I051377		2.33	50	3.48	776	<1	1.24	30	1380	10	0.64	<5	27	674	<20	0.62
I051378		2.32	40	3.31	759	<1	0.97	31	1360	8	0.28	<5	22	497	<20	0.61
I051379		2.30	50	2.81	674	<1	1.33	19	1100	8	0.60	<5	20	593	<20	0.51
I051380		2.17	40	2.69	776	<1	1.40	21	1040	12	0.20	<5	18	602	<20	0.50
I051381		2.26	30	2.82	865	<1	1.39	23	1060	10	0.14	<5	17	659	<20	0.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051342		<10	<10	67	<10	64
I051343		<10	<10	76	<10	69
I051344		<10	<10	78	<10	86
I051345		<10	<10	77	<10	65
I051346		<10	<10	79	<10	61
I051347		10	<10	77	<10	65
I051348		<10	<10	89	<10	66
I051349		<10	<10	72	<10	51
I051350		10	<10	180	10	79
I051351		<10	<10	75	<10	61
I051352		<10	<10	73	<10	60
I051353		<10	<10	70	<10	58
I051354		10	<10	83	<10	70
I051355		<10	<10	82	<10	66
I051356		<10	10	2	<10	17
I051357		<10	<10	81	<10	59
I051358		<10	<10	86	<10	67
I051359		<10	<10	96	<10	71
I051360		<10	<10	96	<10	60
I051361		<10	<10	100	<10	56
I051362		10	<10	104	20	59
I051363		10	<10	119	20	48
I051364		10	<10	103	20	36
I051365		<10	<10	147	<10	68
I051366		<10	<10	149	<10	78
I051367		10	<10	153	<10	73
I051368		<10	<10	151	<10	71
I051369		<10	<10	153	<10	72
I051370		10	<10	147	<10	67
I051371		<10	<10	139	<10	65
I051372		<10	<10	132	<10	65
I051373		10	<10	147	<10	74
I051374		10	<10	147	<10	74
I051375		10	<10	73	<10	48
I051376		<10	<10	143	<10	75
I051377		10	<10	146	<10	69
I051378		10	<10	142	<10	73
I051379		<10	<10	124	10	53
I051380		<10	<10	118	<10	64
I051381		10	<10	118	<10	69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051382		5.43	0.009	<0.5	8.08	86	1470	1.9	<2	4.47	<0.5	18	96	16	4.73	20
I051383		2.98	0.197	<0.5	8.96	361	1820	1.8	<2	4.24	<0.5	22	118	174	5.57	20
I051384		4.88	0.338	<0.5	8.67	1110	1670	1.7	6	4.91	<0.5	22	116	217	5.44	20
I051385		5.52	0.020	<0.5	8.57	140	1610	1.7	<2	5.45	<0.5	21	134	28	5.27	20
I051386		5.59	0.430	<0.5	8.35	2140	1620	1.7	6	4.80	<0.5	21	148	26	5.55	20
I051387		5.75	0.005	<0.5	8.14	105	1330	1.9	<2	4.31	<0.5	17	85	21	4.65	20
I051388		5.47	0.166	<0.5	7.95	365	1260	2.0	7	3.93	<0.5	15	73	26	4.67	20
I051389		3.20	0.111	<0.5	7.66	1360	1300	2.1	5	3.16	<0.5	13	47	75	4.13	20
I051390		0.06	0.844	2.1	7.24	5	620	0.9	<2	3.13	<0.5	20	39	7420	7.33	10
I051391		4.59	0.096	<0.5	7.33	2040	1260	2.3	3	2.33	<0.5	12	55	72	4.42	20
I051392		5.99	0.017	<0.5	7.40	122	1320	2.6	<2	3.25	<0.5	11	53	16	3.79	20
I051393		4.97	0.017	<0.5	7.07	104	1310	2.4	<2	3.08	<0.5	11	54	10	3.47	20
I051394		5.41	0.030	<0.5	6.92	152	1310	2.4	<2	3.03	<0.5	11	55	16	3.71	20
I051395		5.08	0.047	<0.5	7.17	196	1290	2.3	<2	3.05	<0.5	10	54	36	3.65	20
I051396		2.04	<0.005	<0.5	0.09	6	20	<0.5	<2	20.2	<0.5	<1	2	3	0.50	<10
I051397		3.65	0.266	<0.5	7.23	1020	1340	2.3	6	2.48	<0.5	10	53	66	3.81	20
I051398		2.46	0.086	<0.5	7.08	1360	1240	2.5	<2	2.54	<0.5	13	53	101	3.49	20
I051399		2.81	0.066	<0.5	7.35	977	1290	2.2	<2	3.89	<0.5	12	49	31	3.73	10
I051400		3.90	0.035	<0.5	7.19	1250	1330	2.4	<2	2.92	<0.5	15	52	25	3.79	20
I051401		5.32	0.179	<0.5	7.10	1620	1400	2.3	<2	2.90	<0.5	13	53	31	3.62	20
I051402		3.78	0.034	<0.5	7.37	1390	1380	2.3	2	2.93	<0.5	13	55	23	3.95	20
I051403		6.14	0.051	<0.5	7.19	1460	1330	2.3	<2	3.07	<0.5	12	56	22	3.85	20
I051404		5.95	0.041	<0.5	7.28	603	1330	2.3	<2	2.95	<0.5	11	58	25	3.91	20
I051405		5.95	0.334	<0.5	6.86	467	1340	2.2	6	3.15	<0.5	7	55	43	3.42	20
I051406		4.54	0.145	<0.5	7.02	3450	1280	2.2	4	3.18	<0.5	26	49	43	3.71	20
I051407		4.09	0.084	<0.5	7.09	547	1360	2.3	4	2.97	<0.5	11	56	48	3.67	20
I051408		4.73	0.081	<0.5	7.17	506	1450	2.1	3	2.44	<0.5	10	55	38	3.67	20
I051409		5.86	0.260	<0.5	6.74	1810	890	2.2	2	2.71	<0.5	12	50	208	4.10	10
I051410		0.06	0.879	2.0	7.70	9	640	0.9	2	3.23	<0.5	22	40	7790	7.58	10
I051411		4.23	0.128	1.9	7.58	1880	480	2.0	<2	1.44	<0.5	12	52	96	5.20	20
I051412		3.91	0.362	8.0	6.74	566	530	2.3	<2	0.23	43.4	11	44	89	6.68	10
I051413		1.75	0.031	6.7	7.10	385	590	2.4	<2	0.23	41.4	10	51	101	6.17	20
I051414		4.48	0.867	25.6	4.28	7570	150	1.5	9	0.14	179.0	16	34	261	18.95	10
I051415		3.10	0.299	20.2	7.42	4600	340	2.3	6	0.26	10.0	16	48	154	6.23	20
I051416		2.26	<0.005	<0.5	0.11	6	30	<0.5	<2	19.9	<0.5	<1	1	3	0.48	<10
I051417		3.62	0.101	0.5	7.91	1880	630	2.0	4	0.36	1.0	16	59	30	4.71	20
I051418		2.68	0.113	1.1	8.24	1650	920	2.1	5	0.36	2.7	17	60	36	3.69	20
I051419		3.48	0.303	1.5	7.99	3370	630	2.2	5	0.40	5.4	17	58	88	5.13	20
I051420		3.02	0.214	1.9	7.77	3440	440	2.3	6	0.28	4.5	19	56	93	4.81	20
I051421		3.90	0.178	3.6	7.46	4060	440	2.3	<2	0.30	9.9	17	50	51	6.69	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 20-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051382		2.34	30	2.74	822	<1	1.36	20	1120	9	0.14	<5	16	685	<20	0.50
I051383		2.60	40	3.27	801	<1	1.06	25	1580	11	0.15	<5	21	608	<20	0.65
I051384		2.62	40	3.22	844	<1	1.20	23	1530	11	0.33	<5	19	736	<20	0.57
I051385		2.49	40	3.34	897	<1	1.21	23	1320	12	0.15	<5	22	733	<20	0.53
I051386		2.48	40	3.40	862	<1	1.21	26	1290	12	0.29	<5	22	624	<20	0.54
I051387		2.31	40	2.60	767	<1	1.27	17	1240	10	0.11	<5	17	636	<20	0.51
I051388		2.28	40	2.40	702	<1	1.33	16	1130	12	0.18	<5	16	609	<20	0.50
I051389		2.62	30	1.66	372	<1	1.34	9	990	9	0.68	<5	14	442	<20	0.49
I051390		2.82	10	2.05	625	576	2.34	22	1160	20	0.95	<5	17	581	<20	0.36
I051391		2.45	50	1.63	361	<1	1.55	9	820	8	1.02	<5	13	472	20	0.41
I051392		2.81	40	1.20	467	<1	1.49	10	810	15	0.36	<5	13	481	20	0.40
I051393		2.80	50	1.20	476	<1	1.48	11	790	15	0.26	<5	12	456	20	0.40
I051394		2.86	40	1.29	493	<1	1.57	10	800	14	0.31	<5	12	475	<20	0.40
I051395		2.85	40	1.30	457	<1	1.51	9	800	9	0.45	<5	13	483	20	0.40
I051396		0.03	<10	12.35	233	<1	0.01	3	170	<2	0.02	<5	<1	48	<20	<0.01
I051397		2.73	40	1.45	350	<1	1.52	9	800	7	0.63	<5	13	434	20	0.40
I051398		2.70	30	1.33	358	<1	1.54	11	780	11	0.63	<5	12	484	<20	0.40
I051399		2.75	50	1.20	542	<1	0.73	10	760	13	0.78	<5	12	316	20	0.38
I051400		2.74	40	1.29	409	<1	1.47	11	750	11	0.64	<5	12	489	<20	0.39
I051401		2.91	40	1.36	404	<1	1.47	10	790	10	0.67	<5	12	498	20	0.40
I051402		2.90	50	1.44	452	<1	1.59	11	800	15	0.65	<5	13	547	20	0.40
I051403		2.85	50	1.52	456	<1	1.54	10	820	12	0.62	<5	13	532	20	0.40
I051404		2.89	40	1.53	438	<1	1.57	11	810	10	0.56	<5	13	532	20	0.41
I051405		2.89	40	1.35	489	<1	1.46	10	770	12	0.29	<5	12	486	<20	0.39
I051406		2.81	40	1.39	433	<1	1.39	10	800	11	0.71	<5	13	476	20	0.40
I051407		2.86	50	1.32	431	<1	1.53	10	830	10	0.84	<5	13	503	20	0.42
I051408		2.89	50	1.27	402	<1	1.77	8	810	9	0.89	<5	13	465	20	0.40
I051409		2.56	50	1.36	565	1	0.39	11	730	11	1.13	22	12	306	<20	0.36
I051410		2.92	10	2.12	643	592	2.39	19	1190	17	0.97	<5	19	597	<20	0.37
I051411		2.27	50	1.00	877	<1	0.03	10	770	109	1.66	44	13	175	20	0.38
I051412		3.18	50	0.96	1695	<1	0.02	11	690	1265	2.79	129	12	55	<20	0.33
I051413		3.33	50	1.03	2420	<1	0.01	9	740	1330	1.33	87	13	45	<20	0.35
I051414		1.97	30	0.61	4550	<1	0.02	7	420	3920	>10.0	1695	8	65	<20	0.21
I051415		3.19	50	0.71	3500	2	0.02	7	770	950	1.58	126	13	48	20	0.38
I051416		0.05	10	12.05	220	<1	0.01	3	220	6	0.02	<5	<1	48	<20	0.01
I051417		2.21	60	0.59	1250	<1	0.03	13	900	40	0.95	34	14	70	20	0.44
I051418		2.55	60	0.49	1135	<1	0.04	13	940	208	0.93	32	15	87	20	0.45
I051419		2.46	60	0.66	1485	<1	0.03	12	930	246	1.35	34	15	54	20	0.43
I051420		2.09	60	0.55	1370	<1	0.02	15	900	276	1.30	44	14	27	20	0.42
I051421		2.47	50	0.74	3860	<1	0.02	12	790	1270	1.36	292	14	29	20	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051382		<10	<10	119	<10	66
I051383		<10	<10	145	<10	74
I051384		<10	<10	141	<10	74
I051385		10	<10	141	<10	73
I051386		<10	<10	141	<10	72
I051387		<10	<10	114	<10	62
I051388		<10	<10	112	<10	62
I051389		10	<10	92	10	44
I051390		<10	<10	184	<10	85
I051391		<10	<10	80	<10	38
I051392		<10	<10	78	<10	48
I051393		<10	<10	77	<10	45
I051394		<10	<10	78	<10	44
I051395		<10	<10	78	<10	40
I051396		<10	10	3	<10	18
I051397		<10	<10	78	<10	37
I051398		<10	<10	78	<10	39
I051399		10	<10	73	<10	40
I051400		10	<10	76	<10	43
I051401		<10	<10	77	<10	37
I051402		<10	<10	79	<10	40
I051403		<10	<10	78	<10	40
I051404		<10	<10	80	<10	40
I051405		<10	<10	79	<10	43
I051406		<10	<10	78	10	35
I051407		10	<10	81	<10	36
I051408		<10	<10	78	10	34
I051409		10	<10	72	<10	85
I051410		<10	<10	192	<10	85
I051411		<10	<10	74	20	211
I051412		10	<10	69	10	5650
I051413		<10	<10	74	10	5680
I051414		10	<10	44	10	>10000
I051415		<10	<10	78	10	1675
I051416		<10	10	3	<10	34
I051417		10	<10	83	10	276
I051418		10	<10	89	10	544
I051419		<10	<10	86	10	992
I051420		<10	<10	84	20	1140
I051421		10	<10	77	10	1950



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I051422		3.91	0.258	4.9	7.68	6510	460	2.4	3	0.29	9.6	17	54	75	5.95	20
I051423		3.52	0.036	1.0	8.06	1260	900	2.1	<2	0.37	1.3	14	60	32	4.33	20
I051424		2.59	0.150	3.4	7.36	5390	510	2.1	<2	0.53	18.5	14	51	55	6.56	20
I051425		3.83	0.016	2.2	7.67	920	620	2.0	<2	1.47	11.2	14	51	32	4.25	20
I051426		5.31	0.071	2.9	7.33	1400	320	2.1	4	2.88	18.1	11	46	28	6.47	20
I051427		5.63	0.063	0.8	7.96	1375	1140	1.9	2	2.63	3.2	14	49	22	4.41	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
I051422		2.60	50	0.67	2500	<1	0.02	15	830	994	1.45	150	14	28	20	0.38
I051423		2.35	60	0.64	999	<1	0.04	14	920	145	0.97	34	15	86	20	0.44
I051424		2.20	60	0.71	1865	<1	0.02	12	830	782	2.82	59	14	47	20	0.40
I051425		2.70	50	0.92	2070	<1	0.03	13	870	391	0.48	40	14	103	20	0.42
I051426		3.02	50	1.53	4810	<1	0.03	10	710	870	0.72	309	13	250	20	0.36
I051427		2.98	50	1.28	1070	<1	0.08	9	810	35	0.75	25	14	296	20	0.41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 20-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141590

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051422		<10	<10	79	10	1845
I051423		<10	<10	87	10	215
I051424		10	<10	79	10	2880
I051425		10	<10	84	10	1745
I051426		<10	<10	74	<10	2710
I051427		<10	<10	81	10	484