



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 15-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10141592

Project: Eagle Gold

P.O. No.: EGP10-111

This report is for 42 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 15-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051428		4.69	0.070	1.0	7.41	975	1130	2.3	5	2.95	4.2	12	59	36	4.08	20
I051429		<0.02	0.064	1.1	7.61	884	1180	2.3	3	2.89	4.2	11	58	33	3.97	20
I051430		5.96	0.164	0.7	7.53	1505	1240	2.5	3	2.88	1.3	11	57	55	4.39	20
I051431		5.36	0.129	<0.5	7.56	681	1430	2.4	2	3.69	<0.5	9	56	54	4.24	20
I051432		5.53	0.384	<0.5	7.52	1370	1330	2.3	3	3.81	<0.5	12	54	32	3.98	20
I051433		4.75	0.047	<0.5	7.53	369	1430	2.3	4	3.99	<0.5	10	51	21	4.21	20
I051434		5.88	0.216	0.8	7.70	4180	1130	2.2	6	4.05	1.1	12	54	59	4.46	20
I051435		6.33	0.125	<0.5	7.41	494	1490	2.4	2	3.44	<0.5	12	57	23	4.27	20
I051436		5.59	0.064	<0.5	7.58	710	1510	2.4	3	3.14	<0.5	13	62	28	4.24	20
I051437		5.45	0.139	<0.5	7.64	1110	1480	2.4	7	3.00	<0.5	12	58	55	4.12	20
I051438		5.62	0.154	<0.5	7.87	1505	1490	2.4	7	2.98	<0.5	13	62	40	4.29	20
I051439		4.16	0.460	<0.5	7.50	3130	1490	2.4	7	2.61	<0.5	13	59	58	4.30	20
I051440		5.92	0.166	<0.5	7.72	1285	1440	2.4	7	2.98	<0.5	12	63	39	4.08	20
I051441		5.55	0.568	0.5	7.32	1995	1440	2.3	16	3.03	<0.5	12	56	31	4.29	20
I051442		4.80	0.130	<0.5	7.28	737	1440	2.3	5	3.07	<0.5	10	57	32	3.88	20
I051443		5.01	0.189	<0.5	7.25	818	1370	2.1	4	2.73	<0.5	12	54	35	3.90	20
I051444		4.74	0.397	<0.5	7.24	2230	1470	2.3	6	2.63	<0.5	12	57	73	4.09	20
I051445		5.55	0.131	<0.5	7.42	1495	1500	2.4	4	2.94	<0.5	12	56	48	4.02	20
I051446		5.88	0.215	<0.5	7.60	1145	1480	2.4	2	3.00	<0.5	11	61	42	3.99	20
I051447		5.11	0.081	<0.5	7.39	841	1410	2.3	4	3.09	<0.5	12	56	20	3.98	20
I051448		5.13	0.253	<0.5	7.46	1205	1390	2.4	2	3.29	<0.5	13	72	44	4.14	20
I051449		4.99	0.505	<0.5	7.52	1400	1360	2.4	7	2.92	<0.5	12	64	52	4.21	20
I051450		0.09	0.835	1.7	7.59	7	650	0.9	4	3.36	<0.5	22	43	7530	7.84	20
I051451		4.90	0.062	<0.5	7.47	861	1380	2.3	2	3.09	<0.5	12	59	31	4.14	20
I051452		3.72	0.079	<0.5	7.43	398	1420	2.4	<2	3.16	<0.5	12	54	30	3.92	20
I051453		3.95	0.055	<0.5	7.39	288	1310	2.5	<2	2.33	<0.5	13	64	24	3.60	20
I051454		3.86	0.412	0.6	7.13	1930	1410	2.5	<2	2.27	<0.5	13	54	60	3.91	20
I051455		5.32	1.330	1.5	6.88	5570	1330	2.3	20	2.78	0.6	12	53	292	3.97	20
I051456		2.42	<0.005	<0.5	0.08	21	20	<0.5	<2	20.0	<0.5	4	<1	1	0.44	<10
I051457		4.46	0.112	0.5	7.06	254	1310	2.4	<2	3.67	<0.5	13	61	55	3.74	20
I051458		6.09	0.272	<0.5	7.42	3370	1440	2.4	3	3.05	<0.5	13	54	104	4.00	20
I051459		4.67	0.443	0.6	7.40	451	1360	2.4	8	2.83	<0.5	12	54	64	3.94	20
I051460		5.05	0.092	<0.5	7.25	2450	1370	2.4	<2	2.96	<0.5	13	52	26	3.92	20
I051461		3.62	0.121	<0.5	7.26	3610	1410	2.4	2	2.91	<0.5	11	58	86	4.05	20
I051462		2.99	0.161	0.5	7.20	4700	1410	2.4	<2	3.09	<0.5	12	53	82	4.22	20
I051463		5.10	0.825	0.5	7.24	9850	1400	2.4	30	2.94	<0.5	14	58	92	4.47	20
I051464		3.77	0.244	<0.5	7.38	2860	1180	2.5	6	3.09	<0.5	13	52	29	3.72	20
I051465		5.24	0.035	0.6	7.31	194	1470	2.5	<2	3.20	<0.5	11	54	49	3.67	20
I051466		4.88	0.818	<0.5	7.45	2560	1460	2.4	11	3.02	<0.5	12	53	29	3.93	20
I051467		4.67	0.092	<0.5	7.23	306	1200	2.4	<2	3.25	<0.5	11	56	21	3.63	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 15-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051428		3.11	40	1.34	955	<1	0.32	11	810	242	0.91	28	13	298	20	0.39
I051429		3.09	50	1.34	917	<1	0.34	8	810	231	0.94	28	13	311	20	0.40
I051430		3.26	50	1.31	807	<1	0.79	7	790	136	1.17	23	13	378	20	0.38
I051431		2.97	50	1.24	567	<1	1.29	6	800	20	1.19	8	13	513	30	0.40
I051432		3.14	40	1.28	625	<1	1.11	7	800	35	0.80	8	13	457	20	0.39
I051433		2.98	50	1.37	618	<1	1.27	7	790	10	0.78	<5	13	477	20	0.40
I051434		3.02	50	1.41	716	<1	0.71	8	780	111	0.91	11	13	327	30	0.38
I051435		3.07	40	1.58	565	<1	1.61	8	820	16	0.68	<5	12	548	20	0.41
I051436		3.07	40	1.73	567	<1	1.74	8	840	12	0.67	<5	12	572	30	0.42
I051437		3.05	40	1.69	502	<1	1.62	7	830	9	0.76	<5	13	522	20	0.41
I051438		2.98	50	1.74	505	<1	1.67	9	830	9	0.87	<5	13	551	30	0.42
I051439		3.06	40	1.67	437	<1	1.65	7	830	7	1.03	<5	13	501	20	0.42
I051440		3.12	50	1.73	516	<1	1.64	8	880	10	0.69	<5	14	512	30	0.43
I051441		2.94	40	1.71	529	<1	1.61	7	830	11	0.81	<5	12	501	30	0.42
I051442		2.98	40	1.63	482	<1	1.44	6	830	11	0.71	<5	12	477	20	0.41
I051443		3.13	40	1.77	488	<1	1.59	7	810	10	0.62	<5	12	386	20	0.40
I051444		3.21	40	1.76	453	<1	1.53	7	810	9	0.68	6	12	454	20	0.40
I051445		3.13	40	1.78	474	<1	1.61	8	840	9	0.70	6	12	492	20	0.41
I051446		3.25	40	1.76	476	<1	1.62	8	840	9	0.81	<5	13	494	20	0.41
I051447		2.92	40	1.69	524	<1	1.62	7	810	11	0.61	<5	12	531	20	0.40
I051448		3.00	40	1.75	546	<1	1.61	8	830	9	0.64	<5	13	542	20	0.41
I051449		2.94	40	1.89	509	<1	1.65	8	890	7	0.80	<5	14	462	20	0.42
I051450		2.89	10	2.13	648	601	2.45	15	1190	13	1.00	<5	18	601	<20	0.37
I051451		2.96	40	1.74	567	<1	1.66	7	840	10	0.65	<5	13	455	20	0.42
I051452		2.90	40	1.72	551	<1	1.64	8	830	9	0.56	<5	12	510	20	0.41
I051453		2.92	50	1.88	523	<1	1.45	13	780	10	0.45	<5	15	416	20	0.42
I051454		3.04	40	1.72	422	<1	1.34	9	730	11	0.79	<5	13	407	20	0.39
I051455		3.10	40	1.61	475	<1	1.20	8	720	103	0.93	27	12	394	20	0.38
I051456		0.04	10	12.60	199	<1	0.01	<1	160	3	0.02	<5	1	47	<20	0.01
I051457		2.84	40	1.67	533	<1	1.34	10	780	15	0.41	<5	13	447	20	0.41
I051458		3.23	50	1.77	474	<1	1.44	9	760	14	0.63	<5	14	451	20	0.41
I051459		3.02	50	1.66	417	<1	1.46	8	780	9	0.55	<5	14	457	20	0.41
I051460		2.95	50	1.65	503	<1	1.50	8	760	16	0.61	6	14	485	20	0.40
I051461		2.98	50	1.56	475	<1	1.44	11	750	14	0.67	5	14	457	20	0.41
I051462		3.05	50	1.56	501	<1	1.44	10	770	11	0.72	<5	13	458	20	0.41
I051463		2.92	50	1.42	448	<1	1.41	9	750	13	1.16	9	13	470	20	0.40
I051464		3.02	50	1.35	457	<1	1.01	10	760	13	0.75	5	14	423	20	0.39
I051465		3.02	50	1.51	541	<1	1.64	9	750	15	0.39	<5	13	501	20	0.41
I051466		2.97	50	1.62	522	<1	1.67	9	770	12	0.63	6	14	534	20	0.41
I051467		2.86	50	1.41	524	<1	1.36	8	740	13	0.47	<5	13	423	20	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 15-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051428		<10	<10	81	<10	669
I051429		<10	<10	80	<10	667
I051430		<10	<10	79	10	205
I051431		<10	10	80	<10	50
I051432		<10	<10	80	10	64
I051433		<10	10	78	<10	38
I051434		<10	<10	77	10	167
I051435		<10	10	82	10	46
I051436		<10	10	84	<10	42
I051437		<10	10	83	<10	39
I051438		<10	10	84	<10	35
I051439		<10	10	83	<10	34
I051440		<10	10	87	<10	38
I051441		<10	10	83	<10	40
I051442		<10	10	81	<10	37
I051443		<10	10	80	<10	39
I051444		<10	10	80	<10	34
I051445		<10	10	82	<10	36
I051446		<10	10	82	<10	38
I051447		<10	10	79	<10	40
I051448		<10	10	81	<10	39
I051449		<10	10	88	<10	36
I051450		<10	20	190	<10	89
I051451		<10	10	82	<10	39
I051452		<10	10	82	<10	40
I051453		<10	<10	85	10	43
I051454		<10	<10	81	10	33
I051455		<10	<10	76	<10	87
I051456		<10	<10	2	<10	16
I051457		<10	<10	82	10	42
I051458		<10	<10	82	10	36
I051459		<10	<10	82	10	31
I051460		<10	<10	81	<10	43
I051461		<10	<10	81	10	41
I051462		<10	<10	82	<10	40
I051463		<10	<10	80	10	41
I051464		<10	<10	78	10	40
I051465		<10	<10	80	<10	45
I051466		<10	<10	80	<10	36
I051467		<10	<10	79	10	42



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 15-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I051468		5.92	0.170	<0.5	7.29	671	1430	2.4	3	3.19	<0.5	12	54	17	3.88	20
I051469		<0.02	0.142	0.5	7.38	636	1390	2.4	<2	3.12	<0.5	11	51	16	3.67	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 15-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
I051468		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051469		3.02	40	1.52	562	1	1.64	9	760	14	0.46	<5	13	517	20	0.42
		2.90	50	1.47	541	1	1.60	9	740	15	0.45	<5	14	512	20	0.39



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Total # Pages: 3 (A - C)

Finalized Date: 15-OCT-2010

Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10141592

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I051468		<10	<10	83	<10	44
I051469		<10	<10	78	10	43