



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 18-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10143096

Project: Eagle Gold

P.O. No.: EGP10-112

This report is for 51 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017401		5.10	<0.005	<0.5	8.88	43	710	2.0	<2	0.13	<0.5	15	72	37	3.89	20
I017402		4.87	0.017	<0.5	5.89	212	370	1.6	<2	0.81	<0.5	16	70	33	4.11	10
I017403		3.49	0.010	<0.5	4.65	94	110	1.4	<2	1.41	<0.5	17	65	34	3.92	10
I017404		2.57	0.005	<0.5	2.14	31	40	0.5	<2	2.07	<0.5	2	30	5	1.40	<10
I017405		4.66	0.005	0.6	4.71	90	320	1.3	<2	1.89	<0.5	8	40	14	2.09	10
I017406		5.38	0.016	1.6	5.08	277	360	1.3	2	1.31	2.2	9	40	20	2.91	10
I017407		3.02	0.010	3.8	4.60	100	370	1.1	<2	0.62	15.4	5	37	42	2.41	10
I017408		3.22	<0.005	0.5	3.49	185	230	1.0	<2	1.63	1.2	5	37	9	1.98	10
I017409		5.27	<0.005	<0.5	7.11	19	520	1.6	<2	0.98	<0.5	14	75	29	3.48	20
I017410		0.08	0.344	1.2	7.71	10	750	1.8	<2	2.21	<0.5	17	48	3500	4.99	20
I017411		4.99	<0.005	<0.5	5.93	13	440	1.4	<2	0.36	<0.5	11	61	24	2.78	10
I017412		4.42	<0.005	<0.5	6.57	22	490	1.4	<2	0.63	<0.5	15	60	27	2.90	20
I017413		4.94	0.083	<0.5	9.40	22	460	1.3	<2	5.84	<0.5	35	20	119	7.25	20
I017414		5.74	0.008	<0.5	7.86	16	690	1.8	<2	1.67	<0.5	17	57	24	4.27	20
I017415		3.80	0.006	<0.5	6.84	37	550	1.6	<2	0.66	<0.5	12	58	26	2.81	20
I017416		3.01	<0.005	<0.5	0.10	6	20	<0.5	<2	20.5	<0.5	1	2	<1	0.49	<10
I017417		2.91	0.006	<0.5	6.97	53	530	1.4	<2	0.87	<0.5	11	58	19	3.84	20
I017418		4.06	<0.005	<0.5	9.28	9	830	2.3	<2	0.45	<0.5	17	77	37	4.38	30
I017419		3.84	<0.005	<0.5	8.09	5	810	1.8	<2	0.39	<0.5	15	63	31	4.06	20
I017420		3.66	0.010	<0.5	8.21	175	770	1.9	<2	0.66	<0.5	14	68	25	3.40	20
I017421		6.49	<0.005	<0.5	9.99	14	920	2.6	<2	0.44	<0.5	21	82	52	5.06	30
I017422		5.36	<0.005	<0.5	9.71	12	900	2.5	<2	0.43	<0.5	20	84	45	5.00	30
I017423		5.29	<0.005	<0.5	10.10	<5	980	2.6	<2	0.35	<0.5	18	86	42	5.08	30
I017424		4.60	<0.005	<0.5	7.14	14	640	1.6	<2	0.51	<0.5	13	71	21	3.47	20
I017425		5.13	0.020	<0.5	7.55	314	690	1.9	<2	0.62	<0.5	16	78	14	3.53	20
I017426		4.13	0.007	<0.5	4.54	84	370	1.0	<2	0.74	<0.5	8	45	7	1.92	10
I017427		5.43	<0.005	<0.5	5.16	15	450	1.0	<2	0.48	<0.5	9	52	9	2.54	10
I017428		5.31	<0.005	<0.5	5.55	42	470	1.2	<2	0.61	<0.5	11	59	13	2.42	10
I017429		<0.02	0.009	<0.5	5.73	42	480	1.2	<2	0.63	<0.5	13	59	13	2.47	10
I017430		4.48	<0.005	<0.5	7.81	30	730	1.8	<2	0.50	<0.5	17	87	21	3.86	20
I017431		4.26	<0.005	<0.5	6.44	14	690	1.5	<2	0.77	<0.5	11	55	14	2.86	20
I017432		5.47	<0.005	<0.5	6.22	29	570	1.4	<2	0.76	<0.5	11	55	20	2.78	10
I017433		7.01	0.007	<0.5	4.90	<5	500	1.1	<2	0.34	<0.5	8	40	18	2.26	10
I017434		3.67	<0.005	<0.5	6.50	21	720	1.8	<2	2.25	<0.5	12	45	21	3.25	20
I017435		5.01	<0.005	<0.5	6.81	12	680	1.5	<2	0.55	<0.5	13	55	23	3.11	10
I017436		3.42	<0.005	<0.5	5.76	5	530	1.4	<2	0.16	<0.5	12	49	9	3.91	20
I017437		4.83	<0.005	<0.5	6.53	15	650	1.4	<2	0.13	<0.5	12	59	8	4.49	20
I017438		4.23	<0.005	<0.5	3.62	28	340	0.8	<2	0.05	<0.5	6	35	2	2.18	10
I017439		4.84	<0.005	<0.5	3.70	5	340	0.8	<2	0.06	<0.5	5	34	3	2.13	10
I017440		3.70	<0.005	<0.5	3.69	11	340	0.9	<2	0.07	<0.5	7	32	8	2.08	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017401		2.90	50	0.41	314	<1	0.24	33	350	16	0.20	<5	14	136	20	0.43
I017402		1.51	40	0.83	433	<1	0.25	37	300	17	0.48	14	10	93	<20	0.31
I017403		0.77	30	0.98	620	<1	0.20	46	490	8	0.08	19	10	115	<20	0.36
I017404		0.48	10	0.91	220	<1	0.48	4	80	2	0.04	<5	2	96	<20	0.07
I017405		1.78	30	1.02	304	<1	0.09	19	200	7	0.38	9	6	133	<20	0.20
I017406		1.89	30	0.85	479	<1	0.07	22	140	111	0.43	32	7	125	<20	0.21
I017407		1.92	30	0.52	1235	<1	0.05	14	150	226	0.38	113	6	68	<20	0.18
I017408		1.28	20	0.90	467	<1	0.04	12	100	9	0.19	32	5	101	<20	0.15
I017409		1.86	40	0.96	389	<1	0.12	37	340	11	0.33	13	11	234	20	0.34
I017410		2.94	20	1.40	493	264	2.34	21	1060	96	0.49	<5	13	445	<20	0.36
I017411		1.86	30	0.59	254	<1	0.29	21	170	18	0.32	<5	9	75	20	0.28
I017412		1.96	30	0.65	317	<1	0.56	27	240	12	0.35	5	10	82	20	0.33
I017413		0.88	20	2.18	1060	<1	1.91	20	1560	3	0.86	<5	24	527	<20	1.38
I017414		2.30	30	1.06	554	<1	0.74	27	550	11	0.24	<5	13	172	<20	0.52
I017415		2.27	40	0.67	265	<1	0.14	24	300	10	0.45	<5	9	129	20	0.30
I017416		0.03	<10	12.20	213	<1	0.01	1	170	5	0.01	<5	<1	44	<20	<0.01
I017417		2.08	40	0.93	429	<1	0.10	23	370	11	0.39	<5	10	145	<20	0.30
I017418		2.69	50	0.90	586	<1	0.14	40	470	13	0.17	<5	13	70	20	0.43
I017419		2.34	50	0.80	416	<1	0.12	35	400	11	0.17	<5	12	100	20	0.35
I017420		3.05	40	0.86	405	<1	0.29	34	430	24	0.19	5	12	125	20	0.35
I017421		3.03	50	1.08	584	<1	0.30	47	470	27	0.46	<5	15	125	20	0.46
I017422		2.95	50	1.07	599	<1	0.30	44	420	17	0.42	<5	14	125	20	0.45
I017423		3.25	50	1.05	458	<1	0.29	43	430	14	0.37	<5	15	143	20	0.45
I017424		2.30	40	0.78	383	<1	0.37	31	380	8	0.22	<5	10	100	20	0.37
I017425		2.79	40	0.91	346	<1	0.40	35	420	7	0.15	<5	11	116	20	0.40
I017426		1.43	30	0.52	180	<1	0.54	15	360	6	0.08	8	6	71	<20	0.22
I017427		1.54	30	0.57	222	<1	0.71	18	160	6	0.15	<5	7	55	20	0.25
I017428		1.89	30	0.66	194	<1	0.71	25	310	3	0.13	<5	8	84	<20	0.30
I017429		1.93	30	0.68	198	<1	0.75	25	330	7	0.14	<5	8	86	<20	0.30
I017430		2.83	40	0.88	325	<1	0.42	40	470	8	0.26	<5	12	91	20	0.50
I017431		2.35	40	0.60	195	<1	0.54	24	1450	7	0.13	7	9	80	20	0.28
I017432		2.19	40	0.66	266	<1	0.36	23	230	5	0.18	5	8	73	20	0.30
I017433		1.80	30	0.46	331	<1	0.35	14	190	8	0.17	<5	6	50	<20	0.24
I017434		2.22	30	1.54	645	<1	0.43	26	340	12	0.16	<5	9	138	<20	0.30
I017435		2.34	40	0.72	286	<1	0.30	25	340	7	0.10	<5	10	96	20	0.30
I017436		1.52	30	0.92	186	<1	0.14	25	290	7	0.10	<5	8	88	20	0.28
I017437		2.00	40	1.11	190	1	0.08	28	330	4	0.19	5	10	111	20	0.31
I017438		1.07	20	0.50	104	<1	0.05	14	150	3	0.05	12	5	69	<20	0.18
I017439		1.00	20	0.44	114	<1	0.05	11	140	3	0.05	10	5	44	<20	0.18
I017440		1.10	20	0.38	144	<1	0.04	14	190	13	0.13	<5	5	40	<20	0.18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I017401		<10	<10	94	<10	75
I017402		<10	<10	74	10	62
I017403		<10	<10	85	10	103
I017404		<10	<10	10	<10	14
I017405		<10	<10	44	10	124
I017406		<10	<10	44	<10	941
I017407		<10	<10	40	10	2760
I017408		<10	<10	31	10	315
I017409		<10	<10	75	10	81
I017410		<10	<10	132	<10	186
I017411		<10	<10	54	<10	57
I017412		<10	<10	66	<10	54
I017413		<10	<10	325	10	75
I017414		<10	<10	110	<10	65
I017415		<10	<10	59	<10	46
I017416		<10	10	3	<10	17
I017417		<10	<10	56	<10	44
I017418		<10	<10	84	<10	90
I017419		<10	<10	65	10	66
I017420		<10	<10	69	<10	56
I017421		<10	<10	90	<10	106
I017422		<10	<10	88	<10	100
I017423		<10	<10	86	<10	96
I017424		<10	<10	64	<10	54
I017425		<10	<10	70	<10	39
I017426		<10	<10	35	10	17
I017427		<10	<10	41	<10	26
I017428		<10	<10	49	<10	25
I017429		<10	<10	49	<10	26
I017430		<10	<10	78	<10	50
I017431		<10	<10	51	<10	33
I017432		<10	<10	48	<10	36
I017433		<10	<10	35	<10	35
I017434		<10	<10	65	<10	54
I017435		<10	<10	63	<10	37
I017436		<10	<10	71	<10	35
I017437		<10	<10	72	<10	18
I017438		<10	<10	29	<10	14
I017439		<10	<10	29	<10	13
I017440		<10	<10	29	<10	19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017441		3.21	<0.005	<0.5	1.96	34	150	<0.5	<2	0.09	<0.5	3	18	6	1.04	<10
I017442		2.85	0.008	<0.5	3.35	15	290	0.7	<2	0.06	<0.5	6	27	10	1.51	10
I017443		5.27	0.015	<0.5	6.39	38	550	1.5	<2	0.12	<0.5	14	52	25	3.00	20
I017444		2.94	0.014	<0.5	9.12	89	800	2.1	<2	0.14	<0.5	14	65	24	3.27	20
I017445		2.99	<0.005	<0.5	9.75	23	920	2.4	<2	0.13	<0.5	17	87	20	4.23	30
I017446		2.94	<0.005	<0.5	7.79	141	760	1.6	2	0.21	<0.5	12	59	28	4.85	20
I017447		4.53	<0.005	<0.5	7.43	14	670	1.2	3	0.18	<0.5	12	65	24	3.55	20
I017448		4.86	<0.005	<0.5	8.80	9	1310	1.6	2	0.16	<0.5	15	75	31	4.27	30
I017449		2.87	<0.005	<0.5	7.69	<5	1040	1.6	<2	0.21	<0.5	15	60	31	3.99	20
I017450		0.09	0.357	1.3	7.47	17	760	1.9	2	2.35	<0.5	15	48	3430	5.02	20
I017451		2.60	<0.005	<0.5	7.71	<5	990	1.8	<2	0.31	<0.5	12	58	28	4.04	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017441		0.50	10	0.15	76	<1	0.02	3	340	4	0.11	<5	2	18	<20	0.06
I017442		0.97	20	0.24	113	<1	0.04	11	170	10	0.11	5	4	23	<20	0.14
I017443		2.31	40	0.60	311	<1	0.22	27	380	11	0.19	<5	9	56	<20	0.29
I017444		3.70	50	0.79	269	<1	0.39	33	410	14	0.16	<5	13	98	20	0.35
I017445		3.43	50	0.73	536	<1	0.19	40	520	9	0.12	<5	14	159	20	0.47
I017446		2.37	50	0.54	660	1	0.12	35	520	104	1.89	13	13	73	20	0.34
I017447		2.49	40	0.57	463	<1	0.14	31	550	14	0.25	5	10	113	20	0.35
I017448		2.54	50	0.60	325	<1	0.20	39	420	12	0.38	<5	13	177	20	0.40
I017449		1.91	50	0.56	508	<1	0.15	32	300	21	0.09	<5	11	64	20	0.34
I017450		3.06	20	1.46	513	264	2.44	21	1080	17	0.49	<5	13	452	<20	0.37
I017451		1.87	40	0.62	437	<1	0.16	32	430	10	0.04	<5	11	54	<20	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I017441		<10	<10	11	<10	6
I017442		<10	<10	22	<10	20
I017443		<10	<10	51	<10	50
I017444		<10	<10	72	<10	35
I017445		<10	<10	88	10	62
I017446		<10	<10	72	<10	95
I017447		<10	<10	62	<10	46
I017448		<10	<10	78	<10	63
I017449		<10	<10	73	<10	83
I017450		<10	20	135	10	75
I017451		<10	<10	69	<10	80