



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 18-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10143097

Project: Eagle Gold

P.O. No.: EGP10-114

This report is for 47 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051470		2.90	0.021	<0.5	7.50	166	1420	2.4	<2	3.13	<0.5	12	51	16	3.80	20
I051471		7.61	0.223	0.6	7.55	2640	1490	2.4	6	3.20	<0.5	11	50	17	3.98	20
I051472		4.97	0.022	<0.5	7.40	403	630	2.3	<2	3.59	<0.5	10	46	24	3.57	20
I051473		6.53	0.054	<0.5	7.46	664	950	2.4	2	3.30	<0.5	10	48	26	3.71	20
I051474		4.66	0.281	<0.5	7.53	3090	1870	2.4	6	3.00	<0.5	14	51	23	3.76	20
I051475		4.23	0.155	<0.5	7.52	435	1640	2.4	2	3.20	<0.5	12	50	24	3.60	20
I051476		5.18	0.479	<0.5	7.46	4250	1480	2.5	8	2.90	<0.5	10	51	91	4.09	20
I051477		3.71	0.309	<0.5	7.76	899	1430	3.0	7	1.91	<0.5	12	50	28	3.95	20
I051478		2.30	0.241	<0.5	7.76	3140	1390	2.6	15	1.05	<0.5	13	50	20	4.39	30
I051479		3.03	0.081	<0.5	8.36	646	1000	2.1	3	1.18	<0.5	15	55	21	3.98	20
I051480		4.65	0.086	<0.5	6.98	346	360	1.9	5	3.99	<0.5	9	39	37	3.51	20
I051481		5.41	0.361	<0.5	8.04	4100	620	2.1	10	0.45	<0.5	15	51	84	4.35	20
I051482		6.08	0.174	<0.5	8.16	2660	390	2.1	6	0.31	<0.5	13	53	83	4.16	20
I051483		3.17	0.345	<0.5	8.38	3090	260	2.0	4	0.33	<0.5	15	65	70	5.34	20
I051484		3.83	0.136	<0.5	8.82	1050	300	2.1	7	0.34	<0.5	14	58	59	5.36	20
I051485		4.38	0.105	<0.5	8.50	1130	380	2.1	5	0.32	<0.5	12	55	59	4.33	20
I051486		3.66	0.134	<0.5	8.01	1010	300	1.9	6	0.31	<0.5	12	53	60	4.90	20
I051487		5.78	3.09	6.9	7.07	>10000	410	2.1	55	0.24	5.2	13	57	171	5.81	10
I051488		3.39	0.005	<0.5	6.46	50	510	1.8	<2	0.26	<0.5	9	44	25	3.14	20
I051489		2.97	0.007	<0.5	7.68	78	700	2.3	2	0.44	<0.5	12	58	30	3.41	20
I051490		0.06	0.886	2.2	7.24	8	590	0.9	6	3.12	<0.5	21	35	7260	7.18	20
I051491		3.27	0.005	<0.5	6.21	106	540	1.9	3	0.35	<0.5	10	44	31	2.56	20
I051492		5.33	<0.005	<0.5	7.24	65	680	2.1	<2	0.44	<0.5	11	51	26	2.67	20
I051493		3.12	<0.005	<0.5	4.26	31	300	1.2	<2	0.62	<0.5	5	28	10	1.89	10
I051494		7.25	0.023	<0.5	6.78	86	580	1.9	<2	0.56	<0.5	11	48	25	3.02	20
I051495		5.82	0.273	<0.5	3.76	4670	260	1.1	<2	0.99	<0.5	6	29	17	3.02	10
I051496		2.34	<0.005	<0.5	0.12	18	20	<0.5	<2	20.9	<0.5	1	1	1	0.48	<10
I051497		5.77	0.007	<0.5	6.90	43	600	1.8	<2	0.46	<0.5	11	50	39	3.63	20
I051498		5.54	0.011	<0.5	6.58	405	580	1.9	2	0.61	<0.5	10	47	28	3.35	20
I051499		4.72	0.092	<0.5	5.04	1675	400	1.4	<2	0.75	2.4	6	33	26	2.38	10
I051500		5.29	0.020	<0.5	5.71	565	490	1.3	<2	0.54	<0.5	8	45	25	2.53	20
I050801		7.90	0.027	<0.5	4.92	391	420	1.1	<2	0.79	<0.5	7	38	21	2.76	10
I050802		6.47	0.043	<0.5	5.13	395	420	1.1	<2	0.64	2.0	8	43	34	3.20	10
I050803		5.70	0.105	3.0	8.53	132	880	2.3	11	0.28	0.8	13	67	244	3.69	20
I050804		6.11	<0.005	<0.5	6.77	52	620	1.8	<2	0.28	<0.5	9	50	37	3.11	20
I050805		5.36	<0.005	<0.5	7.70	33	750	2.2	<2	0.21	<0.5	11	58	29	3.39	20
I050806		5.38	0.007	<0.5	7.98	336	770	2.1	<2	0.23	<0.5	12	58	31	3.67	20
I050807		6.77	0.020	<0.5	8.05	918	800	2.4	<2	0.91	<0.5	15	63	79	4.39	20
I050808		5.20	<0.005	<0.5	8.58	42	900	2.2	<2	0.77	<0.5	13	67	42	4.04	20
I050809		3.77	<0.005	<0.5	4.36	16	250	1.8	<2	0.24	<0.5	6	37	19	3.29	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051470		2.95	50	1.50	568	1	1.69	10	790	16	0.48	5	13	525	30	0.40
I051471		2.95	50	1.55	590	<1	1.58	9	800	12	0.62	10	13	514	20	0.40
I051472		2.62	50	1.50	556	<1	0.58	8	770	13	0.24	9	12	402	20	0.37
I051473		2.79	50	1.41	520	<1	0.98	8	790	16	0.70	9	13	467	20	0.38
I051474		3.02	50	1.33	477	<1	1.68	10	810	12	1.01	7	13	548	20	0.40
I051475		2.97	50	1.42	527	<1	1.64	11	820	15	0.94	5	13	504	20	0.40
I051476		3.05	50	1.35	477	<1	1.52	10	810	13	1.25	18	12	469	20	0.39
I051477		3.00	40	1.27	428	<1	0.60	10	810	14	1.04	27	13	277	20	0.39
I051478		2.72	50	1.02	432	<1	0.41	8	810	17	1.15	36	13	190	30	0.39
I051479		2.90	60	0.80	681	<1	0.09	12	860	15	1.00	24	13	122	20	0.42
I051480		2.51	50	1.56	600	<1	0.03	7	690	12	0.59	14	11	414	20	0.33
I051481		2.97	60	0.53	561	<1	0.05	11	840	11	1.38	36	14	63	20	0.39
I051482		2.59	60	0.56	549	<1	0.03	11	860	12	0.93	27	14	45	20	0.41
I051483		1.72	60	0.57	773	<1	0.02	12	890	11	1.44	31	16	34	20	0.42
I051484		1.74	60	0.54	833	<1	0.02	16	920	15	1.55	39	16	52	30	0.44
I051485		2.57	60	0.52	599	<1	0.03	11	900	12	1.08	26	15	63	30	0.44
I051486		1.72	60	0.50	744	<1	0.02	11	860	13	1.19	30	14	143	20	0.41
I051487		2.50	50	0.71	1700	<1	0.04	15	730	649	1.65	162	13	206	20	0.34
I051488		2.52	40	0.79	263	<1	0.10	22	310	11	0.38	7	9	66	20	0.28
I051489		3.33	50	1.01	242	<1	0.14	26	390	12	0.48	9	11	79	20	0.33
I051490		2.74	10	2.00	611	574	2.33	16	1140	16	0.96	5	17	579	<20	0.35
I051491		2.62	40	0.73	169	1	0.11	21	310	9	0.44	6	9	60	20	0.25
I051492		2.99	50	0.76	221	<1	0.13	24	360	11	0.40	8	10	74	20	0.31
I051493		1.35	30	0.53	205	<1	0.42	12	230	8	0.14	7	5	81	<20	0.18
I051494		2.34	50	0.83	244	<1	0.36	25	330	13	0.45	<5	10	71	20	0.29
I051495		1.22	20	0.74	558	<1	0.04	12	210	25	0.52	5	4	94	<20	0.15
I051496		0.05	10	12.45	211	<1	0.01	1	200	2	0.01	<5	<1	48	<20	0.01
I051497		2.43	40	0.97	218	<1	0.23	27	320	12	0.54	6	10	71	20	0.31
I051498		2.41	40	1.01	243	<1	0.20	25	320	12	0.50	6	9	80	20	0.28
I051499		1.80	30	0.68	382	<1	0.22	16	270	117	0.40	13	6	70	<20	0.21
I051500		2.17	30	0.71	204	<1	0.36	17	260	10	0.32	<5	7	73	<20	0.26
I050801		1.81	30	0.82	309	<1	0.32	15	250	10	0.33	<5	6	88	<20	0.22
I050802		1.84	30	0.82	640	<1	0.22	17	280	67	0.32	7	7	85	<20	0.22
I050803		3.59	50	1.02	252	<1	0.22	31	430	137	0.63	15	13	67	20	0.37
I050804		2.69	40	0.80	208	<1	0.27	21	300	14	0.48	<5	9	55	<20	0.27
I050805		3.18	50	0.88	204	<1	0.32	24	330	22	0.66	<5	11	49	<20	0.34
I050806		3.35	40	1.01	237	<1	0.27	28	370	9	0.59	<5	12	53	<20	0.32
I050807		3.25	40	1.31	297	2	0.09	36	440	15	1.64	<5	13	90	<20	0.26
I050808		3.40	50	1.14	303	<1	0.15	32	480	9	1.09	<5	13	96	20	0.30
I050809		1.20	20	0.76	214	<1	0.04	13	280	34	0.64	<5	5	42	<20	0.19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051470		<10	10	79	<10	52
I051471		<10	10	80	<10	48
I051472		<10	<10	73	10	44
I051473		<10	10	76	<10	45
I051474		<10	10	79	<10	36
I051475		<10	10	79	<10	41
I051476		<10	10	78	<10	41
I051477		<10	10	79	10	57
I051478		<10	<10	78	10	42
I051479		<10	<10	83	10	155
I051480		<10	<10	66	10	98
I051481		<10	<10	81	10	168
I051482		<10	<10	84	10	89
I051483		<10	<10	87	20	90
I051484		<10	<10	87	10	136
I051485		<10	<10	89	10	77
I051486		<10	<10	82	20	103
I051487		<10	<10	77	20	925
I051488		<10	<10	55	<10	62
I051489		<10	<10	70	<10	65
I051490		<10	10	182	<10	83
I051491		<10	<10	54	<10	48
I051492		<10	<10	71	<10	54
I051493		<10	<10	31	<10	28
I051494		<10	<10	63	<10	55
I051495		<10	<10	28	<10	55
I051496		<10	<10	5	<10	17
I051497		<10	<10	64	<10	58
I051498		<10	<10	61	<10	55
I051499		<10	<10	41	<10	403
I051500		<10	<10	47	10	38
I050801		<10	<10	40	<10	41
I050802		<10	<10	43	<10	354
I050803		10	<10	88	<10	180
I050804		<10	<10	60	<10	48
I050805		<10	<10	75	<10	53
I050806		<10	<10	75	<10	62
I050807		<10	<10	108	<10	42
I050808		10	<10	88	<10	46
I050809		<10	<10	35	<10	40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I050810		0.06	0.876	2.4	7.74	8	640	0.9	2	3.26	<0.5	20	40	7880	7.68	20
I050811		3.45	<0.005	<0.5	10.00	9	1080	2.7	<2	0.34	<0.5	14	80	46	4.10	30
I050812		4.63	<0.005	<0.5	8.66	16	900	2.5	<2	0.65	<0.5	12	75	33	3.93	20
I050813		5.43	<0.005	<0.5	9.67	78	1060	2.7	2	0.39	<0.5	16	79	41	4.79	30
I050814		4.35	0.005	<0.5	9.05	28	950	2.2	<2	0.43	<0.5	13	72	43	4.28	30
I050815		6.88	<0.005	<0.5	9.23	9	900	2.7	<2	0.34	<0.5	14	73	32	4.81	20
I050816		2.84	<0.005	<0.5	0.09	<5	30	<0.5	<2	20.1	<0.5	<1	1	<1	0.49	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I050810		2.94	10	2.09	646	611	2.47	18	1130	15	0.97	<5	18	599	<20	0.37
I050811		3.63	60	1.05	227	<1	0.18	32	630	15	0.70	<5	16	114	20	0.43
I050812		3.07	50	1.10	244	<1	0.16	32	680	14	0.64	<5	14	129	20	0.39
I050813		3.57	60	1.29	224	<1	0.20	35	560	15	0.57	<5	16	251	20	0.43
I050814		3.20	60	1.03	193	<1	0.17	34	540	11	0.67	<5	14	282	20	0.39
I050815		2.88	60	1.22	244	<1	0.18	33	450	19	0.50	<5	14	146	20	0.40
I050816		0.04	<10	12.10	221	<1	0.01	2	160	<2	0.02	<5	<1	45	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10143097

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I050810		<10	<10	194	<10	82
I050811		<10	<10	112	<10	81
I050812		10	<10	98	<10	78
I050813		<10	<10	113	<10	68
I050814		<10	<10	98	<10	61
I050815		10	<10	97	<10	89
I050816		<10	10	3	<10	17