



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 22-OCT-2010
This copy reported on
4-APR-2011
Account: STRGOL

CERTIFICATE WH10144959

Project: Eagle Gold

P.O. No.: EGP10-118

This report is for 42 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ALLAN JACOBS
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 22-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
I051751		7.32	<0.005		<0.5	7.38	33	2010	3.7	<2	2.14	<0.5	5	27	2	1.74
I051752		3.95	<0.005		<0.5	6.83	13	1940	3.3	2	2.48	<0.5	5	24	<1	1.64
I051753		4.53	<0.005		<0.5	6.39	25	1980	3.2	<2	2.00	<0.5	4	27	2	1.67
I051754		4.21	0.017		<0.5	6.47	11	2540	2.8	<2	1.74	<0.5	4	25	2	1.36
I051755		6.24	1.625		8.4	6.86	1405	1540	3.0	13	1.04	14.9	6	27	326	2.33
I051756		2.51	<0.005		<0.5	0.07	<5	30	<0.5	2	20.7	<0.5	<1	2	2	0.47
I051757		5.08	>10.0	24.5	36.0	3.73	>10000	90	1.8	112	0.11	28.9	3	18	513	13.00
I051758		2.60	>10.0	15.15	11.2	3.07	>10000	140	1.4	44	0.38	5.8	2	20	309	12.05
I051759		5.13	0.103		<0.5	7.12	1780	2550	1.6	<2	1.41	<0.5	5	23	4	1.82
I051760		5.57	0.100		<0.5	7.02	314	2080	2.1	<2	1.47	<0.5	6	22	2	2.21
I051761		5.34	6.93		3.4	4.37	>10000	470	2.0	20	0.22	2.6	3	20	32	5.19
I051762		4.74	7.02		3.7	4.66	>10000	240	2.1	18	0.20	9.3	2	21	44	5.01
I051763		4.82	0.017		<0.5	7.12	73	1740	2.6	<2	1.01	0.6	4	27	3	1.56
I051764		4.76	0.005		<0.5	6.37	70	1780	2.7	<2	1.99	<0.5	4	23	1	1.74
I051765		4.47	<0.005		<0.5	6.12	18	2150	2.8	<2	2.35	<0.5	5	23	2	1.62
I051766		5.03	<0.005		<0.5	6.75	15	2220	2.8	<2	1.80	<0.5	4	23	2	1.71
I051767		5.67	<0.005		<0.5	6.90	28	2530	2.7	<2	1.89	<0.5	5	28	3	1.96
I051768		4.18	0.027		<0.5	4.52	1430	1510	1.5	<2	1.18	<0.5	3	29	2	1.41
I051769		<0.02	0.014		<0.5	4.77	1515	1560	1.6	<2	1.23	<0.5	3	29	2	1.56
I051770		5.78	0.436		<0.5	7.01	12	2600	2.9	<2	2.38	<0.5	4	27	1	1.69
I051771		4.88	<0.005		<0.5	7.22	13	3150	3.3	<2	2.52	<0.5	5	30	2	1.78
I051772		4.29	<0.005		<0.5	6.83	14	2170	3.2	<2	2.33	<0.5	4	27	1	1.60
I051773		5.49	0.014		<0.5	6.44	23	1830	2.8	<2	2.33	<0.5	3	23	2	1.56
I051774		5.69	<0.005		<0.5	6.45	113	1770	2.5	<2	1.69	<0.5	3	19	3	1.67
I051775		5.21	<0.005		<0.5	6.42	18	1960	3.2	<2	2.69	<0.5	4	22	2	1.89
I051776		5.39	<0.005		<0.5	5.81	215	2210	2.5	<2	2.92	<0.5	3	22	1	1.49
I051777		4.55	<0.005		<0.5	5.65	326	2100	2.0	<2	1.77	<0.5	5	23	2	1.58
I051778		4.77	<0.005		<0.5	5.93	130	1840	2.4	<2	2.33	<0.5	3	20	2	1.63
I051779		5.03	<0.005		<0.5	5.68	25	2300	2.2	<2	1.93	<0.5	3	21	3	1.36
I051780		4.15	<0.005		<0.5	6.47	31	2250	2.5	<2	2.10	<0.5	4	23	3	1.55
I051781		5.31	<0.005		<0.5	5.61	30	2780	2.6	<2	2.65	<0.5	3	22	2	1.61
I051782		4.60	<0.005		<0.5	6.21	29	2820	2.8	<2	2.82	<0.5	3	22	2	1.39
I051783		4.55	<0.005		<0.5	6.18	14	2130	3.0	<2	2.30	<0.5	4	22	2	1.51
I051784		5.35	<0.005		<0.5	6.57	24	1890	2.9	<2	1.72	<0.5	5	22	2	1.60
I051785		5.26	<0.005		<0.5	6.54	14	2640	3.6	<2	2.26	<0.5	4	23	2	1.47
I051786		4.92	0.010		<0.5	4.85	567	2330	1.8	<2	2.28	<0.5	2	21	1	1.13
I051787		3.54	0.007		<0.5	5.75	1050	2850	2.5	<2	2.03	<0.5	5	22	2	1.41
I051788		4.36	<0.005		<0.5	5.66	11	3110	2.7	<2	2.07	<0.5	3	24	1	1.23
I051789		4.31	<0.005		<0.5	6.02	11	2590	2.9	<2	2.60	<0.5	3	25	2	1.50
I051790		0.08	0.716		2.2	7.35	<5	660	0.9	4	3.24	<0.5	23	38	7430	7.43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 22-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I051751		20	4.10	40	0.50	208	12	1.77	9	580	20	0.02	<5	5	580	20
I051752		20	3.69	40	0.66	219	5	1.59	9	520	19	0.01	<5	5	571	20
I051753		20	3.75	30	0.48	205	7	1.61	9	510	19	0.01	<5	5	515	20
I051754		20	4.09	30	0.39	193	8	1.15	10	510	17	0.02	<5	5	458	20
I051755		20	3.88	40	0.61	372	9	0.17	10	540	3240	1.20	983	5	151	20
I051756		<10	0.03	<10	12.35	221	1	0.01	1	150	8	0.02	<5	<1	46	<20
I051757		10	1.56	20	0.21	50	4	0.01	6	270	4330	>10.0	858	3	23	<20
I051758		10	1.26	20	0.24	152	11	0.04	7	230	1615	8.28	586	2	55	<20
I051759		20	4.59	40	0.57	381	28	0.27	10	640	31	0.27	10	5	331	20
I051760		20	4.12	40	0.69	454	21	0.21	10	630	23	0.22	12	6	265	20
I051761		10	1.91	20	0.22	131	20	0.04	6	230	463	2.73	55	3	51	20
I051762		10	2.04	20	0.22	124	27	0.04	6	230	600	2.73	57	2	52	20
I051763		20	3.92	30	0.55	251	6	0.15	7	520	62	0.09	<5	5	209	20
I051764		20	3.54	30	0.72	277	19	0.35	9	510	16	0.02	<5	5	313	20
I051765		20	3.79	30	0.63	222	10	0.81	8	470	11	0.02	<5	4	434	20
I051766		20	3.96	30	0.49	178	4	0.84	9	540	13	0.02	<5	5	375	20
I051767		20	4.23	30	0.57	209	14	0.63	10	550	17	0.02	<5	5	378	20
I051768		10	2.61	20	0.49	155	20	0.40	6	320	6	0.08	<5	3	260	<20
I051769		10	2.72	30	0.51	168	24	0.42	7	350	10	0.08	<5	4	272	20
I051770		20	4.22	30	0.50	245	12	1.12	9	550	15	0.01	<5	5	484	20
I051771		20	4.71	30	0.51	238	4	1.62	11	600	17	0.01	<5	6	608	20
I051772		20	4.08	20	0.47	216	44	1.19	12	550	13	0.02	<5	5	467	20
I051773		20	3.48	30	0.39	201	16	0.15	8	540	22	0.03	<5	5	321	20
I051774		20	3.92	20	0.41	161	23	0.16	9	530	21	0.02	<5	4	253	20
I051775		20	3.67	30	0.48	214	19	0.15	8	530	20	0.02	<5	4	322	20
I051776		20	3.98	20	0.36	235	15	0.18	8	450	13	0.04	<5	4	389	20
I051777		10	3.23	30	0.53	177	5	0.17	8	440	13	0.02	<5	4	266	20
I051778		20	3.56	30	0.67	220	17	0.18	11	500	17	0.02	<5	5	340	20
I051779		20	3.81	30	0.58	171	9	0.19	8	440	11	0.01	10	4	348	20
I051780		20	4.01	30	0.73	202	8	0.23	10	510	13	0.01	<5	5	381	20
I051781		20	4.16	30	0.75	237	32	0.54	7	460	11	0.01	<5	4	509	20
I051782		20	4.47	30	0.47	237	11	0.76	9	520	12	0.01	<5	5	481	20
I051783		20	3.77	30	0.88	217	5	0.38	9	510	14	0.02	<5	5	431	20
I051784		20	3.74	30	0.55	166	9	0.32	9	550	13	0.01	<5	5	316	20
I051785		20	4.37	30	0.45	179	10	0.73	8	520	12	0.01	<5	5	453	20
I051786		10	3.52	30	0.32	155	59	0.48	7	330	6	0.04	<5	4	383	<20
I051787		20	4.21	30	0.37	165	28	0.92	7	450	11	0.06	<5	5	447	20
I051788		20	4.04	30	0.30	160	33	1.25	7	440	10	0.01	<5	4	534	20
I051789		20	4.00	30	0.67	212	31	1.35	9	460	12	0.01	<5	5	602	20
I051790		20	2.81	10	2.06	635	595	2.39	18	1170	15	0.97	<5	18	593	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 22-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051751		0.26	<10	10	27	60	28
I051752		0.24	<10	10	25	60	23
I051753		0.24	<10	10	26	130	27
I051754		0.24	<10	10	26	90	23
I051755		0.22	<10	<10	26	150	2080
I051756		<0.01	<10	<10	4	<10	20
I051757		0.10	<10	<10	14	20	4680
I051758		0.09	<10	<10	12	40	867
I051759		0.26	<10	<10	28	280	61
I051760		0.26	<10	<10	30	600	55
I051761		0.09	<10	10	11	70	341
I051762		0.09	<10	<10	12	290	995
I051763		0.24	<10	<10	27	130	94
I051764		0.23	<10	<10	26	80	23
I051765		0.21	<10	<10	25	260	19
I051766		0.25	<10	<10	28	60	24
I051767		0.25	<10	<10	29	160	22
I051768		0.15	<10	<10	19	420	14
I051769		0.16	<10	<10	20	450	16
I051770		0.26	<10	<10	30	290	29
I051771		0.29	<10	<10	32	190	29
I051772		0.26	<10	<10	30	240	27
I051773		0.24	<10	<10	26	80	28
I051774		0.23	<10	<10	25	230	30
I051775		0.25	<10	<10	27	80	34
I051776		0.22	<10	<10	24	240	23
I051777		0.21	<10	<10	23	470	20
I051778		0.23	<10	<10	27	280	32
I051779		0.20	<10	<10	23	680	15
I051780		0.23	<10	<10	27	470	20
I051781		0.20	<10	10	24	420	14
I051782		0.23	<10	<10	27	130	21
I051783		0.23	<10	<10	27	130	18
I051784		0.24	<10	<10	29	90	19
I051785		0.24	<10	10	27	140	22
I051786		0.14	<10	<10	20	1080	9
I051787		0.20	<10	10	23	1020	15
I051788		0.19	<10	10	22	570	14
I051789		0.21	<10	10	25	360	19
I051790		0.36	<10	10	188	<10	86



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 22-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
I051791		5.75	<0.005		<0.5	5.79	244	2200	2.8	<2	1.99	<0.5	5	24	4	1.48
I051792		5.30	<0.005		<0.5	5.95	22	2110	3.4	<2	2.38	<0.5	4	26	3	1.64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 22-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I051791		10	4.08	30	0.64	174	17	1.30	8	470	12	0.02	<5	5	524	20
I051792		20	3.86	30	0.43	212	18	1.57	7	500	14	0.01	<5	5	558	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 22-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144959

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I051791		0.21	<10	<10	24	370	17
I051792		0.22	<10	10	27	50	21