



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 18-OCT-2010
This copy reported on
19-OCT-2010
Account: STRGOL

CERTIFICATE WH10144960

Project: Eagle Gold

P.O. No.: EGP10-117

This report is for 51 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017853		3.05	<0.005	<0.5	6.91	175	770	1.7	<2	0.20	<0.5	8	61	13	3.38	20
I017854		4.38	<0.005	<0.5	5.83	170	560	1.2	2	0.34	<0.5	11	56	14	3.18	20
I017855		2.95	<0.005	<0.5	6.23	68	660	1.3	<2	0.65	<0.5	8	56	10	2.64	10
I017856		0.08	0.301	0.9	7.57	15	830	1.9	3	2.38	<0.5	15	50	3400	5.09	20
I017857		3.61	<0.005	<0.5	6.42	46	660	1.3	<2	0.51	<0.5	10	63	16	2.94	20
I017858		4.31	<0.005	<0.5	6.70	17	640	1.4	<2	1.59	<0.5	10	63	15	3.33	10
I017859		4.37	<0.005	<0.5	5.09	20	440	0.9	3	0.77	<0.5	4	51	16	2.03	10
I017860		4.45	<0.005	<0.5	7.24	26	850	1.6	<2	0.63	<0.5	13	74	15	3.42	20
I017861		3.49	<0.005	<0.5	6.60	46	760	1.3	<2	0.44	<0.5	9	60	10	2.72	20
I017862		3.66	<0.005	<0.5	6.28	44	760	1.3	<2	0.41	<0.5	8	55	8	2.35	10
I017863		5.80	<0.005	<0.5	6.58	26	640	1.3	2	0.89	<0.5	11	73	18	3.44	20
I017864		4.59	<0.005	<0.5	6.78	66	720	1.5	<2	0.64	<0.5	10	65	18	3.20	10
I017865		5.03	<0.005	<0.5	10.05	156	1200	2.6	<2	0.31	<0.5	15	93	27	4.66	30
I017866		3.18	<0.005	<0.5	4.77	67	460	0.9	<2	0.27	<0.5	6	50	17	2.42	10
I017867		2.94	<0.005	<0.5	7.69	112	890	1.8	2	0.34	<0.5	13	72	24	3.96	20
I017868		3.55	<0.005	<0.5	8.21	122	930	2.0	<2	0.60	<0.5	13	71	15	3.57	20
I017869		<0.02	<0.005	<0.5	8.29	131	940	2.0	2	0.59	<0.5	14	76	15	3.67	20
I017870		5.44	<0.005	<0.5	10.75	238	1220	3.0	<2	0.18	<0.5	20	98	32	4.48	30
I017871		3.21	0.014	<0.5	10.25	344	1130	2.9	<2	0.15	<0.5	16	90	29	4.03	30
I017872		3.04	0.007	<0.5	10.80	84	1180	3.2	<2	0.13	<0.5	18	101	49	5.01	30
I017873		5.05	0.006	<0.5	9.99	153	1160	2.7	<2	0.41	<0.5	18	87	32	4.68	30
I017874		5.17	0.005	<0.5	10.75	179	1230	3.1	<2	0.63	<0.5	17	99	37	4.85	30
I017875		5.74	0.006	<0.5	10.85	107	1130	3.1	<2	0.70	<0.5	17	95	43	5.08	30
I017876		5.67	<0.005	<0.5	10.60	22	1110	2.8	<2	0.66	<0.5	15	96	62	5.22	30
I017877		3.63	0.005	<0.5	8.36	390	890	1.9	<2	0.27	0.5	13	70	26	3.53	20
I017878		3.71	<0.005	<0.5	8.40	251	860	2.0	<2	0.42	<0.5	17	76	18	4.66	30
I017879		3.36	<0.005	0.8	6.39	149	660	1.3	<2	0.43	<0.5	8	55	17	2.73	10
I017880		5.16	0.007	<0.5	4.83	487	530	1.1	<2	0.14	<0.5	4	42	9	1.94	10
I017881		3.80	<0.005	<0.5	9.15	148	1020	2.5	4	0.47	<0.5	14	78	26	4.02	30
I017882		4.92	0.006	<0.5	7.75	412	750	2.0	<2	1.72	<0.5	14	64	21	3.55	20
I017883		4.34	<0.005	<0.5	7.69	19	820	1.7	5	2.01	<0.5	13	68	18	3.82	20
I017884		4.97	<0.005	<0.5	9.99	41	1220	2.5	2	1.14	<0.5	15	78	15	3.56	30
I017885		3.68	<0.005	<0.5	6.16	100	650	1.2	<2	0.91	<0.5	7	52	16	2.29	10
I017886		4.85	0.016	<0.5	3.53	335	270	0.5	<2	1.18	<0.5	4	47	7	1.79	10
I017887		5.03	0.008	6.6	5.98	316	1000	1.6	<2	1.43	<0.5	11	75	38	3.09	10
I017888		6.35	0.038	<0.5	5.69	2560	460	1.2	<2	1.20	<0.5	7	53	13	2.51	10
I017889		3.30	<0.005	<0.5	8.97	107	980	2.3	2	0.88	<0.5	12	76	17	4.06	30
I017890		0.08	0.357	0.9	7.14	13	740	1.8	3	2.29	<0.5	14	47	3340	4.88	20
I017891		5.71	<0.005	<0.5	9.08	199	990	2.7	<2	0.63	<0.5	15	81	19	4.00	20
I017892		4.27	<0.005	<0.5	8.35	84	890	2.0	<2	1.07	<0.5	12	77	21	3.84	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 18-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017853		2.07	40	0.48	314	1	0.70	20	180	10	<0.01	<5	10	66	20	0.30
I017854		1.78	30	0.41	360	1	0.98	23	150	11	<0.01	<5	8	84	<20	0.27
I017855		1.97	30	0.45	324	<1	1.63	18	540	14	<0.01	<5	8	153	20	0.26
I017856		3.04	20	1.49	518	266	2.44	22	1090	13	0.49	<5	13	455	<20	0.37
I017857		2.02	30	0.53	281	1	1.69	23	200	13	<0.01	<5	9	116	20	0.30
I017858		1.90	30	0.57	409	1	1.50	25	260	10	0.01	<5	9	141	20	0.30
I017859		1.44	30	0.29	317	1	1.28	14	170	9	0.03	<5	6	109	20	0.22
I017860		2.57	40	0.67	331	1	1.21	30	340	11	0.02	<5	11	119	20	0.34
I017861		2.56	40	0.44	280	1	1.17	20	250	13	<0.01	<5	9	122	20	0.27
I017862		2.45	30	0.38	260	1	1.09	18	230	15	<0.01	<5	8	122	20	0.25
I017863		2.61	40	0.60	383	<1	1.08	29	250	17	0.02	<5	9	135	20	0.31
I017864		2.45	40	0.51	383	1	0.88	25	300	10	<0.01	<5	10	154	20	0.29
I017865		3.64	60	0.70	332	1	0.40	42	690	10	0.01	<5	15	148	20	0.43
I017866		1.79	30	0.22	228	<1	0.35	14	150	9	<0.01	<5	6	68	<20	0.24
I017867		2.40	50	0.55	448	1	0.38	29	330	10	0.01	6	12	95	20	0.37
I017868		3.02	50	0.64	425	1	0.63	30	390	9	<0.01	<5	12	178	20	0.35
I017869		3.05	50	0.65	429	1	0.62	31	390	10	<0.01	<5	12	179	20	0.36
I017870		4.27	60	0.67	432	1	0.42	48	670	2	0.02	<5	16	187	20	0.47
I017871		3.91	60	0.66	297	1	0.35	40	540	<2	0.01	<5	16	154	20	0.43
I017872		4.43	40	0.73	213	1	0.28	49	560	8	0.02	<5	16	181	20	0.48
I017873		4.25	60	0.87	320	1	0.73	45	480	11	0.04	<5	15	178	20	0.46
I017874		4.50	50	0.85	373	1	0.56	50	580	10	0.08	<5	16	182	20	0.50
I017875		4.56	60	0.98	279	1	0.45	50	1450	3	0.21	<5	16	160	20	0.45
I017876		4.53	50	1.06	306	2	0.52	47	1620	2	0.26	5	16	160	20	0.46
I017877		3.36	40	0.32	387	<1	0.38	35	470	35	0.07	7	11	85	<20	0.38
I017878		2.73	50	0.23	568	<1	0.11	41	300	8	<0.01	7	14	76	20	0.44
I017879		2.08	40	0.21	337	1	0.16	22	250	4	<0.01	<5	8	78	20	0.28
I017880		1.84	30	0.11	245	<1	0.07	14	140	6	0.01	<5	6	57	<20	0.21
I017881		3.45	50	0.43	372	<1	0.14	35	520	7	0.01	<5	13	83	20	0.44
I017882		2.87	40	0.55	361	<1	0.14	31	300	10	0.08	11	11	116	20	0.35
I017883		2.83	40	0.66	425	<1	0.26	29	300	8	0.07	<5	11	145	20	0.38
I017884		3.98	60	0.50	239	<1	0.59	39	410	5	0.07	<5	14	124	20	0.44
I017885		2.31	40	0.34	169	<1	0.84	23	260	7	0.06	<5	8	120	20	0.25
I017886		0.80	20	0.22	231	<1	1.16	13	250	4	0.07	<5	4	84	<20	0.15
I017887		2.15	40	0.41	443	7	0.77	30	410	8	0.13	<5	8	238	20	0.26
I017888		1.71	30	0.36	282	<1	1.17	20	280	6	0.17	<5	7	116	20	0.23
I017889		3.50	50	0.86	269	<1	0.91	36	280	3	0.07	<5	13	119	20	0.38
I017890		2.98	20	1.41	499	259	2.39	21	1050	17	0.48	<5	12	443	<20	0.36
I017891		3.59	50	0.87	238	<1	0.77	40	630	4	0.07	<5	13	131	20	0.40
I017892		3.16	50	0.80	352	<1	1.15	32	330	13	0.03	<5	12	157	20	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I017853		<10	<10	62	10	40
I017854		<10	<10	52	10	51
I017855		<10	<10	51	<10	45
I017856		<10	10	138	<10	75
I017857		<10	10	59	<10	57
I017858		<10	10	59	<10	55
I017859		<10	10	38	<10	33
I017860		<10	<10	70	<10	68
I017861		<10	<10	53	<10	45
I017862		<10	<10	49	<10	37
I017863		<10	<10	62	<10	63
I017864		<10	<10	61	<10	57
I017865		<10	<10	96	<10	83
I017866		<10	<10	41	10	34
I017867		<10	<10	75	<10	69
I017868		<10	<10	74	<10	68
I017869		<10	<10	75	10	70
I017870		<10	<10	107	<10	64
I017871		<10	<10	96	10	62
I017872		<10	<10	110	<10	92
I017873		<10	<10	102	<10	68
I017874		<10	<10	113	<10	70
I017875		<10	<10	106	<10	53
I017876		<10	<10	108	<10	69
I017877		<10	<10	75	10	140
I017878		<10	<10	92	10	70
I017879		<10	<10	54	20	38
I017880		<10	<10	38	<10	31
I017881		<10	<10	93	10	62
I017882		<10	<10	73	20	55
I017883		<10	<10	75	10	52
I017884		<10	<10	100	<10	43
I017885		<10	<10	51	<10	23
I017886		<10	10	27	10	16
I017887		<10	<10	54	50	36
I017888		<10	10	45	10	22
I017889		<10	<10	90	<10	50
I017890		<10	10	132	10	73
I017891		<10	<10	92	<10	46
I017892		<10	<10	82	10	59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017893		5.04	<0.005	<0.5	6.88	66	630	1.5	3	1.34	<0.5	9	62	13	3.25	20
I017894		4.23	0.006	<0.5	8.53	466	880	2.2	2	0.56	<0.5	13	76	28	3.32	20
I017895		5.21	0.016	<0.5	9.29	2490	980	2.6	<2	0.62	<0.5	13	86	24	4.16	20
I017896		2.49	0.005	<0.5	0.08	5	60	<0.5	<2	21.2	<0.5	1	<1	16	0.49	<10
I017897		4.53	<0.005	<0.5	8.41	95	1000	2.0	<2	0.82	<0.5	12	69	41	3.20	30
I017898		4.45	<0.005	<0.5	4.73	75	440	0.7	3	0.99	<0.5	6	45	11	2.07	10
I017899		5.12	<0.005	<0.5	7.32	184	770	1.6	<2	0.71	<0.5	9	62	13	2.86	10
I017900		4.83	0.009	<0.5	9.39	923	1150	2.8	<2	0.46	<0.5	16	86	20	4.21	30
I017901		5.58	0.013	<0.5	9.69	1090	1210	3.1	<2	0.60	<0.5	15	86	21	4.30	20
I017902		5.76	0.012	<0.5	7.37	928	850	1.9	3	0.89	<0.5	10	67	15	3.24	20
I017903		4.99	<0.005	<0.5	8.58	112	1080	2.1	<2	0.67	<0.5	10	62	17	3.29	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017893		2.36	40	0.65	386	<1	0.92	27	340	6	0.07	<5	9	135	<20	0.29
I017894		2.82	50	0.56	247	<1	0.78	33	300	6	0.07	<5	12	164	20	0.35
I017895		3.39	50	0.90	298	<1	0.87	40	340	10	0.22	<5	13	170	20	0.40
I017896		0.03	10	12.55	228	<1	0.01	2	160	2	0.01	<5	<1	46	<20	<0.01
I017897		3.06	50	0.72	262	<1	0.84	35	470	13	0.42	<5	12	138	20	0.28
I017898		1.26	30	0.30	326	<1	1.38	15	100	6	0.03	<5	5	97	<20	0.20
I017899		2.52	40	0.46	270	<1	1.17	24	190	11	0.02	<5	9	116	20	0.29
I017900		3.71	50	0.90	273	<1	0.93	39	430	13	0.14	<5	13	147	20	0.40
I017901		3.70	50	1.00	264	<1	0.67	41	240	7	0.15	7	14	147	20	0.42
I017902		2.77	40	0.63	300	<1	0.91	27	300	7	0.11	5	10	145	20	0.30
I017903		4.18	40	0.66	226	<1	1.03	30	820	22	0.04	5	10	171	20	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 18-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10144960

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I017893		<10	<10	61	<10	46
I017894		<10	<10	79	<10	53
I017895		<10	<10	91	<10	61
I017896		<10	<10	4	<10	17
I017897		<10	<10	77	<10	63
I017898		<10	10	36	<10	32
I017899		<10	<10	61	<10	45
I017900		<10	<10	90	<10	68
I017901		<10	<10	98	10	51
I017902		<10	<10	63	<10	44
I017903		<10	<10	65	10	64