



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 23-OCT-2010
This copy reported on
4-APR-2011
Account: STRGOL

CERTIFICATE WH10146784

Project: Eagle Gold

P.O. No.: EGP10-119

This report is for 87 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 11-OCT-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: ALLAN JACOBS
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 23-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051793		4.36	<0.005	0.6	6.27	6	2300	3.5	2	2.39	<0.5	3	29	5	1.32	20
I051794		5.72	0.005	<0.5	6.33	382	2390	3.0	<2	2.20	<0.5	4	24	5	1.41	20
I051795		4.85	0.044	<0.5	6.56	4080	1880	3.4	<2	1.75	<0.5	4	25	2	1.89	20
I051796		2.69	<0.005	<0.5	0.11	39	20	<0.5	<2	20.2	<0.5	1	2	3	0.49	<10
I051797		4.09	<0.005	<0.5	5.94	17	1760	2.9	<2	2.37	<0.5	4	21	2	1.40	20
I051798		5.19	<0.005	<0.5	6.30	7	2010	2.9	<2	1.68	<0.5	4	22	3	1.34	20
I051799		5.18	<0.005	<0.5	6.70	7	1790	3.5	<2	1.69	<0.5	4	27	3	1.34	20
I051800		5.53	<0.005	<0.5	6.43	7	1710	3.5	<2	2.17	<0.5	4	32	2	1.46	20
I051801		5.11	<0.005	<0.5	6.32	59	1790	3.2	<2	1.68	<0.5	5	28	2	1.51	20
I051802		5.54	<0.005	<0.5	6.40	5	2070	3.1	<2	2.30	<0.5	4	26	2	1.43	10
I051803		5.29	<0.005	<0.5	6.01	6	2620	3.0	<2	2.47	<0.5	3	26	1	1.26	20
I051804		4.29	<0.005	<0.5	5.78	<5	2040	2.8	<2	2.23	<0.5	3	23	2	1.40	10
I051805		5.27	<0.005	<0.5	5.79	27	2540	2.7	2	2.17	<0.5	3	26	2	1.35	10
I051806		4.39	<0.005	<0.5	6.15	6	2000	3.2	<2	2.75	<0.5	4	31	2	1.45	20
I051807		4.48	<0.005	<0.5	6.41	<5	2170	3.3	<2	2.94	<0.5	5	29	1	1.59	20
I051808		5.36	<0.005	<0.5	6.44	7	2410	2.6	<2	2.07	<0.5	5	25	2	1.30	20
I051809		5.45	0.006	<0.5	6.20	10	2160	2.7	<2	2.22	<0.5	5	25	2	1.54	20
I051810		0.06	0.850	2.0	7.77	7	660	0.9	2	3.32	<0.5	22	41	7550	7.75	20
I051811		5.35	<0.005	<0.5	6.38	8	2140	3.0	<2	2.85	<0.5	4	26	12	1.51	20
I051812		5.05	<0.005	<0.5	6.49	6	2560	3.6	<2	2.78	<0.5	4	25	3	1.52	20
I051813		4.68	0.203	<0.5	6.82	101	1940	3.7	<2	2.41	<0.5	5	27	5	1.71	20
I051814		5.86	0.134	<0.5	6.47	4120	2440	3.0	<2	2.73	<0.5	19	32	7	1.93	20
I051815		4.72	0.014	<0.5	6.81	57	2330	3.5	<2	3.61	<0.5	6	28	2	1.81	20
I051816		2.17	<0.005	<0.5	0.09	7	50	<0.5	<2	22.1	<0.5	1	2	2	0.55	<10
I051817		3.50	0.055	<0.5	6.43	298	2350	3.3	<2	3.25	<0.5	5	30	24	1.65	20
I051818		6.55	<0.005	<0.5	6.70	9	2060	3.3	<2	2.44	<0.5	4	26	2	1.69	20
I051819		4.44	<0.005	<0.5	6.71	8	1870	4.0	<2	2.47	<0.5	6	36	2	1.91	20
I051820		4.84	<0.005	<0.5	6.97	7	1930	3.1	<2	2.14	<0.5	6	27	1	1.66	20
I051821		4.91	<0.005	<0.5	6.77	46	2290	2.7	2	2.27	<0.5	5	23	3	1.66	20
I051822		4.70	<0.005	<0.5	6.79	61	2530	2.7	<2	2.32	<0.5	5	21	2	1.55	20
I051823		4.93	<0.005	<0.5	7.03	6	1870	3.0	<2	4.42	<0.5	4	19	2	1.95	20
I051824		4.79	0.029	<0.5	6.75	1050	2580	2.5	<2	2.11	<0.5	5	23	2	1.68	20
I051825		5.79	0.060	<0.5	7.24	2040	2640	2.9	<2	1.28	<0.5	5	26	2	1.79	20
I051826		4.45	0.015	<0.5	6.39	640	1960	2.5	<2	1.37	<0.5	4	26	1	1.66	20
I051827		5.50	0.013	<0.5	6.30	751	2050	3.2	<2	2.19	<0.5	9	40	2	1.78	20
I051828		5.37	0.006	<0.5	6.73	396	2630	3.2	<2	1.71	<0.5	5	34	1	1.65	20
I051829		<0.02	0.005	<0.5	6.84	369	2240	3.2	<2	1.73	<0.5	5	31	2	1.71	20
I051830		3.94	0.032	<0.5	6.91	3410	1940	3.3	<2	2.24	<0.5	8	29	1	1.95	20
I051831		5.07	<0.005	<0.5	7.19	24	2000	3.5	<2	2.02	<0.5	4	35	2	1.74	20
I051832		5.50	0.014	<0.5	6.73	390	1680	3.0	<2	3.08	<0.5	7	27	1	1.83	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 23-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051793		4.21	20	0.36	178	8	1.62	8	470	12	0.01	<5	4	617	20	0.23
I051794		4.40	30	0.71	190	26	1.39	9	490	10	0.03	<5	4	602	20	0.22
I051795		4.11	30	0.64	181	7	1.53	9	500	13	0.19	<5	5	532	20	0.22
I051796		0.06	10	12.65	224	1	0.02	<1	180	<2	0.02	<5	<1	52	<20	<0.01
I051797		3.89	20	0.80	197	8	1.27	8	430	15	0.01	<5	4	539	<20	0.20
I051798		4.27	20	0.55	163	10	1.41	6	440	17	0.01	<5	4	527	20	0.20
I051799		4.26	30	0.45	154	7	1.68	6	480	15	0.01	<5	4	564	20	0.23
I051800		3.88	20	0.38	185	4	1.81	7	480	17	0.01	<5	4	586	<20	0.24
I051801		3.94	20	0.62	200	9	1.36	10	490	18	0.01	<5	5	381	20	0.23
I051802		3.93	30	0.45	187	8	1.45	10	460	10	0.01	<5	5	528	20	0.22
I051803		4.13	20	0.35	176	12	1.49	8	420	13	0.01	<5	4	582	20	0.21
I051804		3.51	30	0.51	193	9	1.26	5	400	13	0.01	<5	4	528	20	0.20
I051805		3.82	30	0.75	187	58	1.17	8	450	11	0.02	<5	4	558	20	0.21
I051806		3.69	20	0.47	197	25	1.54	7	490	16	0.01	<5	4	619	20	0.22
I051807		4.26	20	0.51	238	5	1.30	8	510	17	0.01	<5	4	592	20	0.24
I051808		4.28	30	0.38	170	52	0.23	8	500	17	0.02	5	4	354	20	0.22
I051809		3.98	20	0.42	188	8	0.24	8	580	17	0.01	5	4	354	20	0.25
I051810		2.94	10	2.12	652	596	2.49	18	1210	18	1.01	<5	18	626	<20	0.38
I051811		4.42	20	0.37	225	6	0.81	8	590	14	0.01	<5	4	472	20	0.26
I051812		4.59	20	0.41	221	15	1.09	8	620	16	0.01	<5	4	542	20	0.27
I051813		4.19	30	0.49	221	66	1.42	8	580	21	0.03	<5	5	535	20	0.25
I051814		4.04	30	0.66	218	12	1.24	12	480	15	0.28	6	5	601	20	0.21
I051815		4.10	30	0.91	240	16	0.93	9	570	14	0.01	<5	5	589	20	0.25
I051816		0.04	<10	13.05	255	<1	0.01	2	190	<2	0.02	<5	<1	51	<20	<0.01
I051817		4.14	20	0.47	208	9	1.40	9	550	17	0.06	5	5	577	20	0.25
I051818		4.28	20	0.67	206	8	1.49	9	590	17	0.01	<5	5	616	20	0.25
I051819		3.94	20	0.65	225	7	1.75	11	570	19	0.01	<5	5	645	20	0.26
I051820		4.18	20	0.67	187	3	0.95	10	590	18	0.01	<5	5	509	20	0.27
I051821		4.50	30	0.68	178	6	0.31	8	600	15	0.01	<5	5	399	20	0.25
I051822		4.61	30	0.65	176	11	0.30	9	580	15	0.01	6	5	395	20	0.25
I051823		3.82	40	1.41	256	2	0.28	8	540	17	0.02	<5	5	629	20	0.24
I051824		4.34	30	0.77	207	11	0.63	8	560	16	0.08	<5	5	467	20	0.24
I051825		4.21	30	0.58	141	3	0.75	8	570	17	0.14	7	5	384	20	0.25
I051826		4.07	30	0.52	144	41	0.71	9	480	15	0.04	<5	4	378	20	0.21
I051827		4.03	20	0.76	204	5	1.10	9	520	14	0.05	<5	4	558	20	0.24
I051828		3.95	30	0.58	178	4	1.03	9	530	19	0.05	<5	5	481	20	0.24
I051829		3.94	30	0.60	182	4	1.01	9	540	19	0.04	<5	5	485	20	0.25
I051830		3.92	30	0.60	188	9	1.43	10	520	17	0.20	<5	5	589	20	0.24
I051831		4.30	30	0.54	197	5	1.61	10	560	18	0.01	6	5	524	20	0.26
I051832		3.66	30	0.66	239	24	0.90	9	490	18	0.03	<5	5	484	20	0.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 23-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I051793		<10	10	27	20	17
I051794		<10	10	27	30	19
I051795		<10	10	27	20	19
I051796		<10	10	1	<10	16
I051797		<10	10	24	30	18
I051798		<10	10	22	30	17
I051799		<10	<10	25	20	18
I051800		<10	10	27	10	20
I051801		<10	10	30	30	27
I051802		<10	10	26	10	17
I051803		<10	10	24	10	16
I051804		<10	10	23	20	19
I051805		<10	10	26	40	18
I051806		<10	10	24	10	20
I051807		<10	10	26	30	22
I051808		<10	<10	23	380	21
I051809		<10	10	27	380	24
I051810		<10	10	193	<10	88
I051811		<10	10	27	160	20
I051812		<10	10	29	300	25
I051813		<10	10	26	430	26
I051814		<10	10	25	40	20
I051815		<10	10	27	50	24
I051816		<10	<10	3	<10	17
I051817		<10	10	27	50	24
I051818		<10	10	27	80	25
I051819		<10	10	29	30	30
I051820		<10	10	30	50	28
I051821		<10	<10	28	50	22
I051822		<10	10	28	50	22
I051823		<10	10	25	50	26
I051824		<10	10	27	70	23
I051825		<10	10	30	50	25
I051826		<10	10	23	70	20
I051827		<10	10	27	140	22
I051828		<10	10	26	200	27
I051829		<10	10	26	180	28
I051830		<10	10	26	170	21
I051831		<10	10	29	120	28
I051832		<10	10	24	80	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 23-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051833		6.24	<0.005	<0.5	7.33	8	1690	3.8	<2	1.87	<0.5	5	29	2	2.11	20
I051834		4.46	<0.005	<0.5	6.88	8	1760	3.6	<2	2.40	<0.5	5	28	2	1.75	20
I051835		5.04	0.139	<0.5	6.92	1365	2100	3.4	<2	2.09	<0.5	5	26	2	1.80	20
I051836		5.45	<0.005	<0.5	7.19	41	2190	3.4	<2	2.24	<0.5	5	25	1	1.71	20
I051837		4.58	<0.005	<0.5	6.77	37	1960	3.1	<2	1.78	<0.5	5	25	1	1.74	20
I051838		5.88	0.046	<0.5	6.60	2820	2100	2.9	<2	2.05	<0.5	7	30	2	1.79	20
I051839		4.71	<0.005	<0.5	7.27	113	1880	3.1	<2	2.66	<0.5	5	26	4	1.93	20
I051840		4.97	<0.005	<0.5	7.40	15	1790	3.1	<2	1.93	<0.5	6	25	2	1.92	20
I051841		5.14	<0.005	<0.5	7.69	15	1770	3.5	<2	1.89	<0.5	6	26	2	2.01	20
I051842		4.74	<0.005	<0.5	7.15	18	2050	2.8	<2	2.26	<0.5	5	23	<1	1.49	20
I051843		6.15	<0.005	<0.5	7.06	21	1460	2.8	<2	1.97	<0.5	6	24	1	1.80	20
I051844		4.80	<0.005	<0.5	7.55	14	2050	3.0	<2	2.19	<0.5	3	24	<1	1.66	20
I051845		5.43	<0.005	<0.5	6.41	216	2320	2.4	<2	2.77	<0.5	5	23	39	1.46	20
I051846		4.89	<0.005	<0.5	6.48	8	2490	2.7	<2	2.23	<0.5	6	21	4	1.41	20
I051847		4.93	0.032	<0.5	6.77	7	2130	3.2	<2	2.20	<0.5	6	24	2	1.52	20
I051848		5.61	<0.005	<0.5	6.98	15	2030	3.3	<2	1.87	<0.5	7	24	2	1.79	20
I051849		4.71	<0.005	<0.5	6.53	8	2480	2.8	<2	2.74	<0.5	6	23	5	1.48	20
I051850		0.06	0.878	1.9	7.50	6	630	0.9	<2	3.18	<0.5	21	37	7360	7.27	20
I051851		5.26	<0.005	<0.5	6.62	5	2790	2.7	<2	1.94	<0.5	5	25	15	1.42	20
I051852		5.72	<0.005	<0.5	6.56	7	2790	2.8	<2	2.36	<0.5	7	33	5	1.83	20
I051853		3.81	<0.005	<0.5	6.96	7	3060	3.1	<2	2.00	<0.5	7	27	13	1.84	20
I051854		4.74	<0.005	<0.5	6.78	6	2290	3.3	<2	1.97	<0.5	7	27	2	1.85	20
I051855		5.91	<0.005	<0.5	6.80	8	2070	3.4	<2	2.41	<0.5	7	25	2	1.78	20
I051856		3.45	<0.005	<0.5	0.08	<5	20	<0.5	<2	20.6	<0.5	3	1	1	0.45	<10
I051857		5.99	<0.005	<0.5	6.74	<5	2130	3.0	<2	2.86	<0.5	6	27	1	1.90	20
I051858		5.29	<0.005	<0.5	6.96	7	1870	3.1	<2	2.29	<0.5	8	28	1	1.93	20
I051859		5.45	<0.005	<0.5	6.49	9	2120	2.5	<2	2.45	<0.5	7	27	1	1.77	20
I051860		4.87	<0.005	<0.5	5.82	7	2510	2.2	<2	2.75	<0.5	6	27	1	1.47	20
I051861		4.90	<0.005	<0.5	6.78	5	2060	2.9	<2	2.33	<0.5	6	28	2	2.01	20
I051862		5.19	<0.005	<0.5	6.32	11	2020	2.6	<2	2.36	<0.5	6	25	1	1.77	20
I051863		6.28	<0.005	<0.5	6.63	38	1810	2.9	<2	2.34	<0.5	6	26	3	1.92	20
I051864		5.70	<0.005	<0.5	6.86	14	1940	2.9	<2	3.40	<0.5	7	24	4	1.92	20
I051865		6.15	<0.005	<0.5	6.02	13	2650	2.2	<2	3.48	<0.5	5	24	2	1.37	20
I051866		6.07	<0.005	<0.5	6.59	27	2320	2.5	<2	3.28	<0.5	6	25	1	1.71	20
I051867		5.67	<0.005	<0.5	6.50	7	2160	2.6	<2	2.45	<0.5	6	28	1	1.84	20
I051868		4.76	<0.005	<0.5	6.92	12	2450	2.9	<2	2.31	<0.5	9	29	1	1.96	20
I051869		<0.02	<0.005	<0.5	6.92	8	2460	2.8	<2	2.22	<0.5	7	32	1	2.01	20
I051870		4.31	<0.005	<0.5	6.21	12	2660	2.6	<2	2.20	<0.5	6	29	1	1.57	20
I051871		4.07	<0.005	<0.5	5.66	41	1780	2.4	<2	1.91	<0.5	6	25	1	1.49	20
I051872		4.89	<0.005	<0.5	6.42	12	1980	2.7	<2	2.09	<0.5	6	28	1	1.80	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 23-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051833		4.02	30	0.77	235	3	1.52	10	580	19	0.01	<5	5	480	20	0.27
I051834		4.15	20	0.66	206	14	1.64	9	550	17	0.01	<5	5	552	20	0.25
I051835		4.42	30	0.69	183	4	1.42	9	560	18	0.08	<5	5	510	20	0.25
I051836		4.34	30	0.73	200	2	1.34	8	540	21	0.02	<5	5	513	20	0.25
I051837		4.23	30	0.68	192	9	0.99	8	530	19	0.01	<5	5	446	20	0.24
I051838		4.36	30	0.62	193	15	1.28	10	510	17	0.16	5	5	476	20	0.22
I051839		4.54	30	0.69	234	3	0.90	8	600	21	0.03	5	5	442	20	0.26
I051840		4.25	30	0.74	222	9	1.08	8	580	20	0.02	<5	5	410	20	0.26
I051841		4.04	30	0.83	186	9	0.92	12	580	19	0.02	<5	6	374	20	0.26
I051842		4.14	30	0.58	185	6	0.93	11	490	15	0.01	<5	6	410	20	0.22
I051843		3.63	30	0.68	204	5	1.02	11	480	17	0.02	<5	6	371	20	0.23
I051844		4.15	30	0.65	207	10	1.25	13	510	15	0.02	<5	6	448	20	0.22
I051845		3.80	40	0.60	197	13	0.88	49	450	45	0.03	<5	6	505	20	0.20
I051846		3.98	40	0.67	169	11	0.99	15	450	18	0.01	<5	6	481	20	0.21
I051847		4.04	40	0.62	172	25	1.42	13	450	15	0.01	<5	6	497	20	0.21
I051848		3.83	40	0.79	210	5	1.34	15	520	17	0.02	<5	6	454	20	0.24
I051849		4.23	40	0.69	202	15	1.10	14	430	19	0.01	<5	6	510	20	0.19
I051850		2.86	20	2.03	626	578	2.45	20	1170	15	0.98	<5	19	614	<20	0.35
I051851		4.42	40	0.68	167	18	1.23	18	490	19	0.01	<5	6	521	20	0.22
I051852		4.02	40	0.83	233	20	1.06	16	550	14	0.01	<5	7	517	20	0.26
I051853		4.03	40	0.93	216	9	1.10	29	620	23	0.01	<5	7	518	20	0.28
I051854		3.95	40	0.92	210	7	0.75	18	610	12	0.01	<5	7	444	20	0.29
I051855		3.56	40	0.83	203	9	0.65	17	590	12	0.01	<5	7	438	20	0.27
I051856		0.03	10	12.20	202	1	0.01	3	170	<2	0.02	<5	1	49	<20	<0.01
I051857		3.80	40	0.87	245	24	1.21	17	590	12	0.01	<5	7	530	20	0.27
I051858		3.75	40	0.79	224	7	1.39	17	590	12	0.01	<5	7	486	20	0.27
I051859		3.62	40	0.67	232	71	1.23	15	530	10	0.01	<5	6	473	20	0.23
I051860		3.36	40	0.55	230	35	0.91	13	470	9	0.01	<5	6	479	20	0.21
I051861		3.52	40	0.77	257	5	1.19	17	610	14	0.01	<5	7	482	20	0.28
I051862		3.14	40	0.69	239	13	1.09	16	540	12	0.01	<5	6	468	20	0.25
I051863		3.34	40	0.78	235	18	0.79	16	570	16	0.02	<5	7	427	20	0.26
I051864		3.42	50	0.81	290	7	0.66	16	570	19	0.02	<5	7	480	20	0.26
I051865		4.49	40	0.53	262	39	0.77	14	490	11	0.01	<5	6	589	20	0.23
I051866		3.68	50	0.74	258	27	0.78	15	540	10	0.01	<5	7	546	20	0.25
I051867		3.80	40	0.70	243	12	1.35	17	570	12	0.01	<5	7	515	20	0.26
I051868		3.94	40	0.70	247	7	1.63	19	640	15	0.01	<5	7	529	20	0.27
I051869		3.96	40	0.69	247	4	1.61	17	640	14	0.01	<5	7	526	20	0.26
I051870		3.67	40	0.63	210	8	1.42	15	540	12	0.01	<5	6	548	<20	0.24
I051871		3.47	30	0.51	178	8	1.25	13	430	13	0.01	<5	5	450	20	0.20
I051872		3.58	40	0.62	213	17	1.51	16	550	16	0.01	<5	6	493	20	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 23-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I051833		<10	10	29	30	35
I051834		<10	10	28	40	26
I051835		<10	10	27	30	23
I051836		<10	10	26	60	25
I051837		<10	10	26	340	26
I051838		<10	10	26	300	23
I051839		<10	10	30	90	31
I051840		<10	10	28	70	31
I051841		<10	10	30	30	28
I051842		<10	<10	27	60	15
I051843		<10	<10	28	70	23
I051844		<10	<10	27	30	22
I051845		<10	10	25	220	53
I051846		<10	10	25	230	20
I051847		<10	20	25	70	19
I051848		<10	10	28	20	28
I051849		<10	10	23	50	24
I051850		<10	20	186	<10	84
I051851		<10	10	27	140	25
I051852		<10	10	35	90	26
I051853		<10	10	34	510	38
I051854		<10	10	34	70	30
I051855		<10	10	33	170	29
I051856		<10	<10	4	<10	19
I051857		<10	10	35	960	26
I051858		<10	10	33	120	26
I051859		<10	10	29	350	27
I051860		<10	10	27	280	22
I051861		<10	10	34	80	35
I051862		<10	10	30	50	30
I051863		<10	10	32	90	35
I051864		<10	10	32	50	44
I051865		<10	10	31	270	18
I051866		<10	10	30	110	24
I051867		<10	10	35	60	28
I051868		<10	20	35	20	33
I051869		<10	10	35	30	34
I051870		<10	10	31	200	23
I051871		<10	10	24	200	22
I051872		<10	10	31	60	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 23-OCT-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I051873		3.41	0.007	<0.5	6.89	273	2300	2.8	<2	0.87	<0.5	6	27	1	1.84	20
I051874		3.64	<0.005	<0.5	6.83	17	2240	2.8	<2	1.67	<0.5	8	26	6	1.92	20
I051875		4.48	<0.005	<0.5	7.04	12	2430	2.9	<2	1.69	<0.5	7	25	3	1.59	20
I051876		2.88	<0.005	<0.5	6.87	15	2070	2.8	<2	0.90	<0.5	7	27	4	1.93	20
I051877		3.82	<0.005	<0.5	6.51	15	2090	2.5	<2	1.30	<0.5	6	27	5	1.52	20
I051878		3.61	<0.005	<0.5	6.74	36	1960	2.9	<2	0.47	<0.5	6	28	6	3.00	20
I051879		3.69	<0.005	<0.5	7.52	27	1900	2.9	<2	0.64	<0.5	8	32	11	2.31	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 23-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I051873		4.11	50	0.58	179	31	1.42	16	580	15	0.03	<5	6	442	20	0.25
I051874		3.85	40	0.48	364	11	1.39	21	600	19	0.02	<5	8	437	20	0.25
I051875		3.95	40	0.46	286	9	1.48	17	640	16	0.02	<5	6	485	20	0.27
I051876		3.56	40	0.54	208	12	1.33	18	610	22	0.02	<5	6	405	20	0.27
I051877		3.81	50	0.37	231	7	1.08	14	560	20	0.03	<5	6	355	20	0.24
I051878		3.77	50	0.45	444	8	0.63	19	550	23	0.03	<5	7	280	20	0.25
I051879		3.52	50	0.53	296	5	0.90	20	660	28	0.04	<5	7	325	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 23-OCT-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10146784

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I051873		<10	10	30	90	29
I051874		<10	10	38	1040	47
I051875		<10	10	32	180	33
I051876		<10	10	31	80	47
I051877		<10	10	32	140	32
I051878		<10	10	30	160	64
I051879		<10	10	41	140	69