



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 19-NOV-2010  
Account: STRGOL

**CERTIFICATE WH10158297**

Project: Eagle Gold

P.O. No.: EGP10-126

This report is for 89 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-OCT-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: MARK AYRANTO  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 19-NOV-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052849		5.22	1.200	<0.5	7.32	152	1410	3.0	22	2.20	<0.5	6	28	62	2.14	20
I052850		0.06	0.873	1.9	8.00	7	620	0.9	<2	3.13	<0.5	20	38	7800	7.31	20
I052851		5.44	2.30	<0.5	6.96	422	1440	2.9	34	1.92	<0.5	10	30	1120	2.22	20
I052852		4.88	0.324	<0.5	7.23	105	1550	3.1	9	2.32	<0.5	8	30	74	2.34	20
I052853		4.65	3.79	<0.5	7.55	119	1590	3.3	62	2.56	<0.5	8	34	68	2.39	20
I052854		5.72	0.396	<0.5	7.33	141	1520	3.1	13	2.57	<0.5	9	37	68	2.36	20
I052855		4.32	1.400	<0.5	7.35	64	1560	3.0	11	2.17	<0.5	7	36	64	2.35	20
I052856		2.89	0.021	<0.5	0.10	<5	30	<0.5	<2	21.6	<0.5	<1	2	1	0.76	<10
I052857		4.80	1.260	1.1	7.58	456	1470	2.7	25	2.98	<0.5	6	32	92	2.53	20
I052858		4.20	0.487	1.0	7.31	301	940	2.7	14	2.17	<0.5	7	32	76	2.59	20
I052859		4.96	0.250	2.5	6.92	200	480	2.7	9	2.43	0.7	8	32	64	2.22	20
I052860		5.20	0.293	<0.5	6.53	246	1490	2.8	10	2.64	<0.5	9	39	67	2.49	20
I052861		5.54	3.34	<0.5	6.82	293	1550	2.7	76	3.06	<0.5	9	36	49	2.77	20
I052862		6.19	8.66	<0.5	6.88	193	1560	2.7	202	3.19	<0.5	8	35	45	2.70	20
I052863		5.21	0.171	<0.5	7.43	149	1640	2.9	7	2.77	<0.5	8	36	39	2.79	20
I052864		4.36	0.197	<0.5	6.99	205	1640	2.8	3	2.66	<0.5	7	37	45	2.83	20
I052865		4.54	0.203	<0.5	6.98	287	1590	2.7	5	2.63	<0.5	8	37	28	2.76	20
I052866		6.86	0.148	<0.5	7.17	501	1620	3.0	4	2.45	<0.5	8	31	29	2.59	20
I052867		3.89	0.098	<0.5	7.44	141	1620	3.2	<2	2.36	<0.5	7	33	29	2.69	20
I052868		4.64	0.067	<0.5	7.29	152	1580	3.2	2	2.27	<0.5	6	32	27	2.45	20
I052869		<0.02	0.062	<0.5	7.26	144	1560	3.2	<2	2.27	<0.5	7	33	28	2.62	20
I052870		5.30	0.217	<0.5	7.40	431	1650	3.2	6	2.40	<0.5	8	36	34	2.73	20
I052871		4.03	0.132	<0.5	6.91	379	1410	2.8	<2	2.42	<0.5	7	31	37	2.54	20
I052872		5.86	0.537	<0.5	7.05	244	1540	2.9	10	2.51	<0.5	8	33	31	2.57	20
I052873		6.03	0.220	<0.5	7.15	217	1540	2.9	4	2.27	<0.5	8	31	17	2.54	20
I052874		6.24	0.124	<0.5	7.42	249	1590	3.1	<2	2.47	<0.5	7	33	23	2.74	20
I052875		4.97	0.177	<0.5	7.54	136	1390	3.2	3	4.14	<0.5	13	112	24	3.28	20
I052876		5.39	0.341	<0.5	6.93	274	1490	2.8	4	2.21	<0.5	7	35	27	2.63	20
I052877		4.74	0.069	<0.5	7.36	415	1620	3.0	<2	2.46	<0.5	7	32	26	2.66	20
I052878		5.31	2.43	0.7	7.06	52	1650	2.8	10	2.29	<0.5	7	31	25	2.55	20
I052879		5.76	0.166	<0.5	7.16	378	1700	3.0	3	2.63	<0.5	6	33	36	2.74	20
I052880		3.94	2.90	0.8	6.78	230	1610	2.6	24	2.80	<0.5	7	30	30	2.54	20
I052881		3.41	1.450	1.0	7.51	107	1410	3.1	<2	2.37	0.8	7	35	37	2.72	20
I052882		6.02	6.19	1.4	7.28	186	1710	3.0	52	2.51	<0.5	8	36	49	2.75	20
I052883		5.15	0.960	<0.5	7.61	48	1750	3.2	2	2.57	<0.5	7	36	38	2.84	20
I052884		4.50	1.305	<0.5	6.66	119	1680	2.8	9	2.41	<0.5	7	33	36	2.48	20
I052885		4.89	1.295	1.4	7.52	105	1370	3.0	12	2.80	2.3	8	33	53	2.70	20
I052886		4.65	0.521	<0.5	7.07	27	1740	3.2	<2	2.42	<0.5	7	34	47	2.72	20
I052887		5.90	0.874	<0.5	7.37	51	1780	3.0	8	2.38	<0.5	7	38	41	2.55	20
I052888		5.20	0.305	<0.5	7.09	92	1640	3.2	<2	2.50	<0.5	7	44	37	2.76	20

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 19-NOV-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052849		3.79	40	0.76	140	1	1.17	19	570	13	0.32	6	6	488	20	0.30
I052850		2.88	10	2.07	639	617	2.46	18	1160	15	1.00	<5	19	612	<20	0.38
I052851		3.81	40	0.75	156	150	1.22	24	580	58	0.38	6	6	459	20	0.30
I052852		3.83	30	0.78	150	<1	1.51	22	640	15	0.39	<5	6	518	20	0.32
I052853		3.76	40	0.85	175	1	1.60	22	680	13	0.33	5	7	561	20	0.34
I052854		3.79	40	0.87	178	1	1.47	20	650	12	0.35	<5	7	535	20	0.33
I052855		4.32	30	0.84	173	1	1.43	22	660	14	0.34	9	7	492	20	0.33
I052856		0.04	<10	12.85	254	<1	0.02	2	170	<2	0.02	<5	<1	50	<20	<0.01
I052857		4.33	50	0.83	323	6	1.00	21	610	36	0.52	18	7	471	20	0.31
I052858		3.38	40	0.62	424	1	0.69	21	640	32	0.51	26	7	257	20	0.30
I052859		3.01	40	0.48	494	2	0.21	20	640	59	0.37	36	7	157	20	0.30
I052860		3.53	30	0.82	233	1	1.23	20	620	16	0.38	5	6	491	20	0.30
I052861		3.65	30	0.99	295	1	1.18	20	650	12	0.29	9	8	529	20	0.31
I052862		3.64	30	1.00	296	1	1.16	20	650	16	0.26	8	7	536	20	0.31
I052863		3.76	40	1.01	288	2	1.44	21	700	11	0.21	9	8	540	20	0.33
I052864		3.60	30	0.99	292	2	1.30	19	700	12	0.28	7	7	521	20	0.33
I052865		3.34	30	0.98	299	2	1.32	20	680	11	0.21	7	8	521	20	0.32
I052866		3.45	30	0.87	242	1	1.34	21	650	15	0.18	7	7	518	20	0.31
I052867		3.54	30	0.86	270	1	1.47	21	660	18	0.19	9	7	512	20	0.32
I052868		3.47	40	0.89	273	3	1.56	19	640	18	0.16	6	7	512	20	0.32
I052869		3.42	30	0.86	286	3	1.56	20	640	18	0.16	6	7	516	20	0.30
I052870		3.47	30	0.79	282	1	1.74	22	670	19	0.24	7	7	520	20	0.32
I052871		3.40	30	0.79	272	1	1.54	21	580	20	0.19	7	6	471	20	0.29
I052872		3.44	40	0.83	254	2	1.41	19	620	19	0.18	9	7	507	20	0.30
I052873		3.58	30	0.79	291	1	1.53	20	600	22	0.10	8	6	487	20	0.30
I052874		3.56	40	0.86	351	3	1.59	21	640	30	0.10	11	7	521	20	0.31
I052875		3.42	30	1.38	458	<1	1.66	35	670	27	0.17	22	11	610	20	0.33
I052876		3.53	30	0.77	285	2	1.49	20	600	24	0.14	9	7	475	20	0.29
I052877		3.55	30	0.83	253	2	1.59	19	650	14	0.14	10	7	533	20	0.31
I052878		3.58	30	0.87	246	2	1.46	20	620	14	0.13	9	6	524	20	0.30
I052879		3.65	30	0.86	273	1	1.51	23	660	12	0.23	9	6	548	20	0.31
I052880		3.61	30	0.86	322	2	1.19	19	600	21	0.18	11	6	524	20	0.29
I052881		3.78	40	0.67	368	2	0.96	22	700	49	0.31	17	7	362	20	0.32
I052882		3.52	30	0.82	256	4	1.66	25	680	17	0.23	8	7	514	20	0.33
I052883		3.54	40	0.83	224	2	1.65	23	710	11	0.23	13	7	526	20	0.34
I052884		3.54	30	0.71	210	3	1.46	20	630	12	0.25	12	6	468	20	0.30
I052885		3.70	40	0.58	513	3	1.15	22	670	245	0.51	103	7	370	20	0.32
I052886		3.68	30	0.80	224	3	1.64	23	680	13	0.27	8	7	501	20	0.33
I052887		3.94	40	0.72	194	7	1.63	20	670	15	0.29	8	7	466	20	0.32
I052888		3.53	30	0.78	262	3	1.64	22	700	11	0.26	8	7	448	20	0.34

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-NOV-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I052849		<10	<10	34	10	11
I052850		<10	10	194	<10	89
I052851		<10	<10	38	40	637
I052852		<10	<10	38	20	14
I052853		<10	<10	41	20	18
I052854		<10	<10	42	30	15
I052855		<10	<10	41	40	15
I052856		<10	10	3	<10	19
I052857		<10	<10	39	50	46
I052858		<10	10	37	20	52
I052859		<10	10	36	30	148
I052860		<10	10	39	40	21
I052861		<10	10	45	40	25
I052862		<10	10	43	40	24
I052863		<10	10	43	40	27
I052864		<10	10	43	40	30
I052865		<10	10	43	30	36
I052866		<10	10	38	30	27
I052867		<10	10	38	30	38
I052868		<10	20	38	20	43
I052869		<10	10	37	20	43
I052870		<10	10	38	10	42
I052871		<10	10	33	30	39
I052872		<10	10	35	20	31
I052873		<10	10	34	30	50
I052874		<10	10	37	20	74
I052875		<10	10	66	40	61
I052876		<10	10	34	20	54
I052877		<10	10	36	30	30
I052878		<10	10	36	40	26
I052879		<10	10	37	30	25
I052880		<10	10	35	30	48
I052881		<10	10	39	40	201
I052882		<10	10	39	20	27
I052883		<10	20	40	20	24
I052884		<10	10	36	40	19
I052885		<10	10	38	30	471
I052886		<10	10	39	20	23
I052887		<10	10	37	120	24
I052888		<10	10	41	100	29

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 19-NOV-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052889		5.27	0.941	<0.5	6.53	55	1720	3.1	16	2.40	<0.5	8	39	38	2.62	20
I052890		0.06	0.826	1.9	7.33	9	630	0.9	<2	3.11	<0.5	19	38	7330	7.31	10
I052891		4.79	0.260	<0.5	7.28	47	1740	3.2	<2	2.21	<0.5	7	36	60	2.68	20
I052892		4.35	0.573	<0.5	7.19	62	1650	3.1	5	2.31	<0.5	8	33	44	2.55	20
I052893		5.46	0.768	<0.5	7.04	44	1710	2.9	12	2.43	<0.5	7	35	44	2.67	20
I052894		4.93	0.417	<0.5	7.27	84	1650	3.1	8	2.21	<0.5	8	38	44	2.70	20
I052895		4.33	0.408	<0.5	7.00	114	1650	2.7	6	2.14	<0.5	8	39	30	2.65	20
I052896		3.56	0.102	<0.5	0.07	5	30	<0.5	3	22.3	<0.5	2	3	1	0.53	<10
I052897		5.34	0.930	<0.5	7.62	97	1510	2.9	18	2.34	<0.5	7	38	29	2.55	20
I052898		4.60	0.812	<0.5	7.61	54	1860	3.1	20	2.22	<0.5	8	53	42	2.88	20
I052899		6.90	0.506	1.4	7.50	121	1000	3.0	11	2.28	1.6	7	35	50	3.28	20
I052900		5.27	0.293	0.6	7.27	53	1180	2.7	5	2.38	<0.5	7	36	38	2.77	20
I052901		4.60	0.615	2.3	7.65	108	1200	2.8	11	2.35	1.3	6	35	50	3.07	20
I052902		4.63	4.61	2.6	6.52	248	1100	2.3	72	2.52	0.9	7	33	43	2.81	20
I052903		3.47	0.463	0.7	7.42	97	1190	2.9	2	2.39	2.1	7	42	55	3.07	20
I052904		3.96	0.333	0.8	7.42	190	870	3.0	7	2.64	<0.5	8	38	43	2.85	20
I052905		6.18	0.696	2.0	7.19	127	600	2.7	14	2.92	1.5	7	38	38	3.03	20
I052906		4.53	0.214	1.2	7.48	102	930	2.7	<2	2.43	0.8	6	39	35	3.18	20
I052907		5.12	0.103	1.0	7.47	212	640	3.0	<2	3.01	1.7	5	36	49	2.85	20
I052908		5.33	0.698	2.0	7.00	370	720	2.9	16	3.04	4.2	5	35	59	2.67	20
I052909		5.30	0.431	1.1	7.45	272	1520	3.0	5	2.41	0.5	6	30	55	2.43	20
I052910		0.06	1.505	<0.5	6.93	1360	660	9.4	<2	0.02	<0.5	2	260	33	3.40	20
I052911		4.75	0.280	0.9	6.99	297	1300	2.7	11	2.46	1.2	6	29	52	2.75	20
I052912		5.48	0.366	<0.5	6.49	160	1330	2.5	23	2.51	<0.5	6	29	35	2.27	20
I052913		4.29	0.145	<0.5	7.73	246	1840	3.3	<2	2.45	<0.5	7	37	43	2.82	20
I052914		5.34	0.123	<0.5	7.38	70	1810	3.1	3	2.62	<0.5	7	35	28	2.66	20
I052915		5.32	0.269	0.6	7.59	73	1590	3.0	3	2.42	<0.5	8	39	44	2.69	20
I052916		3.13	0.024	<0.5	0.08	<5	40	<0.5	<2	22.4	<0.5	1	2	3	0.54	<10
I052917		4.75	0.325	0.6	7.25	104	1660	3.0	4	3.01	<0.5	7	34	35	2.47	20
I052918		5.26	0.539	<0.5	7.42	213	1730	3.0	12	2.49	<0.5	8	35	30	2.67	20
I052919		4.12	1.150	0.7	7.47	252	1680	2.9	29	2.40	0.7	9	34	40	2.74	20
I052920		4.05	0.264	<0.5	7.82	114	1860	3.0	3	1.40	<0.5	8	34	33	2.97	20
I052921		5.98	0.389	0.6	7.00	50	1430	2.7	5	2.45	<0.5	8	31	23	2.69	20
I052922		6.22	0.393	0.5	6.77	68	1290	2.7	9	2.40	<0.5	7	31	26	2.63	20
I052923		4.39	0.399	0.8	7.38	77	1280	2.9	6	2.36	0.5	5	33	37	2.77	20
I052924		4.49	2.13	2.1	7.29	77	760	2.8	12	2.67	4.3	4	27	53	2.71	20
I052925		6.74	1.470	0.9	7.20	65	1470	2.8	20	1.75	0.5	6	34	32	2.67	20
I052926		5.13	4.94	1.8	7.27	431	1420	2.8	87	1.74	<0.5	8	37	43	2.78	20
I052927		5.66	1.285	<0.5	7.21	90	1630	2.8	27	2.69	<0.5	10	33	37	2.59	20
I052928		4.72	0.333	0.5	6.63	72	1280	2.8	6	2.24	<0.5	6	30	49	2.96	20

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 19-NOV-2010  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052889		3.39	30	0.80	220	2	1.72	21	700	13	0.23	5	6	498	20	0.33
I052890		2.73	10	1.99	614	570	2.33	17	1120	16	0.95	5	18	573	<20	0.35
I052891		3.76	30	0.86	186	3	1.69	21	690	12	0.26	6	7	510	20	0.33
I052892		3.81	30	0.77	176	2	1.56	21	660	11	0.29	7	7	482	20	0.31
I052893		3.71	30	0.80	192	3	1.47	20	660	12	0.28	<5	7	483	20	0.31
I052894		3.81	40	0.66	188	4	1.47	24	690	14	0.33	11	7	437	20	0.31
I052895		3.98	30	0.67	198	10	1.36	25	750	14	0.21	16	6	427	20	0.29
I052896		0.03	<10	13.60	241	<1	0.01	3	170	<2	0.03	<5	<1	51	<20	<0.01
I052897		3.94	40	0.59	293	<1	1.37	23	660	14	0.21	15	7	389	20	0.31
I052898		3.75	40	0.78	215	4	1.58	28	710	17	0.26	15	7	497	20	0.33
I052899		3.53	40	0.73	504	1	0.77	25	690	113	0.64	60	7	309	20	0.31
I052900		3.86	40	0.69	365	1	0.61	24	700	40	0.23	28	7	269	20	0.31
I052901		4.05	40	0.68	535	<1	0.21	23	670	134	0.67	39	7	223	20	0.30
I052902		3.68	40	0.58	426	2	0.13	20	570	313	0.55	169	6	216	20	0.25
I052903		3.97	40	0.64	529	<1	0.15	25	670	76	0.31	36	7	225	20	0.31
I052904		3.89	40	0.68	641	<1	0.10	24	710	61	0.46	40	7	211	20	0.31
I052905		3.42	40	0.80	983	2	0.04	23	640	114	0.20	57	7	170	20	0.28
I052906		3.76	30	0.65	704	<1	0.11	24	670	82	0.77	37	7	195	20	0.29
I052907		3.61	40	0.80	926	<1	0.06	22	690	76	0.26	42	7	175	20	0.30
I052908		3.41	40	0.82	1205	<1	0.06	22	640	117	0.11	42	6	167	20	0.27
I052909		4.07	40	0.66	441	<1	0.53	21	630	61	0.54	31	6	306	20	0.28
I052910		2.63	50	0.32	68	1	0.09	24	330	23	0.02	103	14	97	20	0.27
I052911		3.97	30	0.71	567	<1	0.29	19	610	90	0.52	31	6	241	20	0.27
I052912		3.61	30	0.61	263	1	0.88	19	590	28	0.21	19	6	371	20	0.28
I052913		3.92	40	0.81	226	1	1.57	26	740	17	0.31	10	7	509	20	0.35
I052914		3.63	30	0.73	250	<1	1.55	25	720	18	0.23	6	7	511	20	0.34
I052915		3.84	40	0.76	327	<1	1.13	24	700	38	0.30	12	7	413	20	0.33
I052916		0.04	<10	13.65	247	<1	0.01	3	180	2	0.03	<5	<1	52	<20	<0.01
I052917		3.76	40	0.73	358	<1	1.12	23	700	42	0.24	21	7	446	20	0.32
I052918		3.76	40	0.78	239	<1	1.47	23	680	19	0.23	10	7	499	20	0.32
I052919		3.98	40	0.74	324	1	1.01	25	720	53	0.26	20	7	400	20	0.33
I052920		4.00	50	0.72	233	<1	0.81	24	730	32	0.38	14	7	354	20	0.33
I052921		3.86	30	0.66	455	<1	0.87	21	650	56	0.23	24	6	339	20	0.29
I052922		3.61	30	0.62	404	<1	0.75	22	630	56	0.40	29	6	323	20	0.29
I052923		4.12	40	0.69	565	<1	0.35	22	690	67	0.49	34	7	237	20	0.30
I052924		3.40	40	0.79	1040	<1	0.05	19	610	196	0.30	52	6	177	20	0.25
I052925		3.95	40	0.57	497	3	0.51	23	630	84	0.23	39	6	263	20	0.28
I052926		3.54	40	0.56	269	<1	1.13	22	660	115	0.44	64	6	365	20	0.29
I052927		3.89	30	0.72	231	<1	1.40	26	660	53	0.36	26	7	463	20	0.30
I052928		3.44	40	0.68	340	1	0.88	22	610	38	0.57	20	6	299	<20	0.28

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-NOV-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I052889		<10	10	40	20	23
I052890		<10	20	183	<10	82
I052891		<10	10	39	40	19
I052892		<10	10	37	40	17
I052893		<10	10	37	50	18
I052894		<10	10	53	20	19
I052895		<10	10	78	40	19
I052896		<10	<10	4	<10	17
I052897		<10	10	36	30	24
I052898		<10	10	39	30	23
I052899		<10	<10	38	30	265
I052900		<10	<10	38	20	67
I052901		<10	<10	37	40	265
I052902		<10	<10	31	30	132
I052903		<10	<10	38	20	430
I052904		<10	<10	39	20	87
I052905		<10	<10	42	50	277
I052906		<10	<10	38	30	165
I052907		<10	<10	38	20	357
I052908		<10	<10	34	30	823
I052909		<10	<10	34	20	105
I052910		<10	<10	93	10	51
I052911		<10	<10	34	30	229
I052912		<10	10	32	30	31
I052913		<10	10	42	20	23
I052914		<10	10	40	10	27
I052915		<10	10	39	20	64
I052916		<10	<10	4	<10	18
I052917		<10	10	39	20	51
I052918		<10	10	37	20	33
I052919		<10	10	40	30	118
I052920		<10	<10	40	20	64
I052921		<10	10	34	20	91
I052922		<10	10	34	20	102
I052923		<10	<10	37	30	109
I052924		<10	<10	31	30	796
I052925		<10	<10	35	30	83
I052926		<10	10	36	40	48
I052927		<10	10	37	60	44
I052928		<10	10	34	30	51

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-NOV-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
I052929		<0.02	0.297	0.5	6.77	70	1280	2.8	5	2.22	<0.5	5	30	43	2.85	20
I052930		5.36	0.629	<0.5	7.51	82	1570	2.9	12	2.09	0.5	7	32	31	2.68	20
I052931		4.91	0.508	<0.5	7.58	98	1690	2.8	20	1.93	0.9	7	33	36	2.40	20
I052932		5.39	2.30	0.8	6.78	170	1520	2.4	48	1.76	0.6	6	31	42	2.92	20
I052933		6.30	0.516	<0.5	7.65	89	1710	2.7	13	2.02	<0.5	6	32	64	3.46	10
I052934		5.72	0.565	<0.5	7.47	69	1460	2.8	14	2.41	<0.5	8	33	32	2.75	20
I052935		5.16	2.54	2.1	7.79	79	1750	3.2	50	2.72	0.7	9	39	44	2.96	20
I052936		5.75	0.892	<0.5	6.99	41	1460	2.8	9	2.32	0.6	7	28	21	2.40	20
I052937		5.34	1.025	4.0	6.95	542	860	2.8	16	2.23	2.1	9	25	68	4.81	20

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-NOV-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052929		3.62	40	0.70	331	<1	0.87	19	600	33	0.54	21	6	299	20	0.28
I052930		4.14	30	0.72	272	3	1.10	21	620	43	0.36	17	6	350	20	0.28
I052931		4.27	40	0.68	274	1	1.02	23	650	88	0.25	46	7	354	20	0.31
I052932		3.89	30	0.65	345	1	0.81	17	550	100	0.62	48	5	279	20	0.25
I052933		3.98	40	0.70	295	1	0.85	19	640	45	1.21	35	6	316	20	0.29
I052934		3.90	40	0.75	396	<1	0.86	20	640	72	0.45	29	6	318	20	0.29
I052935		3.81	30	0.75	375	1	1.33	28	710	139	0.29	50	7	444	20	0.34
I052936		3.61	30	0.63	320	1	1.26	16	540	37	0.13	10	6	383	20	0.26
I052937		3.53	30	0.62	484	<1	0.79	21	540	495	3.04	114	6	293	20	0.25

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 1066 WEST HASTINGS STREET, SUITE 680  
 VANCOUVER BC V6E 3X2

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 19-NOV-2010  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH10158297**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I052929		<10	<10	33	20	45
I052930		<10	<10	34	30	54
I052931		<10	<10	36	30	123
I052932		<10	<10	31	30	67
I052933		<10	<10	35	30	40
I052934		<10	<10	34	10	49
I052935		<10	<10	41	20	90
I052936		<10	<10	30	20	70
I052937		<10	<10	30	30	278

Comments: Additional Au-AA24 check assay for sample I052898 are 1.035 ppm and 1.630 ppm.