



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 11-NOV-2010
Account: STRGOL

CERTIFICATE WH10158299

Project: Eagle Gold

P.O. No.: EGP10-127

This report is for 45 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-OCT-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955135		1.53	2.26		0.9	6.95	33	1550	2.6	30	2.31	<0.5	7	36	15	2.50
J955136		5.28	0.840		<0.5	7.48	65	1590	3.0	16	2.36	<0.5	8	36	13	2.59
J955137		4.18	1.780		<0.5	7.17	44	1570	2.9	44	2.21	<0.5	8	35	12	2.53
J955138		5.01	0.563		<0.5	7.51	87	1550	3.1	8	2.30	<0.5	8	36	16	2.64
J955139		5.80	0.225		<0.5	7.20	48	1480	3.1	7	2.36	<0.5	7	32	17	2.39
J955140		4.63	0.343		<0.5	7.33	79	1650	2.9	5	2.41	<0.5	7	37	13	2.66
J955141		6.07	0.136		<0.5	7.30	33	1510	3.0	6	2.41	<0.5	8	34	10	2.43
J955142		4.74	0.337		<0.5	7.50	41	1570	3.0	5	2.40	<0.5	8	36	11	2.65
J955143		6.43	0.162		<0.5	7.61	29	1710	3.1	2	2.53	<0.5	8	36	14	2.64
J955144		4.87	0.328		<0.5	7.42	27	1570	3.2	11	2.40	<0.5	7	33	11	2.64
J955145		5.08	0.080		<0.5	7.31	41	1530	3.2	2	2.30	<0.5	7	33	13	2.48
J955146		2.76	0.178		<0.5	7.04	66	1500	2.7	7	2.89	<0.5	7	30	16	2.46
J955147		2.36	0.122		<0.5	7.14	41	1520	3.2	3	2.20	<0.5	7	31	14	2.45
J955148		2.51	3.14		<0.5	7.09	98	1660	2.8	55	1.91	<0.5	6	32	19	2.31
J955149		1.61	3.84		<0.5	7.30	79	1630	3.1	68	1.71	<0.5	6	30	17	2.31
I017344		0.09	0.379		1.0	7.49	13	790	1.9	3	2.35	<0.5	15	50	3460	5.02
I017345		1.52	0.284		<0.5	7.51	32	1550	3.2	<2	2.19	<0.5	7	32	20	2.65
I017346		1.05	0.117		<0.5	7.37	28	1480	3.4	<2	2.11	<0.5	7	30	14	2.41
I017347		1.66	0.357		<0.5	7.32	59	1580	3.4	2	1.87	<0.5	6	32	16	2.56
I017348		1.57	0.653		<0.5	6.84	67	1430	2.9	13	1.95	<0.5	6	33	7	2.30
I017349		4.50	0.611		<0.5	7.64	70	1560	3.1	21	2.47	<0.5	8	37	9	2.79
I017350		3.37	0.020		<0.5	0.10	<5	30	<0.5	<2	20.9	<0.5	<1	2	<1	0.49
I050747		3.90	0.647		<0.5	7.53	27	1520	3.3	12	2.61	<0.5	6	39	7	2.74
I050748		3.52	1.725		<0.5	6.92	72	1510	2.9	31	2.31	<0.5	7	37	13	2.55
I050749		6.96	0.426		<0.5	7.52	65	1540	3.0	10	2.50	<0.5	7	40	15	2.80
I050750		5.36	2.89		<0.5	6.76	334	1390	2.6	42	1.87	<0.5	8	41	9	2.30
H235925		5.81	0.917		<0.5	6.92	108	1490	2.7	14	2.17	<0.5	7	43	9	2.56
H235926		5.24	0.525		<0.5	6.85	116	1510	2.8	10	2.40	<0.5	7	39	10	2.57
H235927		4.42	3.34		<0.5	7.38	72	1560	2.8	11	2.13	<0.5	7	37	13	2.69
H235928		5.61	4.27		<0.5	7.29	58	1530	2.9	93	2.36	<0.5	8	38	9	2.63
H235929		4.53	0.560		<0.5	7.54	69	1510	3.0	18	2.35	<0.5	7	35	11	2.69
H235930		6.12	0.087		<0.5	7.50	27	1440	3.0	5	2.47	<0.5	7	34	10	2.55
H235931		4.98	2.08		<0.5	7.64	40	1650	2.9	62	2.47	<0.5	7	33	28	2.66
H235932		5.55	0.239		<0.5	7.91	58	1690	2.9	11	2.53	<0.5	7	42	17	2.85
H235933		<0.02	0.405		<0.5	8.08	70	1790	3.0	12	2.57	0.6	10	42	19	3.01
H235934		5.47	4.45		<0.5	7.45	143	1620	3.0	47	2.17	<0.5	8	38	29	2.52
H235935		4.78	0.730		<0.5	7.23	160	1540	2.7	15	1.96	<0.5	7	35	36	2.50
H235936		4.09	2.81		<0.5	7.32	71	1480	2.8	71	2.26	<0.5	8	36	27	2.55
H235937		2.78	>10.0	10.70	0.6	6.19	455	1120	2.3	204	1.57	<0.5	8	38	30	2.58
H235938		5.35	0.666		<0.5	7.63	109	1540	3.0	27	2.45	<0.5	8	36	31	2.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955135		10	3.22	30	0.75	229	1	1.59	19	660	12	0.09	<5	7	462	20
J955136		20	3.71	30	0.76	237	<1	1.67	20	650	16	0.09	<5	7	480	20
J955137		20	3.35	30	0.72	220	1	1.65	21	650	16	0.05	<5	7	467	20
J955138		20	3.59	40	0.73	254	1	1.70	19	650	20	0.07	<5	7	473	20
J955139		20	3.52	30	0.70	233	1	1.71	18	630	22	0.11	<5	6	472	20
J955140		20	3.81	30	0.72	243	2	1.65	20	680	16	0.06	5	7	478	20
J955141		20	3.52	30	0.72	249	1	1.74	18	640	17	0.05	<5	7	487	20
J955142		20	3.57	30	0.75	248	<1	1.75	19	680	15	0.06	<5	7	486	20
J955143		20	3.68	30	0.80	239	<1	1.80	20	720	13	0.06	<5	7	525	20
J955144		20	3.44	30	0.75	291	2	1.73	19	650	18	0.04	<5	7	487	20
J955145		20	3.61	30	0.75	226	1	1.71	19	640	18	0.05	<5	7	476	20
J955146		20	3.59	30	0.73	223	1	1.16	19	620	12	0.01	9	7	379	20
J955147		20	3.52	30	0.74	198	<1	1.52	17	630	14	<0.01	5	7	418	20
J955148		20	4.05	30	0.58	171	1	1.37	16	650	12	<0.01	5	6	406	20
J955149		20	4.02	30	0.64	172	1	1.48	19	640	14	<0.01	7	7	407	20
I017344		20	3.13	20	1.45	499	260	2.52	19	1080	15	0.48	<5	12	453	<20
I017345		20	3.57	30	0.73	305	1	1.74	17	660	25	<0.01	<5	7	469	20
I017346		20	3.47	30	0.69	250	1	1.69	17	620	20	<0.01	<5	7	438	20
I017347		20	3.51	30	0.76	194	1	1.64	15	650	14	<0.01	<5	7	422	20
I017348		20	3.61	30	0.73	224	2	1.52	16	610	13	<0.01	<5	6	415	20
I017349		20	3.62	40	0.87	305	1	1.66	18	670	14	<0.01	<5	8	474	20
I017350		<10	0.04	<10	12.50	222	<1	0.01	<1	190	<2	<0.01	<5	<1	47	<20
I050747		20	3.83	30	0.89	310	<1	1.79	19	660	15	<0.01	<5	7	477	20
I050748		20	3.63	30	0.83	264	2	1.56	21	650	12	0.01	<5	7	447	20
I050749		20	3.53	40	0.86	290	2	1.66	18	660	12	0.04	<5	8	479	20
I050750		20	3.56	30	0.65	230	2	1.32	16	570	13	0.02	5	7	374	20
H235925		20	3.76	30	0.81	269	2	1.52	19	640	10	0.01	<5	7	414	20
H235926		20	3.69	30	0.80	281	2	1.53	18	640	11	0.02	<5	7	440	20
H235927		20	3.65	40	0.83	261	<1	1.52	21	630	14	0.01	<5	7	453	20
H235928		20	3.44	40	0.85	282	<1	1.57	20	640	15	0.01	<5	7	475	20
H235929		20	3.71	40	0.83	321	<1	1.64	21	620	15	0.02	<5	7	482	20
H235930		20	3.49	40	0.82	341	<1	1.67	18	600	19	0.04	<5	7	483	20
H235931		20	3.81	40	0.80	257	<1	1.65	19	670	16	0.10	<5	7	501	20
H235932		20	4.11	40	0.93	322	<1	1.62	21	700	13	0.02	<5	8	489	20
H235933		20	4.05	40	0.95	344	<1	1.65	24	720	16	0.02	<5	8	483	20
H235934		20	4.03	40	0.81	234	2	1.53	22	660	20	0.03	<5	7	438	20
H235935		20	4.09	40	0.87	195	1	1.40	19	610	10	0.03	<5	7	442	20
H235936		20	3.64	40	0.84	230	<1	1.51	19	620	12	0.07	<5	7	460	20
H235937		20	2.93	40	0.65	232	2	1.07	17	500	36	0.02	12	6	283	20
H235938		20	3.72	40	0.87	273	<1	1.64	20	640	16	0.09	<5	7	486	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 11-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955135		0.31	<10	<10	37	20	32
J955136		0.31	<10	<10	37	10	32
J955137		0.30	<10	<10	36	<10	28
J955138		0.31	<10	<10	36	10	36
J955139		0.30	<10	<10	34	20	39
J955140		0.31	<10	<10	37	90	33
J955141		0.30	<10	<10	35	10	34
J955142		0.32	<10	<10	36	10	32
J955143		0.34	<10	<10	40	10	33
J955144		0.31	<10	<10	37	<10	45
J955145		0.30	<10	<10	36	10	35
J955146		0.29	<10	<10	35	40	25
J955147		0.30	<10	<10	35	40	25
J955148		0.29	<10	<10	34	20	18
J955149		0.30	<10	<10	34	20	23
I017344		0.37	<10	<10	136	<10	71
I017345		0.31	<10	<10	36	10	55
I017346		0.29	<10	<10	33	320	42
I017347		0.30	<10	<10	35	20	23
I017348		0.27	<10	<10	35	20	27
I017349		0.31	<10	<10	40	40	42
I017350		<0.01	<10	<10	3	<10	15
I050747		0.32	<10	<10	40	10	43
I050748		0.31	<10	<10	40	20	33
I050749		0.31	<10	<10	40	10	36
I050750		0.26	<10	<10	33	150	42
H235925		0.29	<10	<10	39	60	33
H235926		0.29	<10	<10	39	60	35
H235927		0.30	<10	<10	39	30	34
H235928		0.31	<10	<10	39	60	36
H235929		0.30	<10	<10	38	10	44
H235930		0.29	<10	<10	37	10	50
H235931		0.32	<10	<10	38	20	31
H235932		0.33	<10	<10	44	10	39
H235933		0.34	<10	<10	45	10	43
H235934		0.31	<10	<10	40	90	31
H235935		0.29	<10	<10	39	100	20
H235936		0.30	<10	<10	38	10	26
H235937		0.24	<10	<10	33	20	90
H235938		0.31	<10	<10	40	30	35



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

VANCOUVER BC V6E 3X2

Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	Au-GRA22	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
H235939		5.96	3.16		<0.5	7.55	152	1540	2.9	18	2.27	<0.5	9	38	47	2.81
H235940		5.44	2.05		<0.5	7.65	115	1550	3.0	18	2.40	<0.5	7	39	27	2.70
H235941		4.44	1.400		<0.5	7.30	84	1460	2.9	38	2.19	<0.5	7	37	40	2.72
H235942		4.69	0.606		<0.5	7.53	243	1670	2.8	10	2.10	<0.5	9	37	28	2.65
H235943		4.84	0.271		<0.5	7.58	90	1580	3.0	6	2.38	<0.5	8	37	22	2.82



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

[illegible]



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10158299

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
H235939		0.30	<10	<10	39	30	30
H235940		0.31	<10	<10	40	30	30
H235941		0.29	<10	<10	38	<10	23
H235942		0.30	<10	<10	40	20	25
H235943		0.32	<10	<10	41	60	31