



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 14-NOV-2010
Account: STRGOL

CERTIFICATE WH10159761

Project: Eagle Gold

P.O. No.: EGP10-130

This report is for 75 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 14-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
I052977		5.28	0.115		<0.5	7.45	88	1670	3.2	2	2.48	<0.5	8	38	30	2.95
I052978		5.51	4.13		<0.5	6.97	234	1530	2.8	192	2.64	<0.5	10	35	49	2.89
I052979		3.87	2.13	1.925	<0.5	6.64	81	1450	2.8	23	2.09	<0.5	7	37	40	2.44
I052980		2.95	0.525	1.070	<0.5	7.27	238	1620	3.4	14	2.29	<0.5	7	38	42	2.73
I052981		5.69	0.562	0.357	<0.5	7.01	192	1590	2.7	17	2.14	<0.5	8	32	40	2.53
I052982		5.15	0.755		<0.5	7.13	156	1620	2.9	14	2.37	<0.5	11	36	68	2.58
I052983		4.49	0.390		<0.5	7.61	142	1780	3.4	4	2.56	<0.5	8	40	74	2.82
I052984		5.25	0.234		<0.5	7.38	48	1580	3.3	4	2.37	<0.5	7	38	53	2.60
I052985		5.30	0.524		0.5	7.18	151	1540	3.2	20	2.17	<0.5	7	40	42	2.70
I052986		4.72	1.140		<0.5	8.17	178	1770	3.6	19	2.30	<0.5	9	48	76	2.71
I052987		5.03	0.974		<0.5	7.33	214	1650	3.3	23	2.96	<0.5	11	39	74	2.71
I052988		5.80	0.173		<0.5	7.21	65	1500	3.8	5	3.17	<0.5	7	45	67	2.56
I052989		5.41	0.725		<0.5	7.35	157	1670	3.5	20	2.09	<0.5	9	43	76	2.63
I052990		0.07	0.828		2.5	7.56	<5	650	0.9	<2	3.22	<0.5	21	48	7670	7.60
I052991		4.05	1.125		<0.5	7.16	402	1550	3.3	22	2.47	<0.5	12	35	67	2.47
I052992		5.31	0.678		<0.5	7.39	252	1560	3.5	37	2.19	<0.5	9	39	71	2.62
I052993		4.57	0.478		<0.5	6.97	140	1540	3.2	15	2.15	<0.5	8	37	72	2.54
I052994		4.91	0.189		<0.5	7.57	56	1660	3.6	2	2.14	<0.5	7	42	62	2.70
I052995		0.77	0.573		<0.5	7.59	125	1790	2.9	13	2.17	<0.5	7	38	75	2.59
I052996		2.50	0.005		<0.5	0.07	<5	40	<0.5	<2	21.4	<0.5	3	3	1	0.52
I052997		4.29	0.367		<0.5	7.32	212	1600	3.2	5	2.28	<0.5	7	42	82	2.72
I052998		4.21	0.099		<0.5	7.35	139	1610	3.3	2	2.28	<0.5	9	39	102	2.77
I052999		4.20	6.09		1.6	6.86	555	1520	2.7	120	2.28	<0.5	23	36	66	2.51
I053000		4.74	0.299		<0.5	6.49	160	1380	2.5	15	1.98	<0.5	9	32	65	2.30
G319900		4.47	0.276		<0.5	7.10	243	1520	3.0	8	2.35	<0.5	8	30	63	2.86
J955150		0.07	0.893		2.2	7.54	6	630	0.9	6	3.28	<0.5	21	37	7430	7.53
J955151		2.27	0.194		<0.5	7.01	508	1490	2.9	4	3.29	<0.5	8	31	105	2.61
J955152		2.52	0.194		<0.5	6.92	256	1480	3.0	8	2.80	<0.5	6	33	79	2.89
J955153		0.99	0.506		<0.5	6.97	275	1500	2.8	18	2.98	<0.5	11	35	61	2.60
J955154		3.57	0.333		<0.5	6.83	82	1510	3.0	7	2.23	<0.5	8	35	58	2.56
J955155		5.26	0.688		<0.5	6.93	45	1570	2.7	16	3.18	<0.5	7	33	52	2.62
J955156		3.87	<0.005		<0.5	0.09	<5	30	<0.5	4	20.6	<0.5	1	<1	2	0.47
J955157		4.90	0.743		<0.5	6.95	317	1610	2.7	14	2.35	<0.5	11	39	57	2.72
J955158		4.65	0.505		<0.5	7.08	234	1490	2.8	11	2.43	<0.5	8	38	71	2.97
J955159		2.25	0.336		<0.5	7.72	56	1760	3.1	15	1.87	<0.5	9	43	53	3.07
J955160		3.60	1.775		<0.5	6.79	258	1470	2.4	42	2.64	<0.5	9	35	49	2.70
J955161		3.37	0.488		<0.5	7.09	152	1610	2.9	14	2.51	<0.5	10	39	58	2.69
J955162		4.13	0.474		<0.5	7.04	142	1580	2.8	13	2.44	<0.5	7	36	54	2.61
J955163		5.53	0.680		<0.5	6.86	216	1550	2.8	22	2.27	<0.5	11	41	53	2.44
J955164		5.13	0.040		<0.5	7.16	86	1460	3.1	2	2.53	<0.5	8	44	37	2.86

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 14-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I052977		20	3.85	40	0.87	287	1	1.26	23	650	21	0.16	<5	7	520	20
I052978		20	3.42	40	0.81	243	4	1.15	22	580	22	0.36	6	7	485	20
I052979		20	3.67	30	0.70	173	8	1.34	19	560	18	0.23	<5	6	456	20
I052980		20	3.78	30	0.80	210	1	1.54	20	620	19	0.24	<5	6	522	20
I052981		20	3.96	40	0.81	202	8	1.06	19	600	20	0.22	<5	6	482	20
I052982		20	4.14	40	0.86	171	2	1.21	23	640	15	0.33	6	7	537	20
I052983		20	3.84	30	0.89	187	2	1.64	23	730	16	0.36	<5	7	596	20
I052984		20	3.90	30	0.78	179	2	1.64	20	640	16	0.27	<5	6	543	20
I052985		20	3.70	30	0.85	213	5	1.37	19	620	14	0.23	<5	7	507	20
I052986		20	5.45	40	0.92	176	3	1.38	26	690	17	0.38	<5	8	571	20
I052987		20	4.56	40	0.89	215	2	0.96	21	650	16	0.33	5	7	565	20
I052988		20	4.11	40	0.84	204	1	1.27	26	630	14	0.32	<5	6	592	20
I052989		20	4.60	30	0.88	164	5	1.26	26	670	14	0.35	5	7	529	20
I052990		20	2.91	10	2.11	635	604	2.47	19	1180	15	0.95	<5	18	617	<20
I052991		20	3.67	30	0.85	176	10	1.40	21	640	12	0.34	<5	7	527	20
I052992		20	3.44	40	0.83	149	7	1.59	21	650	13	0.38	<5	7	516	20
I052993		20	3.44	30	0.79	161	4	1.39	21	640	12	0.35	6	6	483	20
I052994		20	3.98	40	0.83	184	2	1.49	22	680	13	0.27	13	7	494	20
I052995		20	4.92	30	0.81	163	2	1.46	23	670	13	0.38	10	7	505	20
I052996		<10	0.03	10	12.65	237	2	0.01	<1	170	7	0.03	<5	<1	47	<20
I052997		20	3.87	40	0.78	162	2	1.52	20	640	18	0.40	<5	7	511	20
I052998		20	3.80	30	0.79	158	<1	1.52	21	650	16	0.42	<5	7	512	20
I052999		20	3.89	30	0.74	167	<1	1.11	20	600	101	0.25	43	6	415	20
I053000		20	3.42	30	0.59	144	2	1.15	18	580	11	0.49	9	6	366	20
G319900		20	3.58	30	0.77	220	<1	1.17	18	600	11	0.34	<5	6	480	20
J955150		20	2.85	10	2.06	640	583	2.43	14	1140	14	1.00	<5	18	594	<20
J955151		20	3.79	30	0.76	219	2	1.11	21	620	12	0.33	6	7	502	20
J955152		20	3.60	30	0.76	199	1	1.28	19	620	13	0.83	9	6	463	20
J955153		20	3.77	40	0.74	187	3	1.31	17	600	14	0.34	<5	7	493	20
J955154		20	3.48	30	0.78	169	3	1.53	19	640	11	0.27	<5	6	475	20
J955155		20	3.96	30	0.76	181	4	1.29	20	630	13	0.20	<5	6	463	20
J955156		<10	0.04	<10	12.20	230	<1	0.01	<1	160	<2	0.02	<5	<1	51	<20
J955157		20	4.14	30	0.80	209	3	1.39	19	650	19	0.36	5	7	470	20
J955158		20	3.67	40	0.80	217	7	1.40	20	630	11	0.37	<5	7	500	20
J955159		20	4.31	40	0.99	193	4	1.54	21	710	15	0.25	6	7	491	20
J955160		20	3.75	40	0.68	169	17	1.25	18	580	13	0.74	11	7	394	20
J955161		20	3.86	30	0.81	185	3	1.51	22	650	13	0.29	6	7	472	20
J955162		20	3.80	30	0.80	182	2	1.40	21	630	14	0.28	6	7	459	20
J955163		20	3.93	30	0.81	160	9	1.52	20	630	13	0.28	<5	7	470	20
J955164		10	3.28	30	0.87	255	1	1.66	18	640	13	0.25	<5	7	511	20

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 14-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I052977		0.32	<10	<10	37	10	37
I052978		0.29	<10	<10	40	50	31
I052979		0.27	<10	<10	32	10	20
I052980		0.31	<10	<10	36	10	24
I052981		0.29	<10	<10	34	20	21
I052982		0.31	<10	<10	36	20	14
I052983		0.36	<10	<10	42	10	20
I052984		0.31	<10	<10	36	50	32
I052985		0.30	<10	<10	38	20	21
I052986		0.33	<10	<10	42	10	15
I052987		0.32	<10	<10	39	30	13
I052988		0.30	<10	<10	37	10	13
I052989		0.32	<10	<10	38	20	13
I052990		0.38	<10	<10	193	<10	88
I052991		0.31	<10	<10	38	30	15
I052992		0.31	<10	<10	38	10	14
I052993		0.30	<10	<10	37	20	15
I052994		0.32	<10	<10	40	20	19
I052995		0.31	<10	<10	39	30	15
I052996		<0.01	<10	<10	2	<10	15
I052997		0.31	<10	<10	39	20	15
I052998		0.32	<10	<10	38	10	15
I052999		0.29	<10	<10	36	20	15
I053000		0.28	<10	<10	34	30	23
G319900		0.30	<10	<10	36	10	20
J955150		0.36	<10	<10	186	<10	83
J955151		0.31	<10	<10	37	40	20
J955152		0.29	<10	<10	36	10	16
J955153		0.29	<10	<10	36	20	21
J955154		0.30	<10	<10	38	10	17
J955155		0.31	<10	<10	38	20	14
J955156		<0.01	<10	10	3	<10	16
J955157		0.30	<10	<10	40	30	20
J955158		0.31	<10	<10	38	20	18
J955159		0.34	<10	<10	44	20	18
J955160		0.27	<10	<10	36	30	13
J955161		0.31	<10	<10	39	40	17
J955162		0.30	<10	<10	37	30	16
J955163		0.30	<10	<10	37	40	15
J955164		0.31	<10	<10	40	<10	22

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 14-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955165		3.17	0.035		<0.5	7.22	139	1470	2.9	<2	2.74	<0.5	10	53	40	3.13
J955166		4.41	0.056		<0.5	7.40	120	1660	3.3	3	2.40	<0.5	11	44	54	2.82
J955167		4.45	0.094	0.114	<0.5	7.07	143	1610	3.3	4	2.45	<0.5	8	43	57	2.82
J955168		4.44	0.434	0.399	<0.5	7.12	95	1340	2.8	19	2.49	<0.5	10	57	33	3.03
J955169		<0.02	0.439	0.446	<0.5	7.32	79	1350	2.8	25	2.56	<0.5	10	58	33	3.02
J955170		5.46	0.149		<0.5	7.15	107	1500	2.6	3	2.55	<0.5	8	50	38	2.84
J955171		5.21	1.035		<0.5	7.49	39	1590	3.0	23	2.54	<0.5	8	39	26	2.82
J955172		4.87	0.104		<0.5	7.36	32	1420	3.0	2	2.92	<0.5	9	54	22	3.20
J955173		4.44	0.978		<0.5	7.59	69	1420	3.0	28	3.01	<0.5	11	63	22	3.70
J955174		4.31	0.112		<0.5	7.15	59	1500	3.1	4	2.23	<0.5	7	39	21	2.61
J955175		3.74	0.147		<0.5	7.32	79	1650	2.9	5	2.46	<0.5	8	37	26	2.71
J955176		5.20	0.044		<0.5	7.17	286	1760	2.7	2	2.26	<0.5	7	30	25	2.35
J955177		4.08	1.580		0.5	7.03	243	1380	2.4	40	2.83	<0.5	10	33	30	2.60
J955178		4.59	1.570		2.5	7.24	563	1500	2.5	35	3.35	2.8	12	33	36	2.65
J955179		5.76	1.645		4.5	6.90	100	1210	2.4	49	2.83	5.9	8	34	29	2.43
J955180		4.69	1.160		<0.5	7.10	69	1720	2.7	16	2.52	<0.5	9	41	34	2.67
J955181		5.96	0.768		2.7	7.08	6710	1090	2.7	11	2.86	4.4	14	57	42	4.26
J955182		3.75	0.068		<0.5	7.56	35	1570	2.9	3	3.08	<0.5	10	55	34	3.45
J955183		3.04	0.136		<0.5	7.30	43	1520	3.0	4	3.01	<0.5	10	57	38	3.33
J955184		4.00	0.810		0.6	7.28	86	1500	3.0	28	2.79	0.9	9	46	50	3.32
J955185		2.99	0.909		<0.5	7.42	66	1550	3.0	15	2.38	<0.5	7	36	41	3.11
J955186		5.10	1.185		<0.5	7.60	49	1700	3.0	18	2.67	<0.5	8	47	29	3.15
J955187		3.05	0.201		<0.5	7.22	43	1430	2.5	3	2.86	<0.5	7	51	31	3.37
J955188		5.74	2.10		1.1	7.32	90	890	2.6	40	2.37	2.2	6	61	60	4.36
J955189		5.96	0.998		1.6	7.37	129	990	2.4	32	2.19	0.8	9	62	39	3.82
J955190		0.07	0.864		2.1	7.69	7	650	0.9	<2	3.32	<0.5	21	42	7710	7.59
J955191		4.42	0.517		<0.5	7.27	36	1440	2.6	15	2.67	<0.5	11	64	31	3.48
J955192		5.07	0.089		<0.5	7.15	38	1430	2.8	2	2.63	0.6	10	62	30	3.37
J955193		4.27	0.228		<0.5	7.25	309	1540	2.6	8	2.47	0.6	10	53	37	3.35
J955194		6.10	0.888		3.8	6.99	816	460	2.8	9	1.73	18.1	6	37	130	7.94
J955195		4.98	0.522		2.7	7.11	2900	490	2.9	8	2.03	19.2	11	29	108	6.08
J955196		3.47	0.016		<0.5	0.08	5	20	<0.5	<2	20.8	<0.5	2	<1	2	0.49
J955197		4.71	0.326		1.1	6.34	89	540	2.5	5	3.23	0.8	5	28	28	2.59
J955198		5.68	0.739		1.2	6.95	122	630	2.8	20	2.02	1.1	6	33	29	2.53
J955199		3.36	1.075		0.8	7.24	78	1340	2.9	41	1.86	<0.5	7	35	17	2.52

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 14-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955165		20	3.50	30	0.98	334	1	1.69	19	690	14	0.24	<5	8	547	20
J955166		20	3.57	30	0.84	206	1	1.86	22	690	15	0.28	<5	7	551	20
J955167		20	3.31	30	0.84	232	8	1.75	24	690	16	0.34	<5	7	533	20
J955168		20	3.69	30	1.00	333	1	1.65	17	650	18	0.19	<5	9	526	20
J955169		20	3.69	30	1.04	329	1	1.66	16	660	19	0.19	5	9	537	20
J955170		20	4.01	30	0.96	273	1	1.55	17	640	16	0.24	<5	8	513	20
J955171		20	3.58	30	0.85	271	4	1.82	20	680	17	0.18	<5	7	547	20
J955172		20	3.54	30	0.97	377	3	1.63	18	680	27	0.14	<5	8	545	20
J955173		20	3.42	40	1.25	425	3	1.69	18	750	14	0.21	6	10	569	20
J955174		20	3.95	30	0.73	273	6	1.62	19	600	21	0.11	<5	7	492	20
J955175		20	3.83	40	0.77	247	1	1.60	22	620	18	0.15	5	7	502	20
J955176		20	4.18	30	0.70	254	2	1.25	19	620	15	0.14	12	6	404	20
J955177		20	3.60	40	0.66	312	2	0.76	22	590	48	0.51	25	7	340	20
J955178		20	4.43	30	0.56	706	1	0.57	23	710	217	0.54	62	7	281	20
J955179		20	3.66	30	0.66	705	4	0.75	20	680	270	0.31	97	7	313	20
J955180		20	3.60	30	1.04	376	2	1.46	22	710	18	0.18	18	8	504	20
J955181		20	3.22	40	1.15	690	2	0.78	17	680	291	1.12	117	9	341	20
J955182		20	3.35	30	1.35	552	2	1.61	18	750	14	0.16	18	10	564	20
J955183		20	3.25	40	1.32	417	3	1.59	18	740	12	0.20	12	10	550	20
J955184		20	3.27	40	1.01	382	3	1.26	22	730	98	0.51	33	8	431	20
J955185		20	3.41	40	0.80	305	8	1.29	19	690	48	0.34	25	7	398	20
J955186		20	3.72	40	1.01	368	3	1.47	20	720	31	0.29	16	8	480	20
J955187		20	3.47	30	1.12	455	5	0.99	15	700	52	0.22	13	9	390	20
J955188		20	3.31	40	0.99	431	2	0.25	13	720	163	1.01	19	10	148	20
J955189		20	3.07	40	1.08	331	3	0.82	17	740	173	0.56	26	10	243	20
J955190		20	2.98	10	2.13	654	596	2.51	19	1200	15	1.00	<5	19	598	<20
J955191		20	3.23	40	1.40	412	2	1.47	16	730	12	0.14	9	10	497	20
J955192		20	3.23	30	1.39	455	1	1.56	14	720	30	0.14	9	9	492	20
J955193		20	3.39	40	1.31	416	2	1.15	17	720	30	0.20	10	9	431	20
J955194		20	2.80	50	0.81	273	5	0.12	14	620	1165	6.41	31	8	123	20
J955195		20	3.01	50	0.81	358	4	0.05	18	550	660	3.36	37	6	90	20
J955196		<10	0.03	<10	12.35	218	<1	0.01	<1	150	4	0.03	<5	<1	44	<20
J955197		20	2.66	40	0.55	521	3	0.04	16	550	155	0.39	13	6	138	20
J955198		20	3.05	40	0.56	379	1	0.04	20	580	139	0.16	11	6	82	20
J955199		20	3.66	30	0.66	298	1	1.21	18	620	70	0.16	19	6	288	20

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 14-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159761

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955165		0.33	<10	<10	49	<10	32
J955166		0.33	<10	<10	40	<10	19
J955167		0.34	<10	<10	44	10	26
J955168		0.30	<10	<10	51	10	36
J955169		0.30	<10	<10	51	<10	35
J955170		0.30	<10	<10	47	20	27
J955171		0.32	<10	<10	41	10	30
J955172		0.32	<10	<10	50	10	76
J955173		0.34	<10	<10	62	10	48
J955174		0.29	<10	<10	36	30	34
J955175		0.31	<10	<10	36	30	25
J955176		0.29	<10	<10	34	30	32
J955177		0.27	<10	<10	36	30	53
J955178		0.30	<10	<10	39	40	473
J955179		0.31	<10	<10	39	40	1075
J955180		0.33	<10	<10	44	70	28
J955181		0.29	<10	<10	56	30	789
J955182		0.34	<10	<10	60	10	37
J955183		0.34	<10	<10	58	10	33
J955184		0.32	<10	<10	49	30	168
J955185		0.31	<10	<10	38	20	35
J955186		0.33	<10	<10	47	20	54
J955187		0.30	<10	<10	55	30	52
J955188		0.27	<10	<10	61	40	395
J955189		0.29	<10	<10	60	30	102
J955190		0.38	<10	<10	190	<10	87
J955191		0.33	<10	<10	64	<10	38
J955192		0.32	<10	<10	62	10	105
J955193		0.32	<10	<10	55	10	103
J955194		0.23	<10	<10	42	50	3010
J955195		0.22	<10	<10	34	50	3310
J955196		<0.01	<10	<10	2	<10	23
J955197		0.25	<10	<10	30	30	202
J955198		0.26	<10	<10	34	30	205
J955199		0.30	<10	<10	38	30	66

Comments: An additional Au-AA24 check assay for sample # I052980 reports 0.275ppm