



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 11-NOV-2010
Account: STRGOL

CERTIFICATE WH10159762

Project: Eagle Gold

P.O. No.: EGP10-120

This report is for 79 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955225		4.72	0.452		<0.5	7.07	47	1700	2.9	8	2.10	<0.5	7	35	20	2.57
J955226		4.65	0.462		<0.5	6.77	80	1510	3.0	20	2.24	<0.5	7	38	16	2.39
J955227		5.29	0.409		<0.5	7.19	44	1480	3.1	5	2.24	<0.5	7	38	18	2.50
J955228		1.74	0.302		<0.5	6.81	59	1490	2.8	8	2.21	<0.5	8	34	21	2.41
J955229		<0.02	0.148		0.7	6.90	52	1490	2.9	10	2.19	<0.5	7	34	21	2.43
J955230		3.90	0.147		<0.5	7.05	52	1490	2.9	3	2.21	<0.5	8	38	24	2.48
J955231		4.70	0.126		<0.5	6.97	76	1620	2.9	8	2.81	<0.5	8	41	21	2.73
J955232		4.00	0.098		<0.5	6.98	55	1610	2.8	12	2.47	<0.5	7	39	11	2.67
J955233		4.75	0.100		<0.5	7.29	39	1620	3.1	4	2.69	<0.5	8	40	12	2.77
J955234		4.74	0.264		<0.5	7.30	59	1600	3.0	18	2.39	<0.5	9	40	13	2.71
J955235		5.50	6.01		<0.5	7.06	34	1580	3.0	137	2.92	<0.5	8	40	14	2.74
J955236		4.08	>10.0	13.45	<0.5	6.76	39	1580	2.8	534	2.42	<0.5	8	39	18	2.46
J955237		5.68	0.495		<0.5	7.31	51	1740	2.8	32	2.29	<0.5	9	41	19	2.65
J955238		4.87	0.079		<0.5	7.60	62	1710	3.0	3	2.37	<0.5	8	41	31	2.71
J955239		3.99	2.04		0.9	7.16	324	1570	3.1	62	2.65	<0.5	12	37	16	2.70
J955240		2.44	0.230		0.5	7.38	60	1620	3.2	15	2.23	<0.5	7	35	17	2.66
J955241		4.10	0.071		<0.5	7.33	33	1620	3.0	8	2.11	<0.5	7	37	14	2.54
J955242		4.83	1.645		<0.5	7.27	64	1610	2.8	49	2.02	<0.5	7	37	24	2.65
J955243		2.12	0.007		<0.5	0.12	<5	50	<0.5	2	21.0	<0.5	3	1	3	0.52
J955244		5.40	0.369		<0.5	6.86	62	1680	2.7	11	2.28	<0.5	7	35	28	2.74
J955245		4.40	0.067		<0.5	7.02	40	1560	3.0	8	2.99	<0.5	8	38	16	2.75
J955246		5.23	0.101		<0.5	6.77	30	1500	3.0	5	2.71	<0.5	8	39	23	2.49
J955247		5.12	0.084		<0.5	6.70	28	1470	2.8	4	2.61	<0.5	7	34	16	2.56
J955248		5.09	0.090		<0.5	7.08	34	1610	3.0	4	2.13	<0.5	7	37	14	2.56
J955249		4.77	0.352		<0.5	7.20	55	1760	3.0	12	2.30	<0.5	8	39	23	2.71
J955250		0.13	1.420		<0.5	6.72	1330	640	9.0	<2	0.02	<0.5	3	251	32	3.34
J955251		4.11	0.114		<0.5	7.23	44	1610	3.0	3	2.53	<0.5	7	41	20	2.60
J955252		5.16	0.392		<0.5	7.29	6860	1730	2.9	18	2.59	<0.5	19	37	18	3.35
J955253		5.95	1.075		<0.5	7.45	77	1690	2.9	13	2.39	<0.5	7	34	22	2.67
J955254		5.65	0.082		<0.5	7.51	92	1660	2.9	5	2.25	<0.5	9	36	21	2.82
J955255		5.26	0.147		<0.5	7.44	35	1570	3.1	6	2.70	<0.5	8	35	14	2.69
J955256		4.46	0.008		0.5	0.10	<5	30	<0.5	2	21.6	<0.5	3	1	2	0.50
J955257		5.02	0.345		<0.5	7.82	61	1780	2.9	14	2.30	<0.5	7	34	15	2.69
J955258		5.71	0.233		<0.5	7.48	40	1730	2.9	5	2.69	<0.5	7	31	15	2.43
J955259		5.15	0.145		<0.5	7.49	37	1570	3.0	3	3.45	<0.5	6	29	14	2.24
J955260		5.30	0.955		<0.5	7.53	70	1640	3.1	37	2.73	<0.5	12	48	27	3.18
J955261		5.26	1.075		<0.5	7.37	97	1750	2.7	22	2.49	<0.5	9	33	24	2.62
J955262		5.26	0.906		<0.5	7.62	51	1690	2.9	24	2.87	<0.5	10	49	27	3.35
J955263		4.79	0.037		<0.5	7.54	48	1660	2.8	8	2.40	<0.5	8	31	21	2.79
J955264		4.56	0.073		<0.5	7.52	52	1700	2.9	6	2.41	<0.5	9	31	35	2.85



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955225		20	3.70	40	0.72	194	<1	1.59	19	620	18	0.07	7	6	417	20
J955226		20	3.68	30	0.68	209	1	1.53	17	580	29	0.08	7	6	407	20
J955227		20	3.60	40	0.69	186	<1	1.66	18	580	16	0.09	<5	6	432	20
J955228		20	3.49	30	0.69	174	2	1.60	18	580	14	0.05	<5	6	426	20
J955229		20	3.51	40	0.69	175	2	1.62	18	560	15	0.05	<5	6	430	20
J955230		20	3.56	40	0.71	179	4	1.57	18	570	16	0.06	<5	6	409	20
J955231		20	3.39	30	0.74	216	1	1.64	22	630	17	0.09	<5	7	456	20
J955232		20	3.42	40	0.71	255	<1	1.66	20	630	42	0.08	10	6	456	20
J955233		20	3.42	40	0.77	232	<1	1.73	21	660	14	0.06	<5	7	486	20
J955234		20	3.47	40	0.76	213	3	1.71	20	630	17	0.08	<5	7	476	20
J955235		20	3.42	40	0.72	248	2	1.67	20	620	18	0.11	<5	6	473	20
J955236		20	3.77	30	0.68	177	4	1.65	24	590	20	0.12	10	6	473	20
J955237		20	3.78	40	0.78	166	28	1.67	23	650	15	0.14	<5	7	493	20
J955238		20	3.87	40	0.78	186	2	1.77	18	650	13	0.23	5	7	495	20
J955239		20	3.55	40	0.74	245	4	1.65	21	610	78	0.12	26	7	461	20
J955240		20	3.64	40	0.74	216	<1	1.66	18	620	26	0.07	6	7	431	20
J955241		20	3.61	40	0.72	193	<1	1.68	17	600	22	0.06	<5	6	444	20
J955242		20	3.72	40	0.73	190	7	1.70	20	610	19	0.09	<5	7	423	20
J955243		<10	0.05	10	12.45	244	<1	0.02	<1	140	5	0.01	<5	<1	47	<20
J955244		20	3.56	30	0.72	180	1	1.61	24	600	18	0.33	5	6	403	20
J955245		20	3.27	30	0.79	226	<1	1.71	20	650	14	0.03	<5	6	459	20
J955246		20	3.52	30	0.68	187	1	1.60	20	600	21	0.08	<5	6	420	20
J955247		20	3.35	30	0.67	215	<1	1.54	18	590	17	0.04	6	6	396	20
J955248		20	3.55	40	0.74	210	1	1.62	18	620	22	0.06	5	6	422	20
J955249		20	3.57	40	0.76	174	1	1.70	21	660	20	0.20	7	7	528	20
J955250		20	2.56	50	0.32	65	<1	0.08	20	310	25	0.01	94	14	92	20
J955251		20	3.41	40	0.73	188	3	1.68	20	620	15	0.10	<5	7	474	20
J955252		20	3.47	40	0.75	209	2	1.66	24	610	29	0.50	16	6	444	20
J955253		20	3.55	40	0.77	183	2	1.61	22	630	25	0.15	6	7	420	20
J955254		20	3.54	40	0.82	202	<1	1.73	22	660	17	0.03	<5	7	454	20
J955255		20	3.52	40	0.77	240	<1	1.71	19	620	22	0.03	<5	7	467	20
J955256		<10	0.04	10	12.70	234	<1	0.02	<1	150	5	0.02	<5	<1	49	<20
J955257		20	3.78	40	0.87	194	1	1.50	21	660	16	0.04	<5	7	451	20
J955258		20	3.87	40	0.79	171	2	1.61	20	620	15	0.05	<5	6	459	20
J955259		20	4.03	40	0.67	197	1	1.41	16	570	19	0.07	<5	6	437	20
J955260		20	3.23	40	1.02	234	11	1.44	28	760	14	0.09	<5	9	426	20
J955261		20	3.51	40	0.80	171	2	1.55	27	660	17	0.08	5	7	419	20
J955262		20	3.19	40	1.05	252	9	1.53	27	800	14	0.16	<5	9	453	20
J955263		20	3.69	40	0.74	246	1	1.33	21	600	18	0.07	<5	7	429	20
J955264		20	3.83	40	0.77	239	<1	1.39	20	620	18	0.11	6	7	544	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 11-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
J955225		0.30	<10	<10	36	20	23
J955226		0.28	<10	<10	34	10	28
J955227		0.29	<10	<10	34	10	20
J955228		0.28	<10	<10	33	10	18
J955229		0.28	<10	<10	33	10	18
J955230		0.28	<10	<10	34	10	20
J955231		0.31	<10	<10	37	10	24
J955232		0.30	<10	<10	36	10	30
J955233		0.32	<10	<10	39	10	24
J955234		0.31	<10	<10	37	10	25
J955235		0.31	<10	<10	36	10	30
J955236		0.29	<10	<10	35	10	21
J955237		0.32	<10	<10	38	50	17
J955238		0.31	<10	<10	40	10	21
J955239		0.30	<10	<10	37	10	32
J955240		0.30	<10	<10	36	10	33
J955241		0.29	<10	<10	35	10	26
J955242		0.29	<10	<10	35	10	27
J955243		<0.01	<10	10	2	<10	14
J955244		0.28	<10	<10	34	10	21
J955245		0.32	<10	<10	38	10	22
J955246		0.30	<10	<10	35	<10	23
J955247		0.29	<10	<10	34	10	29
J955248		0.30	<10	<10	36	10	33
J955249		0.30	<10	<10	37	10	19
J955250		0.25	<10	<10	88	10	49
J955251		0.30	<10	<10	36	<10	21
J955252		0.29	<10	<10	36	10	19
J955253		0.30	<10	<10	36	20	22
J955254		0.32	<10	<10	38	10	24
J955255		0.30	<10	<10	36	10	37
J955256		<0.01	<10	10	2	<10	16
J955257		0.32	<10	<10	38	20	25
J955258		0.30	<10	<10	36	10	18
J955259		0.27	<10	<10	33	10	26
J955260		0.37	<10	10	53	20	30
J955261		0.31	<10	<10	39	20	22
J955262		0.37	<10	<10	52	10	28
J955263		0.29	<10	<10	38	10	27
J955264		0.30	<10	<10	37	10	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955265		5.80	0.345		<0.5	7.64	325	1700	2.8	18	2.56	<0.5	8	32	21	2.78
J955266		5.23	0.275		<0.5	7.29	255	1690	2.9	18	2.50	<0.5	9	33	35	2.74
J955267		4.81	0.056		<0.5	7.86	42	1680	3.2	6	2.66	<0.5	9	38	44	2.96
J955268		3.99	0.319		<0.5	7.53	30	1710	3.0	9	2.75	<0.5	7	38	16	2.90
J955269		<0.02	0.150		<0.5	7.60	35	1700	2.9	7	2.69	<0.5	8	36	16	2.89
J955270		4.82	0.250		0.9	7.95	4040	1390	2.8	18	1.85	<0.5	16	36	88	4.22
J955271		5.16	0.079		<0.5	7.46	102	1650	2.9	6	2.75	<0.5	9	40	40	2.94
J955272		4.77	0.022		<0.5	8.00	47	1780	3.1	4	2.57	<0.5	10	39	22	2.99
J955273		3.87	0.025		<0.5	7.73	44	1720	3.1	6	2.84	<0.5	8	36	21	2.93
J955274		4.29	0.047		<0.5	7.51	15	1760	3.0	6	2.58	<0.5	9	32	31	2.84
J955275		4.38	0.073		<0.5	7.80	20	1770	3.0	10	2.47	<0.5	8	35	28	2.98
J955276		5.15	0.066		<0.5	7.86	18	1700	3.2	7	2.65	<0.5	8	36	30	3.00
J955277		4.55	0.028		<0.5	7.56	13	1640	2.9	3	2.65	<0.5	8	35	17	2.92
J955278		5.79	0.018		<0.5	7.52	10	1480	2.5	4	2.49	<0.5	8	35	20	2.98
J955279		5.51	0.201		<0.5	7.26	40	1450	2.6	8	3.07	<0.5	8	32	25	3.05
J955280		3.33	0.021		<0.5	7.49	381	1700	3.0	<2	2.86	<0.5	9	36	16	2.99
J955281		5.28	0.324		<0.5	7.58	22	1560	2.8	14	2.21	<0.5	7	36	44	3.11
J955282		4.81	0.057		<0.5	7.45	18	1550	2.9	10	2.39	<0.5	9	36	46	2.75
J955283		6.01	0.145		<0.5	7.59	469	1640	3.0	7	2.55	<0.5	8	39	37	2.83
J955284		5.18	0.048		<0.5	7.69	40	1620	3.0	6	2.51	<0.5	9	36	36	2.81
J955285		5.43	0.059		<0.5	7.24	74	1330	2.5	5	2.15	<0.5	7	39	58	3.08
J955286		4.08	0.169		1.8	7.78	152	1150	2.9	9	2.22	14.6	7	37	53	3.85
J955287		5.86	0.104		<0.5	7.69	35	1630	3.0	10	2.39	<0.5	9	37	38	2.87
J955288		6.12	0.028		<0.5	7.95	31	1720	3.3	<2	2.65	<0.5	9	39	23	2.97
J955289		4.87	0.074		<0.5	6.94	44	1420	3.0	6	2.43	<0.5	8	35	25	2.66
J955290		0.12	0.891		2.2	7.32	<5	600	0.9	<2	3.12	<0.5	20	39	7280	7.45
J955291		5.40	0.039		<0.5	7.46	35	1510	3.2	2	2.49	<0.5	7	35	58	2.74
J955292		5.03	0.102		<0.5	7.22	86	1530	3.1	9	2.41	<0.5	8	38	44	2.79
J955293		6.10	0.119		<0.5	7.00	756	1570	3.1	10	2.39	<0.5	8	37	43	2.76
J955294		6.16	0.045		<0.5	7.31	45	1520	3.1	3	2.45	<0.5	8	34	36	2.75
J955295		5.56	0.070		<0.5	7.47	36	1540	3.0	3	2.28	<0.5	8	38	37	2.80
J955296		4.78	<0.005		<0.5	0.07	<5	60	<0.5	<2	21.0	<0.5	1	2	<1	0.47
J955297		5.23	0.044		<0.5	7.03	413	1510	3.0	<2	2.32	<0.5	8	39	27	2.71
J955298		4.92	0.028		1.0	7.40	54	1110	3.0	<2	2.13	<0.5	7	39	18	2.62
J955299		4.31	0.023		<0.5	6.93	30	920	2.7	<2	2.52	<0.5	7	38	20	2.45
J955300		5.53	0.059		<0.5	6.87	108	1230	2.8	<2	2.80	<0.5	7	37	43	2.39
J955301		5.84	0.102		<0.5	6.67	383	1530	3.0	9	2.63	<0.5	8	38	40	2.62
J955302		6.29	0.070		<0.5	6.59	34	1070	2.8	7	3.38	<0.5	7	40	35	2.49
J955303		5.36	0.112		<0.5	6.98	47	1360	3.0	6	2.42	<0.5	8	41	29	2.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955265		20	3.61	40	0.82	260	<1	1.76	20	660	18	0.09	11	7	491	20
J955266		20	3.63	40	0.77	252	<1	1.65	20	630	19	0.15	8	7	488	20
J955267		20	3.60	40	0.86	269	<1	1.85	21	690	19	0.17	<5	7	539	20
J955268		20	3.52	40	0.83	315	<1	1.82	20	680	20	0.08	6	7	521	20
J955269		20	3.48	40	0.83	308	<1	1.78	21	670	17	0.08	5	7	514	20
J955270		20	3.39	50	0.75	276	<1	1.67	20	680	41	1.21	17	7	358	20
J955271		20	3.52	40	0.82	318	<1	1.75	22	660	22	0.10	7	7	506	20
J955272		20	3.83	40	0.87	290	<1	1.73	22	690	19	0.06	5	7	504	20
J955273		20	3.62	40	0.84	310	<1	1.76	20	670	19	0.06	5	7	520	20
J955274		20	3.72	40	0.79	311	<1	1.55	20	650	19	0.04	8	7	480	20
J955275		20	3.58	40	0.85	318	<1	1.79	20	690	22	0.07	8	7	514	20
J955276		20	3.42	50	0.85	304	<1	1.90	20	690	19	0.11	<5	8	545	20
J955277		20	3.42	40	0.81	326	<1	1.92	20	680	21	0.05	<5	7	533	20
J955278		20	3.46	40	0.82	318	<1	1.76	20	660	21	0.06	12	7	471	20
J955279		20	3.39	40	0.84	323	<1	1.28	21	660	18	0.12	16	7	434	20
J955280		20	3.45	40	0.82	321	<1	1.60	22	680	20	0.07	10	7	502	20
J955281		20	3.45	40	0.81	256	<1	1.77	19	650	19	0.40	<5	7	471	20
J955282		20	3.80	40	0.76	257	<1	1.69	19	620	21	0.20	<5	7	499	20
J955283		20	3.84	40	0.82	274	<1	1.74	19	670	19	0.18	<5	7	510	20
J955284		20	3.66	40	0.82	285	<1	1.73	20	650	19	0.16	<5	7	510	20
J955285		20	3.58	40	0.63	323	<1	1.01	18	610	60	0.47	19	7	329	20
J955286		20	3.61	50	0.59	930	<1	0.76	20	680	809	0.47	75	7	253	20
J955287		20	3.71	40	0.81	285	<1	1.67	21	650	22	0.16	<5	7	496	20
J955288		20	3.76	50	0.86	324	<1	1.84	21	690	24	0.11	<5	7	528	30
J955289		20	3.59	30	0.75	284	1	1.69	19	620	19	0.10	<5	7	458	20
J955290		10	2.86	10	2.10	618	574	2.43	16	1150	12	0.95	<5	18	567	<20
J955291		20	3.47	40	0.80	297	2	1.76	21	640	19	0.11	<5	7	489	20
J955292		20	3.53	40	0.80	276	<1	1.72	21	650	20	0.19	<5	7	486	20
J955293		20	3.58	40	0.78	272	1	1.70	20	660	21	0.22	<5	7	476	20
J955294		20	3.56	40	0.79	271	1	1.73	21	650	19	0.16	<5	7	486	20
J955295		20	3.73	40	0.84	275	1	1.68	19	640	19	0.13	<5	7	495	20
J955296		<10	0.04	10	12.95	207	<1	0.01	<1	170	<2	0.01	<5	<1	45	<20
J955297		20	3.52	40	0.81	268	1	1.64	21	650	18	0.15	<5	6	463	20
J955298		20	3.28	40	0.74	218	1	1.58	18	650	16	0.32	14	7	291	20
J955299		20	3.13	40	0.55	264	6	1.47	21	670	17	0.17	23	7	262	20
J955300		20	3.45	30	0.45	259	1	1.54	21	650	21	0.17	15	6	334	20
J955301		20	3.64	30	0.55	247	1	1.57	21	640	20	0.20	7	6	414	20
J955302		20	3.11	30	0.45	280	<1	1.54	20	620	20	0.17	17	6	367	20
J955303		20	3.56	40	0.47	233	1	1.60	23	640	18	0.13	<5	6	393	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 11-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10159762

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
J955265		0.32	<10	<10	39	10	32
J955266		0.30	<10	<10	37	10	28
J955267		0.33	<10	<10	41	20	29
J955268		0.33	<10	<10	41	10	36
J955269		0.32	<10	<10	39	10	35
J955270		0.31	<10	<10	39	20	55
J955271		0.32	<10	<10	41	10	34
J955272		0.34	<10	<10	42	10	36
J955273		0.33	<10	<10	40	20	36
J955274		0.31	<10	<10	39	20	38
J955275		0.34	<10	<10	41	20	41
J955276		0.34	<10	<10	41	10	40
J955277		0.33	<10	<10	40	10	43
J955278		0.32	<10	<10	39	20	43
J955279		0.31	<10	<10	38	20	35
J955280		0.33	<10	<10	41	10	40
J955281		0.31	<10	<10	39	20	34
J955282		0.30	<10	<10	36	10	40
J955283		0.33	<10	<10	40	10	37
J955284		0.32	<10	<10	38	30	46
J955285		0.28	<10	<10	36	20	85
J955286		0.31	<10	<10	41	20	2650
J955287		0.31	<10	<10	38	10	37
J955288		0.34	<10	<10	42	20	46
J955289		0.31	<10	10	37	80	37
J955290		0.38	<10	10	186	<10	81
J955291		0.32	<10	10	37	10	42
J955292		0.32	<10	10	38	10	36
J955293		0.33	<10	10	38	<10	33
J955294		0.33	<10	<10	38	20	35
J955295		0.33	<10	<10	38	<10	38
J955296		<0.01	<10	<10	<1	<10	17
J955297		0.33	<10	<10	38	10	34
J955298		0.32	<10	10	37	10	39
J955299		0.33	<10	10	39	10	43
J955300		0.32	<10	10	36	10	35
J955301		0.32	<10	<10	36	<10	35
J955302		0.30	<10	<10	35	10	38
J955303		0.32	<10	<10	37	10	40