



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 22-NOV-2010
Account: STRGOL

CERTIFICATE WH10161148

Project: Eagle Gold

P.O. No.: EGP-133

This report is for 25 Sediment samples submitted to our lab in Whitehorse, YT, Canada on 3-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
SCR-41	Screen to -180um and save both
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-34	Pulp Splitting Charge
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - A
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 22-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10161148

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I051733		5.64	0.012	<0.5	7.02	107	1390	1.8	<2	2.15	0.6	13	73	37	3.69	20
I051735		3.34	2.37	3.0	7.76	277	1150	2.3	<2	1.27	0.5	16	67	38	4.18	20
I051737		4.96	0.138	<0.5	6.74	144	730	1.8	<2	0.51	<0.5	16	58	46	4.34	20
I051739		5.06	0.166	<0.5	7.08	276	1130	2.3	<2	1.20	0.5	14	58	25	3.61	20
I051741		3.64	0.265	<0.5	8.02	202	900	2.2	<2	0.35	<0.5	16	71	42	4.87	20
I051743		4.20	0.039	0.6	8.73	249	970	2.5	<2	0.37	<0.5	21	76	53	5.63	20
I051745		3.68	0.382	0.8	7.03	179	1250	2.0	<2	1.56	<0.5	15	71	29	3.81	20
I051747		3.28	1.490	<0.5	7.53	199	1120	2.2	<2	1.14	<0.5	17	73	32	3.89	20
I051749		4.94	0.007	6.2	9.23	98	1050	2.5	<2	0.75	<0.5	19	84	52	4.88	30
I051750		0.10	0.339	1.1	8.20	15	890	2.1	<2	2.60	<0.5	17	54	3770	5.54	20
I052499		3.04	0.020	<0.5	7.04	128	800	1.9	<2	0.76	<0.5	17	66	46	4.11	20
I051712		2.74	0.399	<0.5	6.94	128	830	1.9	<2	0.53	<0.5	15	65	37	4.02	20
I051714		2.72	0.007	<0.5	7.38	87	780	1.9	<2	0.88	<0.5	15	61	42	4.17	20
I051715		3.56	0.068	0.7	8.00	294	1110	2.2	<2	1.00	<0.5	16	74	40	4.49	20
I051716		0.88	<0.005	<0.5	0.09	5	20	<0.5	3	22.2	<0.5	2	2	2	0.50	<10
I051718		2.84	0.007	1.5	8.85	91	970	2.3	<2	0.86	<0.5	16	73	44	4.60	30
I051720		2.22	0.009	<0.5	9.42	105	1070	2.5	<2	0.86	<0.5	18	80	42	4.76	30
I051722		1.86	0.007	<0.5	9.26	108	1050	2.5	<2	0.89	<0.5	19	80	43	4.81	30
I051723		2.30	0.007	<0.5	7.41	115	760	1.9	<2	1.02	<0.5	16	58	41	4.33	20
I051725		5.48	0.009	<0.5	7.95	96	860	2.0	<2	0.91	<0.5	16	66	39	4.30	20
I051727		3.16	0.018	<0.5	10.10	133	1180	2.7	<2	0.62	<0.5	18	89	44	4.94	30
I051729		<0.02	0.009	<0.5	9.72	128	1140	2.6	<2	0.60	<0.5	17	87	44	4.75	30
I051730		2.04	0.016	<0.5	6.63	142	960	1.8	<2	1.08	<0.5	15	63	33	3.76	20
I051732		3.98	0.008	<0.5	6.00	110	600	1.6	<2	0.89	<0.5	15	48	49	3.82	10
I051726		3.76	0.010	<0.5	10.95	108	1180	3.0	<2	0.55	<0.5	20	103	52	4.97	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - B
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 22-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10161148

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I051733		0.1	2.03	40	1.06	610	1	1.15	35	880	42	0.05	10	13	231	<20
I051735		0.06	2.59	60	0.89	700	2	1.07	37	800	7890	0.02	12	13	218	20
I051737		0.07	2.22	50	0.60	617	<1	0.69	38	590	52	0.02	10	11	110	30
I051739		0.03	2.31	50	0.76	559	2	1.13	32	740	53	0.02	12	11	227	20
I051741		0.07	2.91	70	0.66	734	1	0.59	38	580	40	0.01	11	14	121	20
I051743		0.07	3.13	70	0.73	765	1	0.65	42	620	1530	0.01	13	15	127	20
I051745		0.04	2.11	50	0.95	590	1	1.25	34	880	28	0.03	7	12	242	20
I051747		0.04	2.48	50	0.83	680	2	1.04	38	780	37	0.02	8	13	206	20
I051749		0.08	3.39	50	0.93	731	<1	0.65	40	560	5220	0.10	11	16	134	20
I051750		0.2	3.47	20	1.62	548	286	2.76	22	1130	24	0.53	<5	14	484	<20
I052499		0.1	2.36	50	0.69	733	1	0.74	35	580	33	0.09	9	12	127	20
I051712		0.1	2.25	50	0.63	472	1	0.82	36	610	38	0.02	10	11	130	20
I051714		0.1	2.46	50	0.75	581	1	0.71	36	590	29	0.13	11	12	128	20
I051715		<0.1	2.56	60	0.78	668	2	1.13	41	840	40	0.02	12	13	206	20
I051716		<0.1	0.04	<10	13.10	214	<1	0.01	<1	180	<2	0.01	<5	1	45	<20
I051718		0.1	3.16	50	0.90	671	<1	0.73	39	590	970	0.13	11	14	143	20
I051720		0.1	3.31	60	0.93	769	<1	0.75	43	600	33	0.08	8	16	151	20
I051722		0.1	3.30	60	0.93	752	<1	0.78	41	650	37	0.09	7	15	149	20
I051723		0.1	2.47	60	0.79	654	<1	0.79	34	660	26	0.18	10	12	134	20
I051725		0.1	2.68	50	0.81	622	<1	0.73	37	610	41	0.11	8	13	137	20
I051727		0.1	3.59	50	0.93	693	1	0.71	43	590	41	0.04	10	17	154	20
I051729		0.1	3.50	50	0.90	668	<1	0.69	43	580	50	0.04	11	16	149	20
I051730		0.1	2.04	50	0.76	692	1	0.93	37	710	29	0.07	13	11	165	20
I051732		0.1	1.98	50	0.65	529	<1	0.66	30	530	26	0.17	6	10	110	20
I051726		0.1	3.74	60	0.94	590	<1	0.61	46	550	35	0.02	11	19	169	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 22-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10161148

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
I051733		0.40	<10	<10	119	10	109
I051735		0.41	<10	<10	93	420	118
I051737		0.30	<10	<10	75	10	94
I051739		0.38	<10	<10	78	240	103
I051741		0.34	<10	<10	88	<10	98
I051743		0.38	<10	<10	95	10	114
I051745		0.42	<10	<10	101	240	107
I051747		0.38	<10	<10	89	300	117
I051749		0.33	<10	<10	102	<10	109
I051750		0.41	<10	10	150	<10	79
I052499		0.32	<10	<10	75	60	93
I051712		0.31	<10	<10	74	40	93
I051714		0.31	<10	<10	77	<10	93
I051715		0.43	<10	<10	94	180	124
I051716		<0.01	<10	<10	3	<10	18
I051718		0.34	<10	<10	94	<10	100
I051720		0.37	<10	<10	101	10	106
I051722		0.37	<10	<10	98	<10	109
I051723		0.33	<10	<10	74	<10	92
I051725		0.31	<10	<10	83	<10	92
I051727		0.38	<10	<10	112	80	117
I051729		0.37	<10	<10	109	30	113
I051730		0.34	<10	<10	84	100	97
I051732		0.27	<10	<10	61	<10	76
I051726		0.40	<10	<10	133	<10	127



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10161148

Method	CERTIFICATE COMMENTS
Hg-CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.