



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 6-DEC-2010
Account: STRGOL

CERTIFICATE WH10163441

Project: Eagle Gold

P.O. No.: EGP10-137

This report is for 68 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 8-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955304		3.12	0.639	0.489	<0.5	7.87	65	1700	3.1	13	2.13	<0.5	6	34	22	2.62
J955305		4.37	0.310	0.468	<0.5	7.63	372	1680	2.9	23	2.08	<0.5	8	37	24	2.47
J955306		4.54	0.174	0.174	<0.5	7.45	54	1640	3.1	11	2.27	<0.5	8	35	16	2.55
J955307		3.23	0.347		<0.5	7.78	87	1530	3.0	13	2.07	<0.5	8	33	18	2.45
J955308		2.74	1.230		<0.5	7.61	66	1600	3.2	80	2.02	<0.5	8	33	32	2.51
J955309		3.14	0.096		<0.5	8.62	57	1720	3.7	11	2.35	<0.5	7	39	22	2.81
J955310		0.06	1.570		<0.5	6.75	1330	600	9.4	<2	0.02	<0.5	2	268	32	3.33
J955311		4.81	0.342		<0.5	7.31	97	1550	3.0	23	1.88	<0.5	6	34	27	2.39
J955312		4.73	0.301		<0.5	7.70	67	1560	2.9	15	1.93	<0.5	6	29	16	2.36
J955313		4.98	0.514		<0.5	7.17	78	1550	2.8	33	2.07	<0.5	6	34	19	2.39
J955314		4.29	3.90		<0.5	7.17	150	1560	2.9	228	2.05	<0.5	9	35	21	2.41
J955315		4.67	0.448		<0.5	7.46	153	1600	3.1	35	2.15	<0.5	7	32	31	2.54
J955316		3.45	<0.005		<0.5	0.10	<5	20	<0.5	<2	22.4	<0.5	1	1	3	0.49
J955317		4.98	0.655		<0.5	7.29	64	1580	3.0	10	2.19	<0.5	6	31	23	2.47
J955318		4.67	0.343		<0.5	7.58	76	1620	3.2	14	2.30	<0.5	8	32	21	2.61
J955319		3.25	0.285		<0.5	7.09	73	1510	2.9	6	2.28	<0.5	7	36	17	2.40
J955320		4.81	0.352		<0.5	7.39	67	1500	3.0	15	2.33	<0.5	7	34	25	2.45
J955321		3.71	1.630		<0.5	7.39	103	1570	3.0	61	2.24	<0.5	8	39	23	2.50
J955322		3.61	1.190		<0.5	7.54	91	1570	3.1	59	2.27	<0.5	7	42	25	2.55
J955323		4.42	0.646		<0.5	7.42	74	1580	3.1	16	2.13	<0.5	6	34	24	2.42
J955324		3.41	3.39		<0.5	7.46	96	1600	3.0	143	2.08	<0.5	6	31	26	2.40
J955325		2.65	0.131		<0.5	7.53	52	1400	3.4	20	2.05	<0.5	6	30	19	2.29
J955326		2.58	0.249		<0.5	7.58	105	1470	2.9	23	1.89	<0.5	6	29	45	2.24
J955327		3.00	0.642		<0.5	7.97	101	1940	3.0	29	2.25	<0.5	7	35	41	2.48
J955328		2.48	0.098		<0.5	7.95	89	1710	3.3	9	2.27	<0.5	7	35	41	2.69
J955329		<0.02	0.170		<0.5	7.93	90	1710	3.2	8	2.28	<0.5	7	34	40	2.72
J955330		4.80	0.284		<0.5	8.22	76	1750	3.4	22	2.42	<0.5	7	37	41	2.76
J955331		4.39	0.270		<0.5	8.16	72	1780	3.4	12	2.23	<0.5	7	35	46	2.77
J955332		3.08	2.49		3.3	7.51	112	1660	3.1	43	1.86	<0.5	7	32	52	2.42
J955333		4.03	0.227		9.0	7.46	346	1590	3.1	15	1.84	1.1	7	35	83	2.57
J955334		3.75	0.408	0.934	0.8	8.00	356	1730	3.2	58	1.88	<0.5	9	34	66	2.52
J955335		2.91	4.42	3.68	<0.5	7.57	325	1740	3.0	193	1.82	<0.5	10	34	63	2.49
J955336		4.33	0.599	1.055	0.7	7.74	226	1790	3.0	40	1.95	<0.5	8	33	43	2.38
J955337		4.76	0.238		<0.5	7.34	149	1730	3.0	11	2.31	<0.5	7	34	49	2.59
J955338		3.02	0.284		<0.5	7.75	85	1710	3.3	12	2.14	<0.5	6	36	53	2.60
J955339		3.58	0.347		<0.5	8.22	131	1820	3.3	21	1.88	<0.5	7	41	60	2.63
J955340		3.40	0.895		0.5	7.79	97	1710	3.0	84	1.91	<0.5	6	41	39	2.52
J955341		3.85	0.048		<0.5	7.32	86	1590	3.1	2	1.93	<0.5	8	38	33	2.35
J955342		4.90	0.065		<0.5	7.24	56	1530	3.2	4	2.11	<0.5	7	39	25	2.47
J955343		4.49	0.293		<0.5	7.12	66	1490	3.0	8	2.21	<0.5	7	39	21	2.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955304		20	3.92	40	0.78	254	<1	1.77	28	690	52	0.02	<5	8	493	20
J955305		20	3.96	50	0.76	191	1	1.61	20	660	17	0.02	<5	8	488	20
J955306		20	3.69	40	0.79	243	<1	1.65	19	670	16	0.01	<5	8	520	20
J955307		20	3.63	40	0.69	205	1	1.72	20	640	13	0.01	<5	8	462	20
J955308		20	3.68	40	0.71	191	2	1.68	20	640	14	0.01	<5	8	481	20
J955309		20	3.94	50	0.80	261	<1	1.87	19	710	20	0.01	6	9	554	20
J955310		20	2.51	40	0.31	66	2	0.08	21	330	25	0.01	101	14	92	20
J955311		20	3.73	40	0.70	182	<1	1.62	18	630	13	0.01	7	7	479	20
J955312		20	3.94	40	0.73	177	<1	1.59	17	620	16	0.01	<5	8	477	20
J955313		20	3.42	40	0.70	195	<1	1.53	17	630	12	0.01	<5	8	465	20
J955314		20	3.51	40	0.70	192	2	1.56	21	630	16	0.01	6	8	493	20
J955315		20	3.75	30	0.76	198	<1	1.57	23	640	18	0.06	<5	7	452	20
J955316		<10	0.05	<10	13.10	220	<1	0.01	<1	290	<2	0.01	<5	<1	49	<20
J955317		20	3.58	30	0.79	200	1	1.59	21	660	15	0.02	<5	6	455	20
J955318		20	3.65	30	0.81	238	<1	1.70	23	680	15	0.03	<5	7	496	20
J955319		20	3.56	40	0.70	228	<1	1.68	18	640	15	0.01	5	7	461	20
J955320		20	3.59	40	0.71	204	<1	1.65	20	630	15	0.04	<5	8	479	20
J955321		20	3.68	40	0.84	172	<1	1.65	18	670	15	0.04	5	9	478	20
J955322		20	3.71	40	0.85	193	<1	1.70	18	670	20	0.04	<5	9	480	20
J955323		20	3.71	40	0.73	197	<1	1.71	18	640	19	0.01	<5	8	490	20
J955324		20	3.90	40	0.71	196	1	1.63	17	640	20	0.01	6	8	473	20
J955325		20	3.98	40	0.66	233	<1	1.71	16	570	30	0.01	<5	7	449	20
J955326		20	3.86	40	0.63	124	1	1.56	16	600	14	0.01	<5	7	444	20
J955327		20	4.09	50	0.79	130	<1	1.68	20	740	12	0.01	<5	8	525	20
J955328		20	3.69	50	0.81	199	1	1.77	22	710	15	<0.01	<5	8	524	20
J955329		20	3.63	40	0.82	205	<1	1.77	21	710	14	<0.01	<5	8	522	20
J955330		20	3.65	50	0.88	168	<1	1.80	20	740	14	0.01	<5	9	566	20
J955331		20	3.77	50	0.87	164	1	1.82	20	740	11	0.02	<5	9	612	20
J955332		20	3.77	40	0.75	141	<1	1.55	17	660	12	0.01	6	8	479	20
J955333		20	3.49	40	0.76	125	1	1.58	17	650	12	0.01	<5	8	482	20
J955334		20	3.80	50	0.81	109	<1	1.69	18	690	14	0.01	5	9	492	20
J955335		20	3.73	40	0.78	111	1	1.62	18	670	16	0.02	5	8	518	20
J955336		20	3.86	50	0.82	107	<1	1.60	19	690	10	0.01	<5	8	504	20
J955337		20	3.72	40	0.80	145	6	1.65	19	690	12	<0.01	<5	8	476	20
J955338		20	3.65	40	0.82	139	<1	1.83	20	720	11	<0.01	<5	8	540	20
J955339		20	3.78	50	0.89	116	<1	1.83	21	740	10	0.01	<5	9	610	20
J955340		20	4.04	40	0.83	135	<1	1.71	19	680	12	0.01	<5	8	524	20
J955341		20	3.43	40	0.77	144	2	1.68	18	640	14	<0.01	<5	7	485	20
J955342		20	3.19	40	0.78	176	1	1.71	19	660	13	<0.01	<5	7	481	20
J955343		20	3.38	40	0.77	168	1	1.70	17	630	14	0.01	<5	7	470	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955304		0.31	<10	10	38	10	50
J955305		0.31	<10	10	39	30	32
J955306		0.32	<10	10	39	20	36
J955307		0.28	<10	10	35	40	28
J955308		0.30	<10	10	36	80	27
J955309		0.33	<10	10	40	10	45
J955310		0.27	<10	<10	90	10	48
J955311		0.29	<10	10	36	10	29
J955312		0.28	<10	10	33	10	27
J955313		0.28	<10	10	35	10	28
J955314		0.29	<10	10	35	20	27
J955315		0.31	<10	10	37	60	26
J955316		<0.01	<10	10	1	<10	17
J955317		0.31	<10	<10	35	10	26
J955318		0.33	<10	10	39	<10	32
J955319		0.31	<10	10	40	10	37
J955320		0.29	<10	10	35	10	30
J955321		0.30	<10	10	39	20	23
J955322		0.30	<10	10	39	10	25
J955323		0.30	<10	10	36	40	34
J955324		0.29	<10	10	36	360	35
J955325		0.28	<10	10	32	30	48
J955326		0.27	<10	10	33	60	16
J955327		0.33	<10	10	41	30	16
J955328		0.33	<10	10	39	120	27
J955329		0.33	<10	10	39	130	27
J955330		0.34	<10	10	41	20	22
J955331		0.33	<10	10	41	10	21
J955332		0.30	<10	10	37	30	21
J955333		0.29	<10	10	36	50	21
J955334		0.31	<10	10	39	20	14
J955335		0.30	<10	10	38	10	14
J955336		0.30	<10	10	38	20	14
J955337		0.32	<10	10	40	10	17
J955338		0.33	<10	10	40	20	16
J955339		0.34	<10	10	42	20	15
J955340		0.31	<10	10	40	20	17
J955341		0.31	<10	10	38	10	18
J955342		0.31	<10	10	39	10	22
J955343		0.31	<10	10	38	20	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955344		5.09	0.091		<0.5	7.13	80	1570	2.9	<2	2.36	<0.5	8	44	15	2.56
J955345		5.25	0.307		<0.5	7.39	155	1550	3.1	16	2.28	<0.5	10	41	18	2.39
J955346		5.34	0.127		<0.5	7.63	77	1690	3.0	5	2.18	<0.5	7	42	32	2.61
J955347		5.48	0.086		<0.5	7.49	72	1580	3.0	<2	2.25	<0.5	9	42	45	2.64
J955348		3.85	0.177		<0.5	7.42	74	1630	3.0	3	1.93	<0.5	6	32	13	2.35
J955349		5.11	0.683		<0.5	7.51	89	1640	2.9	11	2.08	<0.5	8	38	20	2.51
J955350		0.06	0.822		2.3	7.24	<5	640	0.9	<2	3.24	<0.5	21	40	7550	7.45
J955351		4.68	0.152		<0.5	7.19	66	1540	2.9	8	2.28	<0.5	8	35	20	2.43
J955352		4.80	0.217		<0.5	7.75	60	1650	3.2	6	2.26	<0.5	7	34	15	2.60
J955353		3.63	1.635		<0.5	3.46	43	440	0.6	37	0.50	<0.5	5	44	5	1.52
J955354		2.06	0.021		<0.5	3.63	29	380	0.7	<2	0.37	<0.5	5	50	6	1.65
J955355		2.85	0.265		<0.5	6.82	44	1030	2.2	8	1.07	<0.5	8	56	15	2.28
J955356		5.03	<0.005		<0.5	0.11	<5	20	<0.5	<2	20.7	<0.5	1	3	2	0.46
J955357		3.84	0.126		<0.5	7.70	202	1100	2.0	13	0.41	<0.5	9	68	27	3.16
J955358		5.16	0.081		<0.5	6.17	40	710	1.4	2	0.42	<0.5	8	62	15	2.92
J955359		2.93	0.005		<0.5	4.51	44	430	1.1	<2	0.14	<0.5	6	46	13	2.67
J955360		4.00	<0.005		<0.5	7.28	37	770	1.8	<2	0.23	<0.5	9	64	17	3.16
J955361		4.22	0.015		<0.5	5.22	35	510	1.4	<2	0.47	<0.5	6	51	11	2.53
J955362		4.32	0.005		<0.5	5.61	35	580	1.5	<2	0.53	<0.5	7	58	11	2.70
J955363		4.43	2.43		<0.5	3.64	41	440	0.8	73	0.66	<0.5	5	63	19	1.51
J955364		3.89	2.92		<0.5	2.93	187	260	0.7	31	0.70	<0.5	6	51	15	1.64
J955365		5.17	0.100		<0.5	5.22	42	550	1.3	<2	0.82	<0.5	8	58	21	2.31
J955366		3.84	0.488		<0.5	4.11	43	420	0.9	8	0.69	<0.5	8	58	18	2.22
J955367		3.90	1.595		<0.5	6.31	87	880	1.5	39	1.14	<0.5	11	65	21	2.26
J955368		5.25	0.110		<0.5	7.43	54	940	1.7	<2	0.48	<0.5	11	69	35	3.09
J955369		<0.02	0.114		<0.5	7.31	59	920	1.7	<2	0.48	<0.5	12	69	35	3.07
J955370		4.58	0.019		<0.5	5.57	38	620	1.2	4	0.86	<0.5	10	57	52	3.06
J955371		4.46	0.106		<0.5	4.57	30	470	1.0	5	1.08	<0.5	6	49	31	2.13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955344		20	3.24	40	0.84	191	<1	1.62	20	680	10	0.01	<5	7	486	20
J955345		20	3.40	40	0.89	153	<1	1.69	20	700	9	0.01	<5	7	550	20
J955346		20	3.57	40	0.84	144	1	1.67	20	710	11	0.02	5	7	555	20
J955347		20	3.51	40	0.89	159	1	1.65	20	680	12	0.09	<5	7	482	20
J955348		20	3.91	40	0.67	153	1	1.51	20	630	17	0.01	6	7	430	20
J955349		20	3.92	40	0.85	168	1	1.66	19	660	16	0.01	<5	7	485	20
J955350		20	2.85	10	2.06	628	591	2.43	17	1180	16	0.97	<5	16	583	<20
J955351		20	3.33	40	0.72	227	2	1.59	18	620	19	0.01	<5	6	504	20
J955352		20	3.60	40	0.80	203	1	1.67	20	670	17	0.01	<5	7	509	20
J955353		10	1.84	30	0.27	125	1	0.82	10	100	7	0.01	<5	4	109	<20
J955354		10	1.53	30	0.28	145	<1	0.95	10	110	3	<0.01	<5	4	89	<20
J955355		20	3.22	40	0.55	161	<1	1.17	18	270	14	0.01	<5	8	222	20
J955356		<10	0.04	10	12.35	202	1	0.02	<1	200	<2	0.02	<5	<1	51	<20
J955357		20	4.07	50	0.63	155	1	0.67	27	340	29	0.06	11	10	99	20
J955358		10	2.99	40	0.64	226	<1	0.66	20	430	9	0.02	<5	8	93	<20
J955359		10	1.83	30	0.40	196	1	0.67	17	130	11	0.01	<5	5	48	<20
J955360		20	3.16	50	0.69	237	<1	0.76	24	180	12	0.01	<5	10	83	20
J955361		10	2.40	40	0.56	313	1	0.64	17	160	9	0.01	<5	7	82	<20
J955362		10	2.67	40	0.59	388	<1	0.67	20	170	10	0.01	<5	8	89	<20
J955363		10	1.64	50	0.29	199	2	0.56	22	240	14	0.01	<5	5	103	<20
J955364		10	1.09	30	0.26	194	1	0.65	12	100	5	0.02	<5	4	112	<20
J955365		10	2.25	40	0.60	189	1	0.70	19	150	6	0.08	<5	7	118	<20
J955366		10	1.64	30	0.46	198	1	0.68	18	160	4	0.08	<5	6	94	<20
J955367		20	3.05	50	0.59	194	1	0.53	22	760	6	0.08	<5	9	136	20
J955368		20	3.63	50	0.67	222	1	0.69	27	220	9	0.21	<5	11	111	20
J955369		20	3.59	50	0.66	221	1	0.68	27	220	8	0.22	<5	10	110	20
J955370		10	2.21	40	0.68	289	1	0.76	21	170	3	0.48	<5	7	124	<20
J955371		10	1.81	30	0.50	251	1	0.64	15	140	2	0.24	<5	6	109	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10163441

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
J955344		0.32	<10	10	41	30	20
J955345		0.33	<10	10	43	20	18
J955346		0.33	<10	10	42	10	18
J955347		0.32	<10	10	44	10	19
J955348		0.29	<10	10	36	20	22
J955349		0.32	<10	10	41	30	20
J955350		0.37	<10	10	194	<10	86
J955351		0.30	<10	10	36	10	34
J955352		0.32	<10	10	39	10	27
J955353		0.16	<10	<10	26	10	10
J955354		0.17	<10	<10	27	10	15
J955355		0.30	<10	10	46	20	28
J955356		<0.01	<10	<10	4	<10	17
J955357		0.31	<10	<10	63	20	96
J955358		0.27	<10	<10	52	<10	37
J955359		0.20	<10	<10	35	<10	42
J955360		0.32	<10	<10	62	10	41
J955361		0.23	<10	<10	43	10	24
J955362		0.25	<10	<10	46	<10	29
J955363		0.23	<10	<10	35	10	22
J955364		0.20	<10	<10	27	80	14
J955365		0.27	<10	<10	46	10	39
J955366		0.23	<10	<10	38	30	27
J955367		0.31	<10	<10	61	70	20
J955368		0.35	<10	<10	71	10	33
J955369		0.34	<10	<10	70	10	32
J955370		0.24	<10	<10	47	<10	29
J955371		0.19	<10	<10	37	<10	18