



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 3-DEC-2010
Account: STRGOL

CERTIFICATE WH10166112

Project: Eagle Gold

P.O. No.: EGP10-147

This report is for 40 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 3-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166112

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955095		4.20	0.046		<0.5	7.14	28	1590	3.2	<2	1.95	<0.5	7	31	30	2.63
J955096		4.67	<0.005		<0.5	0.06	<5	50	<0.5	<2	20.7	<0.5	<1	1	2	0.50
J955097		4.79	0.235		<0.5	7.24	30	1810	2.8	2	2.06	<0.5	8	28	28	2.59
J955098		4.89	0.082		<0.5	6.83	50	1740	2.6	3	2.42	<0.5	8	29	20	2.32
J955099		3.86	0.018		<0.5	7.70	38	1800	3.2	<2	2.12	<0.5	9	33	15	2.93
J955100		4.12	2.07		5.4	7.01	583	1010	2.7	36	1.81	0.9	6	27	385	4.42
J955101		4.86	0.278		1.1	7.11	88	960	2.9	3	1.72	1.1	5	28	31	2.69
J955102		4.30	0.546		<0.5	7.30	46	1610	3.0	6	1.72	<0.5	7	34	16	2.86
J955103		4.23	0.381		<0.5	7.25	44	1670	2.7	3	1.77	<0.5	7	28	14	2.52
J955104		4.29	0.902		<0.5	7.16	33	1590	2.9	11	1.95	<0.5	6	37	11	2.49
J955105		4.43	1.730		<0.5	6.74	57	1540	3.0	22	2.00	<0.5	6	29	7	2.25
J955106		4.56	2.26		<0.5	6.97	106	1730	2.5	21	1.95	<0.5	7	29	11	2.14
J955107		5.41	5.22		<0.5	6.87	56	1680	2.9	73	2.17	<0.5	7	31	6	2.47
J955108		5.57	0.073		<0.5	7.24	18	1480	2.7	<2	2.15	<0.5	7	28	23	2.42
J955109		5.20	3.56		<0.5	6.85	95	1530	2.7	34	2.01	<0.5	6	30	10	2.27
J955110		0.06	0.350		0.8	6.96	16	750	1.8	<2	2.26	<0.5	14	48	3340	4.80
J955111		5.39	4.29		<0.5	6.12	126	1590	2.0	45	1.69	<0.5	6	32	16	2.12
J955112		4.53	3.68		<0.5	7.19	48	1600	2.9	63	2.27	<0.5	8	33	25	2.48
J955113		4.71	>10.0	12.80	<0.5	6.49	240	1730	2.2	172	2.37	<0.5	7	30	25	2.18
J955114		5.23	5.41		<0.5	6.64	125	1650	2.6	59	2.02	<0.5	8	30	16	2.17
J955115		5.15	0.713		<0.5	7.31	28	1600	3.0	8	2.37	<0.5	8	32	35	2.50
J955116		3.87	0.014		<0.5	0.07	6	<10	<0.5	<2	22.7	<0.5	<1	3	5	0.55
J955117		4.20	4.90		<0.5	7.74	78	1880	2.8	56	2.26	<0.5	11	36	45	2.49
J955118		5.01	3.52		<0.5	7.16	82	1750	2.8	45	2.25	<0.5	6	34	19	2.46
J955119		5.73	1.435		<0.5	7.58	93	1710	2.9	13	2.46	<0.5	8	34	24	2.55
J955120		4.37	0.051		0.9	7.57	116	960	2.9	<2	2.44	0.9	9	47	44	2.06
J955121		5.50	0.074		0.6	7.61	134	1070	2.9	<2	2.58	0.8	8	35	39	2.37
J955122		5.77	0.038		0.5	7.38	86	1190	2.8	<2	2.36	0.6	8	34	41	2.48
J955123		5.33	0.100		1.6	7.23	52	820	2.6	3	2.66	1.6	9	31	36	1.85
J955124		5.55	1.090		<0.5	7.26	73	1520	2.7	9	2.14	<0.5	7	42	19	2.45
J955125		5.52	4.56		<0.5	6.86	74	1480	2.8	24	2.10	<0.5	7	31	17	2.36
J955126		5.07	0.045		<0.5	7.65	35	1540	3.5	2	2.28	<0.5	8	36	37	2.82
J955127		4.33	0.469		<0.5	7.49	58	1590	3.3	4	2.16	<0.5	8	32	33	2.74
J955128		4.58	1.350		<0.5	6.68	139	1380	2.7	14	2.42	<0.5	6	29	12	1.74
J955129		<0.02	1.285		<0.5	6.47	141	1370	2.7	8	2.44	<0.5	7	31	11	1.87
J955130		2.38	0.173		<0.5	7.16	48	1400	3.2	<2	2.50	<0.5	6	31	23	2.38
J955131		5.36	0.172		<0.5	7.74	45	1590	3.5	2	1.97	<0.5	10	35	38	2.91
J955132		3.98	0.161		<0.5	7.84	45	1530	3.4	<2	1.12	<0.5	7	32	20	2.88
J955133		4.45	0.961		<0.5	7.40	255	1640	2.6	7	1.69	<0.5	6	30	20	2.65
J955134		4.92	0.870		2.8	6.95	116	570	2.8	4	2.29	4.5	5	29	54	3.19

Comments: Additional Au-AA24 check assay for sample J955133 are 1.385ppm and 0.810ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 3-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166112

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955095		20	3.45	30	0.76	261	<1	1.61	19	650	22	0.12	<5	7	480	20
J955096		<10	0.03	10	12.20	239	<1	0.01	<1	160	<2	0.03	<5	1	45	<20
J955097		20	3.92	40	0.83	293	1	1.37	24	690	24	0.06	12	7	464	20
J955098		20	4.01	30	0.63	364	2	1.47	20	660	25	0.08	13	6	466	<20
J955099		20	3.41	40	0.82	299	<1	1.66	22	720	23	0.08	5	8	513	20
J955100		20	2.93	50	0.61	490	<1	0.73	17	590	188	1.73	24	7	257	20
J955101		20	3.52	40	0.46	613	<1	0.47	18	620	149	0.20	17	6	170	20
J955102		20	3.62	40	0.74	252	<1	1.44	19	660	24	0.09	8	7	437	20
J955103		20	4.27	40	0.70	241	<1	1.45	19	630	28	0.07	<5	7	453	20
J955104		20	4.33	40	0.70	249	<1	1.43	19	620	27	0.06	5	7	449	20
J955105		20	3.92	30	0.69	237	1	1.45	17	590	21	0.04	<5	6	438	20
J955106		20	4.39	40	0.68	208	<1	1.38	18	600	23	0.07	<5	6	444	20
J955107		20	4.01	30	0.68	270	<1	1.59	18	630	26	0.05	<5	6	464	20
J955108		20	3.80	40	0.67	285	<1	1.62	19	590	30	0.13	<5	6	475	20
J955109		20	3.97	40	0.67	226	2	1.43	18	580	25	0.06	<5	6	445	20
J955110		20	3.01	20	1.39	502	246	2.38	20	1030	16	0.48	<5	11	434	<20
J955111		20	4.14	40	0.68	168	23	1.10	15	510	16	0.15	<5	6	378	20
J955112		20	3.84	40	0.73	245	1	1.63	19	630	24	0.14	<5	7	482	20
J955113		20	4.15	30	0.69	193	31	1.28	21	610	17	0.22	<5	7	435	<20
J955114		20	4.07	40	0.64	189	2	1.42	19	590	18	0.11	<5	6	443	20
J955115		20	3.79	40	0.74	236	<1	1.67	20	650	23	0.20	<5	7	502	20
J955116		<10	0.03	<10	13.35	240	<1	0.01	1	190	<2	<0.01	<5	1	47	<20
J955117		20	4.49	40	0.79	177	4	1.49	24	700	17	0.27	<5	7	520	20
J955118		20	4.02	30	0.80	214	1	1.53	24	690	16	0.11	<5	7	507	20
J955119		20	4.05	30	0.76	273	<1	1.59	22	670	21	0.10	<5	7	522	20
J955120		20	3.64	30	0.41	561	<1	0.85	26	710	170	0.44	13	8	263	20
J955121		20	3.70	30	0.55	595	<1	0.71	22	720	178	0.32	14	7	278	20
J955122		20	3.80	30	0.51	535	1	0.73	22	690	131	0.35	12	7	284	20
J955123		20	3.60	40	0.35	695	1	0.37	22	650	230	0.61	12	7	202	20
J955124		20	4.03	40	0.61	316	3	1.13	22	650	57	0.19	<5	7	388	20
J955125		20	3.58	30	0.65	304	2	1.37	19	590	29	0.08	<5	7	423	20
J955126		20	3.62	30	0.77	285	3	1.61	20	640	22	0.16	<5	7	480	20
J955127		20	3.91	30	0.76	288	1	1.41	19	640	19	0.19	<5	7	458	20
J955128		20	3.57	30	0.45	284	3	1.31	17	570	30	0.08	<5	6	349	20
J955129		20	3.57	30	0.43	295	3	1.30	17	560	33	0.08	<5	6	344	20
J955130		20	3.55	30	0.65	298	<1	1.57	20	610	19	0.11	<5	7	420	20
J955131		20	3.68	30	0.84	231	<1	1.63	22	680	16	0.18	<5	7	505	20
J955132		20	3.79	40	0.81	215	1	1.44	19	630	25	0.04	6	7	432	20
J955133		20	4.47	40	0.74	335	3	0.99	19	640	40	0.15	11	7	382	20
J955134		20	3.21	30	0.35	811	3	0.10	20	610	288	1.22	27	6	97	20

Comments: Additionl Au-AA24 check assay for sample J955133 are 1.385ppm and 0.810ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 3-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166112

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955095		0.32	<10	<10	36	10	42
J955096		<0.01	<10	10	4	<10	15
J955097		0.33	<10	<10	37	40	37
J955098		0.31	<10	<10	38	20	52
J955099		0.35	<10	<10	45	10	51
J955100		0.26	<10	<10	32	30	161
J955101		0.28	<10	<10	34	20	226
J955102		0.32	<10	<10	37	10	43
J955103		0.30	<10	<10	35	20	55
J955104		0.29	<10	<10	36	60	49
J955105		0.28	<10	<10	34	70	43
J955106		0.28	<10	<10	34	80	36
J955107		0.29	<10	<10	35	40	51
J955108		0.29	<10	<10	34	10	61
J955109		0.27	<10	<10	32	10	39
J955110		0.36	<10	<10	130	<10	70
J955111		0.25	<10	<10	35	120	26
J955112		0.30	<10	<10	35	10	42
J955113		0.28	<10	<10	35	300	20
J955114		0.28	<10	<10	32	160	29
J955115		0.32	<10	<10	37	10	36
J955116		<0.01	<10	<10	3	<10	14
J955117		0.34	<10	<10	38	10	16
J955118		0.33	<10	<10	38	10	24
J955119		0.32	<10	<10	39	20	38
J955120		0.34	<10	<10	45	10	177
J955121		0.34	<10	<10	41	10	187
J955122		0.33	<10	<10	40	10	145
J955123		0.30	10	<10	37	10	290
J955124		0.31	<10	<10	40	10	67
J955125		0.29	<10	<10	33	70	56
J955126		0.32	<10	<10	40	10	40
J955127		0.31	<10	<10	38	20	32
J955128		0.27	<10	<10	31	110	60
J955129		0.27	<10	<10	32	130	63
J955130		0.30	<10	<10	36	60	46
J955131		0.33	<10	<10	39	30	28
J955132		0.30	<10	<10	35	10	43
J955133		0.30	<10	<10	34	40	43
J955134		0.27	<10	<10	34	30	804

Comments: Additionl Au-AA24 check assay for sample J955133 are 1.385ppm and 0.810ppm.