



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 2-DEC-2010
Account: STRGOL

CERTIFICATE WH10166113

Project: Eagle Gold

P.O. No.: EGP10-146

This report is for 90 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955005		4.27	0.739		<0.5	7.22	75	1620	3.0	13	2.35	<0.5	8	30	15	2.32
J955006		5.63	0.135		<0.5	7.09	69	1510	3.0	8	2.36	<0.5	7	27	24	2.26
J955007		5.53	0.262		<0.5	7.07	91	1520	2.7	9	2.36	<0.5	7	28	14	2.15
J955008		3.92	1.170		<0.5	7.02	100	1490	3.0	33	2.04	<0.5	7	36	27	2.29
J955009		3.87	0.353		<0.5	7.13	66	1620	3.1	6	2.34	<0.5	7	30	19	2.31
J955010		0.07	0.828		2.5	7.39	6	610	0.9	5	3.16	<0.5	22	38	7300	7.23
J955011		5.25	0.159		<0.5	6.86	30	1450	3.1	5	2.19	<0.5	7	28	31	2.28
J955012		4.65	0.321		<0.5	6.83	100	1620	3.0	18	2.11	<0.5	8	29	24	2.27
J955013		5.00	0.292	0.552	<0.5	6.86	53	1530	3.0	8	2.04	<0.5	8	30	26	2.32
J955014		5.33	0.538	0.398	<0.5	6.66	42	1580	2.9	7	2.08	<0.5	7	31	23	2.25
J955015		5.69	0.076	0.290	<0.5	6.88	115	1590	3.1	5	2.44	<0.5	8	29	25	2.44
J955016		3.84	0.005		<0.5	0.11	<5	40	<0.5	3	19.9	<0.5	2	2	1	0.49
J955017		5.30	0.407		<0.5	6.37	63	1460	2.9	11	2.11	<0.5	8	29	21	2.24
J955018		5.94	0.985		<0.5	6.97	43	1560	3.0	8	2.44	<0.5	6	28	23	2.28
J955019		5.04	0.586		<0.5	6.92	86	1570	2.8	8	2.13	<0.5	7	29	23	2.28
J955020		5.82	0.080		<0.5	6.53	49	1380	2.9	2	2.62	<0.5	8	27	21	2.19
J955021		4.61	0.616		<0.5	6.82	85	1410	2.9	13	2.28	<0.5	9	29	33	2.27
J955022		4.59	1.660		<0.5	6.85	93	1470	2.8	10	2.13	<0.5	9	28	36	2.26
J955023		5.84	0.069		<0.5	6.79	31	1460	3.0	2	2.25	<0.5	7	26	23	2.22
J955024		5.12	0.206		<0.5	6.71	38	1430	2.9	4	2.16	<0.5	7	26	25	2.17
J955025		4.55	0.035		<0.5	6.49	51	1430	2.9	2	2.32	<0.5	7	26	22	2.20
J955026		5.37	0.058		<0.5	6.65	37	1380	2.9	<2	3.15	<0.5	8	27	23	2.20
J955027		5.81	0.088		<0.5	6.50	33	1400	2.7	5	2.78	<0.5	7	25	24	2.18
J955028		5.14	0.580		<0.5	6.68	37	1460	3.1	9	2.76	<0.5	8	25	26	2.18
J955029		<0.02	0.537		<0.5	7.01	39	1470	3.1	7	2.79	<0.5	7	25	28	2.24
J955030		5.58	1.405		<0.5	6.57	159	1560	2.5	18	3.02	<0.5	8	24	30	2.11
J955031		5.40	1.665		0.9	6.59	452	1270	2.6	26	2.06	<0.5	8	25	19	2.37
J955032		5.56	0.313		<0.5	6.34	67	1390	2.6	7	2.16	<0.5	7	26	15	2.26
J955033		5.05	0.234	0.218	<0.5	6.50	92	1460	2.6	10	1.89	<0.5	8	27	20	2.21
J955034		5.61	0.784	1.095	<0.5	6.69	84	1500	2.7	23	2.11	<0.5	8	28	17	2.31
J955035		5.17	0.537	0.439	<0.5	6.45	71	1380	2.7	10	2.27	<0.5	8	25	16	2.12
J955036		5.95	0.475		<0.5	6.85	92	1530	2.8	12	2.67	<0.5	8	36	22	2.45
J955037		5.06	4.47		<0.5	6.90	35	1540	2.9	59	2.52	<0.5	8	31	23	2.49
J955038		5.75	0.432		<0.5	6.63	52	1440	2.7	8	2.51	<0.5	8	29	23	2.26
J955039		5.23	0.162		<0.5	6.76	46	1440	2.8	6	2.17	<0.5	8	27	20	2.29
J955040		4.26	5.20		<0.5	6.16	231	1440	2.4	63	2.63	<0.5	10	27	14	2.07
J955041		5.70	6.91		<0.5	5.91	532	1310	2.2	121	2.12	<0.5	14	27	16	2.00
J955042		4.89	2.36		<0.5	6.53	111	1420	2.7	69	2.32	<0.5	8	28	14	2.05
J955043		2.91	0.007		<0.5	0.08	<5	30	<0.5	3	20.2	<0.5	2	1	1	0.46
J955044		4.97	5.20		<0.5	6.54	147	1610	2.7	100	2.02	<0.5	10	29	12	2.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955005		20	4.07	30	0.74	208	1	1.48	19	640	18	0.11	10	7	447	20
J955006		20	3.86	40	0.68	225	2	1.46	17	610	19	0.17	7	6	441	20
J955007		20	3.85	40	0.74	216	2	1.39	18	570	20	0.10	<5	6	466	20
J955008		20	3.72	30	0.73	199	2	1.55	19	590	19	0.17	<5	6	453	20
J955009		20	3.75	40	0.77	198	2	1.61	20	650	13	0.15	<5	7	492	20
J955010		20	2.82	10	2.02	599	565	2.40	22	1140	13	0.94	<5	18	578	<20
J955011		20	3.51	30	0.76	185	2	1.60	17	600	16	0.14	<5	6	465	20
J955012		20	3.72	30	0.73	167	2	1.62	20	630	21	0.18	<5	6	448	20
J955013		20	3.62	30	0.74	198	2	1.65	20	630	16	0.16	<5	6	451	20
J955014		20	3.73	30	0.75	176	14	1.60	19	620	11	0.17	<5	6	459	20
J955015		20	3.50	30	0.78	236	2	1.69	21	640	25	0.17	<5	6	502	20
J955016		<10	0.06	10	11.80	226	1	0.02	<1	170	13	0.02	<5	<1	44	<20
J955017		20	3.42	30	0.72	219	1	1.61	21	570	24	0.14	7	6	439	20
J955018		20	3.70	40	0.77	188	2	1.71	19	630	15	0.14	7	6	493	20
J955019		20	3.93	40	0.72	187	4	1.57	17	600	16	0.16	<5	6	458	20
J955020		20	3.58	30	0.67	244	1	1.57	17	560	16	0.14	<5	6	465	20
J955021		20	3.93	30	0.73	187	1	1.53	18	620	13	0.19	10	6	437	20
J955022		20	3.82	40	0.75	182	1	1.49	20	610	13	0.21	8	6	435	20
J955023		20	3.53	30	0.74	195	2	1.54	18	590	15	0.13	8	6	467	20
J955024		20	3.67	40	0.70	196	2	1.61	16	560	16	0.15	<5	6	467	20
J955025		20	3.54	30	0.70	209	1	1.61	16	580	15	0.12	9	6	473	20
J955026		20	3.58	30	0.73	230	2	1.61	18	600	14	0.12	10	6	508	20
J955027		20	3.36	30	0.72	228	2	1.51	16	580	13	0.13	6	6	499	20
J955028		20	3.48	40	0.77	224	2	1.45	17	590	17	0.12	8	6	489	20
J955029		20	3.51	40	0.80	227	2	1.46	17	600	34	0.12	10	6	498	20
J955030		20	3.86	30	0.75	227	3	1.17	17	560	14	0.16	6	6	492	20
J955031		20	3.35	40	0.74	306	11	0.97	17	570	64	0.22	14	6	362	20
J955032		20	3.36	30	0.71	317	6	1.28	17	550	24	0.10	11	6	399	20
J955033		20	3.54	30	0.71	247	8	1.37	18	580	15	0.09	14	6	414	20
J955034		20	3.36	40	0.76	272	8	1.51	18	610	13	0.08	6	6	458	20
J955035		20	3.62	30	0.67	276	2	1.43	17	550	19	0.07	9	6	438	20
J955036		20	3.57	40	0.81	303	6	1.55	21	640	19	0.10	7	7	478	20
J955037		20	3.54	30	0.76	281	3	1.63	18	630	24	0.11	5	7	496	20
J955038		20	3.54	30	0.70	268	2	1.42	17	590	20	0.10	7	6	448	20
J955039		20	3.59	40	0.69	247	2	1.49	17	600	20	0.12	9	6	451	20
J955040		20	3.23	40	0.62	204	3	1.31	16	550	13	0.12	5	6	418	20
J955041		20	3.37	40	0.56	182	6	1.19	18	510	14	0.17	12	5	346	20
J955042		20	3.56	40	0.62	179	2	1.43	18	590	12	0.08	12	6	413	20
J955043		<10	0.04	10	12.00	220	<1	0.01	<1	170	<2	0.01	<5	<1	46	<20
J955044		20	3.87	30	0.69	157	6	1.54	17	600	11	0.07	6	6	453	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 2-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955005		0.30	<10	10	36	20	32
J955006		0.29	<10	<10	34	30	34
J955007		0.28	<10	<10	32	30	38
J955008		0.28	<10	10	33	30	36
J955009		0.30	<10	<10	37	30	25
J955010		0.36	<10	10	184	<10	86
J955011		0.29	<10	10	34	30	27
J955012		0.30	<10	10	35	30	25
J955013		0.30	<10	<10	36	30	34
J955014		0.30	<10	<10	35	60	20
J955015		0.31	<10	10	36	40	33
J955016		<0.01	<10	10	2	<10	15
J955017		0.28	<10	<10	35	30	36
J955018		0.30	<10	10	35	30	21
J955019		0.29	<10	<10	35	30	20
J955020		0.27	<10	<10	31	30	33
J955021		0.30	<10	<10	35	40	21
J955022		0.30	<10	<10	35	30	22
J955023		0.28	<10	<10	33	30	25
J955024		0.27	<10	10	32	40	27
J955025		0.28	<10	10	34	30	29
J955026		0.30	<10	<10	34	40	27
J955027		0.28	<10	<10	33	30	28
J955028		0.29	<10	<10	34	30	29
J955029		0.30	<10	<10	34	40	29
J955030		0.27	<10	<10	31	40	20
J955031		0.27	<10	<10	31	40	82
J955032		0.27	<10	<10	33	30	49
J955033		0.28	<10	<10	33	20	31
J955034		0.30	<10	<10	35	30	27
J955035		0.27	<10	<10	32	20	34
J955036		0.30	<10	<10	39	30	36
J955037		0.30	<10	<10	38	20	44
J955038		0.29	<10	<10	34	20	39
J955039		0.29	<10	<10	33	30	45
J955040		0.26	<10	<10	31	30	21
J955041		0.23	<10	<10	29	30	29
J955042		0.29	<10	<10	34	40	23
J955043		<0.01	<10	10	1	<10	16
J955044		0.29	<10	<10	33	100	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
J955045		5.66	1.680		<0.5	6.73	43	1540	3.0	29	2.23	<0.5	8	29	21	2.19
J955046		5.62	0.065		<0.5	6.98	28	1500	3.3	<2	2.10	<0.5	8	31	23	2.28
J955047		4.68	0.058		<0.5	7.18	31	1550	3.3	<2	2.43	<0.5	8	32	33	2.56
J955048		4.06	0.447		<0.5	6.85	26	1480	2.9	7	2.25	<0.5	8	29	31	2.28
J955049		5.45	1.185		<0.5	6.65	109	1450	2.5	36	2.04	<0.5	7	28	14	2.15
J955050		0.07	2.26		5.4	7.81	13	480	1.0	<2	2.87	1.2	16	18	111	4.17
J955051		4.07	4.34		<0.5	6.69	51	1480	2.7	85	1.88	<0.5	8	28	23	2.24
J955052		4.38	0.691		<0.5	6.94	28	1530	3.1	9	2.25	<0.5	7	30	17	2.41
J955053		4.08	<0.005		<0.5	0.07	<5	30	<0.5	<2	20.0	<0.5	1	1	1	0.46
J955054		4.73	6.37	6.58	<0.5	6.44	122	1510	2.6	130	2.05	<0.5	7	27	17	2.15
J955055		5.59	0.621	0.953	<0.5	6.82	82	1660	2.5	14	2.02	<0.5	6	29	12	2.19
J955056		3.48	<0.005		<0.5	0.07	<5	450	<0.5	<2	21.0	<0.5	1	2	<1	0.47
J955057		5.24	1.510		<0.5	6.76	43	1510	3.0	31	2.03	<0.5	7	28	15	2.27
J955058		5.12	0.320		0.5	7.03	39	1560	2.8	5	2.25	<0.5	7	29	15	2.20
J955059		4.77	0.369		<0.5	6.88	39	1580	3.0	2	2.46	<0.5	8	30	13	2.32
J955060		5.53	0.019		<0.5	7.04	20	1460	3.0	<2	2.13	<0.5	7	29	17	2.38
J955061		5.42	2.98		<0.5	6.88	235	1690	2.6	94	2.23	<0.5	9	29	13	2.17
J955062		5.22	1.360		<0.5	6.49	173	1540	2.8	19	2.13	<0.5	8	28	14	2.13
J955063		5.38	1.130		<0.5	6.73	66	1600	2.8	7	1.93	<0.5	8	29	21	2.23
J955064		5.42	1.540		<0.5	6.65	37	1440	2.8	42	1.98	<0.5	6	28	14	2.27
J955065		5.71	0.056		<0.5	6.98	36	1590	3.1	<2	1.96	<0.5	8	30	22	2.37
J955066		5.28	0.779		<0.5	6.60	82	1460	2.7	10	1.88	<0.5	6	26	15	2.05
J955067		6.62	0.439		<0.5	6.50	51	1480	2.8	10	1.97	<0.5	7	27	19	2.11
J955068		4.62	1.725		<0.5	6.87	43	1580	3.0	36	2.16	<0.5	7	33	13	2.41
J955069		<0.02	1.745		<0.5	6.79	43	1560	3.0	54	2.12	<0.5	6	35	13	2.32
J955070		4.93	2.80		<0.5	6.59	63	1550	2.9	49	2.13	<0.5	8	26	19	2.16
J955071		5.08	0.370		<0.5	6.65	46	1440	2.8	7	2.08	<0.5	6	27	13	2.15
J955072		5.26	0.247		<0.5	6.71	22	1540	2.9	3	2.18	<0.5	7	28	19	2.30
J955073		5.34	1.045		<0.5	6.58	34	1520	2.7	22	1.95	<0.5	6	26	14	2.08
J955074		4.52	0.491		<0.5	6.95	42	1540	3.1	8	2.04	<0.5	6	29	20	2.27
J955075		4.30	0.277		<0.5	6.77	63	1480	3.0	3	1.91	<0.5	6	28	10	2.12
J955076		5.40	0.425		<0.5	6.84	52	1490	3.0	7	2.18	<0.5	7	29	11	2.35
J955077		5.23	0.619		<0.5	7.00	59	1670	2.9	12	2.15	<0.5	7	30	10	2.30
J955078		5.22	1.055		<0.5	6.82	65	1650	2.7	25	2.19	<0.5	8	31	15	2.32
J955079		5.60	0.503		<0.5	6.81	50	1590	2.9	4	2.09	<0.5	8	31	12	2.41
J955080		5.80	0.548		<0.5	6.59	101	1540	2.6	7	1.92	<0.5	6	31	13	2.20
J955081		3.81	0.251		<0.5	6.83	42	1540	2.8	4	2.04	<0.5	7	29	10	2.27
J955082		5.22	0.943		<0.5	6.52	81	1520	2.6	10	1.95	<0.5	7	28	8	2.13
J955083		3.83	0.916		<0.5	6.94	73	1500	2.7	22	2.12	<0.5	7	33	10	2.30
J955084		5.18	3.62		<0.5	7.34	57	1540	2.9	56	2.35	<0.5	8	36	7	2.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
J955045		20	3.80	30	0.73	170	2	1.59	19	610	13	0.12	5	6	477	20
J955046		20	3.63	30	0.73	191	1	1.60	17	590	20	0.09	5	6	478	20
J955047		20	3.46	30	0.75	223	1	1.73	17	630	18	0.18	<5	7	515	20
J955048		20	3.78	30	0.69	227	2	1.52	18	590	18	0.13	9	6	465	20
J955049		20	3.71	30	0.68	219	3	1.36	14	550	24	0.06	<5	6	429	20
J955050		20	2.20	10	1.30	1000	8	1.60	42	1050	19	0.77	<5	15	407	<20
J955051		20	3.79	30	0.69	204	2	1.49	17	570	23	0.12	7	6	435	20
J955052		20	3.62	30	0.71	279	4	1.70	20	610	25	0.08	5	6	488	20
J955053		<10	0.03	<10	12.15	218	<1	0.01	<1	160	4	0.01	<5	<1	44	<20
J955054		20	3.67	30	0.70	198	2	1.46	19	570	21	0.08	12	6	449	20
J955055		20	4.36	30	0.80	164	3	1.31	15	610	15	0.09	7	6	445	20
J955056		<10	0.03	<10	12.85	227	<1	0.01	<1	160	3	0.02	<5	<1	57	<20
J955057		20	3.67	30	0.74	196	1	1.56	15	600	20	0.07	8	6	461	20
J955058		20	3.78	30	0.73	210	2	1.39	16	610	21	0.09	8	7	431	20
J955059		20	3.89	20	0.74	240	1	1.71	18	620	23	0.06	5	6	496	20
J955060		20	3.45	30	0.75	261	1	1.60	16	580	28	0.07	6	6	479	20
J955061		20	4.41	30	0.72	212	2	1.46	16	600	21	0.08	9	6	458	20
J955062		20	3.93	20	0.69	212	1	1.52	16	600	24	0.07	5	6	455	20
J955063		20	3.93	30	0.75	204	4	1.52	18	620	19	0.09	8	6	440	20
J955064		10	3.37	30	0.72	257	1	1.49	16	580	27	0.06	6	6	437	20
J955065		20	3.60	30	0.76	241	1	1.61	18	620	25	0.10	<5	6	467	20
J955066		20	3.86	30	0.64	176	3	1.38	16	540	19	0.10	<5	6	403	20
J955067		20	3.76	20	0.66	211	1	1.47	16	560	23	0.09	<5	6	418	20
J955068		20	3.82	30	0.73	262	2	1.67	18	620	24	0.07	6	6	479	20
J955069		20	3.78	30	0.72	252	2	1.63	17	610	24	0.07	<5	6	469	20
J955070		20	3.42	30	0.67	225	2	1.36	18	590	22	0.11	<5	6	406	20
J955071		20	3.49	30	0.66	251	1	1.51	17	580	25	0.05	8	6	416	20
J955072		20	3.68	30	0.68	278	1	1.49	16	590	24	0.10	6	6	427	20
J955073		20	3.85	30	0.65	229	1	1.44	16	590	24	0.09	6	6	401	20
J955074		20	3.81	30	0.68	236	2	1.56	16	580	25	0.13	7	6	457	20
J955075		20	3.59	30	0.66	203	4	1.57	16	580	24	0.07	<5	6	423	20
J955076		20	3.57	30	0.71	296	1	1.60	17	590	25	0.06	5	6	455	20
J955077		20	3.89	30	0.76	215	7	1.57	17	650	22	0.07	7	7	470	20
J955078		20	3.79	30	0.76	187	2	1.59	20	640	15	0.11	7	6	476	20
J955079		20	3.52	30	0.76	209	1	1.58	18	640	20	0.08	<5	6	469	20
J955080		20	3.91	30	0.72	174	2	1.49	16	590	19	0.09	7	6	436	20
J955081		20	3.59	30	0.74	223	1	1.53	18	620	21	0.05	9	6	475	20
J955082		20	3.97	30	0.69	174	3	1.42	17	570	20	0.07	<5	6	440	20
J955083		20	4.02	30	0.69	219	4	1.53	18	590	25	0.07	<5	6	471	20
J955084		20	3.44	30	0.77	262	1	1.71	20	650	19	0.05	<5	7	521	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 2-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J955045		0.30	<10	<10	35	30	22
J955046		0.30	<10	10	34	10	24
J955047		0.31	<10	10	36	10	29
J955048		0.29	<10	10	34	20	37
J955049		0.27	<10	10	31	20	39
J955050		0.41	<10	<10	132	<10	100
J955051		0.28	<10	10	33	30	38
J955052		0.30	<10	10	34	10	56
J955053		<0.01	<10	<10	1	<10	27
J955054		0.28	<10	10	31	30	31
J955055		0.28	<10	10	34	30	20
J955056		<0.01	<10	<10	1	<10	15
J955057		0.29	<10	10	33	30	29
J955058		0.30	<10	10	35	20	33
J955059		0.30	<10	10	35	20	35
J955060		0.29	<10	10	33	10	50
J955061		0.29	<10	10	34	30	33
J955062		0.28	<10	10	33	20	33
J955063		0.30	<10	10	34	20	33
J955064		0.28	<10	10	33	20	54
J955065		0.31	<10	10	36	20	39
J955066		0.26	<10	10	31	20	32
J955067		0.28	<10	10	32	20	43
J955068		0.31	<10	10	36	20	50
J955069		0.30	<10	10	35	20	48
J955070		0.28	<10	10	34	20	44
J955071		0.29	<10	10	34	10	58
J955072		0.30	<10	10	34	10	57
J955073		0.28	<10	10	32	20	44
J955074		0.29	<10	10	34	10	45
J955075		0.28	<10	10	33	40	37
J955076		0.30	<10	10	35	20	63
J955077		0.31	<10	10	35	30	36
J955078		0.32	<10	10	37	50	29
J955079		0.31	<10	10	37	30	31
J955080		0.29	<10	10	34	50	23
J955081		0.31	<10	10	36	20	34
J955082		0.28	<10	10	33	100	27
J955083		0.29	<10	<10	34	190	39
J955084		0.32	<10	<10	39	<10	39



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - C
Total # Pages: 4 (A - C)

Finalized Date: 2-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166113

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
J955085		0.31	<10	<10	35	50	31
J955086		0.31	<10	<10	36	<10	30
J955087		0.30	<10	<10	36	<10	32
J955088		0.29	<10	<10	35	<10	27
J955089		0.28	<10	<10	33	60	25
J955090		0.38	<10	<10	197	<10	129
J955091		0.33	<10	<10	39	<10	49
J955092		0.31	<10	<10	37	<10	41
J955093		0.31	<10	<10	37	<10	83
J955094		0.25	<10	<10	29	<10	44