



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 21-NOV-2010
Account: STRGOL

CERTIFICATE WH10166151

Project: Eagle Gold

P.O. No.: EGP10-140

This report is for 39 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 21-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166151

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I017355		3.13	0.722	<0.5	7.79	41	1620	3.2	16	2.00	<0.5	8	32	16	2.48	20
I017356		3.53	<0.005	<0.5	0.07	5	<10	<0.5	<2	20.9	<0.5	<1	<1	<1	0.51	<10
I017357		3.04	0.023	<0.5	7.75	49	1480	3.3	<2	1.77	<0.5	7	32	18	2.35	20
I017358		3.82	0.159	<0.5	7.27	124	1310	3.1	2	1.82	<0.5	6	32	31	2.21	20
I017359		4.58	1.745	<0.5	7.83	132	1730	2.9	108	1.98	<0.5	10	35	26	2.56	20
I017360		2.51	0.159	<0.5	7.62	56	1510	3.4	3	2.12	<0.5	7	34	26	2.49	20
I017361		2.28	0.656	<0.5	7.69	59	1430	3.3	43	1.89	<0.5	7	33	19	2.30	20
I017362		3.16	1.255	<0.5	7.33	93	1380	3.1	53	1.95	<0.5	8	46	21	2.53	20
I017363		3.91	0.279	<0.5	7.69	41	1580	3.3	<2	2.37	<0.5	9	31	21	2.54	20
I017364		5.01	0.254	<0.5	7.44	84	1530	3.1	8	2.32	<0.5	8	34	18	2.44	20
I017365		4.43	1.065	<0.5	7.01	85	1550	3.0	39	2.16	<0.5	7	33	29	2.42	20
I017366		3.93	0.771	<0.5	7.16	58	1520	3.0	57	2.47	<0.5	9	39	17	2.71	20
I017367		3.14	0.036	<0.5	7.61	51	1580	3.2	<2	2.58	<0.5	7	29	11	2.41	20
I017368		3.05	0.408	<0.5	7.74	101	1650	3.2	6	2.04	<0.5	8	34	19	2.54	20
I017369		<0.02	0.352	<0.5	7.80	103	1630	3.2	2	2.04	<0.5	8	31	18	2.48	20
I017370		4.43	2.66	<0.5	7.46	98	1500	3.0	136	2.06	<0.5	7	31	19	2.29	20
I017371		3.55	0.134	<0.5	8.03	75	1750	3.2	<2	2.24	<0.5	8	37	22	2.59	20
I017372		3.03	1.080	<0.5	6.61	107	1410	2.5	89	1.72	<0.5	6	35	19	2.12	20
I017373		4.10	2.97	<0.5	7.62	138	1650	3.1	135	2.02	<0.5	8	33	24	2.38	20
I017374		3.42	0.730	<0.5	7.54	230	1590	2.9	40	1.77	<0.5	8	33	34	2.37	20
I017375		5.11	0.266	<0.5	8.19	115	1720	3.2	20	2.38	<0.5	9	34	31	2.67	20
I017376		4.24	0.893	<0.5	7.77	132	1630	3.1	43	2.25	<0.5	8	35	19	2.54	20
I017377		4.71	0.455	<0.5	7.56	100	1500	3.3	17	2.14	<0.5	8	32	23	2.34	20
I017378		3.83	1.510	<0.5	7.62	92	1550	3.2	45	2.04	<0.5	8	34	33	2.59	20
I017379		4.32	2.84	<0.5	7.31	109	1540	3.1	138	2.05	<0.5	7	34	18	2.32	20
I017380		4.88	2.28	<0.5	7.69	109	1660	3.2	169	2.26	<0.5	9	33	32	2.43	20
I017381		4.94	2.02	<0.5	7.68	86	1530	3.2	83	2.05	<0.5	8	35	28	2.27	20
I017382		3.16	8.13	0.6	6.18	93	1330	2.4	493	1.73	<0.5	7	32	27	2.05	20
I017383		6.07	0.980	<0.5	7.75	139	1770	3.0	45	1.94	<0.5	8	36	63	2.40	20
I017384		2.91	0.355	<0.5	7.65	141	1820	2.9	16	1.77	<0.5	8	32	41	2.42	20
I017385		2.38	0.354	<0.5	7.95	515	1710	3.4	14	1.84	<0.5	10	33	84	2.58	20
I017386		4.36	0.155	<0.5	8.18	317	1750	3.4	8	1.91	<0.5	10	35	88	2.64	20
I017387		5.12	0.752	<0.5	7.47	272	1660	3.1	24	1.73	<0.5	9	34	98	2.51	20
I017388		5.47	1.470	<0.5	7.84	646	1730	3.3	43	1.84	<0.5	10	31	91	2.63	20
I017389		3.77	2.38	<0.5	7.24	367	1670	2.9	105	1.45	<0.5	11	35	50	2.19	20
I017390		0.10	0.843	2.6	7.56	11	640	0.9	2	3.23	<0.5	21	39	7580	7.47	20
I017391		3.36	0.615	<0.5	7.75	209	1880	2.9	24	1.51	<0.5	10	32	45	2.16	20
I017392		4.07	0.582	<0.5	7.49	211	1730	3.0	13	1.75	<0.5	10	31	43	2.30	20
I017393		2.75	0.831	<0.5	7.52	250	1690	3.1	15	1.99	<0.5	9	33	42	2.41	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 21-NOV-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166151

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I017355		3.73	40	0.74	232	<1	1.65	20	640	18	0.01	<5	7	456	20	0.32
I017356		0.04	<10	12.75	249	<1	0.01	<1	170	<2	0.01	<5	<1	44	<20	<0.01
I017357		3.73	40	0.74	222	<1	1.72	17	610	21	0.01	<5	7	443	20	0.30
I017358		3.85	40	0.65	229	<1	1.58	17	560	27	0.03	<5	6	421	20	0.29
I017359		4.22	40	0.81	215	<1	1.58	23	690	18	0.01	10	7	475	20	0.34
I017360		3.48	40	0.75	236	<1	1.71	19	640	15	0.01	6	7	474	20	0.32
I017361		3.74	40	0.71	206	<1	1.61	19	590	21	0.01	<5	7	425	20	0.30
I017362		3.67	40	0.80	225	1	1.51	23	590	18	0.01	<5	7	408	20	0.30
I017363		3.74	40	0.75	279	<1	1.78	20	650	24	0.03	<5	7	491	20	0.32
I017364		3.67	30	0.72	266	<1	1.72	18	640	23	0.01	<5	7	468	20	0.30
I017365		3.53	40	0.69	204	2	1.62	19	630	16	0.03	<5	6	455	20	0.30
I017366		3.32	30	0.82	271	4	1.64	21	690	12	0.05	<5	8	473	<20	0.32
I017367		3.77	40	0.70	257	<1	1.73	17	630	16	0.01	<5	7	513	20	0.30
I017368		3.89	40	0.71	202	<1	1.76	20	680	12	0.02	5	7	456	20	0.31
I017369		3.89	30	0.70	194	1	1.77	22	670	12	0.01	5	7	456	20	0.31
I017370		3.89	40	0.67	199	<1	1.61	18	600	15	0.01	5	6	456	20	0.28
I017371		3.78	40	0.83	237	1	1.68	20	710	13	0.01	<5	8	527	20	0.33
I017372		3.21	40	0.61	163	2	1.29	16	550	11	0.01	<5	6	427	20	0.25
I017373		3.87	40	0.72	186	2	1.62	20	630	17	0.01	7	7	483	20	0.30
I017374		4.12	40	0.72	157	2	1.49	18	620	15	0.03	6	7	444	20	0.29
I017375		4.00	40	0.85	209	1	1.75	19	700	14	0.01	<5	8	554	20	0.33
I017376		3.97	40	0.76	211	<1	1.73	21	660	16	0.01	<5	7	509	20	0.31
I017377		3.85	40	0.69	195	<1	1.71	16	600	20	0.01	<5	6	494	20	0.29
I017378		3.67	40	0.72	213	2	1.69	20	640	21	0.03	5	7	463	20	0.30
I017379		3.93	40	0.69	204	2	1.57	17	610	23	0.02	<5	6	458	20	0.29
I017380		3.97	40	0.78	195	<1	1.73	19	660	21	0.04	7	7	503	20	0.31
I017381		3.80	40	0.70	159	1	1.57	21	610	18	0.02	6	7	455	20	0.28
I017382		3.01	40	0.63	121	1	1.22	18	520	15	0.02	10	6	366	20	0.25
I017383		4.10	40	0.76	139	1	1.61	21	710	13	0.01	<5	7	468	20	0.32
I017384		4.16	40	0.80	121	1	1.55	19	720	14	0.01	<5	7	471	20	0.32
I017385		3.89	40	0.86	116	2	1.63	19	690	12	0.02	<5	8	577	20	0.32
I017386		3.86	40	0.85	112	1	1.67	17	700	13	0.01	<5	8	516	20	0.32
I017387		3.65	40	0.74	113	2	1.58	19	660	13	0.01	5	7	467	20	0.30
I017388		3.76	40	0.81	109	<1	1.64	18	680	13	0.02	<5	7	489	20	0.31
I017389		3.77	40	0.72	101	2	1.42	20	640	13	0.01	6	7	411	20	0.29
I017390		2.89	10	2.08	628	587	2.48	15	1190	13	0.98	6	18	600	<20	0.37
I017391		4.47	50	0.81	102	1	1.53	22	690	12	0.01	5	7	478	20	0.31
I017392		3.86	40	0.78	130	<1	1.64	18	670	14	0.01	<5	7	500	20	0.31
I017393		3.69	40	0.78	127	2	1.60	18	660	15	0.03	<5	7	485	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 21-NOV-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166151

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I017355		<10	<10	37	40	33
I017356		<10	20	1	<10	17
I017357		<10	<10	35	10	32
I017358		<10	<10	34	10	44
I017359		<10	<10	41	30	31
I017360		<10	<10	37	<10	33
I017361		<10	<10	35	30	32
I017362		<10	<10	39	70	34
I017363		<10	<10	37	10	51
I017364		<10	<10	36	20	50
I017365		<10	<10	37	20	29
I017366		<10	<10	41	30	31
I017367		<10	<10	36	10	35
I017368		<10	<10	38	10	24
I017369		<10	<10	37	10	23
I017370		<10	<10	32	10	26
I017371		<10	<10	39	10	32
I017372		<10	<10	29	10	20
I017373		<10	<10	35	10	27
I017374		<10	<10	35	20	21
I017375		<10	<10	39	10	29
I017376		<10	<10	37	10	30
I017377		<10	<10	33	10	28
I017378		<10	<10	36	20	39
I017379		<10	<10	34	20	34
I017380		<10	<10	38	20	30
I017381		<10	<10	34	50	21
I017382		<10	<10	30	440	12
I017383		<10	<10	39	140	18
I017384		<10	<10	39	30	14
I017385		<10	<10	39	20	14
I017386		<10	<10	40	10	13
I017387		<10	<10	38	10	13
I017388		<10	<10	38	10	13
I017389		<10	<10	37	10	12
I017390		<10	<10	190	<10	85
I017391		<10	<10	40	30	12
I017392		<10	<10	37	20	16
I017393		<10	<10	38	10	16