



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 6-DEC-2010
Account: STRGOL

CERTIFICATE WH10166152

Project: Eagle Gold

P.O. No.: EGP10-139

This report is for 85 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052412		4.23	0.355	<0.5	6.97	88	1350	3.0	10	2.24	<0.5	7	35	8	2.33	20
I052413		3.42	0.311	<0.5	6.97	64	1210	3.0	14	2.03	<0.5	6	34	9	2.06	20
I052414		4.62	0.358	<0.5	7.12	112	1450	2.8	11	2.17	<0.5	8	36	16	2.43	20
I052415		4.52	0.998	<0.5	7.30	30	1620	3.0	54	2.50	<0.5	8	38	19	2.67	20
I052416		2.66	<0.005	<0.5	0.12	<5	30	<0.5	3	20.4	<0.5	<1	3	5	0.45	<10
I052417		5.41	0.059	3.5	7.33	39	1540	2.8	2	2.39	<0.5	7	36	23	2.46	20
I052418		5.61	0.530	0.6	7.59	85	1660	3.0	14	2.38	<0.5	7	43	32	2.64	20
I052419		3.26	0.179	<0.5	7.55	117	1810	2.8	8	2.09	0.8	7	43	31	2.83	20
I052420		2.51	0.470	2.1	8.05	673	920	2.9	8	0.70	3.1	4	38	27	2.71	20
I052421		2.30	1.420	0.7	7.40	614	1480	2.8	68	1.50	1.0	9	35	90	2.48	20
I052422		2.51	1.145	1.8	7.19	747	1480	2.9	51	1.74	1.1	9	35	88	2.52	20
I052423		2.43	1.135	<0.5	7.21	451	1560	3.1	7	1.61	<0.5	9	33	92	2.32	20
I052424		3.54	0.609	<0.5	7.45	382	1620	3.1	17	1.63	<0.5	7	35	71	2.40	20
I052425		4.51	0.554	<0.5	7.39	328	1900	2.4	12	2.26	<0.5	6	35	49	1.94	20
I052426		6.17	0.412	<0.5	7.13	124	1570	3.1	6	2.20	<0.5	8	38	53	2.21	20
I052427		5.93	1.070	<0.5	7.00	182	1510	3.1	15	2.45	<0.5	7	37	35	2.33	20
I052428		2.36	1.125	<0.5	7.42	180	1920	3.0	11	2.54	<0.5	8	35	30	2.24	20
I052429		<0.02	0.571	<0.5	7.20	175	1840	2.9	12	2.45	<0.5	8	34	29	2.18	20
I052430		2.12	3.25	<0.5	7.37	417	1730	3.2	27	2.15	<0.5	16	38	55	2.45	20
I052431		1.89	0.134	<0.5	7.39	43	1520	3.2	3	2.19	<0.5	8	39	77	2.38	20
I052432		1.19	0.045	<0.5	7.60	15	1620	3.2	2	2.45	<0.5	7	36	95	2.57	20
I052433		1.77	0.192	<0.5	7.53	12	1600	3.2	4	2.31	<0.5	10	35	61	2.50	20
I052434		1.95	2.16	<0.5	6.99	225	1630	3.0	50	2.19	<0.5	10	37	43	2.25	20
I052435		1.95	0.227	<0.5	7.36	35	1540	3.3	6	2.67	<0.5	10	37	110	2.64	20
I052436		3.12	0.644	<0.5	7.39	30	1640	3.2	30	2.54	<0.5	11	36	85	2.50	20
I052437		2.16	0.174	<0.5	7.26	81	1690	3.3	7	2.68	<0.5	9	34	74	2.53	20
I052438		3.39	0.128	<0.5	7.42	473	1620	3.4	2	2.44	<0.5	10	37	113	2.53	20
I052439		5.02	0.073	<0.5	7.33	290	1590	3.6	4	2.84	<0.5	8	39	71	2.60	20
I052440		2.87	0.116	<0.5	7.33	183	1580	3.5	2	2.29	<0.5	7	39	48	2.52	20
I052441		3.31	0.120	0.5	7.47	441	1500	3.2	6	2.15	<0.5	7	37	71	2.68	20
I052442		5.42	0.283	1.2	6.85	300	770	2.7	7	2.33	1.5	9	34	66	2.11	20
I052443		4.14	0.162	4.2	7.45	170	670	2.9	3	2.02	8.6	10	32	114	3.03	20
I052444		5.21	0.189	1.9	7.11	405	1010	2.6	4	2.45	6.0	7	31	70	2.46	20
I052445		4.91	0.751	<0.5	6.86	216	1510	2.9	47	3.84	<0.5	12	30	62	2.29	20
I052446		4.67	0.541	<0.5	7.06	171	1610	2.9	23	2.77	<0.5	8	31	65	2.26	20
I052447		5.53	4.03	<0.5	7.11	59	1590	3.0	150	2.18	<0.5	7	34	45	2.53	20
I052448		5.51	0.227	<0.5	7.20	136	1570	3.0	11	2.68	<0.5	8	33	58	2.71	20
I052449		5.73	4.85	<0.5	6.95	149	1500	2.5	110	4.04	<0.5	8	32	41	2.18	20
I052450		0.05	0.327	0.7	7.40	13	790	1.8	<2	2.32	<0.5	14	46	3300	4.91	20
I052451		5.86	1.925	<0.5	7.20	145	1610	3.1	46	2.37	<0.5	8	38	43	2.92	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052412		3.44	30	0.71	289	1	1.62	19	580	18	0.01	<5	6	403	20	0.28
I052413		3.55	40	0.67	221	1	1.58	15	510	15	0.04	<5	6	372	20	0.24
I052414		3.61	40	0.59	248	1	1.35	18	650	12	0.02	9	7	329	20	0.30
I052415		3.42	40	0.87	318	1	1.67	20	680	13	0.06	<5	7	467	20	0.33
I052416		0.06	10	12.55	202	1	0.01	3	200	<2	0.01	<5	<1	47	<20	0.01
I052417		3.51	40	0.84	275	1	1.40	19	600	15	0.10	<5	7	395	20	0.30
I052418		3.51	40	0.92	228	1	1.57	19	660	14	0.13	<5	8	466	20	0.31
I052419		3.76	50	0.88	314	1	1.38	20	680	14	0.09	9	8	424	20	0.33
I052420		3.48	50	0.49	293	3	0.40	15	610	120	0.10	40	8	236	20	0.32
I052421		3.78	50	0.73	223	2	0.89	17	630	22	0.03	12	7	269	20	0.29
I052422		3.68	50	0.72	221	1	0.98	18	620	22	0.03	16	7	287	20	0.29
I052423		3.62	50	0.67	116	2	1.38	19	600	14	0.27	6	7	383	20	0.29
I052424		4.02	50	0.80	145	2	1.36	18	620	19	0.10	<5	7	392	20	0.30
I052425		5.09	40	0.55	137	2	1.24	17	640	15	0.16	5	6	373	20	0.29
I052426		3.92	40	0.73	112	3	1.49	18	620	12	0.29	<5	6	423	20	0.30
I052427		3.38	40	0.76	157	3	1.41	20	590	14	0.14	5	7	399	20	0.29
I052428		4.66	40	0.68	161	2	1.41	20	640	17	0.09	6	7	436	20	0.29
I052429		4.47	40	0.66	160	1	1.35	20	620	16	0.08	5	7	421	20	0.28
I052430		3.83	40	0.79	131	4	1.49	25	670	15	0.15	8	7	418	20	0.31
I052431		3.67	40	0.80	142	5	1.58	21	670	14	0.26	<5	7	423	20	0.31
I052432		3.65	40	0.86	167	1	1.63	19	640	16	0.36	<5	7	483	20	0.32
I052433		3.66	40	0.85	144	1	1.64	22	650	14	0.26	<5	7	484	20	0.31
I052434		3.86	40	0.81	114	3	1.51	20	630	12	0.26	<5	7	429	20	0.30
I052435		3.80	40	0.86	157	2	1.46	19	660	16	0.49	<5	7	454	20	0.31
I052436		3.91	40	0.85	137	2	1.48	20	650	15	0.39	<5	7	467	20	0.32
I052437		3.61	40	0.86	156	1	1.53	20	660	16	0.17	<5	7	488	20	0.32
I052438		3.56	40	0.85	164	5	1.57	21	660	15	0.43	<5	7	474	20	0.32
I052439		3.39	40	0.85	195	5	1.71	23	660	13	0.42	<5	7	516	20	0.32
I052440		3.40	40	0.86	174	4	1.70	21	630	16	0.34	<5	7	495	20	0.31
I052441		3.66	40	0.72	299	1	1.17	20	660	33	0.44	22	7	360	20	0.31
I052442		3.42	40	0.36	641	2	0.31	19	610	57	0.45	36	7	148	<20	0.29
I052443		3.23	50	0.51	848	2	0.26	22	630	218	0.61	106	7	169	20	0.29
I052444		3.28	50	0.54	555	4	0.60	16	610	293	0.61	114	7	289	20	0.28
I052445		3.63	40	0.79	285	3	1.08	20	590	12	0.34	5	7	479	20	0.28
I052446		3.67	40	0.90	225	2	0.90	19	610	13	0.27	8	7	445	20	0.30
I052447		3.44	40	0.84	193	2	1.27	19	630	15	0.27	9	7	427	20	0.29
I052448		3.52	40	0.90	217	2	1.12	19	630	14	0.29	<5	7	468	20	0.30
I052449		3.54	50	0.74	263	4	0.65	18	600	18	0.25	17	7	469	20	0.28
I052450		3.08	20	1.42	504	257	2.41	25	1050	16	0.47	<5	13	450	<20	0.36
I052451		3.62	40	0.92	246	3	0.93	19	640	17	0.31	6	8	455	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I052412		<10	<10	36	<10	52
I052413		<10	<10	32	20	36
I052414		<10	<10	39	10	40
I052415		<10	<10	41	<10	41
I052416		<10	10	3	<10	20
I052417		<10	<10	36	30	31
I052418		<10	<10	40	20	27
I052419		<10	<10	42	10	156
I052420		<10	<10	40	30	744
I052421		<10	<10	36	30	127
I052422		<10	<10	36	30	155
I052423		<10	<10	35	10	16
I052424		<10	<10	37	10	24
I052425		<10	<10	35	30	15
I052426		<10	<10	36	10	12
I052427		<10	<10	36	10	20
I052428		<10	<10	37	20	20
I052429		<10	<10	36	10	19
I052430		<10	<10	40	10	15
I052431		<10	<10	39	10	15
I052432		<10	<10	40	10	16
I052433		<10	10	39	10	13
I052434		<10	<10	37	10	12
I052435		<10	10	39	50	15
I052436		<10	<10	39	50	13
I052437		<10	<10	39	30	14
I052438		<10	<10	39	30	34
I052439		<10	<10	39	10	17
I052440		<10	<10	40	20	16
I052441		<10	<10	39	10	41
I052442		<10	<10	35	20	183
I052443		<10	<10	36	30	1655
I052444		<10	<10	36	40	727
I052445		<10	<10	35	30	18
I052446		<10	<10	36	30	16
I052447		<10	<10	37	30	18
I052448		<10	<10	38	30	21
I052449		<10	<10	35	30	19
I052450		<10	20	133	<10	69
I052451		<10	<10	41	30	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
I052452		4.95	1.490	<0.5	7.23	104	1550	3.0	24	2.53	<0.5	9	38	34	2.91	20
I052453		4.69	1.650	<0.5	7.17	89	1560	2.6	28	3.38	<0.5	9	36	38	2.57	20
I052454		6.01	0.500	<0.5	6.42	152	1490	2.4	14	2.36	<0.5	8	32	52	2.09	20
I052455		4.25	0.842	<0.5	6.90	217	1600	2.9	16	2.47	<0.5	10	39	46	2.62	20
I052456		4.31	<0.005	<0.5	0.08	<5	60	<0.5	<2	20.2	<0.5	1	1	<1	0.47	<10
I052457		6.73	0.277	<0.5	7.16	190	1710	3.0	9	2.66	<0.5	9	38	58	2.80	20
I052458		4.30	0.257	<0.5	7.23	167	1670	2.8	12	2.83	<0.5	8	36	49	2.57	20
I052459		5.75	0.397	<0.5	7.20	421	1650	2.9	14	2.61	<0.5	10	37	54	2.60	20
I052460		4.54	1.435	<0.5	7.14	94	1690	2.8	44	2.57	<0.5	8	36	55	2.63	20
I052461		5.68	0.887	<0.5	7.52	131	1730	2.8	29	2.70	<0.5	9	33	53	2.53	20
I052462		5.41	0.959	<0.5	7.47	138	1770	3.1	54	2.70	<0.5	10	36	58	2.72	20
I052463		5.35	1.180	<0.5	7.39	115	1780	2.8	66	2.46	<0.5	10	33	38	2.59	20
I052464		3.29	0.626	<0.5	7.40	38	1710	2.9	30	2.55	<0.5	6	34	45	2.53	20
I052465		4.33	1.715	0.5	7.72	59	1800	3.0	44	2.51	<0.5	7	39	38	2.74	20
I052466		4.91	0.649	<0.5	7.07	59	1620	2.8	23	2.55	<0.5	8	36	36	2.71	20
I052467		4.66	0.293	<0.5	7.17	825	1670	3.0	16	2.59	<0.5	9	36	44	2.59	20
I052468		4.46	0.095	1.9	7.01	344	820	2.7	4	2.47	5.3	10	31	64	2.95	20
I052469		<0.02	0.126	2.0	6.96	409	830	2.7	3	2.46	5.3	9	31	61	2.93	20
I052470		4.17	0.560	<0.5	7.21	239	1610	3.0	12	2.49	<0.5	7	37	35	2.51	20
I052471		3.43	0.224	0.5	7.28	123	1200	2.7	5	2.99	<0.5	7	32	31	2.32	20
I052472		5.14	3.18	<0.5	7.29	162	1470	3.0	121	2.49	<0.5	9	31	32	2.29	20
I052473		3.05	7.61	<0.5	7.45	762	1600	3.1	372	2.40	<0.5	12	32	47	2.72	20
I052474		3.82	0.056	<0.5	6.93	135	1190	3.1	16	2.66	<0.5	7	29	20	1.90	20
I052475		5.08	1.255	<0.5	7.27	88	1550	3.1	17	2.68	<0.5	8	29	42	2.51	20
I052476		5.25	0.194	<0.5	7.33	43	1590	3.0	17	3.99	<0.5	7	31	34	2.61	20
I052477		5.67	0.387	<0.5	7.38	58	1620	3.2	11	2.63	<0.5	8	37	48	2.69	20
I052478		6.55	0.091	<0.5	7.17	67	1550	3.4	13	2.34	<0.5	8	37	60	2.49	20
I052479		7.90	0.195	<0.5	7.06	114	1570	3.2	10	2.26	<0.5	8	31	53	2.43	20
I052480		2.60	0.169	<0.5	6.89	55	1500	3.2	6	2.31	<0.5	8	31	33	2.28	20
I052481		4.87	0.352	<0.5	7.14	194	1430	3.0	11	3.03	<0.5	8	28	33	2.28	20
I052482		5.72	0.449	<0.5	7.16	66	1440	3.2	7	1.95	<0.5	7	33	34	2.31	20
I052483		5.20	0.222	<0.5	6.95	158	1460	3.2	3	2.18	<0.5	8	32	33	2.33	20
I052484		6.24	1.490	<0.5	6.96	74	1540	2.9	46	2.51	<0.5	8	33	35	2.24	20
I052485		5.26	0.429	<0.5	7.18	112	1490	3.0	14	2.84	<0.5	9	28	48	2.31	20
I052486		4.29	0.399	<0.5	7.22	44	1570	3.1	14	2.75	<0.5	7	29	28	2.35	20
I052487		3.97	0.223	<0.5	6.77	72	1350	3.0	7	4.79	<0.5	8	28	36	2.16	10
I052488		2.87	0.135	<0.5	7.12	258	1460	3.2	6	2.17	<0.5	9	33	48	2.37	20
I052489		5.65	0.092	<0.5	7.63	59	1670	3.4	5	2.44	<0.5	8	35	52	2.57	20
I052490		0.06	0.853	1.8	7.45	<5	650	0.9	<2	3.23	<0.5	21	36	7290	7.59	20
I052491		4.20	0.333	<0.5	7.32	52	1620	3.2	18	1.64	<0.5	8	34	48	2.31	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
I052452		3.43	40	0.92	281	78	1.07	20	660	15	0.20	<5	8	490	20	0.31
I052453		3.74	30	0.86	251	4	1.10	21	670	14	0.19	<5	8	474	20	0.32
I052454		3.24	30	0.70	163	3	0.99	18	630	13	0.20	<5	7	388	20	0.30
I052455		3.29	30	0.83	208	2	1.53	22	670	14	0.30	<5	7	492	20	0.32
I052456		0.03	<10	12.00	239	1	0.01	<1	160	<2	0.01	<5	1	45	<20	<0.01
I052457		3.30	30	0.95	216	2	1.57	24	720	13	0.30	<5	8	530	20	0.35
I052458		3.61	30	0.91	193	3	1.48	22	690	15	0.30	7	8	499	20	0.33
I052459		3.41	30	0.85	196	1	1.50	23	710	15	0.32	6	8	489	20	0.34
I052460		3.46	30	0.85	174	4	1.43	23	710	14	0.33	<5	7	504	20	0.33
I052461		3.57	40	0.85	150	10	1.49	23	710	16	0.23	7	8	502	20	0.35
I052462		3.72	30	0.86	156	6	1.62	25	740	15	0.35	8	8	511	20	0.36
I052463		3.62	40	0.87	187	2	1.43	25	710	14	0.17	12	8	503	20	0.34
I052464		3.48	40	0.83	168	2	1.46	24	680	18	0.27	<5	7	508	20	0.34
I052465		3.57	40	0.91	173	2	1.65	21	740	15	0.25	<5	8	541	20	0.35
I052466		3.76	30	0.87	245	5	1.40	22	670	17	0.21	<5	7	487	20	0.32
I052467		3.56	30	0.82	251	1	1.46	20	660	15	0.32	5	7	490	20	0.32
I052468		3.25	40	0.63	1490	2	0.50	17	660	622	0.54	271	7	243	20	0.29
I052469		3.26	40	0.64	1500	2	0.51	19	670	629	0.54	272	7	240	20	0.29
I052470		3.61	30	0.79	281	4	1.39	18	610	15	0.26	7	7	467	20	0.30
I052471		3.56	40	0.67	475	1	0.83	20	610	40	0.25	14	7	365	20	0.30
I052472		4.06	30	0.63	208	2	1.32	19	600	24	0.26	10	7	399	20	0.30
I052473		4.13	40	0.73	232	3	1.28	25	610	25	0.32	11	7	443	20	0.30
I052474		3.61	30	0.45	260	2	0.90	15	560	33	0.26	10	6	302	20	0.27
I052475		3.77	30	0.72	237	1	1.00	21	640	24	0.18	<5	7	482	20	0.31
I052476		3.62	40	0.83	236	<1	1.08	20	640	18	0.17	<5	7	553	20	0.32
I052477		3.75	30	0.81	237	5	1.59	21	680	23	0.24	<5	7	515	20	0.34
I052478		3.59	30	0.76	163	2	1.58	20	640	17	0.32	<5	7	485	20	0.32
I052479		3.77	30	0.75	162	2	1.47	21	630	17	0.30	<5	7	481	20	0.31
I052480		3.58	30	0.74	171	4	1.29	20	610	16	0.19	<5	6	462	20	0.31
I052481		3.57	30	0.74	195	1	1.29	19	590	16	0.19	<5	7	489	20	0.29
I052482		3.78	30	0.70	159	4	1.48	21	570	20	0.21	<5	7	437	20	0.29
I052483		3.74	30	0.71	160	8	1.45	18	580	17	0.21	<5	6	449	20	0.30
I052484		4.06	30	0.67	149	2	1.29	20	580	14	0.21	<5	6	431	20	0.29
I052485		3.80	30	0.72	152	<1	1.15	23	590	14	0.27	<5	7	444	20	0.29
I052486		3.91	30	0.79	154	1	1.31	20	610	15	0.17	<5	7	482	20	0.31
I052487		3.74	30	0.66	158	7	1.36	18	550	14	0.23	<5	6	496	20	0.27
I052488		3.66	30	0.72	159	5	1.52	21	610	17	0.28	<5	7	445	20	0.30
I052489		4.05	40	0.83	163	1	1.63	19	690	13	0.26	<5	7	518	20	0.33
I052490		2.93	10	2.04	638	588	2.44	18	1170	17	0.96	<5	19	606	<20	0.36
I052491		4.13	40	0.80	116	2	1.36	19	640	12	0.25	<5	7	462	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
I052452		<10	<10	41	20	27
I052453		<10	<10	41	30	25
I052454		<10	<10	36	40	18
I052455		<10	<10	41	20	20
I052456		<10	10	3	<10	16
I052457		<10	<10	43	30	22
I052458		<10	<10	41	40	18
I052459		<10	<10	41	40	19
I052460		<10	<10	40	20	18
I052461		<10	<10	40	40	15
I052462		<10	<10	44	40	16
I052463		<10	<10	40	40	24
I052464		<10	<10	38	20	17
I052465		<10	<10	42	20	18
I052466		<10	<10	39	20	31
I052467		<10	<10	38	20	19
I052468		<10	<10	36	30	1080
I052469		<10	<10	37	30	1080
I052470		<10	<10	39	20	24
I052471		<10	<10	35	30	46
I052472		<10	<10	35	30	46
I052473		<10	<10	36	40	32
I052474		<10	<10	30	30	46
I052475		<10	<10	35	30	38
I052476		<10	<10	37	20	24
I052477		<10	<10	41	20	41
I052478		<10	<10	36	10	19
I052479		<10	<10	34	10	17
I052480		<10	<10	34	20	19
I052481		<10	<10	32	10	19
I052482		<10	<10	32	10	21
I052483		<10	<10	33	10	17
I052484		<10	<10	32	20	15
I052485		<10	<10	32	20	15
I052486		<10	<10	35	10	16
I052487		<10	<10	30	20	12
I052488		<10	<10	35	30	17
I052489		<10	10	38	10	17
I052490		<10	10	188	<10	83
I052491		<10	10	35	10	12



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 6-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Total # Pages: 4 (A - C)

Finalized Date: 6-DEC-2010

Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10166152

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
I052492		<10	10	38	10	14
I052493		<10	10	34	20	14
I052494		<10	10	34	<10	14
I052495		<10	10	36	10	15
I052496		<10	<10	4	<10	13