



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 13-DEC-2010
Account: STRGOL

CERTIFICATE WH10170384

Project: Eagle Gold

P.O. No.: EGP10-148

This report is for 55 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 13-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
J954730		5.50	1.810	<0.5	7.55	26	1220	2.3	35	3.68	<0.5	13	53	25	3.45	20
J954731		5.05	3.15	<0.5	7.63	64	780	1.6	49	1.21	<0.5	18	70	24	3.48	20
J954732		4.43	0.011	<0.5	8.96	15	910	2.0	<2	1.22	<0.5	14	82	20	3.66	20
J954733		5.52	0.011	<0.5	7.21	7	1090	1.8	<2	0.76	<0.5	16	77	37	3.61	20
J954734		4.46	0.005	<0.5	8.75	7	1620	2.1	<2	0.59	<0.5	15	87	37	4.88	20
J954735		3.67	<0.005	<0.5	5.94	8	650	1.3	<2	0.80	<0.5	11	78	20	3.96	20
J954736		4.67	0.006	<0.5	7.61	20	1010	1.9	<2	1.43	<0.5	17	104	30	4.36	20
J954737		3.63	0.006	<0.5	4.68	10	400	0.9	<2	1.05	<0.5	12	72	20	3.33	10
J954738		3.64	<0.005	<0.5	9.70	32	1210	2.0	<2	0.41	<0.5	16	106	21	5.73	20
J954739		5.17	<0.005	<0.5	6.39	15	660	1.4	<2	0.78	<0.5	14	94	29	4.19	20
J954740		4.12	0.005	<0.5	7.06	16	810	1.5	2	0.97	<0.5	21	102	59	5.07	20
J954741		3.42	0.079	<0.5	8.75	14	1030	2.4	<2	0.76	<0.5	15	85	25	4.41	30
J954742		5.08	0.009	<0.5	7.86	14	850	2.1	2	0.88	<0.5	15	89	23	3.93	20
J954743		4.31	0.005	<0.5	7.41	26	940	1.8	<2	1.31	<0.5	18	87	27	4.22	20
J954744		5.02	0.031	<0.5	7.40	6	1080	2.1	<2	2.85	<0.5	19	75	53	5.09	20
J954745		4.32	0.202	<0.5	7.64	17	1180	1.7	11	2.59	<0.5	17	81	52	4.32	20
J954746		5.39	0.850	<0.5	7.76	19	950	2.6	20	4.08	<0.5	27	97	153	4.95	20
J954747		2.06	0.050	<0.5	5.95	381	340	1.4	<2	6.82	<0.5	59	408	163	6.65	10
J954748		7.02	0.012	<0.5	7.82	155	1140	2.2	<2	1.66	<0.5	45	301	75	6.44	20
J954750		0.07	0.360	1.0	8.35	15	850	2.0	<2	2.49	<0.5	14	56	3640	5.37	20
J954751		5.28	0.020	<0.5	7.36	232	640	1.8	<2	2.01	<0.5	44	308	56	6.08	20
J954752		5.19	0.023	<0.5	7.44	165	610	1.5	<2	2.87	<0.5	43	284	87	6.49	20
J954753		5.28	0.013	<0.5	8.97	44	1280	2.2	<2	3.34	<0.5	44	344	212	7.66	30
J954754		2.42	0.009	<0.5	7.10	14	650	1.8	2	10.55	<0.5	23	67	84	5.26	20
J954755		2.45	0.008	<0.5	8.14	21	1270	1.8	<2	2.53	<0.5	21	88	84	4.97	20
J954756		2.78	<0.005	<0.5	0.12	6	30	<0.5	<2	21.6	<0.5	2	2	5	0.55	<10
J954757		4.24	0.070	<0.5	6.18	183	350	1.2	<2	5.00	<0.5	57	368	122	7.20	20
J954758		5.76	0.019	<0.5	7.31	320	450	1.4	3	5.70	<0.5	60	365	137	7.33	20
J954759		6.26	0.009	<0.5	8.06	45	650	1.3	<2	2.16	<0.5	34	191	71	6.10	20
J954760		5.93	0.023	<0.5	6.67	187	310	1.2	2	4.61	<0.5	69	473	103	7.95	20
J954761		5.29	<0.005	<0.5	8.55	16	1060	2.7	<2	0.32	<0.5	23	64	42	4.55	20
J954762		5.09	<0.005	<0.5	8.52	27	1080	2.6	<2	0.43	<0.5	23	64	49	4.42	30
J954763		4.91	0.059	<0.5	8.06	55	1210	1.6	2	3.53	<0.5	26	162	69	4.85	20
J954764		4.90	0.017	<0.5	8.05	143	630	1.9	<2	4.29	<0.5	38	250	86	6.38	20
J954765		5.29	0.020	<0.5	8.78	106	1300	2.6	<2	1.03	<0.5	19	78	24	3.97	20
J954766		4.83	0.015	<0.5	9.62	50	1200	2.9	<2	1.57	<0.5	16	83	27	4.42	30
J954767		5.98	0.305	<0.5	7.56	119	730	2.7	4	5.73	<0.5	31	210	49	5.88	20
J954768		5.35	0.696	<0.5	7.56	9	800	2.1	24	3.74	<0.5	19	77	61	4.18	20
J954769		<0.02	0.667	<0.5	7.36	7	780	2.0	24	3.68	<0.5	18	72	59	4.09	20
J954770		4.08	4.82	2.3	7.66	283	860	1.6	149	4.96	<0.5	33	207	156	6.86	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 13-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
J954730		2.30	40	1.44	574	<1	1.71	16	810	6	0.62	<5	12	584	20	0.40
J954731		3.04	40	0.90	314	<1	0.90	47	330	5	0.32	<5	12	138	20	0.36
J954732		3.13	40	0.90	306	<1	0.79	36	440	5	0.25	8	13	141	20	0.42
J954733		2.78	40	0.87	283	1	0.54	34	270	13	0.18	6	11	164	<20	0.41
J954734		3.94	50	1.00	270	<1	0.54	40	600	5	0.18	7	13	162	<20	0.50
J954735		2.13	40	0.79	290	1	0.57	30	450	12	0.08	10	9	130	<20	0.42
J954736		2.72	50	0.93	446	3	0.99	41	480	9	0.33	6	13	167	<20	0.54
J954737		1.47	40	0.83	375	1	0.62	27	300	5	0.09	25	8	119	<20	0.38
J954738		3.43	60	1.09	286	<1	1.03	44	470	13	0.12	11	15	146	20	0.62
J954739		1.97	40	0.96	467	1	0.73	35	350	7	0.37	<5	11	120	<20	0.53
J954740		2.36	50	1.10	523	1	0.58	41	850	7	0.74	7	12	157	<20	0.64
J954741		3.15	50	1.08	492	<1	0.64	39	910	10	0.15	24	13	143	20	0.45
J954742		2.72	50	0.91	362	1	0.65	36	360	9	0.18	35	12	122	20	0.45
J954743		2.64	50	1.13	443	<1	1.26	51	300	8	0.22	22	13	168	20	0.45
J954744		2.41	50	1.19	827	1	1.06	39	340	8	0.45	<5	13	346	20	0.42
J954745		3.04	40	1.63	628	1	1.64	60	490	15	0.60	11	13	315	20	0.41
J954746		2.60	50	1.52	663	1	1.02	68	470	9	0.84	6	12	408	20	0.40
J954747		1.70	30	6.97	1330	3	0.68	456	1020	5	1.07	13	18	479	<20	0.48
J954748		4.26	40	4.70	926	<1	1.65	295	590	8	0.55	<5	16	169	<20	0.53
J954750		3.23	30	1.58	545	275	2.58	21	1170	15	0.52	<5	14	491	<20	0.41
J954751		3.29	30	5.13	704	13	1.22	319	460	5	0.52	<5	14	217	<20	0.42
J954752		3.10	40	5.44	963	<1	1.12	295	650	3	0.63	5	17	255	<20	0.48
J954753		3.59	40	4.66	1155	1	1.15	276	860	4	1.32	5	19	357	<20	0.59
J954754		2.02	40	1.81	1825	<1	0.80	47	610	7	0.71	28	16	509	<20	0.48
J954755		3.87	40	1.46	617	1	1.51	52	690	8	0.80	12	18	240	<20	0.58
J954756		0.04	10	13.55	247	<1	0.02	<1	170	3	0.02	<5	<1	53	<20	0.01
J954757		2.45	30	5.92	1295	2	0.42	427	790	4	0.81	9	14	299	<20	0.42
J954758		2.60	30	6.92	1385	2	0.89	379	1010	3	0.94	<5	19	547	<20	0.53
J954759		2.23	40	3.92	980	1	2.51	169	820	9	0.62	5	17	307	<20	0.62
J954760		2.14	30	9.73	1365	1	0.74	590	810	3	1.42	6	17	247	<20	0.48
J954761		3.67	50	1.27	633	1	1.99	46	300	8	0.21	7	16	127	20	0.45
J954762		3.90	50	1.29	642	5	2.05	44	290	8	0.22	<5	15	142	<20	0.44
J954763		3.45	50	2.70	763	1	1.80	123	580	8	0.59	8	17	338	<20	0.49
J954764		3.18	40	5.13	1095	6	1.54	180	1290	5	0.53	6	24	523	<20	0.70
J954765		4.58	50	1.06	545	2	2.16	43	460	11	0.14	5	15	251	20	0.51
J954766		4.23	50	1.14	540	2	1.84	38	540	13	0.21	<5	15	365	20	0.52
J954767		2.57	60	3.90	921	2	1.27	137	1490	7	0.32	10	21	398	<20	0.71
J954768		2.36	50	1.88	712	5	2.03	51	770	9	0.31	<5	16	383	20	0.49
J954769		2.29	50	1.85	700	4	1.99	47	750	5	0.30	5	16	374	<20	0.47
J954770		2.98	60	2.88	1015	3	1.28	166	690	201	1.79	35	19	548	20	0.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 13-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J954730		<10	<10	74	140	34
J954731		<10	<10	66	110	42
J954732		<10	<10	78	10	46
J954733		<10	<10	64	10	66
J954734		<10	<10	80	10	81
J954735		<10	<10	64	10	59
J954736		<10	<10	83	10	77
J954737		<10	<10	54	30	50
J954738		<10	<10	96	10	77
J954739		<10	<10	74	<10	67
J954740		<10	<10	83	10	84
J954741		<10	<10	79	10	74
J954742		<10	<10	75	20	63
J954743		<10	10	82	10	51
J954744		<10	<10	85	<10	56
J954745		<10	10	84	30	41
J954746		<10	<10	76	70	90
J954747		<10	<10	125	10	61
J954748		<10	10	116	10	82
J954750		<10	20	145	10	80
J954751		<10	<10	101	50	91
J954752		<10	<10	115	30	115
J954753		<10	<10	149	<10	224
J954754		<10	<10	111	20	68
J954755		<10	10	125	20	51
J954756		<10	<10	6	<10	18
J954757		<10	<10	101	20	157
J954758		<10	10	139	<10	146
J954759		<10	10	125	<10	83
J954760		<10	10	122	<10	87
J954761		<10	10	88	<10	51
J954762		<10	10	86	<10	49
J954763		<10	10	124	<10	66
J954764		<10	10	184	10	100
J954765		<10	10	87	10	61
J954766		<10	10	97	<10	100
J954767		<10	10	160	930	75
J954768		<10	10	100	10	53
J954769		<10	10	98	10	51
J954770		10	<10	131	430	67



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 13-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 13-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 13-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10170384

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
J954771		<10	<10	105	90	77
J954772		<10	<10	39	50	791
J954773		<10	<10	162	20	460
J954774		<10	10	20	<10	36
J954775		<10	<10	167	70	215
J954776		<10	<10	130	30	110
J954777		<10	<10	106	40	61
J954778		<10	<10	118	10	59
J954779		<10	<10	90	10	64
J954780		<10	<10	112	10	72
J954781		<10	<10	140	20	359
J954782		<10	<10	180	10	64
J954783		<10	<10	193	<10	67
J954784		<10	<10	227	10	58
J954785		<10	<10	118	30	45