



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 11-DEC-2010
Account: STRGOL

CERTIFICATE WH10176525

Project: Eagle Gold

P.O. No.: EGP10-150

This report is for 39 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-NOV-2010.

The following have access to data associated with this certificate:

MARK AYRANTO

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
SPL-21t	Split Sample - Triplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: MARK AYRANTO
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 11-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10176525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
J955437		5.41	0.032	<0.5	7.50	50	1660	3.2	<2	2.45	<0.5	28	39	30	2.56	20
J955438		5.38	0.058	<0.5	7.53	153	1730	3.3	4	2.57	<0.5	19	42	42	2.79	20
I053237		4.81	6.17	<0.5	6.42	89	1170	2.9	73	1.73	<0.5	14	34	51	2.09	20
I053238		5.80	0.037	<0.5	6.78	76	1330	2.9	4	2.05	<0.5	120	36	73	2.17	20
I053239		<0.02	0.043	<0.5	6.92	76	1350	3.0	7	2.09	<0.5	17	36	41	2.26	20
I053240		4.50	0.070	<0.5	7.31	104	1650	3.1	6	2.26	<0.5	11	33	38	2.53	20
I053241		5.08	0.146	<0.5	7.29	70	1620	3.0	4	2.04	<0.5	14	31	58	2.30	20
I053242		4.67	0.288	<0.5	6.87	242	1390	2.7	14	2.62	<0.5	9	27	51	2.16	20
J955439		5.29	0.150	<0.5	6.74	82	1510	3.0	20	2.36	<0.5	8	30	52	2.53	20
I053243		3.87	0.231	<0.5	7.12	46	1600	2.9	12	2.22	<0.5	8	28	51	2.58	20
I053244		5.30	0.021	<0.5	6.68	36	1410	2.9	<2	2.10	<0.5	7	26	28	2.36	20
I053245		3.62	0.095	<0.5	6.58	39	1420	2.5	5	3.46	<0.5	8	26	85	2.55	20
I053246		4.17	0.046	<0.5	6.74	26	1440	3.0	2	2.19	<0.5	7	27	25	2.33	20
I053247		5.04	0.061	0.7	6.49	58	760	2.9	3	2.66	1.1	6	27	41	2.57	20
I053248		5.05	0.058	<0.5	6.61	51	1330	2.8	2	2.43	0.9	7	32	40	2.52	20
I053249		5.25	0.035	<0.5	6.55	40	1390	2.7	<2	2.91	<0.5	7	26	28	2.34	20
I053250		0.07	0.916	2.0	7.13	<5	630	0.9	4	3.17	<0.5	22	35	7590	7.51	20
I050651		4.26	0.155	<0.5	6.78	89	1520	3.1	8	2.18	<0.5	10	33	92	2.63	20
I050652		4.66	0.042	<0.5	7.54	76	1520	3.7	<2	2.29	<0.5	8	34	81	2.68	20
I050653		4.75	0.102	<0.5	7.50	146	1690	2.5	8	1.95	<0.5	11	31	57	2.58	20
I050654		5.27	0.062	<0.5	6.92	24	1410	3.3	3	2.08	<0.5	7	28	36	2.46	20
I050655		5.52	0.059	<0.5	7.15	108	1350	3.6	2	2.13	<0.5	7	27	35	2.38	20
I050656		2.70	<0.005	<0.5	0.07	<5	30	<0.5	<2	20.7	<0.5	<1	<1	2	0.50	<10
I050657		4.75	0.042	<0.5	6.92	27	1560	2.9	<2	2.55	<0.5	8	27	26	2.55	20
I050658		5.27	0.048	<0.5	6.97	54	1590	3.0	2	2.38	<0.5	8	35	32	2.79	20
I050659		4.92	0.154	<0.5	7.26	179	1600	3.1	9	2.18	<0.5	8	26	38	2.67	20
I050660		3.87	0.089	<0.5	6.27	342	1170	2.7	4	3.00	3.7	8	25	27	2.57	20
I050661		5.47	0.064	<0.5	7.16	77	1710	2.9	3	2.90	<0.5	9	32	23	2.85	20
I050662		5.40	0.045	<0.5	7.17	35	1670	2.9	<2	2.65	<0.5	8	32	21	2.83	20
I050663		4.01	0.038	<0.5	7.17	44	1350	3.4	2	2.12	<0.5	7	27	30	2.35	20
I050664		5.25	0.038	<0.5	6.81	140	1160	2.9	<2	2.42	0.8	6	26	37	2.13	20
I050665		4.37	0.034	<0.5	6.98	46	1640	3.0	<2	2.24	<0.5	8	30	26	2.61	20
I050666		5.79	0.029	<0.5	6.97	199	1520	3.4	<2	2.17	<0.5	8	28	22	2.45	20
I050667		5.92	0.208	<0.5	6.91	128	1450	2.9	3	2.14	<0.5	7	27	35	2.43	20
I050668		4.66	0.108	<0.5	7.44	141	1620	3.0	17	2.38	<0.5	8	29	32	2.78	20
I050669		<0.02	0.225	<0.5	6.92	164	1600	3.0	16	2.31	<0.5	8	28	33	2.58	20
I050670		5.52	0.044	<0.5	6.99	362	1540	3.1	<2	2.19	<0.5	8	27	23	2.56	20
I050671		5.75	0.101	<0.5	6.94	2840	1630	2.8	<2	2.18	<0.5	7	27	20	2.60	20
I050672		5.86	0.018	<0.5	6.66	80	1470	3.1	<2	1.84	<0.5	7	23	27	2.30	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 11-DEC-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10176525

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
J955437		3.39	30	0.90	294	<1	1.83	17	680	20	0.13	<5	8	546	20	0.32
J955438		3.58	30	0.94	323	<1	1.83	18	710	19	0.28	<5	8	560	20	0.33
I053237		3.71	30	0.60	174	1	1.33	12	460	24	0.32	7	6	350	20	0.22
I053238		3.45	30	0.70	203	<1	1.58	16	540	21	0.21	<5	7	431	20	0.25
I053239		3.59	30	0.69	208	<1	1.62	14	540	22	0.23	<5	7	444	20	0.26
I053240		3.43	40	0.80	243	<1	1.56	20	660	15	0.25	<5	8	472	20	0.33
I053241		3.83	40	0.73	146	<1	1.50	20	640	16	0.29	<5	7	442	20	0.32
I053242		3.60	30	0.59	222	<1	1.38	18	590	17	0.16	5	7	407	20	0.29
J955439		3.66	30	0.74	210	2	1.56	23	640	21	0.24	<5	6	453	20	0.30
I053243		3.42	30	0.79	186	2	1.53	23	660	27	0.26	<5	7	471	20	0.32
I053244		3.66	30	0.66	207	2	1.53	18	590	21	0.11	<5	6	437	<20	0.28
I053245		3.55	30	0.63	308	6	1.36	21	590	26	0.43	5	6	473	20	0.28
I053246		3.71	30	0.69	217	2	1.53	18	600	21	0.12	<5	6	435	20	0.28
I053247		3.38	30	0.58	584	2	0.44	15	600	45	0.71	20	6	221	<20	0.28
I053248		4.10	30	0.70	353	3	1.10	19	640	37	0.32	12	6	392	<20	0.30
I053249		3.47	30	0.71	244	2	1.49	17	600	17	0.15	<5	6	473	20	0.29
I053250		2.94	10	2.08	632	582	2.43	17	1160	14	0.96	<5	17	587	<20	0.37
I050651		3.83	30	0.78	183	5	1.52	21	640	14	0.35	<5	6	459	<20	0.31
I050652		3.85	40	0.84	184	1	1.80	20	650	13	0.40	<5	7	483	20	0.31
I050653		5.11	40	0.81	215	6	1.29	19	660	27	0.31	10	7	453	20	0.30
I050654		3.97	30	0.74	235	3	1.58	18	580	22	0.18	<5	6	442	20	0.28
I050655		4.06	30	0.71	202	1	1.61	17	550	24	0.18	<5	6	436	20	0.27
I050656		0.04	<10	12.50	231	1	0.01	1	160	3	0.02	<5	<1	45	<20	<0.01
I050657		3.56	30	0.83	231	1	1.58	19	650	19	0.15	<5	7	473	20	0.31
I050658		3.47	30	0.82	248	3	1.65	21	680	19	0.19	<5	7	492	<20	0.33
I050659		3.72	40	0.80	251	1	1.53	21	640	20	0.19	5	7	457	20	0.30
I050660		3.50	30	0.57	440	2	0.91	19	590	83	0.37	19	6	303	20	0.28
I050661		3.41	30	0.89	326	1	1.65	24	720	19	0.14	<5	7	532	20	0.35
I050662		3.39	30	0.83	298	1	1.65	22	710	19	0.13	5	7	519	20	0.34
I050663		4.02	30	0.68	173	1	1.72	17	560	22	0.18	<5	6	444	20	0.27
I050664		3.67	30	0.58	264	2	1.16	17	560	68	0.25	14	6	352	20	0.26
I050665		3.65	30	0.80	223	1	1.65	20	650	20	0.14	5	6	469	20	0.31
I050666		3.77	30	0.74	196	1	1.69	19	600	19	0.15	<5	6	464	20	0.29
I050667		3.52	30	0.78	197	2	1.57	18	610	17	0.21	<5	7	451	20	0.30
I050668		3.61	40	0.86	241	2	1.69	21	680	18	0.22	<5	7	517	20	0.32
I050669		3.58	30	0.82	225	2	1.70	20	670	18	0.20	<5	7	502	20	0.32
I050670		3.56	30	0.81	228	1	1.66	19	640	18	0.16	<5	7	475	20	0.31
I050671		3.62	40	0.84	257	7	1.35	20	640	19	0.28	6	7	442	20	0.30
I050672		3.65	30	0.79	178	1	1.14	18	600	22	0.16	5	6	357	20	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 11-DEC-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10176525

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
J955437		<10	<10	45	10	50
J955438		<10	<10	48	10	46
I053237		<10	<10	30	20	23
I053238		<10	<10	35	10	30
I053239		<10	<10	36	10	30
I053240		<10	<10	38	20	35
I053241		<10	<10	36	10	22
I053242		<10	<10	34	20	27
J955439		<10	<10	37	10	38
I053243		<10	<10	38	10	29
I053244		<10	<10	33	20	39
I053245		<10	<10	33	70	68
I053246		<10	<10	34	20	40
I053247		<10	<10	36	30	191
I053248		<10	<10	38	60	127
I053249		<10	<10	35	20	34
I053250		<10	<10	189	<10	83
I050651		<10	<10	39	30	26
I050652		<10	<10	39	20	21
I050653		<10	<10	38	30	51
I050654		<10	<10	34	50	38
I050655		<10	<10	33	40	34
I050656		<10	10	2	<10	16
I050657		<10	<10	37	10	30
I050658		<10	<10	39	10	36
I050659		<10	<10	36	10	37
I050660		<10	<10	34	10	674
I050661		<10	<10	42	20	53
I050662		<10	<10	41	10	51
I050663		<10	<10	31	10	27
I050664		<10	<10	32	30	133
I050665		<10	<10	37	10	31
I050666		<10	<10	33	10	26
I050667		<10	<10	35	10	29
I050668		<10	<10	39	10	37
I050669		<10	<10	38	10	36
I050670		<10	<10	37	10	36
I050671		<10	<10	37	20	41
I050672		<10	<10	35	20	43