ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUL-2011
Account: SELHOL

CERTIFICATE WH11119916

Project: JP Ross Project

P.O. No.: JR00342011

This report is for 38 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAD100819		3.73	0.114	0.8	0.16	2	<10	30	<0.5	2	0.03	<0.5	3	25	19	1.40
CAD100820		3.02	0.732	0.8	0.40	2	<10	90	<0.5	<2	0.11	<0.5	3	21	18	1.20
CAD100821		3.82	0.115	0.4	0.17	<2	<10	150	<0.5	<2	0.05	0.5	1	29	22	0.79
CAD100822		3.79	0.003	0.2	1.33	2	<10	160	<0.5	<2	0.42	<0.5	8	25	7	2.23
CAD100823		4.03	0.009	0.2	0.64	<2	<10	60	<0.5	<2	0.33	<0.5	4	30	6	1.28
CAD100824		5.11	0.033	0.7	0.31	<2	<10	70	<0.5	<2	0.12	0.5	2	26	11	0.91
CAD100825		4.74	0.076	0.3	0.37	<2	<10	60	<0.5	<2	0.16	<0.5	3	29	17	1.08
CAD100826		4.02	0.064	0.4	0.41	2	<10	70	<0.5	<2	0.22	0.5	3	26	19	1.05
CAD100827		3.57	0.206	0.7	0.41	<2	<10	90	<0.5	<2	0.12	<0.5	3	27	20	1.06
CAD100828		3.30	0.005	0.2	1.12	3	<10	140	<0.5	<2	0.70	<0.5	7	23	7	1.73
CAD100829		4.13	0.008	0.6	0.39	2	<10	70	<0.5	<2	0.12	<0.5	3	27	5	0.99
CAD100830		3.04	<0.001	0.4	0.56	<2	<10	70	<0.5	<2	0.20	<0.5	6	32	5	1.14
CAD100831		2.54	0.014	0.8	1.16	<2	<10	100	<0.5	3	0.51	<0.5	8	25	5	1.94
CAD100832		4.18	0.001	0.2	1.43	<2	<10	140	<0.5	<2	0.47	<0.5	8	23	6	2.24
CAD100833		3.84	0.006	0.3	0.95	<2	<10	90	<0.5	<2	0.57	<0.5	7	25	7	1.87
CAD100834		2.93	0.058	0.2	1.01	2	<10	150	<0.5	2	0.54	<0.5	6	22	10	1.66
CAD100835		5.28	0.001	0.2	0.51	<2	<10	60	<0.5	<2	0.29	<0.5	2	16	8	0.90
CAD100836		2.88	0.048	0.7	1.03	<2	<10	160	<0.5	<2	0.25	0.7	7	29	12	1.91
CAD100837		2.80	0.187	0.7	0.46	9	<10	160	<0.5	<2	0.10	0.6	4	26	21	1.71
CAD100838		2.70	0.017	0.2	1.04	<2	<10	120	<0.5	<2	0.40	<0.5	7	24	8	1.83
CAD100839		2.48	0.148	0.6	0.95	5	<10	120	<0.5	<2	0.72	<0.5	6	19	21	1.98
CAD100840		2.27	0.022	0.2	1.21	<2	<10	120	<0.5	<2	0.86	<0.5	8	20	17	2.03
CAD100841		2.91	0.029	0.3	0.21	2	<10	50	<0.5	<2	0.06	<0.5	2	27	8	1.02
CAD100842		3.20	0.026	0.6	0.32	<2	<10	190	<0.5	4	0.12	0.6	3	22	9	0.85
CAD100843		3.10	0.021	0.4	0.97	<2	<10	200	<0.5	<2	0.68	0.5	6	20	11	1.73
CAD100844		3.57	0.006	0.2	1.41	<2	<10	150	<0.5	<2	0.32	<0.5	9	27	12	2.41
CAD100845		3.69	0.055	0.2	1.33	<2	<10	150	<0.5	<2	0.65	<0.5	8	23	14	2.30
CAD100846		5.07	0.001	<0.2	1.63	4	<10	130	<0.5	3	1.85	<0.5	12	48	27	2.09
CAD100847		3.33	0.001	<0.2	1.57	2	<10	190	<0.5	<2	1.72	<0.5	12	56	27	2.19
CAD100848		3.19	<0.001	<0.2	1.59	<2	<10	150	<0.5	<2	1.68	<0.5	13	45	27	2.34
CAD100849		3.61	<0.001	<0.2	1.76	<2	<10	150	<0.5	<2	1.62	<0.5	12	37	20	2.60
CAD100850		4.44	<0.001	<0.2	1.32	3	<10	230	<0.5	<2	0.60	<0.5	5	11	10	1.80
CAD100851		4.31	<0.001	<0.2	1.05	4	<10	110	<0.5	<2	0.41	<0.5	3	12	5	1.57
CAD100852		4.49	<0.001	0.5	1.91	<2	<10	440	<0.5	3	0.47	<0.5	8	20	9	2.69
CAD100853		4.00	<0.001	<0.2	1.72	<2	<10	90	<0.5	<2	1.04	<0.5	6	13	7	1.99
CAD100854		4.17	<0.001	<0.2	1.44	2	<10	200	<0.5	2	0.68	<0.5	5	11	9	1.86
CAD100855		4.19	<0.001	<0.2	1.31	<2	<10	210	<0.5	3	0.69	<0.5	7	13	16	2.19
CAD100856		2.45	<0.001	2.5	0.05	<2	<10	30	<0.5	8	0.02	<0.5	<1	40	6	0.42

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119916

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAD100819		<10	<1	0.05	<10	0.03	188	1	<0.01	2	70	177	<0.01	<2	1	2
CAD100820		<10	<1	0.07	10	0.10	462	<1	0.01	4	250	139	0.01	<2	3	6
CAD100821		<10	<1	0.06	10	0.03	490	<1	0.01	2	140	147	0.01	<2	2	4
CAD100822		<10	<1	0.28	10	0.74	411	<1	0.06	7	360	14	0.01	<2	4	18
CAD100823		<10	<1	0.10	<10	0.27	276	<1	0.05	4	210	16	0.01	<2	2	12
CAD100824		<10	<1	0.08	<10	0.10	361	4	0.03	3	100	64	0.01	<2	2	5
CAD100825		<10	<1	0.05	<10	0.15	239	<1	0.03	3	110	42	0.01	<2	1	10
CAD100826		<10	<1	0.11	10	0.15	275	<1	0.03	3	150	105	0.02	<2	2	12
CAD100827		<10	<1	0.11	10	0.16	402	2	0.02	3	220	135	<0.01	<2	2	7
CAD100828		<10	<1	0.15	10	0.27	502	1	0.04	6	400	19	<0.01	<2	4	58
CAD100829		<10	<1	0.07	<10	0.14	198	<1	0.03	4	130	22	<0.01	<2	2	7
CAD100830		<10	<1	0.07	<10	0.26	359	<1	0.04	4	160	17	<0.01	<2	2	10
CAD100831		<10	<1	0.11	10	0.52	501	1	0.05	7	300	66	0.01	<2	3	40
CAD100832		<10	<1	0.15	10	0.78	427	1	0.06	7	330	11	<0.01	<2	3	24
CAD100833		<10	<1	0.10	<10	0.50	423	<1	0.09	6	340	34	<0.01	<2	4	18
CAD100834		<10	<1	0.11	10	0.52	344	1	0.09	5	310	21	0.01	<2	3	20
CAD100835		<10	<1	0.05	10	0.17	172	<1	0.07	3	160	15	<0.01	<2	2	10
CAD100836		<10	<1	0.18	10	0.55	461	32	0.05	5	270	160	0.03	<2	3	10
CAD100837		<10	<1	0.29	10	0.13	245	20	0.02	4	180	136	0.05	<2	3	17
CAD100838		<10	<1	0.26	<10	0.52	369	1	0.05	6	320	23	0.01	<2	3	18
CAD100839		<10	<1	0.28	20	0.33	285	12	0.08	5	410	284	0.04	<2	4	38
CAD100840		<10	<1	0.26	10	0.55	454	4	0.13	6	450	45	0.01	<2	5	26
CAD100841		<10	<1	0.04	<10	0.07	200	1	0.01	3	70	43	0.01	<2	1	5
CAD100842		<10	<1	0.09	10	0.10	807	1	0.01	3	160	69	<0.01	<2	3	4
CAD100843		<10	<1	0.19	10	0.37	517	2	0.06	5	370	72	0.01	<2	4	37
CAD100844		<10	<1	0.21	10	0.84	542	<1	0.06	7	410	36	0.01	<2	5	13
CAD100845		<10	<1	0.20	10	0.72	450	1	0.08	7	490	25	0.01	<2	5	35
CAD100846		<10	<1	0.08	<10	1.19	378	1	0.19	20	590	2	<0.01	<2	8	36
CAD100847		<10	<1	0.08	<10	1.12	381	<1	0.18	20	690	<2	0.02	<2	8	31
CAD100848		<10	<1	0.08	<10	1.09	394	1	0.18	18	820	<2	0.02	<2	8	30
CAD100849		<10	<1	0.15	<10	1.16	468	<1	0.16	16	680	<2	0.01	<2	8	31
CAD100850		<10	<1	0.46	10	0.45	402	<1	0.09	2	240	<2	<0.01	<2	2	55
CAD100851		<10	<1	0.41	10	0.33	366	1	0.11	2	220	2	<0.01	<2	2	34
CAD100852		<10	<1	1.14	10	0.95	565	7	0.10	3	380	15	0.01	<2	3	36
CAD100853		<10	<1	0.36	10	0.59	508	<1	0.09	3	370	<2	<0.01	<2	3	92
CAD100854		<10	<1	0.50	20	0.48	430	<1	0.12	2	380	2	<0.01	<2	3	59
CAD100855		<10	<1	0.25	10	0.55	421	<1	0.15	3	370	<2	0.02	<2	5	43
CAD100856		<10	<1	0.01	<10	0.01	73	24	0.01	2	10	137	<0.01	<2	<1	3

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 20-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119916

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAD100819		<20	0.01	<10	<10	28	<10	56
CAD100820		<20	0.01	<10	<10	29	<10	38
CAD100821		<20	<0.01	<10	<10	13	<10	11
CAD100822		<20	0.07	<10	<10	42	<10	44
CAD100823		<20	0.04	<10	<10	22	<10	19
CAD100824		<20	0.02	<10	<10	15	<10	22
CAD100825		<20	0.02	<10	<10	15	<10	19
CAD100826		<20	0.03	<10	<10	19	<10	28
CAD100827		<20	0.02	<10	<10	25	<10	18
CAD100828		<20	0.06	<10	<10	39	<10	33
CAD100829		<20	0.02	<10	<10	17	<10	16
CAD100830		<20	0.03	<10	<10	21	<10	18
CAD100831		<20	0.07	<10	<10	37	<10	40
CAD100832		<20	0.10	<10	<10	41	<10	45
CAD100833		<20	0.09	<10	<10	41	<10	36
CAD100834		<20	0.07	<10	<10	34	<10	33
CAD100835		<20	0.04	<10	<10	14	<10	13
CAD100836		<20	0.04	<10	<10	33	<10	56
CAD100837		<20	0.02	<10	<10	31	<10	52
CAD100838		<20	0.09	<10	<10	40	<10	37
CAD100839		<20	0.09	<10	<10	47	<10	54
CAD100840		<20	0.14	<10	<10	53	<10	44
CAD100841		<20	0.01	<10	<10	11	<10	13
CAD100842		<20	0.02	<10	<10	23	<10	20
CAD100843		<20	0.09	<10	<10	43	<10	41
CAD100844		<20	0.05	<10	<10	49	<10	47
CAD100845		<20	0.07	<10	<10	55	<10	45
CAD100846		<20	0.24	<10	<10	62	<10	30
CAD100847		<20	0.24	<10	<10	63	<10	28
CAD100848		<20	0.21	<10	<10	66	<10	31
CAD100849		<20	0.25	<10	<10	69	<10	34
CAD100850		<20	0.08	<10	<10	28	<10	32
CAD100851		<20	0.07	<10	<10	23	<10	29
CAD100852		<20	0.18	<10	<10	60	<10	60
CAD100853		<20	0.07	<10	<10	32	<10	41
CAD100854		<20	0.09	<10	<10	34	<10	37
CAD100855		<20	0.07	<10	<10	49	<10	37
CAD100856		<20	<0.01	<10	<10	2	<10	12