Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: October 03, 2011
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

CLIENT JOB INFORMATION

Project:	JPR
Shipment ID:	JPR2011-05
P.O. Number	NA
Number of Samples:	150

SAMPLE DISPOSAL

STOR-PLP	Store After 90 days Invoice for Storage
STOR-RJT-SOIL	Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	150	Dry at 60C			DAW
SS80	150	Dry at 60C sieve 100g to -80 mesh			DAW
RJSV	150	Saving all or part of Soil Reject			VAN
1DX2	149	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1097980	Soil	0.8	21.8	10.3	51	<0.1	19.5	8.7	321	2.75	8.5	3.3	9.2	14	0.1	0.5	0.2	58	0.13	0.027	16
1097979	Soil	0.8	34.3	11.1	57	<0.1	17.8	8.3	491	2.76	7.3	4.7	21.1	25	0.1	0.5	0.5	49	0.23	0.018	45
1097978	Soil	1.8	13.3	17.2	53	<0.1	8.5	5.7	458	2.88	7.8	2.7	13.2	9	0.1	0.3	0.4	58	0.07	0.029	22
1097976	Soil	0.6	15.5	11.0	43	<0.1	10.2	5.3	285	1.96	3.8	3.7	14.3	19	<0.1	0.3	0.2	40	0.20	0.033	38
1097982	Soil	1.4	18.7	13.5	44	0.1	15.0	6.2	223	2.13	6.0	1.6	9.0	15	0.1	0.3	0.3	45	0.17	0.027	14
1097983	Soil	1.1	24.4	68.7	73	0.2	17.2	7.3	229	2.49	9.1	3.6	7.8	17	0.5	0.4	0.3	51	0.17	0.021	13
1097984	Soil	0.7	44.2	15.7	121	0.3	15.4	12.5	579	3.36	5.4	2.0	12.3	18	0.1	0.3	0.6	75	0.23	0.035	22
1097981	Soil	1.2	10.7	8.9	59	0.1	15.0	8.5	1114	2.28	5.0	1.3	8.4	23	0.2	0.4	0.2	50	0.23	0.035	13
1097985	Soil	1.0	22.6	7.9	47	0.2	16.7	8.5	393	2.48	7.4	3.2	4.8	21	<0.1	0.4	0.1	55	0.27	0.038	10
1097991	Soil	0.7	21.8	12.8	89	<0.1	12.6	14.7	801	3.81	4.0	1.0	13.6	23	0.1	0.2	0.2	84	0.36	0.042	28
1097989	Soil	0.8	32.4	5.2	60	<0.1	19.2	17.9	529	3.71	5.5	0.7	5.7	23	<0.1	0.3	<0.1	84	0.31	0.023	11
1097990	Soil	0.7	22.9	6.1	60	0.1	18.4	16.2	585	3.67	5.7	1.5	6.2	22	<0.1	0.3	0.1	82	0.33	0.026	13
1097988	Soil	0.4	40.5	3.9	71	<0.1	15.6	22.5	697	4.50	3.9	0.7	6.8	22	<0.1	0.2	<0.1	109	0.34	0.028	6
1097986	Soil	3.2	82.2	7.6	69	0.2	13.0	12.8	754	3.78	4.7	1.2	10.6	18	<0.1	0.2	<0.1	77	0.28	0.032	14
1097987	Soil	1.0	55.6	7.3	63	<0.1	22.0	12.4	531	3.43	8.0	4.3	10.7	25	<0.1	0.5	0.1	70	0.39	0.033	34
1097997	Soil	1.1	44.4	14.9	94	<0.1	10.8	12.7	888	3.70	3.0	1.5	16.7	19	0.1	0.2	0.1	83	0.29	0.050	31
1097998	Soil	2.2	64.9	10.6	97	<0.1	17.0	16.9	685	4.36	3.9	3.0	12.0	40	0.1	0.3	0.1	103	0.60	0.043	39
1097992	Soil	1.0	23.7	10.8	89	0.1	15.3	12.5	651	3.07	4.6	1.3	9.7	24	<0.1	0.3	0.2	67	0.34	0.030	17
1097996	Soil	1.6	58.5	9.4	107	<0.1	11.4	16.3	1210	4.59	2.6	0.9	21.8	22	0.1	0.2	<0.1	108	0.29	0.048	30
1097995	Soil	1.6	74.9	9.9	119	<0.1	11.9	17.9	1317	4.88	2.4	2.2	23.2	23	0.1	0.2	<0.1	108	0.31	0.047	34
1097999	Soil	1.6	58.8	10.9	77	0.1	25.2	11.8	569	2.81	7.2	5.3	7.8	32	0.3	0.5	0.2	58	0.54	0.073	20
1097977	Soil	1.3	27.9	27.3	60	0.2	13.6	5.8	338	2.67	6.4	3.6	14.7	21	0.1	0.4	0.7	51	0.18	0.033	58
1097993	Soil	1.1	40.7	17.0	90	0.2	18.8	13.8	821	3.53	6.1	3.8	11.6	27	<0.1	0.3	0.2	80	0.41	0.034	29
1097994	Soil	1.0	36.5	27.6	109	0.2	18.2	16.9	1107	4.35	4.6	3.9	14.4	25	0.2	0.3	0.2	92	0.44	0.048	29
1105745	Soil	2.6	41.6	5.1	70	<0.1	10.8	11.4	910	4.28	5.0	0.6	22.8	12	<0.1	0.2	0.1	77	0.12	0.024	20
1105744	Soil	2.1	35.9	4.1	75	<0.1	12.7	11.8	927	4.38	3.7	0.7	22.2	15	<0.1	0.2	0.3	81	0.15	0.027	20
1105746	Soil	3.1	28.2	22.8	92	<0.1	12.5	12.1	1004	4.50	5.4	2.7	27.5	17	0.2	0.3	0.3	85	0.20	0.038	31
1105749	Soil	4.5	25.1	139.7	137	0.4	11.2	13.7	795	4.42	5.4	2.6	17.5	26	0.6	0.2	1.7	83	0.39	0.076	47
1105747	Soil	3.6	27.8	21.8	97	<0.1	10.5	12.8	1145	4.83	4.4	3.1	29.3	15	<0.1	0.2	0.3	87	0.20	0.037	40
1105748	Soil	3.2	30.4	9.3	71	<0.1	15.4	12.3	770	4.07	5.4	0.7	15.3	17	<0.1	0.3	0.2	77	0.21	0.036	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1097980	Soil		32	0.42	218	0.053	2	1.94	0.011	0.08	0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
1097979	Soil		28	0.48	262	0.082	1	1.70	0.020	0.16	0.2	0.04	5.2	0.2	<0.05	5	<0.5	<0.2
1097978	Soil		19	0.26	106	0.069	1	1.47	0.007	0.10	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1097976	Soil		17	0.37	121	0.082	1	1.16	0.009	0.15	0.1	0.01	2.7	0.1	<0.05	4	<0.5	<0.2
1097982	Soil		23	0.38	129	0.041	2	1.36	0.007	0.11	0.2	0.01	2.3	0.1	<0.05	4	<0.5	<0.2
1097983	Soil		28	0.43	133	0.062	2	1.45	0.007	0.19	0.2	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
1097984	Soil		24	1.05	135	0.149	1	2.19	0.008	0.91	0.1	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
1097981	Soil		24	0.38	291	0.048	2	1.64	0.011	0.10	0.1	0.02	2.4	0.1	<0.05	5	0.6	<0.2
1097985	Soil		26	0.55	195	0.090	<1	1.39	0.009	0.28	0.1	0.01	2.8	0.1	<0.05	4	<0.5	<0.2
1097991	Soil		23	1.31	225	0.203	<1	2.59	0.009	1.14	0.2	0.01	4.4	0.5	<0.05	8	<0.5	<0.2
1097989	Soil		36	1.46	219	0.195	<1	2.41	0.009	0.79	0.1	<0.01	3.5	0.3	<0.05	6	<0.5	<0.2
1097990	Soil		35	1.24	330	0.164	1	2.25	0.009	0.77	0.1	0.01	4.6	0.2	<0.05	6	<0.5	<0.2
1097988	Soil		38	2.04	348	0.219	<1	3.11	0.008	1.55	<0.1	<0.01	4.3	0.4	<0.05	7	<0.5	<0.2
1097986	Soil		20	1.26	234	0.175	1	2.46	0.011	1.14	0.2	0.02	4.8	0.5	<0.05	8	<0.5	<0.2
1097987	Soil		29	0.98	169	0.136	1	2.03	0.012	0.47	0.2	0.03	4.8	0.3	<0.05	6	<0.5	<0.2
1097997	Soil		20	1.37	239	0.204	<1	2.35	0.012	1.31	0.2	0.01	5.6	0.5	<0.05	8	<0.5	<0.2
1097998	Soil		38	1.57	427	0.197	1	2.99	0.014	1.20	0.1	0.05	5.8	0.4	<0.05	8	<0.5	<0.2
1097992	Soil		25	0.95	284	0.142	2	2.19	0.009	0.52	0.1	<0.01	3.9	0.3	<0.05	6	<0.5	<0.2
1097996	Soil		22	1.90	290	0.244	<1	3.19	0.013	1.89	0.2	0.01	8.2	0.6	<0.05	11	<0.5	<0.2
1097995	Soil		21	1.97	298	0.254	<1	3.38	0.014	1.98	0.2	0.02	7.9	0.7	<0.05	12	<0.5	<0.2
1097999	Soil		28	0.78	295	0.101	1	1.69	0.016	0.43	0.2	0.03	4.0	0.2	<0.05	5	0.6	<0.2
1097977	Soil		24	0.39	215	0.068	<1	1.88	0.009	0.12	0.1	0.03	3.9	0.1	<0.05	7	<0.5	<0.2
1097993	Soil		23	1.32	227	0.191	1	2.31	0.014	0.83	0.2	0.03	4.1	0.4	<0.05	7	<0.5	<0.2
1097994	Soil		22	1.73	239	0.237	1	2.82	0.012	1.26	0.1	0.03	3.9	0.6	<0.05	9	<0.5	<0.2
1105745	Soil		15	1.26	106	0.192	1	2.57	0.007	1.19	<0.1	<0.01	7.4	0.3	<0.05	10	<0.5	<0.2
1105744	Soil		17	1.27	231	0.217	<1	2.61	0.008	1.45	<0.1	<0.01	7.6	0.4	<0.05	10	<0.5	<0.2
1105746	Soil		19	1.15	143	0.195	<1	2.55	0.008	1.34	<0.1	0.01	7.9	0.5	<0.05	10	<0.5	<0.2
1105749	Soil		17	1.18	139	0.205	1	2.62	0.009	1.18	0.1	0.02	4.8	0.5	<0.05	9	<0.5	<0.2
1105747	Soil		16	1.26	136	0.196	<1	2.72	0.008	1.50	<0.1	0.01	8.3	0.5	<0.05	11	<0.5	<0.2
1105748	Soil		22	1.04	171	0.187	<1	2.62	0.007	1.09	0.1	<0.01	5.9	0.4	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1105750	Soil	0.9	16.3	9.0	108	<0.1	6.9	14.4	1086	4.58	2.5	2.2	18.6	25	0.1	0.1	<0.1	79	0.33	0.077	29
1122787	Soil	2.7	17.0	16.7	65	0.2	15.5	9.6	704	3.13	5.0	<0.5	14.9	37	0.2	0.4	0.3	59	0.43	0.023	23
1105941	Soil	4.2	40.3	33.7	75	0.3	14.7	7.9	515	2.65	4.2	3.2	20.0	103	0.8	0.4	0.7	42	1.04	0.036	56
1105735	Soil	0.5	35.1	7.4	73	<0.1	11.9	17.5	910	4.58	4.2	4.0	9.0	20	<0.1	0.2	0.2	120	0.33	0.058	27
1105733	Soil	0.5	17.1	8.1	71	<0.1	12.9	18.4	795	4.79	5.5	0.8	8.6	64	<0.1	0.2	0.2	103	0.29	0.041	10
1105737	Soil	0.6	31.7	15.9	54	0.2	13.5	9.4	409	2.82	5.2	5.8	6.9	29	0.1	0.3	0.3	66	0.42	0.080	24
1105732	Soil	0.4	46.3	23.5	77	<0.1	6.6	16.3	960	4.47	1.5	2.8	16.0	29	0.1	0.1	0.6	114	0.35	0.056	46
1105734	Soil	0.5	40.5	4.7	80	0.1	13.4	18.7	973	4.94	6.1	0.7	8.6	13	<0.1	0.2	0.2	111	0.17	0.050	12
1105736	Soil	2.5	313.4	5.6	81	0.2	10.3	15.4	1227	7.11	8.4	1.4	16.1	24	<0.1	0.2	2.8	154	0.28	0.067	24
1105739	Soil	3.8	33.1	12.8	98	<0.1	11.7	13.0	894	3.82	5.7	1.6	14.8	28	0.2	0.3	0.2	67	0.36	0.081	23
1105738	Soil	1.1	21.8	8.3	57	<0.1	18.3	8.4	344	2.46	7.7	2.1	7.4	27	0.1	0.6	0.2	51	0.36	0.067	14
1105741	Soil	4.6	38.3	15.6	53	0.1	14.5	6.7	395	2.70	7.0	0.8	16.9	17	0.1	0.4	0.2	46	0.17	0.020	20
1105740	Soil	1.7	22.9	11.5	52	0.2	12.3	9.2	454	2.29	6.1	5.5	6.3	26	0.2	0.3	0.2	49	0.35	0.071	22
1105742	Soil	1.9	40.6	14.7	49	0.2	17.2	8.5	401	2.83	8.9	2.6	12.0	24	0.1	0.6	0.2	50	0.26	0.024	17
1105743	Soil	1.8	30.1	7.8	61	<0.1	16.1	8.8	461	3.37	9.0	2.0	15.2	15	<0.1	0.4	0.2	66	0.14	0.032	24
1105724	Soil	1.9	46.7	18.7	87	0.3	6.8	9.8	516	3.14	2.3	1.5	11.1	21	0.2	0.2	0.5	60	0.26	0.050	38
1105723	Soil	1.6	23.5	20.9	73	0.3	9.4	9.5	450	3.11	4.9	3.6	10.7	19	0.2	0.2	0.3	65	0.24	0.050	45
1105722	Soil	1.6	18.3	14.5	66	0.3	9.9	9.1	380	2.85	4.7	2.5	5.3	20	0.3	0.2	0.2	71	0.25	0.058	21
1105729	Soil	2.0	41.1	9.6	83	0.1	9.0	22.4	1274	5.36	2.3	2.6	7.4	24	<0.1	0.1	0.3	120	0.26	0.066	18
1105728	Soil	1.4	21.2	20.6	74	<0.1	9.0	14.5	758	4.11	3.6	2.4	7.6	17	<0.1	0.2	0.3	92	0.24	0.050	13
1105727	Soil	2.4	22.3	14.4	73	0.1	9.3	14.4	697	3.91	3.8	1.9	8.5	18	0.1	0.2	0.2	92	0.27	0.056	19
1105726	Soil	2.6	22.4	14.7	76	0.1	9.6	14.3	704	3.97	4.1	1.5	8.7	19	0.1	0.2	0.2	91	0.29	0.057	20
1105725	Soil	1.6	28.8	19.6	81	0.4	10.4	13.8	642	3.68	3.2	1.6	7.3	21	0.1	0.1	0.2	86	0.29	0.062	22
1105731	Soil	0.6	39.3	7.5	73	<0.1	9.3	19.5	1080	5.33	3.2	6.1	15.1	30	<0.1	0.2	0.1	148	0.38	0.048	39
1105730	Soil	1.1	21.5	4.7	88	<0.1	8.5	22.6	1195	5.85	2.2	2.2	9.8	17	<0.1	0.1	0.4	135	0.29	0.064	25
1123328	Soil	1.7	25.2	5.9	90	0.2	8.9	10.5	710	4.01	4.0	<0.5	4.6	30	0.2	0.2	0.1	63	0.36	0.030	35
1123331	Soil	1.2	34.4	3.9	53	<0.1	20.4	12.2	340	3.32	52.1	0.5	7.0	69	<0.1	<0.1	<0.1	81	0.68	0.091	21
1123329	Soil	0.5	23.8	2.8	45	<0.1	27.4	9.3	260	2.27	5.7	0.7	2.4	38	<0.1	<0.1	<0.1	48	0.46	0.058	10
1123332	Soil	0.7	27.9	2.9	33	<0.1	22.3	8.6	231	2.14	28.2	<0.5	3.4	63	<0.1	<0.1	<0.1	49	0.78	0.161	12
1123330	Soil	1.0	18.9	4.2	62	<0.1	11.5	7.8	340	3.03	6.7	1.0	3.8	50	<0.1	0.1	<0.1	58	0.42	0.045	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1105750	Soil		10	1.32	154	0.250	<1	2.80	0.009	1.47	<0.1	0.02	2.3	0.6	<0.05	10	<0.5	<0.2
1122787	Soil		28	0.56	310	0.094	2	2.12	0.011	0.15	0.1	0.01	4.6	0.2	<0.05	7	<0.5	<0.2
1105941	Soil		19	0.50	167	0.071	3	1.48	0.014	0.29	0.2	0.03	3.6	0.2	<0.05	6	1.0	<0.2
1105735	Soil		20	1.70	215	0.214	<1	2.49	0.010	1.25	0.1	0.01	4.1	0.4	<0.05	8	<0.5	<0.2
1105733	Soil		22	1.60	206	0.183	<1	2.85	0.010	1.11	0.2	<0.01	3.0	0.4	<0.05	9	<0.5	<0.2
1105737	Soil		22	0.79	202	0.111	1	1.59	0.016	0.41	0.2	0.06	4.1	0.2	<0.05	5	<0.5	<0.2
1105732	Soil		13	1.52	209	0.156	<1	2.64	0.009	0.86	<0.1	<0.01	8.9	0.4	<0.05	10	1.5	<0.2
1105734	Soil		17	1.82	151	0.283	2	3.00	0.013	1.97	0.2	<0.01	2.2	0.6	<0.05	9	<0.5	<0.2
1105736	Soil		19	1.99	279	0.255	<1	3.51	0.011	2.16	0.3	<0.01	9.6	0.7	<0.05	14	1.3	0.6
1105739	Soil		18	1.01	237	0.183	<1	2.12	0.013	1.05	0.1	0.01	3.3	0.5	<0.05	8	<0.5	<0.2
1105738	Soil		25	0.59	199	0.095	1	1.32	0.016	0.15	0.2	<0.01	3.2	0.1	<0.05	4	1.0	<0.2
1105741	Soil		23	0.49	180	0.080	<1	1.49	0.009	0.28	0.1	0.02	3.9	0.2	<0.05	6	0.9	<0.2
1105740	Soil		20	0.54	193	0.085	1	1.26	0.016	0.21	0.3	0.03	3.3	0.1	<0.05	4	<0.5	<0.2
1105742	Soil		27	0.46	161	0.070	1	1.55	0.008	0.21	0.1	<0.01	3.6	0.1	<0.05	5	0.9	<0.2
1105743	Soil		25	0.76	151	0.125	<1	1.90	0.009	0.52	0.1	<0.01	5.0	0.2	<0.05	7	0.6	<0.2
1105724	Soil		12	0.92	176	0.159	<1	1.99	0.010	0.85	0.2	0.03	3.0	0.3	<0.05	6	<0.5	<0.2
1105723	Soil		16	0.83	167	0.135	<1	1.99	0.010	0.53	0.1	0.02	3.0	0.3	<0.05	7	<0.5	<0.2
1105722	Soil		18	0.80	163	0.132	<1	1.76	0.010	0.39	0.1	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
1105729	Soil		16	1.76	264	0.253	<1	2.98	0.010	1.61	0.2	0.02	5.1	0.5	<0.05	10	<0.5	<0.2
1105728	Soil		17	1.33	167	0.155	<1	2.63	0.009	0.88	0.1	<0.01	4.0	0.3	<0.05	8	0.6	<0.2
1105727	Soil		16	1.27	182	0.201	<1	2.28	0.011	1.00	0.1	<0.01	2.8	0.3	<0.05	7	<0.5	<0.2
1105726	Soil		16	1.25	181	0.201	<1	2.29	0.012	1.02	0.2	0.01	2.8	0.3	<0.05	7	<0.5	<0.2
1105725	Soil		19	1.23	200	0.184	<1	2.38	0.011	0.89	0.2	0.04	3.3	0.3	<0.05	7	<0.5	<0.2
1105731	Soil		16	1.94	278	0.190	<1	3.20	0.012	1.18	<0.1	<0.01	7.2	0.4	<0.05	11	2.4	<0.2
1105730	Soil		16	2.00	321	0.278	<1	3.43	0.011	1.85	<0.1	<0.01	6.7	0.5	<0.05	10	0.7	<0.2
1123328	Soil		19	1.13	405	0.212	2	2.92	0.015	0.85	<0.1	0.05	8.8	0.3	<0.05	11	0.6	<0.2
1123331	Soil		45	0.95	212	0.136	<1	2.29	0.035	0.77	0.2	<0.01	6.9	0.4	<0.05	8	<0.5	<0.2
1123329	Soil		114	0.84	239	0.122	<1	1.58	0.021	0.40	<0.1	<0.01	5.1	0.2	<0.05	6	0.6	<0.2
1123332	Soil		62	0.63	246	0.074	<1	1.69	0.030	0.29	0.2	<0.01	4.8	0.2	<0.05	5	<0.5	<0.2
1123330	Soil		29	0.90	322	0.165	<1	1.99	0.017	0.68	0.5	0.01	7.1	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1123333	Soil	0.8	28.7	3.2	31	<0.1	23.7	8.7	219	2.15	31.1	1.5	3.4	67	<0.1	<0.1	<0.1	50	0.85	0.174	12
1123334	Soil	0.8	24.7	4.5	55	<0.1	29.9	10.9	320	3.08	41.6	<0.5	4.0	75	<0.1	0.2	0.2	66	0.58	0.065	15
1123336	Soil	0.7	21.5	4.2	54	<0.1	16.7	9.5	405	2.70	4.2	0.8	3.4	23	<0.1	0.1	0.1	53	0.36	0.070	14
1123308	Soil	1.7	54.0	10.4	95	0.1	44.4	12.5	524	3.55	14.3	0.5	5.8	37	0.2	0.8	0.3	93	0.64	0.076	17
1123309	Soil	0.6	35.0	9.7	51	0.2	28.4	10.9	593	2.48	8.5	3.6	3.3	73	0.1	0.4	0.2	49	1.26	0.079	20
1123311	Soil	1.4	38.8	10.1	71	0.2	60.7	17.0	727	3.22	5.5	0.9	4.7	26	0.1	0.3	0.2	87	0.29	0.061	18
1123310	Soil	1.8	24.0	10.6	45	0.3	24.0	6.8	236	2.59	6.6	4.5	3.3	19	0.1	0.4	0.2	69	0.19	0.023	15
1123307	Soil	0.7	28.9	8.2	50	0.2	25.1	9.8	402	2.37	8.2	1.6	3.8	66	0.2	0.3	0.2	50	0.99	0.056	18
1123306	Soil	1.0	15.4	10.7	50	<0.1	24.1	8.2	265	3.06	8.6	1.4	3.1	12	0.1	0.5	0.2	71	0.13	0.040	11
1123313	Soil	1.2	18.4	10.6	57	<0.1	21.7	8.7	269	3.19	7.5	<0.5	6.7	20	0.1	0.3	0.2	61	0.20	0.028	18
1123312	Soil	3.2	76.2	13.5	114	<0.1	92.6	20.8	798	4.05	9.5	1.0	3.1	113	0.3	0.3	0.2	105	0.19	0.073	14
1123314	Soil	0.6	34.3	7.9	69	<0.1	34.0	17.3	463	3.84	28.1	<0.5	10.1	130	<0.1	0.2	0.1	63	0.51	0.056	26
1123317	Soil	0.5	24.8	7.0	51	0.1	28.6	12.2	378	2.04	3.9	3.0	4.6	69	0.2	0.3	0.2	34	1.00	0.058	27
1123315	Soil	0.5	26.9	10.2	72	0.2	28.2	10.9	284	3.04	8.2	1.6	9.8	92	0.2	0.2	0.2	51	0.45	0.054	30
1123316	Soil	0.7	48.7	8.8	72	0.3	45.9	19.8	519	3.10	7.6	2.4	7.7	66	0.1	0.3	0.1	52	0.93	0.065	59
1123323	Soil	0.3	27.3	7.6	73	<0.1	25.8	18.1	750	2.82	4.6	1.6	4.5	145	0.2	0.2	0.1	42	1.27	0.083	26
1123318	Soil	0.8	29.2	8.9	68	0.2	29.7	14.2	417	2.88	5.1	1.8	7.9	67	0.1	0.3	0.3	49	0.74	0.058	34
1123319	Soil	0.8	25.9	9.3	79	0.2	29.1	16.7	635	3.11	5.8	4.3	7.0	48	0.2	0.3	0.2	59	0.64	0.053	27
1123320	Soil	0.2	28.2	7.9	60	0.1	26.8	12.4	306	2.29	5.4	3.6	5.0	64	0.2	0.3	0.2	41	1.05	0.058	20
1123322	Soil	0.2	25.7	6.4	64	0.1	23.0	11.5	423	2.10	4.2	2.0	3.6	118	0.2	0.2	0.2	35	1.71	0.068	20
1123321	Soil	0.6	34.3	7.4	64	0.1	30.7	16.1	540	2.78	4.9	5.5	7.1	89	0.2	0.2	0.3	46	1.04	0.061	34
1123324	Soil	0.2	24.9	7.0	54	<0.1	26.6	11.4	366	2.54	3.3	0.7	5.5	140	0.1	0.2	0.1	36	1.75	0.054	25
1123325	Soil	0.5	32.1	9.7	65	0.1	32.7	16.1	328	3.67	4.6	15.2	10.8	43	<0.1	0.2	0.5	46	0.61	0.054	39
1123326	Soil	0.7	27.8	11.8	94	<0.1	42.0	18.2	515	3.88	6.5	18.8	10.3	44	0.2	0.2	0.4	54	0.64	0.084	31
1123327	Soil	0.4	37.4	9.5	84	0.1	41.7	17.2	377	3.77	5.5	4.8	10.4	80	0.2	0.2	0.2	51	1.11	0.069	44
1123337	Soil	0.7	80.1	2.8	57	<0.1	101.0	17.7	335	3.52	6.0	3.7	2.3	30	<0.1	0.1	<0.1	84	0.65	0.140	13
1123335	Soil	0.8	24.7	4.9	64	<0.1	19.4	8.8	293	2.94	3.4	<0.5	4.4	27	0.1	<0.1	0.1	59	0.38	0.060	22
1138097	Soil	1.5	23.6	11.0	69	0.2	27.7	11.5	423	4.27	8.8	<0.5	5.3	13	0.4	0.3	0.2	105	0.12	0.070	10
1138095	Soil	0.7	27.3	9.2	71	<0.1	24.6	11.0	332	3.05	7.3	2.3	8.0	23	<0.1	0.3	0.2	59	0.25	0.044	31
1138099	Soil	1.5	31.3	10.2	61	0.1	41.6	10.1	237	2.79	6.4	2.7	3.3	19	0.1	0.3	0.2	70	0.25	0.047	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1123333	Soil		62	0.63	261	0.075	1	1.84	0.035	0.27	0.2	0.01	4.9	0.2	<0.05	5	0.6	<0.2
1123334	Soil		100	0.93	277	0.113	<1	2.12	0.022	0.43	0.2	0.04	6.7	0.3	<0.05	7	<0.5	<0.2
1123336	Soil		39	0.75	247	0.139	<1	1.48	0.014	0.45	0.2	0.03	5.2	0.2	<0.05	6	0.9	<0.2
1123308	Soil		60	0.89	358	0.139	2	2.13	0.011	0.45	0.3	<0.01	4.4	0.3	<0.05	8	1.3	<0.2
1123309	Soil		35	0.55	349	0.070	1	1.54	0.016	0.08	0.2	0.05	4.1	0.1	<0.05	5	1.0	<0.2
1123311	Soil		89	1.10	668	0.179	<1	2.24	0.013	0.66	0.1	0.02	4.9	0.3	<0.05	8	0.7	<0.2
1123310	Soil		37	0.52	269	0.115	<1	1.50	0.015	0.23	0.1	0.01	2.9	0.1	<0.05	6	1.0	<0.2
1123307	Soil		35	0.50	293	0.078	2	1.38	0.017	0.10	0.2	0.03	3.3	<0.1	<0.05	5	1.3	<0.2
1123306	Soil		42	0.53	237	0.102	<1	1.84	0.009	0.14	0.1	0.02	3.1	0.1	<0.05	7	0.8	<0.2
1123313	Soil		37	0.62	164	0.128	2	1.91	0.010	0.23	<0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1123312	Soil		116	1.18	683	0.138	<1	2.63	0.011	0.49	<0.1	0.03	4.6	0.3	<0.05	9	1.3	<0.2
1123314	Soil		62	1.07	281	0.146	2	2.60	0.023	0.42	0.1	<0.01	5.5	0.3	<0.05	9	0.9	<0.2
1123317	Soil		39	0.51	148	0.069	2	1.30	0.013	0.07	0.2	0.04	3.4	0.1	0.08	4	<0.5	<0.2
1123315	Soil		54	0.91	279	0.162	2	2.12	0.014	0.50	<0.1	0.05	5.3	0.4	0.05	8	<0.5	<0.2
1123316	Soil		49	0.69	193	0.116	2	1.83	0.013	0.27	0.1	0.06	5.9	0.2	<0.05	6	1.1	<0.2
1123323	Soil		33	0.57	184	0.055	3	1.43	0.017	0.08	0.2	0.05	3.7	0.1	0.06	5	<0.5	<0.2
1123318	Soil		45	0.65	190	0.106	1	1.74	0.015	0.18	0.3	0.05	4.7	0.2	0.06	6	<0.5	<0.2
1123319	Soil		46	0.67	202	0.122	2	1.79	0.016	0.12	0.5	0.04	4.9	0.2	<0.05	7	<0.5	<0.2
1123320	Soil		32	0.52	147	0.078	2	1.28	0.018	0.08	0.7	0.04	3.5	<0.1	<0.05	4	<0.5	<0.2
1123322	Soil		30	0.51	149	0.064	3	1.26	0.015	0.08	0.3	0.05	3.5	0.1	0.06	4	<0.5	<0.2
1123321	Soil		42	0.74	175	0.090	2	1.66	0.016	0.11	0.5	0.03	4.9	0.1	<0.05	6	<0.5	<0.2
1123324	Soil		31	0.59	173	0.089	3	1.55	0.013	0.27	0.3	0.03	3.2	0.3	0.06	5	<0.5	<0.2
1123325	Soil		38	0.75	183	0.141	2	1.86	0.013	0.44	0.3	0.02	3.9	0.4	<0.05	7	<0.5	<0.2
1123326	Soil		51	0.91	162	0.171	2	2.42	0.014	0.51	0.2	0.03	4.1	0.4	<0.05	7	<0.5	<0.2
1123327	Soil		50	0.87	190	0.162	1	1.96	0.015	0.51	0.5	0.05	4.9	0.4	<0.05	7	<0.5	<0.2
1123337	Soil		91	1.20	391	0.182	<1	1.94	0.022	0.60	3.8	<0.01	5.1	0.2	<0.05	7	<0.5	<0.2
1123335	Soil		52	1.01	316	0.179	<1	2.07	0.016	0.61	0.2	0.05	7.2	0.3	<0.05	8	<0.5	<0.2
1138097	Soil		50	0.78	228	0.212	1	2.13	0.011	0.35	0.1	0.02	4.4	0.2	<0.05	11	<0.5	<0.2
1138095	Soil		41	0.74	140	0.124	2	2.14	0.012	0.22	<0.1	0.04	3.9	0.2	<0.05	8	<0.5	<0.2
1138099	Soil		60	0.78	208	0.151	1	1.99	0.012	0.15	0.2	0.03	3.1	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1138098	Soil	2.4	53.0	9.0	122	0.1	79.6	21.7	669	4.78	5.4	1.7	8.4	23	0.2	0.2	0.1	97	0.24	0.081	21
1138100	Soil	1.2	44.1	9.7	84	<0.1	45.0	17.8	536	4.09	5.5	0.8	6.8	47	0.1	0.2	0.1	74	0.33	0.063	17
1074337	Soil	0.4	28.9	8.5	58	0.1	27.0	12.4	511	2.34	4.4	3.9	4.3	122	0.1	0.3	0.1	38	1.66	0.066	21
1074335	Soil	0.4	27.9	5.8	44	0.1	24.9	12.8	712	1.83	4.3	1.0	3.3	58	0.2	0.3	<0.1	29	1.43	0.058	22
1074334	Soil	0.3	15.3	3.3	39	<0.1	33.5	15.1	441	2.37	2.6	1.1	4.0	76	<0.1	0.1	<0.1	45	0.55	0.032	15
1138096	Soil	1.0	31.4	10.0	108	<0.1	34.3	16.4	480	4.29	6.4	7.5	9.5	19	<0.1	0.3	0.1	72	0.22	0.037	17
1074236	Soil	0.4	19.9	4.2	45	<0.1	15.7	6.0	183	2.07	3.8	0.9	2.6	24	<0.1	0.1	<0.1	35	0.30	0.045	11
1074240	Soil	0.4	9.8	3.2	44	<0.1	5.3	3.6	204	1.89	1.7	0.7	2.2	8	<0.1	<0.1	<0.1	24	0.08	0.017	7
1074239	Soil	0.6	23.1	4.9	44	<0.1	16.0	5.2	155	2.06	3.8	<0.5	2.1	23	<0.1	0.2	0.1	42	0.25	0.041	14
1074339	Soil	0.5	44.6	6.6	66	<0.1	35.5	18.0	1375	2.84	4.3	1.1	6.8	99	0.2	0.2	0.1	48	1.62	0.067	28
1074342	Soil	0.5	28.3	5.2	73	<0.1	22.9	13.1	408	2.89	3.1	4.0	5.7	82	<0.1	0.1	<0.1	57	1.21	0.075	25
1074340	Soil	0.5	25.6	6.2	63	<0.1	22.4	13.4	477	2.40	4.7	2.3	3.5	100	0.1	0.2	0.1	43	1.64	0.056	18
1074343	Soil	0.9	28.5	5.5	63	<0.1	22.1	10.2	297	3.46	7.3	1.2	5.0	40	<0.1	0.1	0.1	51	0.43	0.068	19
1074341	Soil	0.4	32.7	5.8	68	<0.1	36.0	19.0	526	3.13	5.1	2.9	7.0	93	0.1	0.2	0.1	60	1.54	0.065	27
1074237	Soil	0.7	29.3	5.9	48	<0.1	25.4	10.8	298	2.55	3.6	2.8	3.8	27	<0.1	<0.1	<0.1	52	0.35	0.042	16
1138085	Soil	1.1	19.5	7.1	47	0.1	15.6	8.6	271	2.58	5.8	0.6	3.2	52	<0.1	0.3	0.1	67	0.40	0.037	14
1138086	Soil	1.2	16.6	8.1	51	<0.1	15.5	11.1	386	3.14	6.6	1.7	2.4	34	<0.1	0.3	0.1	78	0.26	0.056	8
1138087	Soil	0.6	47.1	5.6	66	<0.1	17.2	15.6	463	3.96	6.0	<0.5	3.5	33	<0.1	0.3	<0.1	107	0.37	0.035	10
1138089	Soil	1.9	34.9	8.1	69	0.1	67.5	13.0	359	3.22	6.0	4.8	3.3	22	<0.1	0.3	0.2	94	0.27	0.049	12
1138088	Soil	2.3	45.2	5.4	77	<0.1	58.1	19.7	623	3.98	2.3	0.7	2.6	29	<0.1	0.1	0.1	133	0.36	0.068	10
1138090	Soil	2.2	55.5	9.5	83	0.2	67.3	15.3	439	4.15	6.2	1.8	4.2	19	0.1	0.3	0.2	130	0.27	0.048	19
1138091	Soil	3.2	93.9	7.8	124	0.1	194.0	23.7	674	4.76	10.1	1.2	5.8	32	0.2	0.4	0.1	155	0.66	0.153	26
1138092	Soil	1.6	40.7	10.0	74	0.1	42.5	11.3	429	3.37	8.7	4.2	4.4	26	<0.1	0.4	0.2	97	0.33	0.090	13
1138094	Soil	1.3	20.7	10.3	68	<0.1	27.3	13.5	461	3.68	8.5	1.1	8.5	15	0.1	0.4	0.2	70	0.17	0.026	17
1138093	Soil	1.9	61.6	10.6	90	0.2	80.9	16.1	453	3.92	9.8	5.5	7.5	23	0.2	0.5	0.2	108	0.29	0.068	26
1074338	Soil	0.6	34.9	7.5	72	<0.1	39.1	18.9	573	3.45	4.2	1.0	9.1	116	<0.1	0.2	0.1	56	1.44	0.073	31
1074336	Soil	0.5	34.3	10.0	65	0.1	30.4	18.3	789	2.54	3.4	<0.5	3.9	144	0.2	0.1	<0.1	32	2.07	0.077	19
1106826	Soil	0.7	41.4	11.2	143	0.4	107.8	14.0	805	4.55	6.5	10.8	3.2	41	3.8	0.4	0.1	97	0.81	0.208	17
1106829	Soil	<0.1	22.5	4.0	80	<0.1	14.3	24.1	1039	4.71	2.1	0.6	0.6	34	0.1	0.3	<0.1	102	1.29	0.069	8
1106827	Soil	0.4	40.7	9.7	113	0.2	37.5	6.1	196	1.77	5.5	1.6	2.6	15	0.8	0.4	0.1	24	0.55	0.078	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1138098	Soil	127	1.48	398	0.297	2	2.91	0.015	0.96	0.1	0.02	5.7	0.5	0.06	11	<0.5	<0.2
1138100	Soil	73	1.22	247	0.180	<1	2.58	0.012	0.51	0.2	0.02	5.7	0.3	<0.05	9	<0.5	<0.2
1074337	Soil	36	0.51	135	0.074	2	1.35	0.031	0.08	0.6	0.04	3.1	<0.1	0.09	4	<0.5	<0.2
1074335	Soil	22	0.48	187	0.043	2	1.11	0.014	0.04	0.4	0.06	2.6	<0.1	0.06	3	<0.5	<0.2
1074334	Soil	62	1.47	162	0.117	<1	1.84	0.015	0.18	0.2	<0.01	3.2	0.1	<0.05	6	<0.5	<0.2
1138096	Soil	62	1.10	158	0.212	<1	2.95	0.011	0.58	0.1	0.03	3.7	0.5	<0.05	9	<0.5	<0.2
1074236	Soil	27	0.50	216	0.113	<1	1.29	0.013	0.31	0.2	0.01	3.9	0.1	<0.05	5	<0.5	<0.2
1074240	Soil	10	0.46	109	0.108	<1	1.06	0.006	0.39	<0.1	<0.01	3.1	0.1	<0.05	4	<0.5	<0.2
1074239	Soil	26	0.49	238	0.095	<1	1.45	0.012	0.16	0.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
1074339	Soil	52	0.63	194	0.137	2	1.47	0.021	0.31	0.2	0.05	3.9	0.2	0.08	6	0.6	<0.2
1074342	Soil	46	0.81	251	0.172	1	1.71	0.022	0.42	0.1	0.03	4.4	0.2	0.06	7	<0.5	<0.2
1074340	Soil	39	0.50	174	0.091	3	1.26	0.019	0.13	<0.1	0.05	3.3	0.1	0.06	4	<0.5	<0.2
1074343	Soil	38	0.72	282	0.133	<1	1.89	0.020	0.45	0.3	0.03	4.8	0.2	<0.05	6	<0.5	<0.2
1074341	Soil	51	0.85	247	0.144	2	1.77	0.021	0.27	0.1	0.03	5.0	0.2	0.06	7	<0.5	<0.2
1074237	Soil	44	0.63	225	0.139	<1	1.89	0.015	0.34	0.2	0.02	4.9	0.2	<0.05	6	<0.5	<0.2
1138085	Soil	26	0.72	313	0.131	<1	1.83	0.022	0.12	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
1138086	Soil	26	0.66	257	0.118	<1	2.14	0.020	0.22	0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
1138087	Soil	24	1.20	373	0.273	<1	3.02	0.027	0.78	<0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1138089	Soil	96	1.09	398	0.172	1	2.20	0.013	0.22	0.1	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
1138088	Soil	77	1.46	565	0.285	<1	2.74	0.023	0.88	0.2	<0.01	4.6	0.3	<0.05	9	<0.5	<0.2
1138090	Soil	111	1.18	685	0.211	<1	2.53	0.010	0.42	0.1	0.02	5.8	0.2	<0.05	9	<0.5	<0.2
1138091	Soil	283	2.40	888	0.205	<1	2.96	0.011	0.76	<0.1	<0.01	8.2	0.3	<0.05	11	1.2	<0.2
1138092	Soil	69	0.91	345	0.153	<1	2.06	0.012	0.24	0.2	0.02	5.2	0.1	<0.05	7	0.7	<0.2
1138094	Soil	40	0.77	251	0.150	<1	2.40	0.011	0.29	<0.1	0.01	4.0	0.2	<0.05	8	<0.5	<0.2
1138093	Soil	108	1.25	532	0.168	<1	2.78	0.012	0.40	0.1	0.02	5.5	0.3	<0.05	8	0.6	<0.2
1074338	Soil	54	0.80	174	0.149	2	1.88	0.031	0.35	0.2	0.02	5.1	0.3	<0.05	7	<0.5	<0.2
1074336	Soil	29	0.48	117	0.049	3	1.13	0.034	0.05	0.2	0.03	2.7	<0.1	0.08	4	0.7	<0.2
1106826	Soil	112	1.17	289	0.035	1	2.17	0.013	0.07	<0.1	0.05	5.7	0.2	<0.05	6	<0.5	<0.2
1106829	Soil	29	1.75	166	0.053	1	3.12	0.062	0.07	<0.1	0.01	10.3	<0.1	<0.05	9	<0.5	<0.2
1106827	Soil	14	0.63	93	0.002	1	1.56	0.007	0.06	<0.1	0.03	1.1	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1106830	Soil	0.4	9.0	9.0	91	<0.1	7.0	13.2	405	2.79	1.3	1.1	11.9	22	<0.1	0.1	0.1	33	0.32	0.043	29
1106832	Soil	2.5	21.7	20.3	51	0.2	6.5	9.1	476	2.62	13.2	5.9	20.4	14	0.2	0.3	0.2	21	0.41	0.039	40
1106828	Soil	0.4	92.2	9.6	450	0.2	151.6	16.6	293	3.47	8.4	3.7	4.7	25	1.1	0.6	0.1	100	1.08	0.262	13
1106833	Soil	1.0	15.6	44.9	49	<0.1	15.2	11.2	416	2.49	6.3	2.3	12.9	20	0.1	0.3	0.2	47	0.30	0.034	22
1106831	Soil	0.5	42.0	12.2	59	<0.1	6.5	9.4	378	2.78	4.1	2.3	13.4	11	0.1	0.2	0.4	34	0.14	0.031	38
1106807	Soil	0.6	32.3	11.8	67	0.2	34.6	11.0	451	2.46	9.6	2.8	2.6	37	0.8	0.6	0.2	63	4.14	0.111	15
1106810	Soil	0.3	58.7	6.7	301	0.2	93.9	7.8	250	2.16	2.2	<0.5	3.0	87	4.3	0.7	<0.1	122	10.91	0.456	10
1106804	Soil	0.5	44.6	12.2	59	0.3	31.7	11.1	596	2.50	9.5	3.8	2.1	39	0.7	0.8	0.2	58	3.39	0.075	16
1106808	Soil	0.6	35.3	11.7	67	0.1	32.3	11.3	400	2.56	9.6	3.1	3.2	47	0.6	0.6	0.1	56	4.15	0.053	14
1106806	Soil	0.8	26.1	13.6	72	0.2	31.3	9.0	472	2.20	8.9	2.5	2.9	42	1.3	0.6	0.1	59	7.13	0.126	15
1106811	Soil	0.2	46.9	5.4	225	0.2	78.9	4.9	217	1.44	1.7	0.8	2.6	107	4.6	0.6	<0.1	117	13.47	0.500	10
1106805	Soil	0.5	36.0	11.6	70	0.2	32.1	12.4	569	2.77	8.7	3.5	2.8	36	0.6	0.6	0.1	59	2.84	0.088	16
1106809	Soil	0.3	33.6	11.5	59	0.2	30.9	10.4	569	2.43	9.0	4.2	1.7	41	0.5	0.6	0.1	57	2.81	0.084	14
1106812	Soil	0.2	62.6	11.4	323	0.8	105.0	6.5	359	2.18	3.6	1.7	4.3	39	7.8	1.3	0.1	100	2.19	0.444	19
1106802	Soil	0.3	19.5	8.8	63	0.2	20.1	5.7	370	1.64	4.6	2.0	1.5	66	1.4	0.3	<0.1	47	9.57	0.135	12
1106813	Soil	0.3	62.8	11.3	336	0.8	103.3	6.0	390	1.99	3.0	1.1	4.3	45	9.0	1.1	0.2	105	2.43	0.544	21
1106801	Soil	0.5	32.9	9.4	77	0.2	29.7	8.3	619	2.12	2.6	<0.5	3.1	48	0.9	0.3	<0.1	48	5.17	0.109	14
1106803	Soil	0.8	29.3	14.7	63	0.2	31.4	9.6	709	2.30	5.4	1.9	2.1	44	0.6	0.5	<0.1	52	6.11	0.102	14
1106818	Soil	0.9	34.7	12.1	79	<0.1	37.2	8.8	1020	3.55	4.5	5.7	8.2	17	0.8	0.8	0.1	38	0.63	0.040	13
1106821	Soil	0.9	32.6	16.3	64	<0.1	33.0	16.4	849	2.94	9.3	1.7	4.4	57	0.5	0.6	0.1	73	0.89	0.056	22
1106817	Soil	1.5	30.9	12.6	121	0.2	82.0	18.8	477	2.56	16.2	49.2	1.7	54	2.1	0.7	0.1	63	3.70	0.099	17
1106825	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1106823	Soil	0.5	21.3	10.8	51	<0.1	16.7	6.4	162	2.02	6.4	2.8	1.7	55	0.2	0.3	0.1	42	0.50	0.070	16
1106815	Soil	0.3	29.6	12.0	68	0.3	28.9	10.5	670	2.20	7.5	4.6	1.3	52	2.4	0.5	0.1	45	2.91	0.122	13
1106820	Soil	0.7	34.1	10.2	134	0.3	41.8	8.8	771	3.02	5.0	7.7	3.8	33	3.2	0.5	0.2	53	2.31	0.173	22
1106824	Soil	1.0	25.6	9.9	46	<0.1	21.9	8.5	270	2.68	8.1	6.5	5.5	21	<0.1	0.5	0.2	55	0.25	0.020	23
1106814	Soil	0.4	50.2	8.3	88	0.2	27.5	5.0	391	1.42	2.6	3.9	2.3	78	2.0	0.4	0.2	70	7.45	0.361	17
1106819	Soil	1.1	37.6	11.6	301	0.3	108.2	28.2	2643	7.84	25.2	7.4	4.0	30	4.7	1.0	0.2	43	0.46	0.087	20
1106816	Soil	0.3	26.2	9.1	57	0.2	25.7	9.1	377	2.18	8.2	2.7	1.6	30	0.8	0.5	0.2	39	2.72	0.097	13
1106822	Soil	0.6	19.5	12.9	40	<0.1	16.9	6.2	221	1.48	4.7	1.6	4.7	52	<0.1	0.4	0.2	31	0.54	0.036	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1106830	Soil	11	0.97	77	0.140	<1	2.38	0.007	0.52	<0.1	<0.01	2.0	0.6	<0.05	8	<0.5	<0.2
1106832	Soil	10	0.55	117	0.006	<1	1.41	0.006	0.07	<0.1	0.04	4.3	<0.1	<0.05	4	0.6	<0.2
1106828	Soil	115	1.78	193	0.011	<1	2.61	0.008	0.08	<0.1	0.05	5.5	0.2	<0.05	8	<0.5	<0.2
1106833	Soil	25	0.62	174	0.090	<1	1.55	0.011	0.21	0.2	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1106831	Soil	11	0.78	143	0.131	<1	1.95	0.007	0.51	<0.1	0.01	2.4	0.5	<0.05	6	<0.5	<0.2
1106807	Soil	36	0.74	294	0.050	4	1.78	0.022	0.05	0.2	0.07	3.5	<0.1	0.08	5	0.6	<0.2
1106810	Soil	66	1.07	113	0.018	2	1.94	0.004	0.08	0.1	0.02	2.1	0.5	0.07	5	0.6	<0.2
1106804	Soil	32	0.60	362	0.052	3	1.67	0.021	0.05	0.1	0.09	3.5	<0.1	0.12	5	0.7	<0.2
1106808	Soil	32	0.83	280	0.063	3	1.63	0.027	0.07	0.1	0.05	3.4	<0.1	0.06	4	<0.5	<0.2
1106806	Soil	31	0.89	184	0.052	3	1.95	0.020	0.09	0.2	0.05	4.3	0.2	0.15	5	0.6	<0.2
1106811	Soil	64	1.03	110	0.016	1	1.45	0.003	0.06	0.1	0.02	2.0	0.4	0.08	3	0.7	<0.2
1106805	Soil	31	0.63	275	0.049	2	1.81	0.020	0.06	0.1	0.07	4.0	<0.1	0.07	5	<0.5	<0.2
1106809	Soil	35	0.79	282	0.047	3	1.79	0.022	0.05	0.1	0.07	3.3	<0.1	<0.05	5	<0.5	<0.2
1106812	Soil	47	0.96	147	0.012	2	1.38	0.003	0.09	0.6	0.05	1.8	0.4	<0.05	3	2.3	<0.2
1106802	Soil	26	1.16	127	0.022	3	1.41	0.012	0.05	0.1	0.05	2.5	0.1	0.07	3	0.7	<0.2
1106813	Soil	54	0.98	165	0.014	2	1.49	0.004	0.09	0.5	0.05	1.8	0.4	<0.05	3	1.6	0.2
1106801	Soil	22	1.10	153	0.011	6	2.35	0.009	0.05	<0.1	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2
1106803	Soil	30	1.06	235	0.037	4	1.77	0.016	0.05	0.2	0.05	2.9	<0.1	0.05	5	<0.5	<0.2
1106818	Soil	19	0.15	244	0.011	2	0.67	0.005	0.05	0.1	0.05	5.2	0.1	0.05	2	<0.5	<0.2
1106821	Soil	40	0.62	488	0.068	3	2.13	0.018	0.07	<0.1	0.06	5.2	0.1	<0.05	5	0.8	<0.2
1106817	Soil	36	0.57	265	0.036	3	1.78	0.016	0.04	0.1	0.08	3.4	0.1	0.07	5	0.5	<0.2
1106825	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1106823	Soil	27	0.43	248	0.050	4	1.43	0.014	0.05	<0.1	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
1106815	Soil	28	0.51	282	0.044	3	1.58	0.020	0.05	0.1	0.08	2.7	<0.1	0.06	4	<0.5	<0.2
1106820	Soil	37	0.74	194	0.024	2	1.53	0.010	0.14	<0.1	0.07	4.9	0.3	<0.05	5	<0.5	<0.2
1106824	Soil	40	0.46	362	0.054	1	1.83	0.009	0.05	<0.1	0.03	6.2	0.1	<0.05	5	<0.5	<0.2
1106814	Soil	40	0.40	141	0.010	3	1.18	0.008	0.07	<0.1	0.03	2.4	0.2	<0.05	3	<0.5	<0.2
1106819	Soil	33	0.43	575	0.005	1	1.47	0.003	0.06	<0.1	0.15	6.4	0.4	<0.05	4	<0.5	<0.2
1106816	Soil	26	0.50	232	0.034	2	1.37	0.015	0.04	0.1	0.05	2.9	<0.1	0.06	4	<0.5	<0.2
1106822	Soil	22	0.36	440	0.037	6	1.18	0.018	0.05	<0.1	0.04	3.4	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1097984	Soil	0.7	44.2	15.7	121	0.3	15.4	12.5	579	3.36	5.4	2.0	12.3	18	0.1	0.3	0.6	75	0.23	0.035	22
REP 1097984	QC	0.7	44.4	15.5	119	0.3	15.3	12.2	595	3.47	5.8	2.3	12.9	19	<0.1	0.3	0.4	76	0.24	0.036	23
1097994	Soil	1.0	36.5	27.6	109	0.2	18.2	16.9	1107	4.35	4.6	3.9	14.4	25	0.2	0.3	0.2	92	0.44	0.048	29
REP 1097994	QC	1.0	38.0	29.5	116	0.2	17.7	16.9	1121	4.46	4.8	4.5	14.6	26	0.2	0.3	0.2	98	0.45	0.048	29
1105722	Soil	1.6	18.3	14.5	66	0.3	9.9	9.1	380	2.85	4.7	2.5	5.3	20	0.3	0.2	0.2	71	0.25	0.058	21
REP 1105722	QC	1.6	18.6	14.3	69	0.3	10.2	9.7	390	2.95	5.1	1.5	5.6	20	0.2	0.2	0.2	73	0.26	0.058	22
1123336	Soil	0.7	21.5	4.2	54	<0.1	16.7	9.5	405	2.70	4.2	0.8	3.4	23	<0.1	0.1	0.1	53	0.36	0.070	14
REP 1123336	QC	0.7	21.0	4.2	54	<0.1	17.9	9.6	411	2.75	4.3	<0.5	3.6	24	<0.1	0.1	<0.1	54	0.38	0.073	15
1123322	Soil	0.2	25.7	6.4	64	0.1	23.0	11.5	423	2.10	4.2	2.0	3.6	118	0.2	0.2	0.2	35	1.71	0.068	20
REP 1123322	QC	0.2	25.9	6.5	63	<0.1	23.1	11.6	438	2.18	4.3	3.8	4.1	119	<0.1	0.2	0.1	36	1.74	0.071	21
1074240	Soil	0.4	9.8	3.2	44	<0.1	5.3	3.6	204	1.89	1.7	0.7	2.2	8	<0.1	<0.1	<0.1	24	0.08	0.017	7
REP 1074240	QC	0.4	9.1	2.9	44	<0.1	5.2	3.6	184	1.75	1.7	<0.5	2.2	8	<0.1	<0.1	<0.1	24	0.08	0.016	7
1106830	Soil	0.4	9.0	9.0	91	<0.1	7.0	13.2	405	2.79	1.3	1.1	11.9	22	<0.1	0.1	0.1	33	0.32	0.043	29
REP 1106830	QC	0.3	8.7	9.2	90	<0.1	7.2	12.9	406	2.73	1.2	3.2	11.9	21	<0.1	0.1	<0.1	33	0.31	0.043	28
1106811	Soil	0.2	46.9	5.4	225	0.2	78.9	4.9	217	1.44	1.7	0.8	2.6	107	4.6	0.6	<0.1	117	13.47	0.500	10
REP 1106811	QC	0.3	46.5	5.6	219	0.2	73.2	4.8	209	1.41	1.6	1.2	2.5	104	4.8	0.5	<0.1	115	12.81	0.503	10
1106816	Soil	0.3	26.2	9.1	57	0.2	25.7	9.1	377	2.18	8.2	2.7	1.6	30	0.8	0.5	0.2	39	2.72	0.097	13
REP 1106816	QC	0.4	27.0	9.4	57	0.2	25.9	9.3	389	2.21	8.2	3.0	1.7	29	0.9	0.6	0.2	39	2.76	0.098	13
Reference Materials																					
STD DS8	Standard	13.3	106.2	118.9	297	1.6	36.6	7.3	591	2.38	22.2	107.8	6.6	59	2.1	4.8	5.9	39	0.65	0.075	15
STD DS8	Standard	13.0	106.3	120.7	299	1.7	37.6	7.1	614	2.34	25.9	103.1	7.5	68	2.5	5.4	7.3	40	0.67	0.079	15
STD DS8	Standard	12.9	105.0	121.4	304	1.9	36.2	7.0	590	2.34	26.0	102.7	6.7	76	2.5	5.8	6.5	39	0.69	0.079	15
STD DS8	Standard	12.7	108.4	121.7	307	1.8	38.3	7.9	605	2.51	26.2	124.4	6.2	65	2.3	5.4	6.0	42	0.68	0.074	15
STD DS8	Standard	15.1	119.6	139.7	336	1.8	42.9	8.4	677	2.73	28.3	114.8	7.9	77	2.3	5.9	6.6	48	0.75	0.089	17
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000504.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1097984	Soil	24	1.05	135	0.149	1	2.19	0.008	0.91	0.1	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
REP 1097984	QC	25	0.99	138	0.149	1	2.11	0.008	0.94	0.2	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
1097994	Soil	22	1.73	239	0.237	1	2.82	0.012	1.26	0.1	0.03	3.9	0.6	<0.05	9	<0.5	<0.2
REP 1097994	QC	23	1.70	240	0.247	<1	2.75	0.013	1.31	0.1	0.03	4.0	0.6	<0.05	9	<0.5	<0.2
1105722	Soil	18	0.80	163	0.132	<1	1.76	0.010	0.39	0.1	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
REP 1105722	QC	18	0.83	172	0.137	1	1.84	0.011	0.42	0.2	0.04	2.9	0.2	<0.05	6	0.5	<0.2
1123336	Soil	39	0.75	247	0.139	<1	1.48	0.014	0.45	0.2	0.03	5.2	0.2	<0.05	6	0.9	<0.2
REP 1123336	QC	39	0.76	258	0.137	<1	1.49	0.013	0.49	0.3	0.02	5.4	0.2	<0.05	6	<0.5	<0.2
1123322	Soil	30	0.51	149	0.064	3	1.26	0.015	0.08	0.3	0.05	3.5	0.1	0.06	4	<0.5	<0.2
REP 1123322	QC	31	0.52	150	0.067	2	1.28	0.016	0.09	0.4	0.04	3.5	0.1	0.07	4	<0.5	<0.2
1074240	Soil	10	0.46	109	0.108	<1	1.06	0.006	0.39	<0.1	<0.01	3.1	0.1	<0.05	4	<0.5	<0.2
REP 1074240	QC	10	0.46	106	0.103	<1	1.05	0.008	0.38	<0.1	<0.01	2.9	0.1	<0.05	4	<0.5	<0.2
1106830	Soil	11	0.97	77	0.140	<1	2.38	0.007	0.52	<0.1	<0.01	2.0	0.6	<0.05	8	<0.5	<0.2
REP 1106830	QC	10	0.95	76	0.137	<1	2.23	0.007	0.51	<0.1	<0.01	1.9	0.6	<0.05	7	<0.5	<0.2
1106811	Soil	64	1.03	110	0.016	1	1.45	0.003	0.06	0.1	0.02	2.0	0.4	0.08	3	0.7	<0.2
REP 1106811	QC	64	1.00	109	0.019	3	1.48	0.003	0.07	0.2	0.02	1.8	0.4	0.05	3	0.6	<0.2
1106816	Soil	26	0.50	232	0.034	2	1.37	0.015	0.04	0.1	0.05	2.9	<0.1	0.06	4	<0.5	<0.2
REP 1106816	QC	26	0.49	242	0.032	2	1.38	0.015	0.03	0.1	0.06	3.0	<0.1	<0.05	4	0.5	<0.2
Reference Materials																	
STD DS8	Standard	115	0.59	257	0.110	2	0.87	0.084	0.36	2.8	0.17	2.4	5.1	0.20	5	4.8	4.8
STD DS8	Standard	112	0.61	273	0.104	3	0.92	0.113	0.41	3.0	0.18	2.3	5.2	0.16	5	5.8	4.6
STD DS8	Standard	109	0.60	297	0.119	2	0.95	0.113	0.44	3.1	0.19	3.1	5.5	0.16	5	6.0	4.6
STD DS8	Standard	116	0.59	255	0.124	2	0.90	0.092	0.41	2.9	0.18	2.1	5.2	0.15	5	5.0	4.8
STD DS8	Standard	136	0.66	301	0.135	2	1.02	0.096	0.42	3.0	0.20	2.7	5.6	0.15	5	5.4	4.8
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000504.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000504.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.