Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: June 13, 2011
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

CLIENT JOB INFORMATION

Project: JPR
Shipment ID:
P.O. Number
Number of Samples: 238

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	238	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	238	Dry at 60C			VAN
RJSV	238	Saving all or part of Soil Reject			VAN
1DX2	238	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193688	Soil	0.4	21.1	7.0	80	<0.1	16.4	13.2	782	3.89	4.7	2.7	16.1	31	<0.1	0.4	0.1	68	0.40	0.042	37
1193692	Soil	0.7	12.7	9.1	79	<0.1	18.4	12.8	1049	3.08	6.3	1.7	5.6	30	0.2	0.4	0.2	63	0.33	0.064	12
1193693	Soil	0.7	23.6	9.2	64	<0.1	23.9	11.5	458	3.13	10.4	1.6	9.3	26	0.1	0.6	0.1	62	0.37	0.017	30
1193694	Soil	2.1	27.9	10.0	67	<0.1	24.0	11.8	782	3.25	8.4	10.2	10.4	24	0.1	0.5	0.2	68	0.34	0.044	19
1193695	Soil	0.7	26.7	7.1	55	<0.1	34.9	13.3	689	3.15	7.4	3.3	12.0	30	<0.1	0.5	0.1	67	0.43	0.045	46
1193698	Soil	0.6	34.8	10.1	63	<0.1	29.5	13.4	633	3.32	10.5	3.8	6.8	32	<0.1	0.6	0.2	71	0.43	0.025	19
1193699	Soil	1.6	13.0	8.4	80	<0.1	13.5	9.6	465	3.18	4.2	<0.5	12.3	21	<0.1	0.3	<0.1	63	0.35	0.080	28
1193700	Soil	0.6	17.5	7.1	80	<0.1	15.1	12.8	652	3.65	5.4	0.7	11.2	35	<0.1	0.4	0.1	70	0.45	0.031	60
1193708	Soil	0.6	22.4	8.8	71	<0.1	20.9	12.1	501	3.41	10.2	4.2	13.1	28	<0.1	0.7	0.1	67	0.32	0.032	31
1193709	Soil	0.8	16.8	9.3	112	<0.1	16.8	14.2	688	4.21	8.1	1.1	14.8	24	<0.1	0.4	<0.1	81	0.25	0.047	17
1193711	Soil	0.9	12.6	8.2	57	<0.1	17.2	8.9	403	2.75	7.5	<0.5	5.1	18	0.1	0.6	0.1	62	0.18	0.027	11
1193713	Soil	0.9	15.8	9.4	78	<0.1	17.5	13.7	668	3.96	9.3	<0.5	9.7	34	0.1	0.5	0.1	75	0.21	0.030	11
1193715	Soil	0.9	15.2	8.4	79	<0.1	20.0	9.6	761	2.84	10.2	1.1	1.4	19	0.2	0.5	0.2	63	0.18	0.043	9
1193716	Soil	0.8	18.8	8.9	55	<0.1	20.3	9.8	312	2.87	7.6	1.5	5.4	22	<0.1	0.5	0.2	62	0.24	0.021	17
1193696	Soil	0.8	18.5	8.1	65	<0.1	18.7	11.9	467	3.25	7.1	<0.5	7.1	26	<0.1	0.4	0.1	70	0.35	0.028	15
1193697	Soil	0.6	28.7	7.5	77	<0.1	15.7	13.3	566	3.73	6.1	<0.5	16.4	25	<0.1	0.3	<0.1	65	0.24	0.038	12
1193710	Soil	1.6	16.5	11.9	58	<0.1	15.8	10.6	422	3.54	9.0	1.7	11.9	18	<0.1	0.6	0.1	65	0.18	0.020	16
1193712	Soil	0.7	22.2	8.2	61	<0.1	18.0	11.9	463	3.09	7.3	3.6	10.1	28	<0.1	0.5	0.1	63	0.33	0.033	24
1193714	Soil	1.1	12.7	8.0	87	<0.1	12.0	13.6	741	4.24	5.8	0.9	10.6	17	<0.1	0.3	0.1	76	0.18	0.024	8
1193717	Soil	0.8	20.2	8.6	49	<0.1	20.4	8.6	254	2.83	9.4	1.3	10.4	23	<0.1	0.5	0.1	63	0.27	0.030	29
1193718	Soil	0.6	20.6	8.8	49	<0.1	18.7	8.2	283	2.62	7.5	3.2	6.1	25	<0.1	0.4	0.1	58	0.31	0.031	16
1193719	Soil	0.7	23.6	9.3	75	<0.1	14.9	10.5	525	3.19	5.3	4.3	13.1	30	<0.1	0.5	0.2	63	0.35	0.036	31
1193720	Soil	0.7	11.3	7.3	92	<0.1	15.1	14.0	615	4.11	7.0	1.0	14.6	26	<0.1	0.4	<0.1	73	0.30	0.080	25
1193721	Soil	1.2	42.8	4.4	116	<0.1	8.0	18.2	1102	5.17	2.8	2.9	28.2	22	<0.1	0.3	<0.1	94	0.33	0.077	46
1193722	Soil	0.6	24.6	7.2	68	<0.1	19.3	11.6	579	3.55	8.9	2.6	12.8	27	<0.1	0.5	0.2	74	0.33	0.041	35
1193723	Soil	0.6	19.7	6.6	73	<0.1	12.9	12.0	661	3.72	6.3	2.0	16.2	27	<0.1	0.3	0.1	71	0.37	0.039	44
1193724	Soil	0.7	33.3	7.2	63	<0.1	26.3	11.3	499	2.98	9.0	7.9	7.7	30	0.1	0.5	0.1	63	0.45	0.081	28
1193725	Soil	1.2	39.7	5.4	107	<0.1	9.6	17.4	1012	4.86	3.7	2.0	24.7	24	<0.1	0.3	<0.1	90	0.34	0.065	44
1193651	Soil	0.6	13.1	3.4	90	<0.1	8.7	14.6	858	4.54	4.0	<0.5	16.6	24	<0.1	0.3	<0.1	82	0.33	0.024	6
1193652	Soil	1.1	12.2	6.0	95	<0.1	8.5	15.0	680	4.55	4.4	1.7	20.6	22	0.1	0.3	<0.1	75	0.32	0.105	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193688	Soil	18	0.94	249	0.127	<1	2.60	0.010	0.76	0.1	0.03	3.6	0.4	<0.05	7	<0.5	<0.2
1193692	Soil	29	0.56	378	0.082	<1	1.98	0.012	0.31	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
1193693	Soil	30	0.61	241	0.094	<1	1.63	0.016	0.28	0.2	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
1193694	Soil	27	0.53	208	0.071	<1	1.40	0.013	0.16	0.2	0.06	6.0	0.1	<0.05	4	<0.5	<0.2
1193695	Soil	47	0.83	250	0.103	<1	2.02	0.014	0.13	0.2	0.04	4.6	0.1	<0.05	5	<0.5	<0.2
1193698	Soil	35	0.68	322	0.106	<1	1.90	0.020	0.15	0.2	0.05	4.7	0.1	<0.05	5	0.6	<0.2
1193699	Soil	19	0.69	157	0.096	<1	1.60	0.010	0.35	0.2	<0.01	4.9	0.2	<0.05	7	<0.5	<0.2
1193700	Soil	23	0.91	214	0.196	<1	2.27	0.012	0.53	0.6	0.03	2.2	0.3	<0.05	7	<0.5	<0.2
1193708	Soil	31	0.73	235	0.142	<1	1.99	0.016	0.41	0.2	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
1193709	Soil	23	1.11	212	0.184	<1	2.61	0.010	0.98	0.1	0.01	3.4	0.4	<0.05	8	<0.5	<0.2
1193711	Soil	29	0.53	165	0.086	<1	1.63	0.013	0.13	0.1	0.02	2.0	0.1	<0.05	5	<0.5	<0.2
1193713	Soil	27	0.96	256	0.169	<1	2.58	0.012	0.62	0.1	0.02	2.2	0.3	<0.05	7	<0.5	<0.2
1193715	Soil	27	0.52	250	0.074	<1	1.95	0.010	0.11	0.1	0.01	1.7	0.1	<0.05	5	<0.5	<0.2
1193716	Soil	30	0.56	238	0.087	<1	1.84	0.010	0.05	0.1	0.03	2.9	0.1	<0.05	5	<0.5	<0.2
1193696	Soil	29	0.75	231	0.137	<1	2.05	0.014	0.20	0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
1193697	Soil	20	0.92	171	0.183	<1	2.41	0.011	0.68	0.4	0.01	2.3	0.3	<0.05	7	<0.5	<0.2
1193710	Soil	28	0.61	194	0.091	<1	2.19	0.011	0.29	0.1	0.03	3.2	0.2	<0.05	6	<0.5	<0.2
1193712	Soil	27	0.71	236	0.133	<1	1.79	0.015	0.25	0.1	0.02	2.9	0.2	<0.05	5	<0.5	<0.2
1193714	Soil	20	1.05	174	0.218	<1	2.86	0.009	0.80	0.1	0.01	1.7	0.6	<0.05	9	<0.5	<0.2
1193717	Soil	31	0.55	231	0.092	<1	1.88	0.013	0.08	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
1193718	Soil	30	0.53	239	0.093	<1	1.66	0.013	0.07	0.1	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
1193719	Soil	26	0.65	229	0.141	<1	2.01	0.015	0.29	0.3	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
1193720	Soil	24	0.93	227	0.164	<1	2.66	0.009	0.92	<0.1	<0.01	3.1	0.4	<0.05	7	<0.5	<0.2
1193721	Soil	8	1.60	186	0.279	<1	3.02	0.010	1.81	0.1	0.02	3.9	0.6	<0.05	10	<0.5	<0.2
1193722	Soil	27	0.85	175	0.138	<1	2.33	0.010	0.55	0.1	0.03	4.1	0.3	<0.05	6	<0.5	<0.2
1193723	Soil	18	1.06	138	0.135	<1	2.59	0.010	0.87	<0.1	0.05	4.2	0.3	<0.05	7	<0.5	<0.2
1193724	Soil	27	0.71	201	0.093	<1	1.45	0.023	0.26	0.1	0.05	4.6	0.1	<0.05	5	<0.5	<0.2
1193725	Soil	10	1.45	201	0.256	<1	2.85	0.011	1.62	<0.1	0.02	4.0	0.5	<0.05	9	<0.5	<0.2
1193651	Soil	13	1.35	195	0.271	<1	3.11	0.010	1.31	<0.1	0.01	1.4	0.6	<0.05	8	<0.5	<0.2
1193652	Soil	13	1.01	234	0.152	<1	2.41	0.010	1.02	0.1	0.01	2.3	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193653	Soil	1.1	12.0	5.5	100	<0.1	7.5	15.5	736	4.63	3.5	<0.5	22.3	21	0.2	0.2	<0.1	73	0.34	0.122	35
1193656	Soil	0.8	14.2	7.8	45	<0.1	16.5	8.4	516	2.42	7.8	2.5	3.2	21	<0.1	0.5	0.2	48	0.26	0.026	7
1193657	Soil	0.7	20.9	7.7	54	<0.1	18.6	10.2	395	2.73	9.6	5.5	6.1	25	<0.1	0.5	0.2	54	0.31	0.038	16
1193658	Soil	0.8	23.5	5.8	48	0.2	17.1	8.0	455	2.13	5.8	3.3	2.4	63	0.3	0.5	0.1	38	0.96	0.061	17
1193667	Soil	0.5	16.0	7.1	46	<0.1	19.3	8.4	482	2.39	8.0	17.6	3.8	27	<0.1	0.5	0.2	49	0.39	0.031	11
1193668	Soil	0.7	26.4	7.5	52	<0.1	20.6	9.6	428	2.67	8.7	2.2	5.7	29	<0.1	0.5	0.1	52	0.39	0.054	16
1193671	Soil	0.8	21.6	8.1	47	<0.1	18.1	10.2	391	2.68	8.4	1.6	4.8	28	<0.1	0.5	0.1	54	0.35	0.037	16
1193681	Soil	0.5	8.6	9.1	94	<0.1	8.5	13.7	808	4.62	5.5	2.9	14.3	16	<0.1	0.3	0.1	63	0.16	0.030	13
1193684	Soil	0.9	15.0	5.9	97	<0.1	7.3	14.6	797	4.84	4.1	1.9	13.4	17	<0.1	0.3	<0.1	80	0.20	0.018	9
1193742	Soil	0.7	25.8	8.4	57	<0.1	23.3	11.0	334	3.16	10.9	2.9	6.6	24	<0.1	0.6	0.1	63	0.26	0.025	20
1193743	Soil	1.3	13.9	9.1	63	<0.1	16.2	8.5	417	2.99	8.9	2.7	5.0	16	0.1	0.6	0.2	58	0.15	0.025	9
1193744	Soil	0.9	16.7	8.8	84	<0.1	15.4	11.0	551	3.78	8.3	0.9	11.8	21	<0.1	0.5	0.1	58	0.21	0.027	13
1193654	Soil	0.7	11.7	5.6	96	<0.1	10.6	15.2	932	4.64	4.6	4.3	10.6	21	<0.1	0.2	<0.1	74	0.23	0.030	8
1193655	Soil	0.7	22.1	6.8	63	<0.1	17.2	12.2	498	3.39	7.7	2.7	12.5	24	<0.1	0.5	0.1	62	0.28	0.027	24
1193659	Soil	0.8	12.6	7.8	45	<0.1	15.1	7.5	253	2.37	6.9	2.3	2.7	17	0.1	0.3	0.2	52	0.19	0.033	10
1193665	Soil	0.7	21.7	7.5	50	<0.1	19.9	9.5	328	2.59	7.8	1.7	4.6	26	<0.1	0.5	0.2	53	0.32	0.042	14
1193670	Soil	0.8	38.5	8.9	64	<0.1	25.3	11.9	412	3.20	13.6	5.1	8.2	29	<0.1	0.6	0.2	67	0.35	0.022	21
1193672	Soil	0.6	24.2	8.2	53	0.1	23.4	11.2	767	2.64	10.2	3.7	5.1	37	<0.1	0.5	0.2	53	0.54	0.054	16
1193674	Soil	0.7	19.6	8.9	56	<0.1	22.4	10.2	378	2.89	12.3	3.3	5.1	25	<0.1	0.7	0.2	57	0.32	0.016	12
1193675	Soil	0.8	28.8	8.6	57	<0.1	34.7	14.0	359	3.32	12.0	3.9	9.6	24	<0.1	0.7	0.2	65	0.25	0.025	17
1193676	Soil	0.8	15.0	6.9	87	<0.1	14.0	12.4	721	3.79	8.4	1.1	8.2	27	<0.1	0.4	<0.1	62	0.30	0.038	7
1193677	Soil	0.8	14.2	8.1	77	<0.1	13.4	11.2	497	3.69	7.0	1.3	12.2	16	<0.1	0.4	<0.1	63	0.16	0.020	29
1193678	Soil	0.7	9.7	4.7	96	<0.1	11.0	14.0	819	4.43	5.3	1.4	15.3	13	<0.1	0.2	<0.1	71	0.16	0.043	11
1193679	Soil	0.8	12.9	7.1	66	<0.1	14.1	9.9	397	3.08	7.4	1.3	6.3	15	<0.1	0.4	0.1	58	0.11	0.015	12
1193680	Soil	0.6	8.3	5.2	92	<0.1	6.1	13.8	768	4.13	6.0	<0.5	11.1	20	<0.1	0.2	0.1	63	0.24	0.047	6
1193682	Soil	0.5	12.2	6.1	86	<0.1	8.6	13.1	646	4.05	3.3	1.3	16.8	20	<0.1	0.2	<0.1	49	0.19	0.014	48
1193669	Soil	0.8	13.6	5.9	70	<0.1	13.1	10.8	595	3.24	5.7	2.2	8.7	22	<0.1	0.3	0.1	60	0.31	0.057	15
1193673	Soil	0.3	16.7	4.1	89	<0.1	11.3	15.0	717	4.36	4.3	2.6	24.0	23	<0.1	0.3	<0.1	69	0.35	0.040	33
1193683	Soil	0.7	13.9	5.8	82	<0.1	12.5	13.0	749	3.91	6.1	<0.5	7.8	22	<0.1	0.3	<0.1	58	0.20	0.024	7
1193685	Soil	0.6	18.1	7.5	46	<0.1	18.0	8.6	399	2.47	7.4	4.6	5.4	26	<0.1	0.5	0.1	50	0.32	0.019	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193653	Soil	12	1.07	219	0.156	<1	2.44	0.010	1.15	0.1	0.02	2.5	0.3	<0.05	8	<0.5	<0.2
1193656	Soil	24	0.42	200	0.051	1	1.45	0.011	0.07	0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
1193657	Soil	27	0.55	239	0.074	1	1.63	0.011	0.11	0.2	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
1193658	Soil	18	0.44	331	0.044	2	1.34	0.015	0.11	0.1	0.07	2.1	<0.1	<0.05	4	0.5	<0.2
1193667	Soil	25	0.50	303	0.057	1	1.49	0.013	0.08	0.2	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1193668	Soil	27	0.58	281	0.088	1	1.54	0.015	0.10	0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
1193671	Soil	28	0.53	302	0.077	<1	1.61	0.014	0.08	0.1	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
1193681	Soil	13	1.09	197	0.157	<1	2.81	0.009	1.19	0.1	<0.01	2.9	0.5	<0.05	8	<0.5	<0.2
1193684	Soil	12	1.37	158	0.225	1	2.91	0.008	1.48	0.2	<0.01	2.7	0.7	<0.05	10	<0.5	<0.2
1193742	Soil	36	0.64	227	0.097	<1	2.00	0.012	0.15	0.1	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
1193743	Soil	27	0.50	186	0.066	<1	1.92	0.009	0.12	0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
1193744	Soil	26	0.77	189	0.135	<1	2.61	0.009	0.42	0.2	0.02	2.1	0.3	<0.05	7	<0.5	<0.2
1193654	Soil	14	1.33	178	0.235	<1	3.03	0.010	1.36	<0.1	<0.01	1.3	0.6	<0.05	8	<0.5	<0.2
1193655	Soil	25	0.79	238	0.129	1	2.08	0.011	0.49	0.1	0.03	3.1	0.3	<0.05	6	<0.5	<0.2
1193659	Soil	25	0.42	188	0.056	<1	1.55	0.009	0.05	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
1193665	Soil	27	0.55	240	0.078	<1	1.66	0.011	0.08	0.1	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
1193670	Soil	31	0.71	305	0.107	<1	2.04	0.018	0.13	0.1	0.05	4.9	0.1	<0.05	6	<0.5	<0.2
1193672	Soil	26	0.55	320	0.074	1	1.39	0.028	0.10	0.1	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
1193674	Soil	32	0.57	252	0.085	2	1.60	0.015	0.09	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
1193675	Soil	36	0.63	265	0.120	1	2.09	0.013	0.23	0.1	0.04	5.6	0.1	<0.05	6	<0.5	<0.2
1193676	Soil	22	1.00	258	0.162	1	2.88	0.009	0.58	0.1	0.02	1.9	0.4	<0.05	7	<0.5	<0.2
1193677	Soil	25	0.82	159	0.125	<1	2.67	0.009	0.52	0.1	0.01	2.6	0.3	<0.05	7	<0.5	<0.2
1193678	Soil	16	1.19	174	0.217	1	2.85	0.009	1.00	<0.1	<0.01	1.5	0.6	<0.05	9	<0.5	<0.2
1193679	Soil	24	0.72	170	0.102	<1	1.99	0.008	0.47	0.1	0.01	2.1	0.3	<0.05	6	<0.5	<0.2
1193680	Soil	10	1.18	152	0.151	<1	3.00	0.005	1.23	<0.1	0.01	1.3	0.7	<0.05	8	<0.5	<0.2
1193682	Soil	12	1.11	227	0.179	<1	2.51	0.007	0.85	0.1	0.02	2.0	0.5	<0.05	7	<0.5	<0.2
1193669	Soil	19	0.83	200	0.149	<1	1.87	0.012	0.76	0.1	0.02	1.7	0.3	<0.05	6	0.6	<0.2
1193673	Soil	14	1.25	203	0.223	<1	2.65	0.010	1.17	0.2	0.03	3.2	0.6	<0.05	8	<0.5	<0.2
1193683	Soil	16	1.05	204	0.133	<1	2.37	0.008	0.74	<0.1	0.02	1.5	0.4	<0.05	7	<0.5	<0.2
1193685	Soil	26	0.49	226	0.076	<1	1.43	0.016	0.13	0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193686	Soil	0.8	20.1	4.2	86	<0.1	9.9	16.1	776	4.45	3.7	1.6	20.1	22	<0.1	0.2	<0.1	71	0.25	0.025	45
1193687	Soil	0.5	10.9	3.3	81	<0.1	7.8	11.9	762	3.87	3.7	1.4	13.8	22	<0.1	0.2	<0.1	64	0.31	0.020	5
1193745	Soil	0.8	12.3	9.4	75	<0.1	16.8	9.3	509	2.99	8.0	1.5	6.5	20	<0.1	0.5	0.2	59	0.17	0.032	11
1193746	Soil	0.5	16.5	7.6	88	<0.1	6.3	9.5	620	3.97	3.5	1.0	37.9	20	<0.1	0.2	0.1	50	0.21	0.031	98
1194457	Soil	0.7	10.7	6.1	88	<0.1	9.0	14.5	768	4.39	3.3	<0.5	22.1	15	<0.1	0.2	<0.1	61	0.21	0.050	25
1194466	Soil	1.0	21.8	6.9	85	<0.1	11.5	12.7	596	3.79	5.9	1.1	11.8	18	<0.1	0.3	<0.1	69	0.22	0.026	13
1194456	Soil	0.6	10.7	6.8	83	<0.1	10.7	13.5	715	4.07	6.0	4.6	13.9	18	<0.1	0.3	<0.1	76	0.27	0.046	13
1194459	Soil	0.6	12.4	3.2	93	<0.1	8.8	14.7	772	4.23	2.7	1.9	13.8	11	<0.1	0.2	<0.1	78	0.11	0.018	14
1194461	Soil	0.8	26.3	5.8	82	<0.1	17.7	14.5	701	3.88	4.8	6.1	13.5	18	<0.1	0.4	<0.1	78	0.30	0.036	29
1194465	Soil	0.9	20.7	3.6	103	<0.1	14.9	20.4	906	4.94	3.5	2.1	10.3	12	<0.1	0.2	<0.1	100	0.18	0.038	8
1194451	Soil	0.7	21.7	6.8	66	<0.1	14.0	9.3	536	2.94	4.4	16.1	20.3	21	<0.1	0.3	0.2	52	0.37	0.032	47
1194452	Soil	1.0	24.7	7.6	54	<0.1	20.1	9.1	447	2.81	8.5	4.8	8.3	20	<0.1	0.5	0.2	58	0.29	0.046	20
1194453	Soil	1.0	12.7	9.5	113	0.2	9.3	13.1	888	4.43	4.5	1.2	9.7	21	0.2	0.3	<0.1	70	0.23	0.082	9
1194454	Soil	0.8	22.7	9.6	69	0.1	17.8	11.1	442	3.31	6.5	3.1	10.5	18	<0.1	0.5	0.2	65	0.18	0.016	21
1194455	Soil	0.9	8.2	6.2	83	<0.1	10.5	12.7	654	3.96	5.1	2.4	10.5	22	<0.1	0.3	<0.1	67	0.26	0.047	9
1194458	Soil	0.6	15.1	5.5	97	<0.1	15.2	14.3	729	4.50	6.3	3.7	15.6	17	<0.1	0.4	<0.1	84	0.17	0.029	14
1194460	Soil	0.7	11.3	5.1	80	<0.1	12.9	13.0	615	3.64	4.2	1.5	9.3	26	<0.1	0.3	<0.1	72	0.46	0.030	8
1194462	Soil	0.9	15.1	7.5	62	<0.1	15.8	12.0	541	2.96	6.6	3.5	11.6	27	<0.1	0.4	0.1	64	0.43	0.040	41
1194463	Soil	0.8	15.4	3.3	109	<0.1	12.4	20.3	1126	5.32	2.3	0.6	11.2	18	<0.1	0.2	<0.1	110	0.36	0.071	11
1194464	Soil	0.6	20.3	4.1	111	<0.1	12.4	20.4	1045	5.15	3.2	<0.5	15.7	21	<0.1	0.2	<0.1	106	0.34	0.058	12
1194467	Soil	0.9	22.6	6.8	64	0.1	15.5	10.5	471	3.11	5.7	1.9	10.3	36	<0.1	0.3	0.1	66	0.56	0.052	36
1194468	Soil	1.0	15.4	8.6	60	<0.1	18.6	9.6	334	2.91	7.5	3.4	5.8	24	<0.1	0.5	0.1	65	0.30	0.018	12
1194469	Soil	0.7	16.0	9.1	82	<0.1	15.7	16.6	632	4.12	6.9	1.7	12.7	24	<0.1	0.3	<0.1	83	0.27	0.035	13
1194473	Soil	1.1	18.2	4.0	112	<0.1	12.0	23.1	1024	5.52	2.9	1.2	14.2	17	<0.1	0.2	<0.1	117	0.26	0.069	9
1194474	Soil	0.7	15.2	5.0	78	<0.1	12.4	14.0	772	3.63	3.7	3.0	13.4	24	<0.1	0.3	<0.1	71	0.41	0.052	27
1194475	Soil	0.7	11.9	6.9	78	<0.1	15.4	12.8	615	3.56	5.9	<0.5	8.5	14	<0.1	0.3	<0.1	72	0.18	0.045	8
1194476	Soil	1.9	12.2	8.5	92	<0.1	8.4	15.2	781	4.97	2.0	1.2	24.4	8	<0.1	0.3	<0.1	57	0.14	0.051	14
1194477	Soil	0.7	10.8	5.2	81	<0.1	11.5	15.9	945	4.72	5.8	0.6	11.4	16	<0.1	0.2	<0.1	88	0.19	0.027	8
1194478	Soil	1.2	13.1	6.5	88	<0.1	11.1	14.8	772	4.07	4.1	8.5	13.2	13	<0.1	0.2	<0.1	75	0.17	0.029	12
1194479	Soil	1.5	12.9	6.2	98	<0.1	7.3	15.1	774	4.55	3.1	0.6	14.6	11	<0.1	0.2	<0.1	79	0.12	0.019	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193686	Soil	13	1.25	209	0.235	<1	2.80	0.011	1.12	0.2	0.02	2.4	0.7	<0.05	8	<0.5	<0.2
1193687	Soil	11	1.12	188	0.202	<1	2.50	0.008	1.15	<0.1	0.02	0.9	0.6	<0.05	8	<0.5	<0.2
1193745	Soil	27	0.56	195	0.069	<1	2.01	0.008	0.16	0.1	0.02	1.7	0.2	<0.05	6	<0.5	<0.2
1193746	Soil	9	0.66	159	0.108	1	2.48	0.009	0.63	0.5	0.02	4.8	0.5	<0.05	9	<0.5	<0.2
1194457	Soil	12	1.12	188	0.153	<1	2.58	0.008	0.99	0.1	0.01	1.9	0.5	<0.05	8	<0.5	<0.2
1194466	Soil	18	1.02	207	0.194	<1	2.23	0.010	0.96	0.1	0.02	1.3	0.4	<0.05	7	<0.5	<0.2
1194456	Soil	18	1.05	164	0.175	2	2.45	0.008	1.09	0.2	0.01	2.7	0.4	<0.05	7	<0.5	<0.2
1194459	Soil	12	1.28	131	0.231	1	2.58	0.010	1.28	0.1	0.02	1.7	0.7	<0.05	8	<0.5	<0.2
1194461	Soil	21	1.08	225	0.168	<1	2.20	0.020	0.69	0.2	0.02	4.3	0.4	<0.05	7	<0.5	<0.2
1194465	Soil	13	1.63	226	0.350	<1	3.19	0.012	1.54	0.2	<0.01	1.4	0.7	<0.05	9	<0.5	<0.2
1194451	Soil	25	0.75	195	0.079	1	1.81	0.010	0.30	0.1	0.03	5.9	0.3	<0.05	5	0.7	<0.2
1194452	Soil	32	0.54	215	0.078	<1	1.42	0.014	0.11	0.2	0.03	4.5	0.1	<0.05	4	<0.5	<0.2
1194453	Soil	14	1.06	199	0.204	<1	2.71	0.011	0.92	0.2	<0.01	2.2	0.4	<0.05	9	<0.5	<0.2
1194454	Soil	33	0.69	184	0.123	1	2.46	0.012	0.21	0.2	0.01	2.7	0.2	<0.05	6	<0.5	<0.2
1194455	Soil	18	1.02	176	0.166	<1	2.58	0.009	1.00	0.2	<0.01	2.5	0.4	<0.05	7	<0.5	<0.2
1194458	Soil	20	1.23	158	0.253	<1	2.92	0.011	1.12	0.1	<0.01	2.4	0.6	<0.05	9	<0.5	<0.2
1194460	Soil	18	1.46	196	0.165	<1	2.43	0.015	0.86	0.1	<0.01	4.4	0.3	<0.05	9	<0.5	<0.2
1194462	Soil	26	0.77	159	0.143	2	1.74	0.020	0.29	0.1	0.02	3.3	0.2	<0.05	5	<0.5	<0.2
1194463	Soil	12	1.79	188	0.364	<1	3.23	0.013	1.75	0.2	<0.01	2.5	0.7	<0.05	10	<0.5	<0.2
1194464	Soil	16	1.80	188	0.367	<1	3.18	0.014	1.75	<0.1	<0.01	1.2	0.6	<0.05	9	<0.5	<0.2
1194467	Soil	23	0.82	234	0.159	<1	1.81	0.017	0.42	0.2	0.04	3.5	0.2	<0.05	6	<0.5	<0.2
1194468	Soil	30	0.62	225	0.113	1	1.82	0.013	0.13	0.1	<0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
1194469	Soil	23	1.10	276	0.236	<1	2.50	0.014	0.94	0.1	<0.01	3.2	0.3	<0.05	8	<0.5	<0.2
1194473	Soil	17	1.90	210	0.404	<1	3.59	0.014	2.09	<0.1	<0.01	1.4	0.7	<0.05	9	<0.5	<0.2
1194474	Soil	17	1.08	174	0.238	<1	2.19	0.014	0.79	0.1	<0.01	2.4	0.4	<0.05	7	<0.5	<0.2
1194475	Soil	22	0.88	188	0.160	<1	2.47	0.010	0.63	0.1	<0.01	2.1	0.3	<0.05	7	<0.5	<0.2
1194476	Soil	12	1.08	152	0.076	<1	2.74	0.009	0.43	<0.1	<0.01	3.4	0.2	<0.05	8	<0.5	<0.2
1194477	Soil	18	1.28	159	0.255	<1	2.97	0.011	1.28	<0.1	<0.01	1.7	0.6	<0.05	8	<0.5	<0.2
1194478	Soil	17	1.16	129	0.203	<1	2.60	0.010	1.04	0.2	<0.01	1.8	0.5	<0.05	8	<0.5	<0.2
1194479	Soil	11	1.27	113	0.182	<1	2.95	0.008	1.24	0.2	<0.01	3.1	0.6	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1194480	Soil	1.6	13.1	6.2	101	<0.1	5.7	14.6	821	4.73	2.5	0.9	16.1	12	<0.1	0.2	<0.1	81	0.14	0.022	11
1194481	Soil	0.7	15.0	6.6	99	<0.1	11.4	15.5	882	4.38	5.0	2.8	12.7	12	<0.1	0.2	<0.1	74	0.18	0.047	12
1194482	Soil	1.1	13.1	8.4	63	<0.1	19.1	10.2	430	3.10	8.1	1.9	4.4	10	<0.1	0.4	0.1	70	0.11	0.034	8
1194483	Soil	0.9	21.0	8.9	54	<0.1	22.4	10.0	269	2.93	9.8	1.8	6.2	16	<0.1	0.5	0.1	67	0.16	0.014	14
1194484	Soil	0.9	22.9	6.2	94	<0.1	10.1	13.4	608	4.58	4.2	<0.5	16.9	12	<0.1	0.3	0.1	70	0.11	0.021	46
1194485	Soil	1.3	22.1	6.7	97	<0.1	10.9	13.0	649	4.29	4.0	29.7	16.9	11	<0.1	0.3	0.2	77	0.11	0.015	55
1194486	Soil	1.2	21.4	9.8	57	<0.1	15.0	10.6	421	3.27	6.3	4.4	9.7	19	<0.1	0.4	0.1	74	0.26	0.015	31
1195000	Soil	1.0	17.2	7.5	59	<0.1	16.3	9.5	377	3.20	5.7	4.6	11.1	14	<0.1	0.4	0.1	66	0.19	0.026	25
1193726	Soil	1.0	17.6	8.8	45	0.1	18.3	9.5	428	2.52	7.6	2.8	5.5	22	<0.1	0.4	0.1	61	0.31	0.034	18
1193727	Soil	0.9	9.4	5.1	89	<0.1	6.9	14.8	722	4.20	3.2	<0.5	11.0	19	<0.1	0.2	<0.1	63	0.27	0.049	16
1193728	Soil	1.2	15.4	6.1	77	<0.1	10.9	13.5	573	4.05	3.6	5.9	11.7	15	<0.1	0.3	<0.1	56	0.24	0.054	16
1193729	Soil	0.9	13.6	5.7	77	<0.1	11.9	13.7	584	3.94	5.1	3.9	12.1	19	<0.1	0.3	<0.1	62	0.28	0.040	21
1193730	Soil	1.0	11.2	6.7	60	<0.1	12.0	9.9	485	2.82	4.9	<0.5	5.1	18	<0.1	0.3	<0.1	61	0.28	0.044	13
1193731	Soil	0.6	14.0	4.6	75	<0.1	8.2	12.8	694	4.42	5.5	<0.5	9.1	12	<0.1	0.2	<0.1	78	0.16	0.014	8
1193732	Soil	0.6	15.7	4.5	99	<0.1	7.9	14.9	733	4.71	3.7	0.6	14.9	15	<0.1	0.3	<0.1	84	0.18	0.029	18
1193733	Soil	1.1	11.6	8.3	72	<0.1	14.8	12.4	562	3.67	6.0	<0.5	9.4	21	<0.1	0.4	<0.1	77	0.29	0.039	11
1193734	Soil	0.5	10.1	3.3	90	<0.1	10.2	16.6	843	4.61	3.4	<0.5	9.6	16	<0.1	0.1	<0.1	82	0.22	0.031	6
1193771	Soil	0.9	12.4	5.3	61	<0.1	10.4	11.2	548	2.97	4.0	8.4	12.0	25	<0.1	0.2	<0.1	61	0.43	0.057	20
1193772	Soil	1.1	20.3	7.2	88	<0.1	10.8	14.9	760	3.92	4.1	8.6	17.1	18	0.1	0.2	<0.1	78	0.28	0.049	27
1193773	Soil	1.0	22.1	6.7	96	<0.1	10.4	16.1	970	4.51	3.2	3.9	19.1	19	<0.1	0.2	<0.1	88	0.30	0.052	27
1193774	Soil	0.8	13.2	4.2	86	<0.1	6.9	16.8	888	4.23	1.7	2.0	19.9	19	<0.1	0.1	<0.1	84	0.36	0.071	18
1193775	Soil	1.4	15.7	4.8	96	<0.1	6.8	17.0	910	4.58	2.4	0.6	28.5	17	0.1	0.1	<0.1	89	0.32	0.078	30
1193781	Soil	0.6	16.6	7.0	60	<0.1	17.1	11.4	512	3.03	6.8	4.7	9.0	21	0.1	0.3	0.1	64	0.37	0.044	17
1193784	Soil	0.8	18.6	8.7	60	<0.1	19.3	12.3	818	3.04	6.7	0.8	6.5	26	0.2	0.4	0.1	68	0.48	0.044	12
1193783	Soil	1.5	18.6	5.2	99	<0.1	9.9	16.1	917	4.47	2.7	17.0	21.1	23	0.1	0.2	<0.1	89	0.37	0.073	34
1193785	Soil	0.7	23.6	6.9	66	<0.1	20.0	11.8	531	3.36	8.1	10.3	9.8	24	<0.1	0.5	0.1	71	0.45	0.054	24
1193786	Soil	0.6	15.4	6.0	67	<0.1	14.3	12.6	657	3.44	5.4	3.5	11.2	20	0.1	0.3	<0.1	71	0.39	0.053	21
1193787	Soil	1.4	11.0	7.2	45	<0.1	11.4	7.7	282	2.52	6.6	6.9	6.4	18	<0.1	0.3	0.1	58	0.27	0.042	15
1193788	Soil	1.4	10.3	6.4	59	<0.1	11.4	10.4	625	3.14	5.9	4.6	6.2	16	<0.1	0.2	<0.1	68	0.23	0.108	15
1193789	Soil	1.0	11.5	5.1	75	<0.1	11.6	12.8	565	3.83	5.7	1.6	7.6	22	0.1	0.2	<0.1	78	0.34	0.066	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1194480	Soil	9	1.35	117	0.165	<1	2.92	0.009	1.34	0.2	<0.01	3.8	0.6	<0.05	9	<0.5	<0.2
1194481	Soil	17	1.20	148	0.193	<1	2.95	0.011	1.17	0.1	0.01	1.9	0.6	<0.05	8	<0.5	<0.2
1194482	Soil	30	0.52	146	0.080	1	2.03	0.009	0.10	0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
1194483	Soil	37	0.54	190	0.093	<1	1.89	0.011	0.07	0.2	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
1194484	Soil	17	1.11	159	0.216	<1	2.73	0.009	0.92	0.3	<0.01	4.3	0.5	<0.05	8	<0.5	<0.2
1194485	Soil	19	1.09	210	0.186	1	2.76	0.010	0.72	0.3	<0.01	4.6	0.5	<0.05	9	<0.5	<0.2
1194486	Soil	28	0.84	199	0.109	<1	2.07	0.010	0.33	<0.1	0.02	6.1	0.2	<0.05	6	0.6	<0.2
1195000	Soil	25	0.69	191	0.111	<1	2.44	0.013	0.24	0.1	0.02	2.1	0.2	<0.05	7	<0.5	<0.2
1193726	Soil	31	0.50	232	0.076	<1	1.69	0.013	0.06	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
1193727	Soil	11	1.19	214	0.188	<1	2.68	0.008	1.23	0.1	<0.01	2.2	0.4	<0.05	7	<0.5	<0.2
1193728	Soil	18	0.92	215	0.114	<1	2.28	0.010	0.50	0.2	0.01	3.1	0.2	<0.05	7	<0.5	<0.2
1193729	Soil	19	0.98	228	0.136	<1	2.45	0.010	0.66	0.1	0.01	3.1	0.3	<0.05	7	<0.5	<0.2
1193730	Soil	20	0.75	171	0.133	1	1.81	0.011	0.52	0.1	<0.01	1.8	0.2	<0.05	6	<0.5	<0.2
1193731	Soil	13	1.26	139	0.234	<1	2.77	0.009	1.26	0.1	<0.01	1.7	0.6	<0.05	8	<0.5	<0.2
1193732	Soil	12	1.33	165	0.250	<1	3.06	0.011	1.35	0.2	<0.01	2.8	0.6	<0.05	9	<0.5	<0.2
1193733	Soil	25	0.90	205	0.170	<1	2.54	0.011	0.63	0.1	0.02	2.2	0.4	<0.05	7	<0.5	<0.2
1193734	Soil	12	1.40	206	0.309	<1	3.15	0.010	1.38	0.1	<0.01	1.1	0.7	<0.05	8	<0.5	<0.2
1193771	Soil	16	0.80	189	0.144	<1	1.89	0.013	0.78	0.1	<0.01	2.4	0.3	<0.05	6	<0.5	<0.2
1193772	Soil	14	1.11	199	0.213	<1	2.55	0.011	1.21	0.1	0.02	3.4	0.4	<0.05	8	<0.5	<0.2
1193773	Soil	13	1.40	224	0.256	<1	2.89	0.012	1.57	0.1	0.02	3.3	0.5	<0.05	8	<0.5	<0.2
1193774	Soil	10	1.48	194	0.266	<1	2.92	0.010	1.61	0.1	<0.01	2.0	0.6	<0.05	7	<0.5	<0.2
1193775	Soil	10	1.50	230	0.240	<1	2.99	0.012	1.65	0.2	<0.01	2.9	0.6	<0.05	9	<0.5	<0.2
1193781	Soil	23	0.82	162	0.132	<1	2.01	0.015	0.61	0.2	0.01	3.6	0.2	<0.05	6	<0.5	<0.2
1193784	Soil	25	0.77	246	0.145	2	1.99	0.019	0.54	0.1	0.02	3.5	0.2	<0.05	5	<0.5	<0.2
1193783	Soil	12	1.46	175	0.242	<1	2.95	0.011	1.47	0.1	0.02	3.4	0.5	<0.05	9	<0.5	<0.2
1193785	Soil	29	0.84	194	0.139	<1	2.18	0.021	0.62	0.2	0.03	4.4	0.2	<0.05	6	0.5	<0.2
1193786	Soil	18	1.03	149	0.173	<1	2.26	0.013	1.01	0.2	0.01	3.1	0.3	<0.05	6	<0.5	<0.2
1193787	Soil	19	0.53	141	0.101	<1	1.49	0.015	0.23	0.2	0.03	2.2	0.1	<0.05	5	<0.5	<0.2
1193788	Soil	18	0.66	197	0.135	2	1.81	0.014	0.32	0.1	0.01	2.1	0.2	<0.05	7	<0.5	<0.2
1193789	Soil	19	0.93	144	0.186	1	2.15	0.013	0.73	0.2	<0.01	2.1	0.3	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193790	Soil	1.1	12.4	5.8	70	<0.1	12.7	13.5	571	3.67	7.4	3.9	10.0	22	<0.1	0.3	0.1	68	0.32	0.060	14
1193791	Soil	0.9	16.6	6.7	65	<0.1	15.2	12.0	500	3.36	7.4	3.9	10.3	27	<0.1	0.3	0.1	64	0.40	0.058	33
1193792	Soil	1.2	7.8	5.7	57	<0.1	7.3	7.8	401	2.66	2.4	2.3	3.5	21	<0.1	0.2	0.1	60	0.29	0.031	6
1193793	Soil	0.9	16.6	8.7	52	<0.1	22.9	12.6	590	2.90	9.2	3.9	4.8	25	<0.1	0.6	0.2	61	0.26	0.021	12
1193794	Soil	1.2	23.7	8.6	57	<0.1	18.2	10.6	386	2.95	9.1	13.7	7.7	29	<0.1	0.4	0.1	58	0.31	0.045	26
1193795	Soil	1.4	33.4	5.6	112	<0.1	7.8	21.5	924	5.08	4.2	1.9	16.1	18	<0.1	0.3	<0.1	77	0.19	0.030	22
1193638	Soil	0.6	31.6	4.6	99	<0.1	40.9	19.3	963	4.81	3.9	1.6	10.8	32	<0.1	0.2	<0.1	85	0.43	0.074	27
1193640	Soil	0.6	34.1	4.1	92	<0.1	26.4	17.7	1004	4.89	2.8	0.9	13.2	27	<0.1	0.2	<0.1	86	0.40	0.086	30
1193641	Soil	0.7	11.3	6.4	101	<0.1	8.7	16.1	983	4.50	3.6	<0.5	20.3	21	<0.1	0.2	<0.1	76	0.40	0.105	34
1193644	Soil	0.8	13.0	7.2	95	<0.1	11.0	15.1	883	4.29	4.5	<0.5	16.8	22	<0.1	0.2	<0.1	75	0.38	0.082	29
1193645	Soil	0.9	17.2	8.5	73	<0.1	22.6	13.0	581	3.26	9.3	<0.5	7.0	30	0.1	0.5	0.1	68	0.38	0.046	18
1193646	Soil	0.6	20.9	4.1	106	<0.1	10.0	16.2	1005	4.80	4.1	<0.5	19.2	26	<0.1	0.2	<0.1	80	0.33	0.058	44
1193647	Soil	0.9	23.4	7.0	69	0.1	15.5	9.8	581	2.84	6.6	4.8	5.1	47	<0.1	0.4	0.1	56	0.79	0.075	25
1193648	Soil	0.5	25.5	16.7	265	<0.1	15.7	12.0	877	3.94	6.9	4.8	13.1	20	<0.1	0.4	<0.1	77	0.26	0.046	36
1193649	Soil	0.7	13.9	8.8	122	<0.1	6.6	16.9	1354	5.31	2.1	<0.5	17.6	26	<0.1	0.3	0.1	80	0.39	0.094	60
1193736	Soil	0.7	14.6	5.7	82	<0.1	9.4	14.3	654	3.68	6.0	2.3	7.8	21	<0.1	0.3	0.1	67	0.22	0.041	14
1193747	Soil	0.5	15.9	7.7	76	<0.1	14.8	12.7	489	3.60	6.5	0.5	10.1	32	<0.1	0.4	0.1	62	0.38	0.053	23
1193749	Soil	0.8	27.0	7.6	56	<0.1	24.1	10.7	344	3.01	8.7	3.6	6.2	28	<0.1	0.6	0.1	62	0.28	0.025	20
1193750	Soil	0.5	9.3	4.7	107	<0.1	9.6	16.6	979	4.52	3.5	0.6	14.7	21	<0.1	0.2	<0.1	80	0.33	0.084	23
1193754	Soil	1.0	38.9	11.0	56	0.1	27.0	11.1	394	3.14	10.7	3.5	8.3	30	<0.1	0.7	0.2	65	0.35	0.032	26
1193755	Soil	0.9	21.3	8.6	54	<0.1	19.0	10.2	355	2.64	8.9	1.2	7.0	24	<0.1	0.5	0.2	58	0.25	0.032	20
1193756	Soil	1.2	13.0	9.0	82	<0.1	8.9	10.7	760	3.78	7.1	0.7	28.3	20	<0.1	0.5	<0.1	52	0.21	0.034	37
1193757	Soil	1.3	12.6	9.1	76	<0.1	9.4	9.9	669	3.54	6.9	<0.5	23.1	19	<0.1	0.4	0.1	49	0.18	0.031	32
1193758	Soil	0.7	18.0	6.4	62	<0.1	14.6	8.5	468	2.64	5.2	<0.5	12.3	23	<0.1	0.3	0.1	50	0.26	0.023	32
1193759	Soil	0.9	16.7	7.5	66	<0.1	18.2	11.0	457	3.24	9.2	3.5	9.3	29	<0.1	0.5	0.1	63	0.27	0.030	20
1193760	Soil	1.7	9.1	6.4	100	<0.1	8.8	15.5	932	4.02	5.0	<0.5	13.3	79	<0.1	0.3	<0.1	65	0.25	0.063	20
1193761	Soil	1.4	11.1	7.2	71	<0.1	9.2	8.8	463	3.72	7.0	0.9	11.1	22	<0.1	0.4	<0.1	59	0.22	0.030	11
1193762	Soil	1.0	15.8	6.9	94	<0.1	9.8	14.6	727	4.49	5.9	0.6	13.2	17	<0.1	0.3	<0.1	71	0.17	0.033	16
1193763	Soil	0.8	18.0	8.5	59	<0.1	17.5	10.9	399	3.18	8.8	7.3	11.0	33	<0.1	0.5	0.1	59	0.20	0.020	21
1193764	Soil	0.9	19.3	8.0	63	<0.1	18.4	11.1	389	3.21	9.3	6.0	10.5	25	<0.1	0.5	<0.1	61	0.19	0.020	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193790	Soil	20	0.87	179	0.180	3	1.99	0.013	0.57	0.2	0.01	2.2	0.3	<0.05	6	<0.5	<0.2
1193791	Soil	22	0.83	224	0.161	<1	1.93	0.013	0.30	0.1	0.02	2.4	0.2	<0.05	6	<0.5	<0.2
1193792	Soil	12	0.66	190	0.206	2	1.41	0.012	0.68	0.1	<0.01	1.0	0.4	<0.05	7	<0.5	<0.2
1193793	Soil	33	0.53	263	0.094	2	1.70	0.014	0.17	0.1	0.01	3.8	<0.1	<0.05	5	<0.5	<0.2
1193794	Soil	29	0.60	274	0.102	2	1.70	0.013	0.11	0.2	0.02	4.5	0.1	<0.05	5	<0.5	<0.2
1193795	Soil	12	1.42	150	0.300	<1	2.99	0.010	1.51	0.1	<0.01	1.4	0.8	<0.05	9	<0.5	<0.2
1193638	Soil	57	1.75	230	0.247	1	2.97	0.014	1.55	<0.1	0.01	3.5	0.5	<0.05	9	<0.5	<0.2
1193640	Soil	34	1.70	195	0.271	1	3.03	0.014	1.60	<0.1	0.01	3.0	0.5	<0.05	9	<0.5	<0.2
1193641	Soil	13	1.31	184	0.227	2	2.64	0.010	1.45	0.2	<0.01	3.3	0.6	<0.05	9	<0.5	<0.2
1193644	Soil	17	1.13	200	0.198	2	2.40	0.012	1.18	0.2	<0.01	3.7	0.5	<0.05	8	<0.5	<0.2
1193645	Soil	33	0.63	294	0.108	1	2.03	0.011	0.32	0.2	<0.01	4.4	0.1	<0.05	6	<0.5	<0.2
1193646	Soil	12	1.52	186	0.307	<1	2.70	0.015	1.42	0.1	<0.01	1.9	0.6	<0.05	8	<0.5	<0.2
1193647	Soil	23	0.63	236	0.089	1	1.48	0.021	0.30	0.2	0.05	4.0	0.1	<0.05	5	<0.5	<0.2
1193648	Soil	19	1.05	169	0.180	1	2.04	0.013	0.83	0.1	0.02	6.8	0.2	<0.05	9	<0.5	<0.2
1193649	Soil	8	1.26	243	0.205	<1	2.54	0.011	1.18	0.3	0.02	5.4	0.5	<0.05	10	<0.5	<0.2
1193736	Soil	15	0.95	193	0.149	<1	2.05	0.011	0.69	0.1	<0.01	1.8	0.3	<0.05	8	<0.5	<0.2
1193747	Soil	21	0.83	253	0.107	1	2.16	0.012	0.42	0.2	<0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1193749	Soil	34	0.59	257	0.101	1	1.67	0.014	0.14	0.2	0.03	5.3	0.1	<0.05	5	<0.5	<0.2
1193750	Soil	14	1.34	197	0.264	1	2.43	0.011	1.50	<0.1	0.01	3.2	0.5	<0.05	8	<0.5	<0.2
1193754	Soil	37	0.56	320	0.095	1	1.87	0.016	0.09	0.1	0.05	5.6	<0.1	<0.05	6	<0.5	<0.2
1193755	Soil	31	0.51	265	0.085	1	1.75	0.013	0.08	0.2	<0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
1193756	Soil	17	0.66	141	0.111	2	2.56	0.012	0.62	0.2	<0.01	2.2	0.4	<0.05	8	<0.5	<0.2
1193757	Soil	18	0.58	135	0.096	1	2.34	0.011	0.51	0.2	<0.01	2.1	0.3	<0.05	7	<0.5	<0.2
1193758	Soil	22	0.60	229	0.122	<1	1.67	0.016	0.18	0.2	0.02	2.4	0.2	<0.05	6	<0.5	<0.2
1193759	Soil	30	0.68	178	0.135	1	1.82	0.015	0.33	0.1	0.02	2.7	0.2	<0.05	6	<0.5	<0.2
1193760	Soil	17	0.94	216	0.215	1	2.46	0.009	1.04	0.1	<0.01	1.9	0.6	<0.05	9	<0.5	<0.2
1193761	Soil	19	0.65	171	0.094	<1	2.45	0.010	0.47	0.1	<0.01	2.8	0.3	<0.05	8	<0.5	<0.2
1193762	Soil	17	1.14	153	0.239	<1	2.52	0.011	1.28	0.1	0.01	2.6	0.6	<0.05	8	<0.5	<0.2
1193763	Soil	29	0.65	191	0.126	2	1.97	0.012	0.37	0.1	0.01	3.2	0.2	<0.05	6	<0.5	<0.2
1193764	Soil	31	0.65	184	0.134	2	1.98	0.012	0.35	0.1	0.01	3.4	0.2	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193796	Soil	0.9	18.4	8.1	62	<0.1	21.7	10.6	431	2.98	9.4	2.6	5.7	21	<0.1	0.6	0.1	64	0.19	0.023	15
1193797	Soil	0.9	11.4	6.5	68	<0.1	14.9	11.9	500	3.42	8.1	<0.5	7.3	20	<0.1	0.4	<0.1	70	0.22	0.046	12
1193798	Soil	0.4	19.3	4.7	98	<0.1	15.4	16.8	824	4.43	3.4	1.2	24.5	28	<0.1	0.2	<0.1	76	0.38	0.078	43
1193800	Soil	0.5	9.0	4.7	101	<0.1	9.1	15.1	928	4.54	3.0	<0.5	21.6	26	<0.1	0.2	<0.1	83	0.30	0.051	33
1193776	Soil	2.3	44.5	5.3	87	<0.1	12.6	14.4	553	4.80	5.9	1.2	19.4	33	<0.1	0.3	<0.1	88	0.41	0.066	36
1193901	Soil	1.5	17.1	10.0	50	<0.1	17.3	8.9	308	2.70	6.9	5.1	7.1	19	<0.1	0.5	0.2	59	0.22	0.023	13
1193902	Soil	2.1	13.5	9.1	70	<0.1	12.0	15.5	770	3.18	3.4	7.8	14.7	20	<0.1	0.3	0.1	50	0.27	0.067	35
1193905	Soil	0.3	28.8	5.7	93	<0.1	66.5	20.8	735	4.14	1.5	1.5	13.4	41	<0.1	0.1	0.1	64	0.64	0.084	62
1193907	Soil	0.4	10.3	4.5	105	<0.1	6.9	17.3	990	4.48	1.1	3.9	23.9	24	<0.1	0.2	<0.1	79	0.37	0.063	59
1193909	Soil	1.0	13.3	8.3	98	<0.1	11.2	13.2	712	4.45	5.0	1.8	26.3	28	<0.1	0.4	<0.1	63	0.34	0.047	43
1193913	Soil	0.6	9.4	4.8	102	<0.1	8.1	14.6	757	4.24	3.6	1.7	15.1	15	<0.1	0.3	0.1	63	0.18	0.039	15
1193984	Soil	0.6	27.5	1.6	31	<0.1	8.8	1.5	228	0.34	<0.5	3.9	0.6	161	0.2	0.3	0.2	13	3.65	0.068	16
1193985	Soil	0.7	10.3	17.2	163	<0.1	10.9	15.4	1080	4.51	3.7	3.1	15.5	28	<0.1	0.2	<0.1	80	0.36	0.061	14
1193986	Soil	0.6	25.1	7.4	52	<0.1	22.3	9.9	502	2.61	7.7	4.6	5.0	27	<0.1	0.5	0.1	55	0.36	0.044	19
1193987	Soil	0.9	14.9	6.9	64	<0.1	16.0	11.5	536	2.87	4.6	3.6	8.9	21	<0.1	0.3	0.1	62	0.25	0.029	31
1193988	Soil	0.8	15.6	7.6	111	<0.1	12.1	16.6	862	4.42	4.5	2.5	12.3	21	<0.1	0.3	<0.1	84	0.24	0.046	17
1193991	Soil	0.6	15.4	5.5	99	<0.1	13.6	15.3	927	4.17	4.4	3.6	16.4	21	<0.1	0.3	<0.1	70	0.26	0.052	35
1193992	Soil	0.7	17.6	7.0	94	<0.1	15.9	14.1	702	3.95	6.0	4.3	17.1	17	<0.1	0.3	<0.1	69	0.20	0.047	37
1193799	Soil	0.6	25.7	6.4	88	<0.1	18.3	14.5	651	3.81	4.5	2.1	21.1	32	<0.1	0.3	<0.1	67	0.38	0.045	38
1193983	Soil	0.8	14.9	8.1	72	<0.1	18.4	11.6	683	3.02	7.1	1.7	7.0	26	<0.1	0.5	0.1	64	0.31	0.037	14
1193903	Soil	0.5	14.0	5.1	126	<0.1	10.2	16.1	905	4.54	2.8	1.5	16.9	22	<0.1	0.2	<0.1	85	0.28	0.035	30
1193904	Soil	0.4	11.1	4.7	103	<0.1	8.1	16.1	921	4.40	1.5	3.5	24.3	26	<0.1	0.2	<0.1	76	0.37	0.054	57
1193906	Soil	1.0	17.6	5.4	77	<0.1	14.2	12.4	558	3.42	4.6	5.8	14.8	25	<0.1	0.4	<0.1	64	0.33	0.044	25
1193908	Soil	0.9	15.7	8.6	98	<0.1	14.1	12.8	715	4.11	5.5	2.6	16.1	18	<0.1	0.4	0.1	83	0.18	0.032	18
1193912	Soil	0.8	11.8	6.4	80	<0.1	11.2	15.1	703	3.72	4.1	1.4	16.8	22	<0.1	0.3	<0.1	67	0.30	0.053	34
1193916	Soil	0.5	24.4	7.5	74	<0.1	19.2	11.4	549	3.29	6.3	2.6	11.8	30	<0.1	0.5	0.1	62	0.37	0.056	23
1193917	Soil	0.7	13.8	6.2	89	<0.1	13.6	13.4	639	3.80	5.4	2.5	15.9	20	<0.1	0.3	<0.1	68	0.25	0.061	21
1193989	Soil	0.7	24.4	6.8	71	<0.1	19.2	13.5	652	3.55	7.6	3.5	13.0	23	<0.1	0.4	<0.1	69	0.31	0.023	11
1193990	Soil	0.5	22.3	8.6	99	<0.1	12.2	15.0	977	4.27	2.8	3.5	21.8	18	<0.1	0.3	<0.1	82	0.25	0.037	39
1193994	Soil	0.7	9.3	8.3	94	<0.1	11.2	13.5	765	3.88	4.3	<0.5	20.1	23	<0.1	0.2	0.1	64	0.24	0.058	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193796	Soil	33	0.56	218	0.101	2	1.81	0.012	0.12	0.1	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
1193797	Soil	23	0.74	218	0.157	<1	2.06	0.010	0.44	0.1	<0.01	1.7	0.3	<0.05	7	<0.5	<0.2
1193798	Soil	19	1.33	234	0.245	<1	2.77	0.012	1.34	<0.1	<0.01	2.4	0.5	<0.05	9	<0.5	<0.2
1193800	Soil	14	1.29	245	0.272	1	2.73	0.012	1.40	<0.1	<0.01	3.2	0.5	<0.05	9	<0.5	<0.2
1193776	Soil	18	0.89	160	0.063	<1	2.34	0.018	0.48	0.1	<0.01	7.5	0.1	<0.05	9	0.6	<0.2
1193901	Soil	31	0.55	200	0.082	2	1.85	0.011	0.07	0.2	0.05	2.4	<0.1	0.07	5	<0.5	<0.2
1193902	Soil	19	0.59	202	0.106	2	1.74	0.010	0.39	0.2	0.05	2.8	0.2	0.07	5	<0.5	<0.2
1193905	Soil	104	2.03	281	0.091	2	3.13	0.010	0.88	<0.1	0.03	4.5	0.4	<0.05	8	<0.5	<0.2
1193907	Soil	9	1.56	148	0.253	1	3.13	0.010	1.69	<0.1	0.04	2.5	0.6	<0.05	8	<0.5	<0.2
1193909	Soil	18	0.99	228	0.165	3	2.71	0.012	0.77	0.1	0.03	2.7	0.4	<0.05	8	<0.5	<0.2
1193913	Soil	13	1.08	148	0.228	2	2.58	0.010	1.16	<0.1	0.03	1.4	0.6	<0.05	7	<0.5	<0.2
1193984	Soil	5	0.17	170	0.011	11	0.21	0.019	0.05	<0.1	0.14	0.5	<0.1	0.32	<1	<0.5	0.2
1193985	Soil	17	1.20	217	0.206	2	2.54	0.012	1.21	0.1	0.03	3.5	0.4	<0.05	9	<0.5	<0.2
1193986	Soil	31	0.58	223	0.097	2	1.47	0.025	0.15	0.1	0.05	3.8	<0.1	<0.05	4	<0.5	<0.2
1193987	Soil	24	0.68	173	0.147	2	1.76	0.014	0.40	0.1	0.03	2.3	0.2	<0.05	5	<0.5	<0.2
1193988	Soil	20	1.23	210	0.250	3	2.65	0.012	1.35	0.1	0.03	2.7	0.5	<0.05	8	<0.5	<0.2
1193991	Soil	17	1.23	167	0.237	1	2.51	0.011	1.27	0.2	0.04	3.0	0.6	<0.05	7	<0.5	<0.2
1193992	Soil	21	1.11	143	0.226	2	2.40	0.014	1.05	0.1	0.04	3.8	0.6	<0.05	7	<0.5	<0.2
1193799	Soil	27	1.11	265	0.189	1	2.34	0.013	0.81	<0.1	0.04	3.2	0.3	<0.05	7	<0.5	<0.2
1193983	Soil	30	0.64	261	0.120	2	1.88	0.013	0.44	0.1	0.03	3.1	0.2	<0.05	5	<0.5	<0.2
1193903	Soil	13	1.56	209	0.273	<1	2.73	0.018	1.32	<0.1	0.01	2.4	0.6	<0.05	9	<0.5	<0.2
1193904	Soil	12	1.46	160	0.235	<1	3.03	0.010	1.50	<0.1	0.03	2.9	0.6	<0.05	8	<0.5	<0.2
1193906	Soil	21	0.92	235	0.195	1	2.00	0.016	0.66	0.1	0.05	3.8	0.3	<0.05	6	<0.5	<0.2
1193908	Soil	20	1.02	217	0.208	2	2.38	0.011	0.84	0.2	0.03	6.4	0.4	<0.05	9	<0.5	<0.2
1193912	Soil	16	1.00	181	0.220	<1	2.27	0.011	0.99	0.1	0.03	1.7	0.4	<0.05	7	<0.5	<0.2
1193916	Soil	26	0.83	219	0.158	2	1.91	0.018	0.58	0.1	0.05	4.5	0.2	<0.05	6	<0.5	<0.2
1193917	Soil	19	1.03	195	0.225	1	2.43	0.011	0.92	0.1	0.03	2.0	0.5	<0.05	7	<0.5	<0.2
1193989	Soil	24	0.90	233	0.225	<1	2.30	0.018	0.81	0.2	0.03	3.3	0.4	<0.05	6	<0.5	<0.2
1193990	Soil	14	1.25	175	0.264	1	2.50	0.012	1.37	<0.1	0.05	4.9	0.6	<0.05	9	<0.5	<0.2
1193994	Soil	13	1.04	202	0.220	2	2.55	0.011	1.24	0.1	0.02	2.9	0.7	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193995	Soil	1.4	22.1	8.0	98	<0.1	7.3	11.8	712	3.96	2.1	4.0	23.5	26	<0.1	0.4	<0.1	70	0.36	0.071	46
1193996	Soil	1.7	42.4	9.4	101	<0.1	19.6	12.2	610	4.02	2.8	3.6	18.0	29	<0.1	0.3	0.1	67	0.45	0.054	53
1193911	Soil	0.7	10.1	4.9	99	<0.1	7.9	15.2	775	3.99	3.3	1.3	17.9	23	<0.1	0.2	<0.1	66	0.34	0.062	34
1193997	Soil	0.8	16.2	7.4	93	<0.1	15.2	12.9	686	3.78	6.9	1.2	22.8	32	<0.1	0.4	<0.1	63	0.36	0.074	36
1193998	Soil	1.0	12.9	8.3	83	<0.1	14.1	12.6	641	3.82	5.5	1.2	16.9	22	<0.1	0.4	0.1	64	0.30	0.072	25
1193999	Soil	0.9	12.1	8.3	60	<0.1	16.5	10.7	657	2.83	4.0	1.0	6.8	25	0.1	0.4	0.1	56	0.32	0.081	17
1194051	Soil	0.9	18.3	7.4	73	0.1	18.9	14.1	820	3.52	6.3	4.5	10.4	22	<0.1	0.4	0.1	71	0.30	0.066	22
1194052	Soil	0.9	9.9	8.6	59	<0.1	12.2	10.2	853	3.52	7.2	3.7	5.0	22	<0.1	0.5	0.1	76	0.20	0.068	7
1194053	Soil	0.8	17.6	7.0	72	<0.1	18.0	11.9	518	3.54	6.0	1.6	8.1	20	<0.1	0.5	0.1	69	0.24	0.032	14
1194054	Soil	0.5	21.1	4.3	107	<0.1	14.7	19.9	937	5.07	5.3	1.4	19.7	19	<0.1	0.3	<0.1	108	0.22	0.038	18
1194055	Soil	1.0	17.1	8.2	54	<0.1	19.3	11.7	464	2.86	7.2	4.6	6.3	19	<0.1	0.5	0.1	61	0.21	0.026	13
1194056	Soil	0.9	12.5	7.6	54	<0.1	15.9	10.2	293	2.84	6.8	6.1	7.1	14	<0.1	0.4	0.1	64	0.17	0.025	7
1194057	Soil	1.0	17.9	8.1	49	<0.1	19.1	10.9	414	2.62	8.1	3.2	4.1	18	<0.1	0.3	0.1	62	0.25	0.026	8
1194058	Soil	1.1	16.3	5.3	70	<0.1	9.4	12.6	707	3.43	3.0	3.2	15.1	25	<0.1	0.4	<0.1	61	0.42	0.043	38
1194064	Soil	0.8	18.0	5.8	68	<0.1	12.8	12.4	507	3.50	4.4	2.9	10.0	16	<0.1	0.3	<0.1	75	0.27	0.044	20
1194065	Soil	1.1	17.2	9.5	58	<0.1	18.3	10.4	355	2.83	7.9	6.5	7.5	15	<0.1	0.4	0.1	63	0.17	0.018	13
1194066	Soil	1.1	14.7	10.5	69	<0.1	11.9	11.8	543	3.11	5.2	5.1	7.7	17	<0.1	0.3	0.2	58	0.29	0.036	16
1194966	Soil	0.5	30.4	6.5	47	<0.1	23.7	9.4	395	2.53	9.4	5.4	5.8	24	<0.1	0.5	<0.1	54	0.44	0.071	17
1194967	Soil	0.6	19.9	4.0	102	<0.1	11.4	17.0	965	4.77	5.1	1.8	12.0	13	<0.1	0.2	<0.1	89	0.22	0.055	9
1194968	Soil	0.7	19.4	6.6	57	<0.1	19.7	10.3	408	2.98	9.0	5.0	8.6	15	<0.1	0.5	0.1	62	0.20	0.042	14
1194969	Soil	0.8	33.6	3.7	86	<0.1	19.2	16.1	705	4.35	6.5	4.7	20.3	13	<0.1	0.3	<0.1	78	0.21	0.049	58
1194970	Soil	0.4	10.9	3.6	102	<0.1	6.4	17.9	805	4.26	2.9	2.0	19.1	18	<0.1	0.2	<0.1	78	0.26	0.067	26
1194971	Soil	0.4	18.2	2.7	108	<0.1	9.1	21.9	1083	5.64	2.7	2.5	20.2	18	<0.1	0.1	<0.1	118	0.27	0.048	49
1194972	Soil	0.9	15.4	5.7	68	<0.1	12.4	16.5	690	3.74	4.6	2.3	10.3	19	<0.1	0.3	<0.1	79	0.23	0.029	27
1194973	Soil	0.8	11.6	6.5	62	<0.1	13.4	13.8	482	3.34	4.8	3.4	6.1	16	<0.1	0.3	<0.1	73	0.24	0.044	10
1194976	Soil	1.2	16.8	8.9	56	<0.1	21.2	11.5	522	3.08	9.0	4.4	8.0	16	<0.1	0.5	0.1	66	0.19	0.042	13
1194977	Soil	1.0	22.8	7.4	60	<0.1	26.5	12.3	421	3.37	10.2	5.1	8.6	19	<0.1	0.4	<0.1	74	0.26	0.032	10
1194981	Soil	0.4	11.1	5.6	89	<0.1	6.2	14.5	840	4.53	2.7	3.9	23.0	17	<0.1	0.2	<0.1	63	0.34	0.074	68
1194982	Soil	1.0	12.1	7.3	84	<0.1	13.7	13.6	751	4.20	6.4	2.9	12.5	13	<0.1	0.3	0.1	75	0.16	0.041	9
1194983	Soil	0.9	19.4	9.2	63	<0.1	20.3	10.7	405	3.34	9.7	6.2	12.0	14	<0.1	0.5	0.1	69	0.16	0.023	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193995	Soil	10	1.02	171	0.163	1	2.29	0.011	0.93	0.1	0.04	6.0	0.5	<0.05	9	<0.5	<0.2
1193996	Soil	57	0.83	143	0.042	<1	2.11	0.010	0.26	0.3	0.08	8.9	0.2	<0.05	10	<0.5	<0.2
1193911	Soil	12	1.21	194	0.243	<1	2.36	0.012	1.16	0.1	0.02	1.8	0.5	<0.05	7	<0.5	<0.2
1193997	Soil	23	0.91	144	0.162	2	2.21	0.015	0.73	0.2	0.06	3.9	0.3	<0.05	7	<0.5	<0.2
1193998	Soil	23	0.85	164	0.161	<1	2.15	0.012	0.89	0.1	0.02	3.3	0.4	<0.05	7	<0.5	<0.2
1193999	Soil	26	0.56	274	0.099	2	1.68	0.014	0.30	0.2	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
1194051	Soil	24	0.84	220	0.165	2	2.00	0.015	0.63	0.2	0.03	3.1	0.2	<0.05	6	<0.5	<0.2
1194052	Soil	20	0.74	181	0.156	<1	1.94	0.009	0.55	0.2	0.02	1.7	0.3	<0.05	7	<0.5	<0.2
1194053	Soil	25	0.91	176	0.178	<1	2.13	0.015	0.68	0.2	<0.01	2.4	0.3	<0.05	6	<0.5	<0.2
1194054	Soil	16	1.71	190	0.343	<1	3.08	0.014	1.75	0.2	0.01	3.9	0.6	<0.05	9	<0.5	<0.2
1194055	Soil	28	0.58	237	0.082	1	1.69	0.010	0.25	0.1	0.02	3.1	0.1	<0.05	5	0.6	<0.2
1194056	Soil	27	0.65	190	0.104	<1	1.79	0.011	0.33	0.2	0.01	2.4	0.1	<0.05	5	<0.5	<0.2
1194057	Soil	26	0.53	231	0.098	<1	1.64	0.010	0.24	0.1	0.02	2.4	0.1	<0.05	5	<0.5	<0.2
1194058	Soil	12	0.95	176	0.090	<1	2.07	0.010	0.62	0.1	0.02	3.6	0.2	<0.05	7	0.5	<0.2
1194064	Soil	17	1.03	192	0.158	<1	2.12	0.011	0.93	0.1	<0.01	4.0	0.3	<0.05	7	<0.5	<0.2
1194065	Soil	32	0.59	173	0.103	<1	1.75	0.010	0.25	0.2	0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
1194066	Soil	18	0.76	156	0.123	<1	1.92	0.011	0.49	0.1	<0.01	2.3	0.3	<0.05	6	<0.5	<0.2
1194966	Soil	28	0.60	230	0.081	1	1.31	0.024	0.09	0.2	0.03	3.4	<0.1	<0.05	4	0.6	<0.2
1194967	Soil	12	1.47	266	0.288	<1	2.92	0.012	1.60	0.2	<0.01	2.4	0.5	<0.05	8	<0.5	<0.2
1194968	Soil	28	0.69	181	0.120	<1	1.76	0.013	0.40	0.2	0.01	3.3	0.2	<0.05	5	<0.5	<0.2
1194969	Soil	18	1.33	209	0.222	<1	2.65	0.015	1.17	0.2	0.03	3.8	0.5	<0.05	7	<0.5	<0.2
1194970	Soil	10	1.48	224	0.237	<1	2.59	0.011	1.70	0.1	<0.01	1.7	0.5	<0.05	7	<0.5	<0.2
1194971	Soil	11	1.97	249	0.377	<1	3.47	0.014	1.80	0.1	<0.01	2.6	0.6	<0.05	10	<0.5	<0.2
1194972	Soil	20	1.05	255	0.190	<1	2.41	0.013	0.62	0.2	<0.01	2.0	0.3	<0.05	7	<0.5	<0.2
1194973	Soil	20	0.84	203	0.158	<1	2.09	0.012	0.67	0.1	<0.01	2.6	0.2	<0.05	6	<0.5	<0.2
1194976	Soil	39	0.57	184	0.100	<1	1.92	0.011	0.22	0.2	0.02	3.4	0.1	<0.05	5	0.6	<0.2
1194977	Soil	31	0.75	212	0.136	<1	2.13	0.014	0.30	0.1	<0.01	2.7	0.2	<0.05	6	<0.5	<0.2
1194981	Soil	9	1.18	177	0.164	<1	2.73	0.010	1.35	0.1	0.02	4.9	0.5	<0.05	8	0.6	<0.2
1194982	Soil	21	1.00	166	0.176	<1	2.84	0.009	0.84	0.1	<0.01	2.0	0.4	<0.05	8	<0.5	<0.2
1194983	Soil	34	0.76	142	0.124	1	2.26	0.012	0.25	0.2	0.02	2.8	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1193993	Soil	0.9	74.0	10.0	88	<0.1	13.1	14.2	855	3.71	4.9	10.4	31.0	21	<0.1	0.3	<0.1	65	0.30	0.069	41
1194984	Soil	0.9	26.9	8.6	58	<0.1	30.7	11.7	301	3.14	12.9	4.7	8.1	19	<0.1	0.6	0.1	68	0.23	0.019	15
1194985	Soil	1.0	31.7	7.5	66	<0.1	28.5	12.5	409	3.50	10.3	5.1	12.9	20	<0.1	0.5	0.1	77	0.25	0.022	33
1194986	Soil	0.8	14.4	7.2	68	<0.1	18.6	12.4	529	3.29	6.8	2.4	7.1	18	<0.1	0.4	0.1	65	0.21	0.058	10
1194987	Soil	0.5	12.2	5.8	87	<0.1	6.5	14.0	782	4.36	2.7	2.9	22.9	18	<0.1	0.3	<0.1	62	0.30	0.066	55
1194988	Soil	1.0	14.4	6.1	71	<0.1	17.4	16.3	1664	4.02	5.2	3.2	15.5	18	<0.1	0.3	<0.1	78	0.27	0.070	41
1194990	Soil	0.9	19.3	6.9	75	<0.1	17.7	13.4	557	3.79	6.9	3.5	11.1	18	<0.1	0.4	<0.1	72	0.21	0.019	10
1194991	Soil	4.0	34.7	61.7	57	1.0	28.1	12.5	390	2.91	9.5	16.0	7.8	11	0.3	0.5	0.2	59	0.14	0.029	11
1194995	Soil	1.1	26.2	9.0	91	<0.1	7.3	13.6	636	4.33	2.5	2.8	17.4	14	<0.1	0.2	0.4	58	0.25	0.051	32
1194996	Soil	0.8	22.0	9.0	44	<0.1	16.9	9.8	334	2.63	7.8	9.0	5.8	19	<0.1	0.4	0.1	58	0.25	0.035	19
1194998	Soil	0.8	13.1	6.1	58	<0.1	18.1	12.0	508	3.09	6.3	5.6	8.0	17	<0.1	0.3	<0.1	64	0.25	0.032	10
1194992	Soil	0.7	9.5	5.7	93	<0.1	7.9	12.6	740	3.56	3.2	6.7	14.9	14	<0.1	0.2	<0.1	45	0.15	0.016	24
1194993	Soil	1.1	23.9	10.2	54	0.3	20.8	10.7	324	3.08	8.8	5.9	11.1	17	<0.1	0.4	0.2	66	0.20	0.025	20
1194994	Soil	1.0	15.8	8.8	49	<0.1	18.2	10.2	321	3.02	8.5	7.8	11.3	14	<0.1	0.3	0.1	63	0.17	0.022	11
1194974	Soil	0.9	14.7	8.1	49	<0.1	17.6	11.0	344	2.79	7.1	1.6	4.7	18	<0.1	0.3	0.1	60	0.24	0.018	11
1194975	Soil	0.6	31.9	6.8	91	<0.1	12.2	15.1	689	4.72	5.4	3.0	18.3	20	<0.1	0.4	<0.1	102	0.27	0.014	39
1194997	Soil	1.5	32.9	8.4	146	<0.1	11.0	32.8	2298	5.36	8.0	0.9	17.4	16	<0.1	0.4	0.2	86	0.19	0.059	19
1194998	Soil	0.8	29.4	8.2	61	<0.1	19.7	9.8	269	2.83	9.1	3.4	10.1	17	<0.1	0.5	0.1	54	0.19	0.030	30
1194999	Soil	2.2	62.0	4.9	100	<0.1	8.0	19.4	975	4.67	4.5	7.0	17.6	19	<0.1	0.2	<0.1	58	0.22	0.034	26
1196482	Soil	1.1	14.9	8.7	58	0.2	12.9	9.0	526	2.68	7.3	4.7	7.7	26	<0.1	0.3	0.2	54	0.43	0.053	23
1196483	Soil	1.0	16.4	8.7	56	<0.1	18.9	8.8	398	2.65	9.5	1.9	5.6	24	<0.1	0.4	0.1	58	0.32	0.036	16
1196484	Soil	1.3	16.7	8.5	87	<0.1	13.0	13.3	623	4.29	8.1	6.3	9.7	11	<0.1	0.4	0.1	72	0.12	0.024	8
1196485	Soil	1.0	16.4	8.1	55	<0.1	18.8	9.8	328	2.81	9.9	2.5	6.3	18	<0.1	0.5	0.1	58	0.18	0.025	11
1196486	Soil	1.0	19.8	9.6	56	<0.1	23.2	10.3	345	2.98	9.4	3.6	10.6	15	<0.1	0.6	0.2	64	0.17	0.032	14
1196487	Soil	0.9	21.7	8.2	66	<0.1	18.7	12.2	513	3.34	8.8	3.9	9.2	27	<0.1	0.6	0.1	69	0.29	0.028	18
1196488	Soil	0.8	10.3	6.3	82	<0.1	14.6	12.9	800	3.55	7.6	1.1	10.5	23	<0.1	0.3	0.1	75	0.36	0.030	12
1196489	Soil	0.8	20.3	7.8	69	<0.1	20.4	13.1	884	3.56	9.4	4.1	9.3	26	<0.1	0.5	0.1	68	0.32	0.028	11
1196490	Soil	1.7	11.8	5.0	90	<0.1	9.5	15.3	862	4.54	6.1	<0.5	11.9	21	<0.1	0.3	<0.1	79	0.25	0.037	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

CERTIFICATE OF ANALYSIS VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1193993	Soil	21	0.92	262	0.150	1	2.33	0.013	0.81	0.1	<0.01	2.8	0.4	<0.05	7	<0.5	<0.2
1194984	Soil	45	0.67	210	0.107	<1	2.02	0.016	0.13	0.2	0.02	5.8	<0.1	<0.05	5	0.6	<0.2
1194985	Soil	37	0.85	199	0.150	<1	2.34	0.015	0.21	0.2	0.02	4.0	0.2	<0.05	6	0.9	<0.2
1194986	Soil	26	0.75	215	0.117	<1	2.12	0.010	0.43	0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1194987	Soil	10	1.16	172	0.158	<1	2.69	0.009	1.34	0.1	0.02	4.7	0.5	<0.05	8	<0.5	<0.2
1194988	Soil	24	0.98	323	0.189	<1	2.63	0.013	0.83	0.2	<0.01	3.2	0.4	<0.05	7	<0.5	<0.2
1194990	Soil	25	0.94	181	0.175	<1	2.46	0.012	0.87	0.1	<0.01	3.4	0.4	<0.05	7	0.9	<0.2
1194991	Soil	36	0.53	195	0.069	<1	2.38	0.012	0.08	0.2	0.03	3.8	<0.1	<0.05	5	<0.5	<0.2
1194995	Soil	13	0.99	247	0.175	<1	2.67	0.012	1.05	0.6	0.01	4.6	0.4	<0.05	8	<0.5	<0.2
1194996	Soil	32	0.53	218	0.083	1	1.84	0.013	0.06	0.1	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
1194998	Soil	26	0.73	193	0.130	<1	1.97	0.013	0.53	0.1	<0.01	2.8	0.2	<0.05	5	<0.5	<0.2
1194992	Soil	14	0.92	150	0.145	<1	2.72	0.010	0.68	<0.1	<0.01	1.7	0.5	<0.05	6	<0.5	<0.2
1194993	Soil	35	0.55	217	0.080	<1	2.37	0.013	0.14	0.1	0.02	3.1	0.1	<0.05	6	0.8	<0.2
1194994	Soil	31	0.57	162	0.088	<1	2.07	0.011	0.12	0.1	0.01	2.5	0.1	<0.05	5	0.5	<0.2
1194974	Soil	25	0.62	208	0.106	<1	1.82	0.014	0.21	0.1	<0.01	2.3	0.1	<0.05	5	<0.5	<0.2
1194975	Soil	13	1.34	307	0.257	<1	2.59	0.014	0.98	0.2	0.02	8.8	0.3	<0.05	10	0.7	<0.2
1194997	Soil	19	1.19	176	0.254	2	3.33	0.012	1.27	0.2	<0.01	3.5	0.6	<0.05	11	<0.5	<0.2
1194998	Soil	29	0.61	185	0.102	2	1.98	0.016	0.11	0.1	0.01	3.3	0.1	<0.05	5	0.8	<0.2
1194999	Soil	12	1.30	213	0.205	1	2.97	0.013	1.06	0.1	<0.01	2.6	0.5	<0.05	8	<0.5	<0.2
1196482	Soil	23	0.60	205	0.110	2	1.66	0.013	0.32	0.2	0.03	3.2	0.2	<0.05	5	0.7	<0.2
1196483	Soil	28	0.53	219	0.094	2	1.63	0.014	0.12	0.2	<0.01	2.8	<0.1	<0.05	5	0.6	<0.2
1196484	Soil	22	0.94	153	0.191	2	2.77	0.011	0.80	0.2	<0.01	3.1	0.4	<0.05	9	<0.5	<0.2
1196485	Soil	29	0.57	167	0.108	<1	1.70	0.015	0.19	0.2	0.01	2.6	0.1	<0.05	5	0.8	<0.2
1196486	Soil	38	0.53	154	0.090	2	2.06	0.014	0.12	0.2	0.02	2.7	<0.1	<0.05	6	0.5	<0.2
1196487	Soil	31	0.73	238	0.136	<1	2.29	0.016	0.28	0.1	0.01	3.8	0.1	<0.05	7	0.7	<0.2
1196488	Soil	24	1.51	231	0.139	1	2.53	0.020	0.46	0.1	<0.01	5.3	0.2	<0.05	9	<0.5	<0.2
1196489	Soil	26	0.82	257	0.141	2	2.14	0.014	0.51	0.2	<0.01	3.8	0.2	<0.05	6	1.0	<0.2
1196490	Soil	17	1.28	144	0.234	<1	2.95	0.009	1.29	0.1	<0.01	2.9	0.6	<0.05	9	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

QUALITY CONTROL REPORT VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1193709	Soil	0.8	16.8	9.3	112	<0.1	16.8	14.2	688	4.21	8.1	1.1	14.8	24	<0.1	0.4	<0.1	81	0.25	0.047	17
REP 1193709	QC	0.8	16.7	9.0	114	<0.1	16.4	14.7	691	4.29	7.9	0.8	14.9	23	0.1	0.4	<0.1	80	0.26	0.045	17
1193697	Soil	0.6	28.7	7.5	77	<0.1	15.7	13.3	566	3.73	6.1	<0.5	16.4	25	<0.1	0.3	<0.1	65	0.24	0.038	12
REP 1193697	QC	0.6	32.1	7.9	87	<0.1	16.0	14.5	629	3.94	6.4	<0.5	16.5	27	<0.1	0.3	0.1	71	0.27	0.038	13
1193684	Soil	0.9	15.0	5.9	97	<0.1	7.3	14.6	797	4.84	4.1	1.9	13.4	17	<0.1	0.3	<0.1	80	0.20	0.018	9
REP 1193684	QC	0.9	14.7	5.8	98	<0.1	7.7	15.0	777	4.98	4.3	1.6	13.2	18	<0.1	0.3	<0.1	81	0.20	0.018	9
1193745	Soil	0.8	12.3	9.4	75	<0.1	16.8	9.3	509	2.99	8.0	1.5	6.5	20	<0.1	0.5	0.2	59	0.17	0.032	11
REP 1193745	QC	0.9	12.1	9.4	74	<0.1	17.5	9.0	516	2.93	7.9	1.1	6.4	19	<0.1	0.5	0.2	59	0.17	0.032	11
1194477	Soil	0.7	10.8	5.2	81	<0.1	11.5	15.9	945	4.72	5.8	0.6	11.4	16	<0.1	0.2	<0.1	88	0.19	0.027	8
REP 1194477	QC	0.6	10.4	5.0	80	<0.1	11.3	15.5	904	4.53	5.5	<0.5	10.7	15	<0.1	0.2	<0.1	86	0.18	0.026	8
1193781	Soil	0.6	16.6	7.0	60	<0.1	17.1	11.4	512	3.03	6.8	4.7	9.0	21	0.1	0.3	0.1	64	0.37	0.044	17
REP 1193781	QC	0.7	17.0	7.2	59	<0.1	17.3	11.6	537	3.16	6.9	2.6	8.7	22	0.1	0.4	<0.1	69	0.40	0.046	17
1193794	Soil	1.2	23.7	8.6	57	<0.1	18.2	10.6	386	2.95	9.1	13.7	7.7	29	<0.1	0.4	0.1	58	0.31	0.045	26
REP 1193794	QC	1.2	22.1	8.0	58	<0.1	17.6	10.4	369	2.84	8.8	3.7	7.7	28	<0.1	0.4	0.2	57	0.33	0.044	26
1193755	Soil	0.9	21.3	8.6	54	<0.1	19.0	10.2	355	2.64	8.9	1.2	7.0	24	<0.1	0.5	0.2	58	0.25	0.032	20
REP 1193755	QC	0.9	21.1	9.1	55	<0.1	18.5	10.3	357	2.70	8.8	2.8	7.1	24	<0.1	0.5	0.1	59	0.26	0.032	21
1193988	Soil	0.8	15.6	7.6	111	<0.1	12.1	16.6	862	4.42	4.5	2.5	12.3	21	<0.1	0.3	<0.1	84	0.24	0.046	17
REP 1193988	QC	0.8	15.4	7.8	107	<0.1	11.6	16.5	864	4.40	4.2	1.9	12.4	21	<0.1	0.3	<0.1	82	0.24	0.046	18
1194052	Soil	0.9	9.9	8.6	59	<0.1	12.2	10.2	853	3.52	7.2	3.7	5.0	22	<0.1	0.5	0.1	76	0.20	0.068	7
REP 1194052	QC	0.9	10.3	8.6	59	<0.1	11.8	10.8	848	3.53	7.2	<0.5	5.2	23	<0.1	0.4	0.1	77	0.20	0.068	7
1194970	Soil	0.4	10.9	3.6	102	<0.1	6.4	17.9	805	4.26	2.9	2.0	19.1	18	<0.1	0.2	<0.1	78	0.26	0.067	26
REP 1194970	QC	0.4	10.5	3.5	100	<0.1	6.7	17.4	764	4.24	3.1	1.7	18.8	17	<0.1	0.2	<0.1	77	0.26	0.065	26
1194974	Soil	0.9	14.7	8.1	49	<0.1	17.6	11.0	344	2.79	7.1	1.6	4.7	18	<0.1	0.3	0.1	60	0.24	0.018	11
REP 1194974	QC	1.0	14.2	8.7	48	<0.1	16.5	11.0	307	2.75	6.9	3.2	4.7	18	<0.1	0.3	0.1	60	0.25	0.019	11
Reference Materials																					
STD DS8	Standard	12.5	107.5	122.8	321	1.8	36.5	7.1	610	2.46	27.3	118.2	6.5	66	2.3	5.6	6.7	40	0.68	0.078	14
STD DS8	Standard	12.4	103.1	122.8	313	1.8	35.6	6.9	588	2.38	25.7	103.8	6.6	64	2.3	5.5	6.6	39	0.67	0.077	15
STD DS8	Standard	13.5	113.8	119.7	322	1.9	38.7	7.6	629	2.50	27.7	107.9	6.4	70	2.4	6.0	6.1	43	0.69	0.077	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

QUALITY CONTROL REPORT VAN11002515.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
1193709	Soil	23	1.11	212	0.184	<1	2.61	0.010	0.98	0.1	0.01	3.4	0.4	<0.05	8	<0.5	<0.2
REP 1193709	QC	23	1.10	209	0.184	<1	2.62	0.011	0.98	0.1	0.02	3.4	0.4	<0.05	8	<0.5	<0.2
1193697	Soil	20	0.92	171	0.183	<1	2.41	0.011	0.68	0.4	0.01	2.3	0.3	<0.05	7	<0.5	<0.2
REP 1193697	QC	22	1.00	187	0.216	<1	2.50	0.012	0.75	0.5	<0.01	2.6	0.4	<0.05	7	<0.5	<0.2
1193684	Soil	12	1.37	158	0.225	1	2.91	0.008	1.48	0.2	<0.01	2.7	0.7	<0.05	10	<0.5	<0.2
REP 1193684	QC	12	1.37	166	0.230	<1	3.06	0.008	1.48	0.3	0.01	2.8	0.7	<0.05	10	<0.5	<0.2
1193745	Soil	27	0.56	195	0.069	<1	2.01	0.008	0.16	0.1	0.02	1.7	0.2	<0.05	6	<0.5	<0.2
REP 1193745	QC	28	0.58	195	0.071	<1	2.03	0.009	0.17	0.1	0.01	1.8	0.1	<0.05	6	<0.5	<0.2
1194477	Soil	18	1.28	159	0.255	<1	2.97	0.011	1.28	<0.1	<0.01	1.7	0.6	<0.05	8	<0.5	<0.2
REP 1194477	QC	18	1.26	151	0.248	<1	2.88	0.011	1.31	0.1	<0.01	1.6	0.5	<0.05	8	<0.5	<0.2
1193781	Soil	23	0.82	162	0.132	<1	2.01	0.015	0.61	0.2	0.01	3.6	0.2	<0.05	6	<0.5	<0.2
REP 1193781	QC	25	0.84	163	0.143	1	2.11	0.016	0.62	0.2	<0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1193794	Soil	29	0.60	274	0.102	2	1.70	0.013	0.11	0.2	0.02	4.5	0.1	<0.05	5	<0.5	<0.2
REP 1193794	QC	29	0.60	277	0.101	2	1.69	0.013	0.11	0.2	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
1193755	Soil	31	0.51	265	0.085	1	1.75	0.013	0.08	0.2	<0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
REP 1193755	QC	32	0.50	266	0.080	1	1.71	0.016	0.07	0.1	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
1193988	Soil	20	1.23	210	0.250	3	2.65	0.012	1.35	0.1	0.03	2.7	0.5	<0.05	8	<0.5	<0.2
REP 1193988	QC	20	1.17	214	0.247	1	2.59	0.012	1.36	0.1	0.03	2.6	0.5	<0.05	8	<0.5	<0.2
1194052	Soil	20	0.74	181	0.156	<1	1.94	0.009	0.55	0.2	0.02	1.7	0.3	<0.05	7	<0.5	<0.2
REP 1194052	QC	20	0.72	184	0.155	<1	1.90	0.009	0.56	0.1	0.01	1.8	0.3	<0.05	7	<0.5	<0.2
1194970	Soil	10	1.48	224	0.237	<1	2.59	0.011	1.70	0.1	<0.01	1.7	0.5	<0.05	7	<0.5	<0.2
REP 1194970	QC	10	1.47	221	0.232	<1	2.51	0.012	1.66	0.1	<0.01	1.6	0.5	<0.05	7	<0.5	<0.2
1194974	Soil	25	0.62	208	0.106	<1	1.82	0.014	0.21	0.1	<0.01	2.3	0.1	<0.05	5	<0.5	<0.2
REP 1194974	QC	25	0.62	193	0.102	<1	1.77	0.012	0.22	0.1	0.01	2.3	0.1	<0.05	5	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	110	0.60	275	0.104	3	0.89	0.083	0.41	3.0	0.21	1.6	5.6	0.11	5	6.0	5.0
STD DS8	Standard	108	0.59	275	0.103	2	0.88	0.084	0.40	2.9	0.22	1.7	5.5	0.09	5	5.0	4.9
STD DS8	Standard	120	0.62	287	0.125	3	0.91	0.095	0.44	3.0	0.18	2.0	5.5	0.14	5	5.4	5.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

QUALITY CONTROL REPORT VAN11002515.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	13.6	116.0	119.9	324	1.8	39.3	7.8	628	2.43	27.0	107.5	6.5	69	2.3	5.9	6.0	44	0.68	0.082	15
STD DS8	Standard	12.6	112.8	123.3	338	1.9	38.5	7.4	618	2.47	28.2	129.7	6.7	72	2.5	6.3	6.9	42	0.68	0.088	13
STD DS8	Standard	12.9	106.3	115.8	320	1.8	37.9	7.1	592	2.31	26.7	118.7	6.6	70	2.5	5.8	6.4	41	0.65	0.080	14
STD DS8	Standard	14.4	123.6	135.6	342	1.9	42.8	8.3	661	2.69	28.6	111.1	6.7	70	2.4	6.2	7.1	47	0.71	0.091	14
STD DS8	Standard	14.2	122.6	137.8	342	1.9	41.1	8.4	658	2.67	28.6	114.9	6.9	71	2.4	5.9	7.4	47	0.73	0.087	15
STD DS8	Standard	13.5	120.1	127.4	327	1.8	39.2	8.1	604	2.44	25.7	113.3	6.8	67	2.5	6.0	6.6	45	0.66	0.083	13
STD DS8	Standard	13.6	118.5	129.1	335	2.0	40.9	7.7	632	2.52	27.2	114.4	7.1	69	2.4	6.3	6.9	44	0.69	0.085	14
STD DS8	Standard	13.0	118.0	124.2	326	1.7	39.5	7.8	599	2.47	25.9	109.2	6.4	52	2.5	4.7	5.6	46	0.69	0.081	13
STD DS8	Standard	13.5	120.9	124.8	319	1.8	42.1	8.3	645	2.55	26.4	127.9	6.5	55	2.0	5.0	5.8	47	0.70	0.085	13
STD DS8	Standard	14.0	114.3	120.4	307	1.8	38.9	7.7	639	2.46	25.6	118.0	6.7	58	2.5	5.0	5.8	46	0.70	0.083	14
STD DS8	Standard	13.9	112.1	122.2	303	1.8	38.2	7.7	614	2.42	25.5	114.9	7.0	60	2.3	5.2	5.7	45	0.70	0.079	15
STD DS8	Standard	14.7	117.1	126.1	331	1.8	39.1	8.0	628	2.49	27.2	114.5	7.4	72	2.4	6.0	6.8	43	0.73	0.076	16
STD DS8	Standard	14.4	125.2	131.9	348	1.9	41.1	8.5	674	2.64	27.9	112.6	7.9	77	2.3	6.3	6.9	47	0.77	0.085	17
STD DS8	Standard	14.2	117.3	119.7	312	1.7	40.2	7.9	611	2.45	25.2	109.3	6.3	53	2.1	5.0	5.8	43	0.65	0.080	13
STD DS8	Standard	14.6	119.0	121.9	320	1.8	42.0	8.4	635	2.56	26.6	113.3	6.2	58	2.4	5.1	5.7	46	0.71	0.089	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	1.0	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Kinross Gold Corporation**
885 West Georgia St., Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: June 24, 2011

QUALITY CONTROL REPORT VAN11002515.1

		1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS8	Standard	119	0.61	289	0.126	2	0.86	0.092	0.42	3.1	0.20	2.1	5.4	0.14	5	5.6	4.9
STD DS8	Standard	116	0.60	283	0.114	3	0.89	0.093	0.45	2.9	0.22	1.9	5.1	0.17	5	5.1	4.7
STD DS8	Standard	112	0.59	279	0.117	3	0.88	0.089	0.42	2.9	0.19	1.8	4.9	<0.05	5	4.5	4.8
STD DS8	Standard	131	0.64	299	0.126	3	1.00	0.082	0.44	3.1	0.21	2.0	5.7	0.18	5	5.3	5.4
STD DS8	Standard	129	0.63	298	0.129	<1	1.01	0.086	0.45	3.1	0.21	2.0	5.7	0.17	5	5.1	4.8
STD DS8	Standard	117	0.62	269	0.123	3	0.89	0.087	0.43	2.9	0.21	1.8	5.3	0.18	5	5.3	4.9
STD DS8	Standard	122	0.63	288	0.129	3	0.93	0.097	0.45	3.1	0.21	2.0	5.5	0.17	5	5.4	5.1
STD DS8	Standard	125	0.58	268	0.111	3	0.85	0.076	0.41	2.9	0.20	1.9	5.7	0.18	5	5.8	4.8
STD DS8	Standard	127	0.65	274	0.115	3	0.93	0.086	0.43	2.8	0.21	2.0	5.7	0.19	4	5.6	4.8
STD DS8	Standard	125	0.63	270	0.117	2	0.95	0.095	0.42	2.9	0.19	2.1	5.3	0.19	5	4.5	5.4
STD DS8	Standard	121	0.60	277	0.117	2	0.93	0.087	0.41	3.1	0.18	2.2	5.2	0.17	5	5.3	4.9
STD DS8	Standard	122	0.63	275	0.130	2	0.97	0.103	0.44	3.3	0.21	2.3	5.2	0.09	5	6.0	5.5
STD DS8	Standard	129	0.67	297	0.131	4	1.03	0.095	0.44	3.1	0.20	2.3	5.6	0.16	5	5.8	5.4
STD DS8	Standard	123	0.59	268	0.109	3	0.88	0.080	0.40	2.8	0.22	1.8	5.2	0.18	4	5.4	4.9
STD DS8	Standard	132	0.65	279	0.117	3	0.96	0.093	0.44	3.1	0.20	2.0	5.1	0.17	5	5.9	4.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.