Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: October 11, 2011
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000548.1

CLIENT JOB INFORMATION

Project: JPR
Shipment ID: JPR2011-09
P.O. Number
Number of Samples: 39

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	39	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	39	Dry at 60C			WHI
RJSV	39	Saving all or part of Soil Reject			WHI
1DX2	39	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1103688	Soil	0.8	52.3	10.8	82	0.2	10.6	9.2	375	2.07	0.6	1.6	5.9	6.2	33	0.2	0.3	0.2	41	0.79	0.044
1106772	Soil	0.7	26.9	7.7	51	<0.1	22.2	9.6	318	2.40	7.3	0.9	2.8	4.5	30	<0.1	0.4	0.1	49	0.46	0.066
1106743	Soil	0.6	24.3	8.1	67	0.1	19.5	9.9	303	2.25	5.1	1.4	4.7	4.9	40	0.2	0.4	0.1	47	0.74	0.073
1106746	Soil	1.7	39.9	11.1	78	0.2	31.1	15.5	1256	3.14	10.3	1.9	5.0	4.9	43	0.2	0.7	0.2	63	0.73	0.066
1103687	Soil	1.1	47.7	9.4	63	0.3	13.1	9.9	669	2.62	5.0	1.9	4.5	5.7	38	0.1	0.3	0.2	52	1.01	0.065
1106771	Soil	0.7	26.2	8.1	50	<0.1	18.4	9.8	303	2.49	6.7	1.1	3.5	5.1	28	<0.1	0.4	0.2	55	0.46	0.055
1106741	Soil	1.1	19.1	7.1	63	<0.1	19.6	9.8	435	2.39	7.5	1.7	7.0	4.1	50	0.2	0.4	<0.1	49	0.80	0.072
1106745	Soil	1.0	21.9	8.2	64	0.1	17.7	9.9	296	2.04	5.5	3.7	22.1	5.2	53	0.3	0.3	0.1	48	0.89	0.055
1106747	Soil	1.8	27.3	9.4	67	0.2	21.6	11.8	1551	2.33	6.1	4.3	7.7	4.9	52	0.4	0.4	0.1	52	0.87	0.062
1103691	Soil	1.9	24.8	4.3	81	<0.1	6.2	13.2	672	3.68	2.3	1.0	70.7	14.7	16	<0.1	<0.1	<0.1	62	0.34	0.071
1106774	Soil	2.6	27.9	8.9	61	0.1	22.8	10.5	281	2.38	7.1	1.2	4.5	4.8	41	0.2	0.6	0.2	52	0.65	0.063
1106744	Soil	1.7	23.0	8.9	64	0.1	19.6	11.7	419	2.58	6.2	4.0	9.7	5.1	55	0.1	0.4	0.1	53	1.00	0.069
1106752	Soil	0.9	22.6	8.1	69	0.1	18.5	7.6	265	2.20	4.8	1.3	5.4	3.5	43	0.2	0.4	0.1	51	0.96	0.062
1103686	Soil	1.2	33.1	7.5	71	<0.1	15.1	10.2	443	2.89	4.9	1.5	3.3	11.5	25	<0.1	0.4	0.1	54	0.47	0.052
1106773	Soil	0.8	28.4	8.4	52	0.1	24.5	10.9	367	2.38	8.2	1.2	3.6	3.7	40	<0.1	0.5	0.1	51	0.65	0.066
1106742	Soil	0.8	20.5	7.7	65	0.1	19.1	10.1	488	2.42	4.1	1.8	3.6	5.0	46	<0.1	0.3	0.1	42	0.73	0.065
1106764	Soil	1.0	36.0	8.5	73	<0.1	27.3	10.5	409	2.58	8.3	0.7	2.8	3.8	43	0.2	0.7	0.2	53	1.09	0.076
1106767	Soil	1.5	20.8	6.5	48	0.1	16.9	10.5	431	2.39	5.5	4.8	2.7	2.8	105	<0.1	0.4	0.2	51	1.35	0.063
1106758	Soil	0.9	36.0	7.4	46	0.1	18.5	8.9	373	2.10	4.3	2.9	6.6	3.8	53	0.1	0.5	0.2	44	1.47	0.061
1106753	Soil	1.1	28.4	8.4	72	0.1	22.3	10.2	341	2.45	5.3	1.3	9.6	3.3	46	0.2	0.4	0.2	52	1.13	0.061
1106765	Soil	1.8	20.2	2.7	35	0.1	14.0	14.0	3819	1.38	2.1	4.0	3.0	0.5	90	0.6	0.5	<0.1	15	1.94	0.089
1106760	Soil	0.7	21.5	6.8	57	0.1	17.9	9.6	397	2.23	3.8	2.7	2.5	3.9	45	<0.1	0.4	0.1	52	0.80	0.069
1106751	Soil	2.0	18.9	8.3	63	0.2	19.9	20.6	2235	3.35	8.7	2.9	51.6	6.3	37	0.2	0.4	0.1	50	0.76	0.080
1106755	Soil	2.0	18.5	7.4	58	0.2	18.2	18.1	2292	2.98	7.6	2.7	18.7	5.0	42	0.2	0.4	0.1	44	0.98	0.078
1106761	Soil	1.0	22.9	5.8	50	<0.1	16.9	9.8	350	2.37	5.1	3.0	5.5	3.0	52	0.1	0.3	0.1	46	0.82	0.063
1106770	Soil	0.7	26.4	8.1	52	<0.1	20.1	9.3	293	2.40	7.3	1.1	2.4	4.3	32	<0.1	0.5	0.1	52	0.50	0.063
1106748	Soil	3.0	21.8	10.1	68	0.2	17.3	12.6	970	2.87	9.1	3.1	7.2	3.7	52	0.3	0.4	0.1	51	0.97	0.073
1106756	Soil	1.0	22.0	3.7	40	<0.1	13.7	9.5	900	1.01	<0.5	0.5	3.3	0.8	83	0.3	0.4	<0.1	13	2.36	0.085
1103696	Soil	0.8	27.7	8.6	65	0.1	24.4	10.2	384	2.42	7.2	1.0	2.5	4.1	45	0.1	0.6	0.1	51	0.79	0.067
1106768	Soil	0.7	24.5	7.1	53	<0.1	19.7	8.7	280	2.23	5.9	1.1	3.6	4.2	33	0.1	0.5	0.1	51	0.56	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1103688	Soil	23	20	0.69	199	0.090	<1	1.61	0.010	0.29	0.1	0.05	4.0	0.2	0.10	5	<0.5	<0.2
1106772	Soil	15	29	0.51	292	0.079	1	1.27	0.020	0.07	0.2	0.03	3.8	<0.1	<0.05	4	<0.5	<0.2
1106743	Soil	17	24	0.56	246	0.075	2	1.24	0.021	0.12	0.3	0.03	3.5	<0.1	0.10	4	<0.5	<0.2
1106746	Soil	21	34	0.66	388	0.084	2	1.70	0.024	0.09	0.2	0.05	4.7	0.1	0.09	5	0.7	<0.2
1103687	Soil	29	21	0.67	237	0.082	1	1.56	0.015	0.19	0.2	0.06	4.1	0.1	0.12	5	<0.5	<0.2
1106771	Soil	16	30	0.57	294	0.096	1	1.52	0.019	0.07	0.2	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
1106741	Soil	17	25	0.59	241	0.073	1	1.20	0.021	0.12	0.3	0.03	3.2	<0.1	0.13	4	<0.5	<0.2
1106745	Soil	24	21	0.62	214	0.074	2	1.29	0.017	0.16	0.2	0.05	3.6	<0.1	0.26	4	<0.5	<0.2
1106747	Soil	27	24	0.60	355	0.068	2	1.43	0.018	0.13	0.2	0.06	4.0	0.1	0.07	4	<0.5	<0.2
1103691	Soil	28	11	1.05	158	0.151	<1	2.33	0.009	1.21	<0.1	0.01	2.5	0.5	<0.05	8	<0.5	<0.2
1106774	Soil	15	28	0.58	296	0.085	1	1.47	0.024	0.09	0.2	0.04	4.2	<0.1	0.08	4	1.0	<0.2
1106744	Soil	26	24	0.63	263	0.078	2	1.37	0.021	0.17	0.2	0.04	4.2	0.1	0.19	4	0.7	<0.2
1106752	Soil	16	25	0.58	251	0.072	1	1.34	0.020	0.08	0.2	0.04	3.4	<0.1	0.10	4	<0.5	<0.2
1103686	Soil	26	23	0.66	191	0.110	<1	1.72	0.018	0.29	0.2	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
1106773	Soil	15	27	0.53	320	0.076	1	1.40	0.023	0.06	0.2	0.03	3.7	<0.1	0.06	4	<0.5	<0.2
1106742	Soil	17	22	0.64	261	0.079	1	1.32	0.021	0.16	0.2	0.03	3.4	0.1	0.13	4	<0.5	<0.2
1106764	Soil	14	28	0.70	344	0.077	2	1.37	0.025	0.11	0.2	0.03	3.5	0.1	0.06	4	<0.5	<0.2
1106767	Soil	11	23	0.72	731	0.102	3	1.42	0.020	0.27	0.2	0.04	3.2	0.1	0.16	4	0.9	<0.2
1106758	Soil	43	20	0.51	275	0.063	2	1.31	0.016	0.12	0.2	0.08	3.7	<0.1	0.17	4	1.1	<0.2
1106753	Soil	15	30	0.63	325	0.071	<1	1.56	0.019	0.11	0.1	0.04	4.1	0.1	0.12	5	0.6	<0.2
1106765	Soil	8	10	0.28	621	0.018	5	0.49	0.014	0.04	<0.1	0.07	1.0	<0.1	0.18	1	<0.5	<0.2
1106760	Soil	22	24	0.59	305	0.085	1	1.48	0.021	0.11	0.2	0.04	4.0	<0.1	0.07	4	<0.5	<0.2
1106751	Soil	33	23	0.52	318	0.074	1	1.35	0.016	0.12	0.4	0.05	4.0	0.1	0.09	4	0.6	<0.2
1106755	Soil	30	20	0.46	346	0.063	2	1.15	0.016	0.10	0.5	0.05	3.7	<0.1	0.12	3	0.7	<0.2
1106761	Soil	20	22	0.56	315	0.079	<1	1.41	0.019	0.14	0.2	0.04	3.6	<0.1	0.12	4	<0.5	<0.2
1106770	Soil	15	28	0.56	299	0.090	<1	1.48	0.019	0.06	0.2	0.03	3.7	<0.1	<0.05	4	<0.5	<0.2
1106748	Soil	20	24	0.56	328	0.065	3	1.39	0.019	0.10	0.2	0.05	3.7	0.1	0.14	4	0.7	<0.2
1106756	Soil	9	11	0.28	358	0.026	5	0.62	0.015	0.04	0.1	0.07	1.7	<0.1	0.32	2	0.5	<0.2
1103696	Soil	14	28	0.60	302	0.077	1	1.38	0.029	0.07	0.2	0.03	3.4	<0.1	<0.05	4	<0.5	<0.2
1106768	Soil	15	26	0.53	304	0.087	<1	1.33	0.021	0.09	0.2	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1106750	Soil	2.2	30.8	5.2	73	0.2	22.3	20.8	2906	1.69	3.5	2.4	6.5	1.1	91	1.4	0.8	<0.1	24	1.91	0.093
1106754	Soil	0.6	26.7	7.9	54	0.1	18.7	7.9	337	2.27	5.0	1.1	2.8	3.3	41	0.2	0.5	0.1	46	0.91	0.054
1103697	Soil	0.7	29.4	7.9	63	<0.1	26.0	10.5	385	2.38	7.2	0.7	3.7	4.1	46	0.2	0.5	0.1	50	0.99	0.075
1122793	Soil	1.0	28.0	8.9	77	0.1	14.1	12.1	418	2.44	3.0	0.9	4.9	4.1	24	0.1	0.3	0.1	57	0.49	0.059
1122791	Soil	0.7	32.0	8.0	59	0.1	27.2	10.3	375	2.30	6.7	0.8	3.9	4.4	49	0.2	0.6	0.1	50	1.18	0.075
1103699	Soil	1.0	32.2	9.7	71	0.1	26.7	10.8	531	2.56	7.9	0.9	4.8	4.3	38	0.2	0.6	0.2	53	0.68	0.068
1103698	Soil	1.2	36.1	9.2	77	0.2	28.0	11.6	489	2.70	9.0	0.9	2.7	4.1	66	0.3	0.8	0.2	56	1.49	0.074
1103700	Soil	0.8	24.8	8.8	68	0.2	18.8	12.7	640	2.62	7.1	1.3	6.6	4.3	35	0.3	0.5	0.2	54	0.52	0.066
1122792	Soil	0.7	25.9	7.6	68	0.1	21.5	9.7	372	2.32	6.8	0.7	2.6	3.2	52	0.3	0.5	0.2	51	0.94	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

CERTIFICATE OF ANALYSIS DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1106750	Soil	20	15	0.37	478	0.025	5	0.84	0.014	0.07	<0.1	0.07	2.3	<0.1	0.22	2	0.7	<0.2
1106754	Soil	16	24	0.55	303	0.071	<1	1.30	0.019	0.09	0.2	0.04	3.5	<0.1	0.06	4	<0.5	<0.2
1103697	Soil	13	27	0.68	281	0.080	2	1.22	0.029	0.09	0.2	0.02	3.4	<0.1	0.06	4	<0.5	<0.2
1122793	Soil	15	28	0.93	233	0.111	<1	1.68	0.015	0.33	0.2	0.04	3.3	0.2	0.07	5	<0.5	<0.2
1122791	Soil	14	26	0.75	274	0.081	2	1.25	0.032	0.11	0.2	0.03	3.3	<0.1	0.07	4	<0.5	<0.2
1103699	Soil	14	28	0.65	324	0.080	1	1.47	0.028	0.08	0.2	0.03	3.6	<0.1	0.05	4	<0.5	<0.2
1103698	Soil	15	29	0.79	356	0.098	3	1.39	0.033	0.12	0.2	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
1103700	Soil	15	27	0.64	262	0.108	1	1.53	0.020	0.14	0.2	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
1122792	Soil	12	26	0.59	269	0.089	1	1.29	0.028	0.09	0.2	0.03	3.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1103688	Soil	0.8	52.3	10.8	82	0.2	10.6	9.2	375	2.07	0.6	1.6	5.9	6.2	33	0.2	0.3	0.2	41	0.79	0.044
REP 1103688	QC	0.8	55.2	11.2	84	0.3	11.0	9.5	405	2.17	2.3	1.6	8.3	6.3	35	0.2	0.3	0.2	46	0.85	0.048
1122791	Soil	0.7	32.0	8.0	59	0.1	27.2	10.3	375	2.30	6.7	0.8	3.9	4.4	49	0.2	0.6	0.1	50	1.18	0.075
REP 1122791	QC	0.7	31.5	7.9	60	0.1	27.0	10.8	370	2.32	6.2	0.8	3.2	4.3	48	0.2	0.6	0.1	49	1.14	0.074
Reference Materials																					
STD DS8	Standard	13.0	106.1	118.5	292	1.7	37.5	7.4	599	2.40	25.5	2.9	106.4	6.9	74	2.1	5.5	6.3	40	0.68	0.074
STD DS8	Standard	14.4	117.1	131.1	322	1.7	39.8	8.1	628	2.53	26.3	3.0	112.7	7.8	65	2.3	5.5	6.8	43	0.73	0.078
STD DS8	Standard	13.1	107.5	126.2	294	1.7	37.8	7.9	556	2.33	23.5	2.7	113.4	6.5	64	2.2	5.6	5.9	41	0.67	0.077
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Selene Holdings LP**
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Project: JPR
Report Date: December 08, 2011

QUALITY CONTROL REPORT DAW11000548.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1103688	Soil	23	20	0.69	199	0.090	<1	1.61	0.010	0.29	0.1	0.05	4.0	0.2	0.10	5	<0.5	<0.2
REP 1103688	QC	24	22	0.75	207	0.101	2	1.78	0.012	0.32	0.1	0.05	4.3	0.2	0.12	5	<0.5	<0.2
1122791	Soil	14	26	0.75	274	0.081	2	1.25	0.032	0.11	0.2	0.03	3.3	<0.1	0.07	4	<0.5	<0.2
REP 1122791	QC	13	27	0.72	271	0.079	1	1.20	0.029	0.10	0.2	0.01	3.4	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS8	Standard	15	113	0.59	254	0.127	2	0.91	0.089	0.39	2.7	0.19	2.2	5.3	0.15	5	5.4	4.7
STD DS8	Standard	17	127	0.64	281	0.122	2	0.95	0.093	0.40	2.9	0.19	2.4	5.4	0.21	5	5.2	5.0
STD DS8	Standard	15	114	0.56	265	0.108	2	0.85	0.087	0.39	2.7	0.19	1.7	5.0	0.12	4	4.5	4.4
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.