ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

CERTIFICATE WH11119914

Project: JP Ross Project

P.O. No.: JR00332011

This report is for 129 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104729		4.93	0.068	1.1	0.99	<2	<10	120	<0.5	<2	0.62	0.8	5	35	117	1.36
CAE104730		4.78	0.100	1.2	0.95	<2	<10	150	<0.5	<2	0.66	1.6	5	42	176	1.37
CAE104731		0.75	0.002	<0.2	0.21	<2	<10	70	<0.5	<2	0.05	<0.5	<1	8	2	0.28
CAE104732		4.41	0.043	0.5	1.06	<2	<10	180	<0.5	<2	0.64	0.7	10	81	82	1.75
CAE104733		4.59	0.021	0.4	1.06	<2	<10	160	<0.5	<2	0.71	<0.5	18	122	84	2.43
CAE104734		2.33	0.061	0.6	0.99	2	<10	170	<0.5	<2	0.76	0.5	16	116	122	2.16
CAE104735		2.51	0.058	0.5	1.03	<2	<10	170	<0.5	<2	0.79	0.5	17	121	136	2.26
CAE104736		4.83	0.080	1.2	1.03	2	<10	150	<0.5	<2	1.38	1.1	13	124	225	2.27
CAE104737		5.54	0.059	0.5	0.94	<2	<10	170	<0.5	<2	0.85	0.6	14	120	153	2.01
CAE104738		5.05	0.088	0.9	0.99	2	<10	190	<0.5	<2	0.84	0.9	13	166	270	1.90
CAE104739		5.23	0.129	1.3	0.98	2	<10	160	<0.5	<2	0.90	0.7	13	118	309	2.10
CAE104740		5.48	0.039	0.6	1.01	<2	<10	210	<0.5	<2	0.77	0.5	13	110	79	1.81
CAE104741		5.36	0.050	0.6	1.01	2	<10	210	<0.5	<2	0.77	0.6	13	112	111	1.85
CAE104742		4.86	0.038	0.6	1.13	<2	<10	250	<0.5	<2	0.78	0.5	12	123	125	1.96
CAE104743		5.56	0.095	0.9	0.91	<2	<10	190	<0.5	<2	0.80	0.7	10	111	207	1.78
CAE104744		2.17	0.058	1.6	0.93	<2	<10	160	<0.5	<2	1.04	3.1	9	106	199	2.19
CAE104745		3.40	0.051	2.9	0.87	<2	<10	150	<0.5	2	0.98	4.3	10	83	385	2.31
CAE104746		4.97	0.062	0.9	0.94	<2	<10	210	<0.5	<2	0.52	0.8	10	64	211	1.55
CAE104747		0.91	0.003	<0.2	0.23	2	<10	100	<0.5	<2	0.10	<0.5	1	9	3	0.84
CAE104748		2.61	0.098	1.7	1.17	<2	<10	200	0.6	<2	1.17	0.9	10	72	319	1.98
CAE104749		2.17	0.089	1.7	1.11	<2	<10	200	0.5	<2	1.55	0.9	10	70	313	1.99
CAE104750		4.08	0.062	1.0	1.33	3	<10	260	<0.5	<2	0.86	0.7	13	150	314	2.44
CAE104751		3.46	0.222	1.2	1.45	3	<10	140	<0.5	<2	1.23	0.8	12	213	275	2.66
CAE104752		2.78	0.024	1.3	1.09	<2	<10	80	<0.5	<2	0.91	0.5	10	85	216	2.77
CAE104753		1.65	0.052	1.7	2.32	6	<10	290	1.1	<2	5.77	1.1	11	85	319	3.19
CAE104754		5.10	0.069	1.9	1.25	2	<10	360	0.7	<2	1.33	1.9	8	81	211	2.37
CAE104755		4.16	0.102	1.9	1.39	2	<10	320	0.9	<2	0.98	1.0	11	80	348	2.74
CAE104756		7.99	0.029	18.0	0.50	<2	<10	60	<0.5	5	0.60	3.5	16	31	1560	4.21
CAE104757		5.51	0.018	1.3	0.53	<2	<10	50	0.5	<2	0.31	1.2	11	48	144	3.58
CAE104758		5.43	0.026	1.5	0.47	<2	<10	50	0.5	2	0.55	1.6	8	34	129	3.06
CAE104759		4.90	0.025	3.9	0.48	6	<10	50	<0.5	4	0.40	3.0	10	37	105	3.20
CAE104760		5.29	0.038	1.7	0.51	<2	<10	40	<0.5	<2	0.47	4.2	9	25	107	2.87
CAE104761		5.45	0.066	2.1	0.46	<2	<10	50	<0.5	2	0.49	3.1	13	31	151	3.57
CAE104762		0.15	1.150	1.1	1.48	21	<10	200	<0.5	<2	1.02	0.5	12	45	594	3.40
CAE104763		5.51	0.011	1.2	0.33	<2	<10	40	<0.5	<2	0.36	2.2	5	18	88	1.65
CAE104764		5.00	0.007	1.3	0.37	<2	<10	30	<0.5	<2	0.27	4.7	7	17	80	2.12
CAE104765		4.77	0.015	2.4	0.77	<2	<10	50	<0.5	2	0.56	2.7	12	21	175	3.45
CAE104766		5.34	0.014	3.0	0.42	<2	<10	30	<0.5	3	0.59	22.8	11	16	121	3.41
CAE104767		4.21	0.020	2.4	0.40	<2	<10	30	<0.5	2	0.55	11.1	6	22	74	2.37
CAE104768		0.79	0.002	<0.2	0.13	<2	<10	30	<0.5	<2	0.04	<0.5	<1	4	1	0.36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104729		<10	<1	0.17	10	0.56	226	8	0.09	33	930	26	0.10	<2	1	39
CAE104730		<10	<1	0.20	10	0.61	225	11	0.09	40	860	33	0.14	<2	1	40
CAE104731		<10	<1	0.17	<10	0.01	38	<1	0.09	1	90	3	<0.01	<2	<1	60
CAE104732		<10	<1	0.39	20	1.23	245	7	0.10	108	1080	21	0.07	<2	1	50
CAE104733		<10	<1	0.62	20	2.27	315	7	0.14	215	1330	17	0.17	<2	2	69
CAE104734		<10	<1	0.59	20	1.62	282	5	0.14	174	1410	18	0.23	<2	1	74
CAE104735		<10	<1	0.59	20	1.67	297	5	0.16	181	1400	17	0.24	<2	2	78
CAE104736		<10	<1	0.50	20	1.44	512	8	0.12	157	1370	28	0.26	<2	2	85
CAE104737		<10	<1	0.53	20	1.46	269	9	0.15	156	1390	15	0.20	<2	1	75
CAE104738		<10	<1	0.61	20	1.74	285	21	0.13	191	1320	19	0.14	<2	2	63
CAE104739		<10	<1	0.43	20	1.30	262	25	0.10	152	1300	18	0.31	<2	1	91
CAE104740		<10	<1	0.60	20	1.47	245	6	0.14	152	1310	16	0.15	<2	1	68
CAE104741		<10	<1	0.60	20	1.35	224	5	0.14	151	1320	18	0.23	<2	2	65
CAE104742		<10	<1	0.74	20	1.50	231	13	0.13	171	1300	17	0.21	<2	2	61
CAE104743		<10	<1	0.42	20	0.94	210	23	0.10	115	1190	20	0.26	<2	2	51
CAE104744		<10	<1	0.31	20	0.88	286	11	0.10	107	1110	34	0.31	<2	2	61
CAE104745		<10	<1	0.26	10	0.68	276	16	0.08	79	970	40	0.70	<2	2	44
CAE104746		<10	<1	0.32	10	0.65	196	13	0.09	74	800	30	0.14	<2	1	39
CAE104747		<10	<1	0.18	<10	0.01	248	<1	0.08	3	90	10	0.02	<2	1	128
CAE104748		<10	<1	0.25	10	0.83	346	29	0.08	63	850	37	0.38	<2	2	84
CAE104749		<10	<1	0.23	10	0.80	429	25	0.07	61	820	35	0.41	<2	1	94
CAE104750		<10	<1	0.67	20	1.35	249	10	0.10	112	1360	20	0.63	<2	2	87
CAE104751		10	<1	0.71	10	1.57	314	23	0.08	106	1320	21	0.62	<2	4	67
CAE104752		<10	<1	0.39	10	0.96	281	7	0.04	56	320	27	1.01	<2	6	31
CAE104753		10	<1	0.42	10	1.25	1535	11	0.03	55	480	19	0.68	<2	5	302
CAE104754		<10	<1	0.45	20	1.17	453	11	0.08	62	1030	78	0.67	<2	3	83
CAE104755		<10	<1	0.43	20	1.21	366	11	0.08	62	1080	41	1.03	<2	3	145
CAE104756		<10	1	0.15	<10	0.31	297	44	0.01	36	240	64	2.57	<2	3	31
CAE104757		<10	<1	0.14	<10	0.37	261	4	0.02	18	190	25	1.38	<2	2	32
CAE104758		<10	<1	0.11	<10	0.52	333	7	0.01	13	320	34	1.00	<2	3	36
CAE104759		<10	<1	0.13	<10	0.31	247	10	0.01	17	130	163	1.57	<2	2	24
CAE104760		<10	<1	0.10	<10	0.38	241	9	0.02	20	280	68	1.26	<2	3	26
CAE104761		<10	<1	0.15	<10	0.44	475	3	0.01	19	440	88	1.71	<2	2	25
CAE104762		10	<1	0.24	10	0.71	476	31	0.11	32	650	74	0.60	3	6	51
CAE104763		<10	<1	0.09	<10	0.20	206	6	0.01	11	140	59	0.62	<2	2	21
CAE104764		<10	<1	0.07	<10	0.18	172	2	0.01	16	110	62	0.89	<2	2	15
CAE104765		<10	<1	0.14	10	0.52	245	22	0.01	47	650	66	1.51	<2	3	19
CAE104766		<10	<1	0.08	<10	0.29	368	25	0.01	38	80	142	2.18	2	2	19
CAE104767		<10	<1	0.09	<10	0.32	246	36	0.01	15	190	162	1.18	<2	1	15
CAE104768		<10	<1	0.08	<10	0.02	46	<1	0.04	1	50	5	<0.01	<2	<1	37

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104729		<20	0.08	<10	<10	24	<10	81
CAE104730		<20	0.08	<10	<10	25	<10	150
CAE104731		<20	0.01	<10	<10	4	<10	4
CAE104732		<20	0.12	<10	<10	41	<10	92
CAE104733		<20	0.16	<10	<10	64	<10	59
CAE104734		<20	0.17	<10	<10	58	<10	64
CAE104735		<20	0.17	<10	<10	59	<10	66
CAE104736		<20	0.15	<10	<10	53	<10	98
CAE104737		<20	0.16	<10	<10	51	<10	63
CAE104738		<20	0.16	<10	<10	48	<10	89
CAE104739		<20	0.14	<10	<10	48	<10	71
CAE104740		<20	0.18	<10	<10	51	<10	57
CAE104741		<20	0.18	<10	<10	51	<10	61
CAE104742		<20	0.20	<10	<10	54	<10	63
CAE104743		<20	0.14	<10	<10	42	<10	68
CAE104744		<20	0.11	<10	<10	41	<10	309
CAE104745		<20	0.09	<10	<10	33	<10	426
CAE104746		<20	0.11	<10	<10	29	<10	66
CAE104747		<20	0.01	<10	<10	14	<10	32
CAE104748		<20	0.09	<10	<10	34	<10	84
CAE104749		<20	0.09	<10	<10	32	<10	82
CAE104750		<20	0.20	<10	<10	60	<10	82
CAE104751		<20	0.21	<10	<10	80	<10	85
CAE104752		<20	0.11	<10	<10	56	<10	74
CAE104753		<20	0.09	<10	<10	58	<10	87
CAE104754		<20	0.13	<10	<10	42	<10	229
CAE104755		<20	0.13	<10	<10	41	<10	109
CAE104756		<20	0.01	<10	<10	46	<10	366
CAE104757		<20	0.01	<10	<10	27	<10	147
CAE104758		<20	0.01	<10	<10	21	<10	192
CAE104759		<20	0.01	<10	<10	19	<10	294
CAE104760		<20	0.01	<10	<10	18	<10	410
CAE104761		<20	0.01	<10	<10	39	<10	324
CAE104762		<20	0.12	<10	<10	70	20	107
CAE104763		<20	<0.01	<10	<10	11	<10	212
CAE104764		<20	<0.01	<10	<10	10	<10	425
CAE104765		<20	0.01	<10	<10	25	<10	288
CAE104766		<20	<0.01	<10	<10	14	<10	1860
CAE104767		<20	<0.01	<10	<10	22	<10	957
CAE104768		<20	0.01	<10	<10	10	<10	11

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104769		4.75	0.008	1.4	0.43	2	<10	30	<0.5	2	0.32	5.1	5	23	66	2.18
CAE104770		5.60	0.005	1.3	0.33	<2	<10	40	<0.5	2	0.47	2.4	7	20	74	2.19
CAE104771		4.92	0.006	1.0	0.29	<2	<10	40	<0.5	<2	0.49	2.9	5	20	53	1.79
CAE104772		5.36	0.010	3.4	0.28	<2	<10	50	<0.5	3	0.41	2.7	6	20	74	1.99
CAE104773		4.98	0.004	1.2	0.31	<2	<10	50	<0.5	2	0.47	2.7	6	21	67	2.22
CAE104774		2.60	0.011	2.1	0.35	<2	<10	50	<0.5	3	0.57	4.3	5	21	68	1.94
CAE104775		2.52	0.008	1.4	0.34	2	<10	40	<0.5	2	0.54	3.6	6	21	68	2.02
CAE104776		4.83	0.010	1.0	0.32	<2	<10	60	<0.5	<2	0.75	2.4	4	19	48	1.42
CAE104777		5.18	0.020	1.4	0.48	<2	<10	60	<0.5	<2	1.17	4.7	5	25	61	2.51
CAE104778		5.36	0.039	1.6	0.22	<2	<10	40	<0.5	2	0.85	4.0	6	20	76	2.30
CAE104779		5.07	0.007	1.2	0.30	<2	<10	60	<0.5	2	0.73	2.1	7	27	84	2.61
CAE104780		2.67	0.042	0.8	0.33	<2	<10	100	<0.5	<2	0.74	0.9	7	39	75	2.34
CAE104781		5.55	0.009	0.9	0.25	<2	<10	100	<0.5	2	0.63	2.3	7	27	78	2.35
CAE104782		5.27	0.007	1.3	0.26	<2	<10	90	<0.5	<2	0.51	3.8	8	21	100	2.45
CAE104783		5.04	0.013	1.7	0.41	<2	<10	90	<0.5	2	0.65	2.1	10	21	108	2.76
CAE104784		5.23	0.003	0.7	0.46	<2	<10	80	<0.5	<2	0.64	1.0	5	27	47	1.78
CAE104785		5.48	0.004	0.7	0.41	<2	<10	180	<0.5	<2	0.69	1.4	6	34	60	1.93
CAE104786		5.39	0.005	1.0	0.37	<2	<10	60	<0.5	<2	0.62	1.0	6	25	80	2.22
CAE104787		5.27	0.005	1.4	0.64	<2	<10	140	<0.5	<2	0.71	3.5	7	23	79	2.45
CAE104788		5.57	0.004	0.7	0.37	<2	<10	80	<0.5	2	0.71	2.3	5	28	42	2.02
CAE104789		0.15	1.165	1.0	1.43	20	<10	190	<0.5	<2	0.97	0.5	11	44	586	3.31
CAE104790		5.47	0.005	1.5	0.28	<2	<10	50	<0.5	2	0.46	2.1	8	20	87	2.64
CAE104791		5.23	0.004	1.2	0.25	<2	<10	60	<0.5	2	0.70	3.5	5	22	58	2.04
CAE104792		0.87	0.002	<0.2	0.14	<2	<10	20	<0.5	<2	0.11	<0.5	<1	7	1	0.40
CAE104793		5.41	0.003	1.8	0.22	2	<10	50	<0.5	2	0.40	5.9	7	21	81	2.48
CAE104794		2.44	0.004	1.7	0.30	<2	<10	50	<0.5	<2	0.40	7.8	6	18	81	2.37
CAE104795		2.30	0.005	2.1	0.33	<2	<10	40	<0.5	2	0.44	9.4	8	19	111	2.66
CAE104796		5.09	0.004	1.4	0.39	2	<10	200	<0.5	<2	0.28	9.3	5	21	68	1.85
CAE104797		5.61	0.006	1.2	0.36	<2	<10	30	<0.5	<2	0.26	5.9	3	19	46	1.61
CAE104798		5.56	0.002	1.9	0.40	2	<10	40	<0.5	<2	0.47	3.4	6	19	85	2.08
CAE104799		5.35	0.004	1.0	0.43	<2	<10	40	<0.5	<2	0.44	3.1	5	20	54	1.79
CAE104800		4.37	0.004	1.3	1.23	3	<10	100	<0.5	<2	0.55	5.6	8	56	72	2.60
CAE104801		1.97	0.005	0.8	0.63	<2	<10	30	<0.5	<2	0.50	1.4	6	17	56	2.25
CAE104802		2.56	0.040	1.2	3.58	3	<10	80	0.7	<2	1.04	<0.5	43	567	207	6.37
CAE104803		5.26	0.029	0.9	3.08	4	<10	400	0.6	<2	1.06	<0.5	32	375	118	4.87
CAE104804		4.66	0.002	0.9	0.65	<2	<10	50	<0.5	<2	0.44	3.2	7	20	60	2.16
CAE104805		5.48	0.002	0.9	0.55	<2	<10	50	<0.5	<2	0.38	10.6	6	22	68	2.01
CAE104806		5.21	0.002	0.5	0.54	<2	<10	70	<0.5	<2	0.36	2.3	6	20	33	2.02
CAE104807		3.28	0.003	1.1	0.82	3	<10	40	<0.5	<2	0.40	10.8	6	15	53	2.82
CAE104808		7.21	0.005	1.1	0.49	4	<10	50	<0.5	2	0.68	9.4	4	22	32	2.18

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104769		<10	<1	0.08	<10	0.25	188	25	0.01	17	170	85	0.63	2	2	14
CAE104770		<10	<1	0.11	<10	0.28	368	2	0.01	26	150	73	0.84	<2	4	21
CAE104771		<10	<1	0.11	<10	0.38	330	9	0.01	17	110	62	0.55	<2	2	29
CAE104772		<10	<1	0.11	<10	0.25	295	6	0.01	19	120	83	0.81	<2	1	25
CAE104773		<10	<1	0.11	<10	0.36	317	2	0.01	18	100	69	0.85	<2	2	29
CAE104774		<10	<1	0.12	<10	0.29	359	6	0.01	20	150	119	0.77	<2	3	34
CAE104775		<10	<1	0.10	<10	0.29	342	5	0.01	20	180	103	0.83	<2	3	32
CAE104776		<10	<1	0.11	10	0.31	299	4	0.01	23	200	62	0.55	<2	3	41
CAE104777		<10	<1	0.12	10	0.59	495	3	0.02	37	600	80	0.77	<2	5	55
CAE104778		<10	<1	0.10	10	0.48	447	2	0.01	34	250	81	0.99	<2	3	49
CAE104779		<10	<1	0.13	20	0.56	359	3	0.02	45	390	43	0.98	<2	4	48
CAE104780		<10	<1	0.16	20	0.60	277	5	0.02	35	620	24	0.83	<2	5	60
CAE104781		<10	<1	0.12	10	0.58	311	2	0.01	26	700	33	0.89	<2	3	53
CAE104782		<10	<1	0.12	10	0.40	276	1	0.01	26	590	38	1.16	<2	2	42
CAE104783		<10	<1	0.13	10	0.38	271	2	0.02	36	710	52	1.43	<2	3	52
CAE104784		<10	<1	0.13	10	0.43	246	4	0.02	35	660	24	0.52	<2	3	47
CAE104785		<10	<1	0.15	<10	0.32	335	6	0.01	40	980	28	0.71	<2	3	44
CAE104786		<10	<1	0.11	10	0.45	305	2	0.01	24	370	21	0.74	<2	3	49
CAE104787		<10	<1	0.17	10	0.52	327	3	0.01	32	670	73	0.88	<2	3	39
CAE104788		<10	<1	0.15	10	0.49	318	2	0.01	30	830	39	0.53	<2	3	40
CAE104789		10	<1	0.23	10	0.69	464	29	0.10	30	650	73	0.59	4	6	49
CAE104790		<10	<1	0.10	<10	0.35	355	4	0.01	27	280	73	1.23	<2	2	18
CAE104791		<10	<1	0.13	<10	0.46	429	1	0.01	26	480	66	0.68	<2	2	26
CAE104792		<10	<1	0.07	<10	0.02	55	<1	0.06	1	20	2	<0.01	<2	<1	17
CAE104793		<10	<1	0.10	10	0.44	467	2	0.01	24	150	112	0.97	<2	2	18
CAE104794		<10	<1	0.12	10	0.30	502	3	0.01	25	120	88	0.90	<2	2	18
CAE104795		<10	<1	0.11	10	0.32	562	3	0.01	27	240	130	1.14	<2	2	20
CAE104796		<10	<1	0.10	10	0.23	189	14	0.01	22	180	84	0.76	2	2	22
CAE104797		<10	<1	0.09	<10	0.23	162	3	0.01	14	190	87	0.48	<2	2	15
CAE104798		<10	<1	0.10	10	0.29	251	4	0.01	23	230	66	0.77	2	2	24
CAE104799		<10	<1	0.10	10	0.31	251	5	0.01	17	240	53	0.57	<2	3	20
CAE104800		<10	<1	0.38	10	0.89	379	6	0.01	38	620	90	0.79	<2	3	32
CAE104801		<10	<1	0.08	10	0.45	304	4	0.01	18	270	29	0.80	<2	2	25
CAE104802		10	<1	2.56	20	4.09	888	2	0.12	260	2150	13	2.06	<2	9	76
CAE104803		10	<1	2.04	20	3.52	666	3	0.10	219	2490	9	0.86	<2	5	102
CAE104804		<10	<1	0.12	10	0.43	357	3	0.02	20	270	41	0.71	<2	2	26
CAE104805		<10	<1	0.13	10	0.35	406	4	0.01	18	320	31	0.70	<2	2	25
CAE104806		<10	<1	0.16	10	0.39	543	2	0.01	13	240	33	0.42	<2	3	24
CAE104807		<10	<1	0.12	10	0.54	317	6	0.01	17	350	62	0.69	2	2	26
CAE104808		<10	<1	0.13	10	0.47	574	9	0.01	23	420	87	0.43	2	3	30

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104769		<20	<0.01	<10	<10	38	<10	459
CAE104770		<20	0.01	<10	<10	19	<10	237
CAE104771		<20	<0.01	<10	<10	15	<10	280
CAE104772		<20	<0.01	<10	<10	11	<10	250
CAE104773		<20	<0.01	<10	<10	16	<10	260
CAE104774		<20	<0.01	<10	<10	24	<10	399
CAE104775		<20	<0.01	<10	<10	24	<10	353
CAE104776		<20	<0.01	<10	<10	25	<10	252
CAE104777		<20	0.01	<10	<10	50	<10	476
CAE104778		<20	<0.01	<10	<10	30	<10	382
CAE104779		<20	0.01	<10	<10	43	<10	228
CAE104780		<20	0.02	<10	<10	59	<10	127
CAE104781		<20	0.01	<10	<10	39	<10	255
CAE104782		<20	<0.01	<10	<10	31	<10	370
CAE104783		<20	0.01	<10	<10	38	<10	218
CAE104784		<20	0.01	<10	<10	37	<10	130
CAE104785		<20	0.01	<10	<10	52	<10	162
CAE104786		<20	0.01	<10	<10	30	<10	125
CAE104787		<20	0.01	<10	<10	40	<10	342
CAE104788		<20	<0.01	<10	<10	48	<10	235
CAE104789		<20	0.11	<10	<10	69	20	104
CAE104790		<20	<0.01	<10	<10	18	<10	204
CAE104791		<20	<0.01	<10	<10	21	<10	337
CAE104792		<20	0.01	<10	<10	14	<10	7
CAE104793		<20	<0.01	<10	<10	19	<10	510
CAE104794		<20	<0.01	<10	<10	14	<10	669
CAE104795		<20	<0.01	<10	<10	16	<10	815
CAE104796		<20	<0.01	<10	<10	10	<10	755
CAE104797		<20	<0.01	<10	<10	13	<10	503
CAE104798		<20	<0.01	<10	<10	13	<10	303
CAE104799		<20	<0.01	<10	<10	18	<10	295
CAE104800		<20	0.05	<10	<10	31	<10	516
CAE104801		<20	<0.01	<10	<10	11	<10	152
CAE104802		<20	0.46	<10	<10	120	<10	103
CAE104803		<20	0.42	<10	<10	99	<10	82
CAE104804		<20	0.01	<10	<10	13	<10	294
CAE104805		<20	0.01	<10	<10	13	<10	857
CAE104806		<20	0.01	<10	<10	14	<10	219
CAE104807		<20	<0.01	<10	<10	11	<10	874
CAE104808		<20	<0.01	<10	<10	22	<10	818

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104809		5.99	0.003	1.0	0.36	2	<10	30	<0.5	<2	0.51	4.2	5	15	44	2.03
CAE104810		0.16	1.185	1.1	1.53	21	<10	200	<0.5	<2	1.04	0.5	12	46	607	3.48
CAE104811		3.89	0.005	0.8	0.31	2	<10	30	<0.5	2	0.61	4.7	4	14	26	1.63
CAE104812		5.40	0.098	1.7	1.83	4	<10	260	0.5	<2	1.08	0.9	16	120	175	3.21
CAE104813		0.72	<0.001	<0.2	0.15	<2	<10	30	<0.5	<2	0.10	<0.5	1	3	1	0.49
CAE104814		5.36	0.137	1.7	1.51	3	<10	310	<0.5	<2	0.94	0.8	12	100	187	2.67
CAE104815		5.62	0.116	2.0	1.70	4	<10	330	0.6	<2	0.75	1.1	12	60	167	1.96
CAE104816		5.34	0.048	1.8	1.88	3	<10	450	0.7	2	0.78	1.4	7	53	189	1.87
CAE104817		2.35	0.025	1.0	1.52	4	<10	180	0.5	<2	0.87	1.1	12	80	104	1.79
CAE104818		2.53	0.027	1.1	1.57	4	<10	170	0.6	2	0.92	1.2	9	80	107	1.80
CAE104819		4.74	0.023	1.1	1.30	5	<10	150	0.5	2	1.57	3.7	12	84	74	2.44
CAE104820		4.82	0.032	1.6	1.06	2	<10	140	0.5	2	1.22	2.1	9	62	121	2.78
CAE104821		5.35	0.028	2.9	1.20	2	<10	270	<0.5	<2	1.20	1.0	13	99	132	2.74
CAE104822		5.76	0.065	1.2	1.22	3	<10	150	0.5	<2	0.74	0.9	8	66	124	1.88
CAE104823		4.98	0.051	1.2	1.07	6	<10	170	0.5	2	0.71	0.8	8	56	113	1.52
CAE104824		4.69	0.078	1.4	1.21	3	<10	140	0.6	<2	0.75	1.1	7	57	139	1.76
CAE104825		5.29	0.069	1.2	1.12	4	<10	230	<0.5	<2	0.62	0.9	10	79	115	1.93
CAE104826		0.16	1.300	1.0	1.51	21	<10	200	<0.5	<2	1.03	0.6	12	46	601	3.45
CAE104827		6.01	0.050	1.2	1.15	8	<10	230	0.5	<2	1.12	<0.5	12	99	123	2.11
CAE104828		5.95	0.045	1.4	1.14	3	<10	240	0.5	2	0.82	0.6	9	95	135	2.08
CAE104829		4.95	0.105	1.5	1.11	2	<10	220	0.5	2	0.63	0.6	10	84	168	2.27
CAE104830		0.82	<0.001	<0.2	0.19	<2	<10	60	<0.5	<2	0.04	<0.5	1	4	1	0.57
CAE104831		4.81	0.060	1.2	1.14	2	<10	140	0.5	<2	0.91	0.5	8	64	144	1.99
CAE104832		4.61	0.100	0.9	1.21	4	<10	180	0.6	2	0.79	0.8	8	60	101	1.91
CAE104833		5.80	0.070	1.0	1.23	3	<10	190	0.6	2	0.94	0.8	8	58	105	1.68
CAE104834		5.03	0.046	1.0	1.18	2	<10	210	0.5	<2	0.83	0.6	7	55	111	1.65
CAE104835		1.96	0.048	1.4	1.37	5	<10	260	<0.5	2	0.97	0.6	20	96	149	2.63
CAE104836		2.01	0.033	1.3	1.34	5	<10	270	<0.5	2	0.93	0.7	18	94	142	2.58
CAE104837		5.44	0.003	1.0	1.31	<2	<10	190	<0.5	2	0.89	1.0	9	58	79	2.81
CAE104838		3.45	0.002	0.9	0.94	2	<10	280	<0.5	2	0.95	1.0	9	53	81	2.48
CAE104839		5.23	0.004	0.9	1.84	<2	<10	430	<0.5	2	0.86	0.5	12	83	93	3.33
CAE104840		6.06	0.005	1.0	1.90	3	<10	430	<0.5	<2	0.71	0.6	15	140	79	3.32
CAE104841		5.08	0.007	1.2	1.83	6	<10	470	<0.5	2	0.79	0.6	20	203	99	2.57
CAE104842		5.32	0.016	0.6	2.03	47	<10	240	0.5	2	1.94	0.6	25	655	57	3.01
CAE104843		5.61	0.003	1.4	1.33	10	<10	180	<0.5	2	1.45	2.9	11	77	73	3.49
CAE104844		5.46	0.004	1.0	1.49	<2	<10	230	<0.5	3	0.85	0.8	12	119	103	2.83
CAE104845		4.76	<0.001	2.2	0.62	2	<10	80	<0.5	3	0.69	2.6	7	20	68	2.45
CAE104846		2.81	0.001	1.3	0.29	2	<10	30	<0.5	2	0.26	2.2	7	13	73	1.71
CAE104847		7.97	0.004	2.8	0.48	<2	<10	50	<0.5	2	0.26	32.9	7	16	123	2.17
CAE104848		5.09	0.002	1.9	0.36	2	<10	40	<0.5	2	0.30	7.2	6	15	175	2.13

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104809		<10	<1	0.11	10	0.31	652	6	0.01	17	220	62	0.56	2	2	23
CAE104810		<10	<1	0.24	10	0.74	488	31	0.11	32	670	77	0.62	2	6	52
CAE104811		<10	<1	0.11	10	0.35	750	3	0.01	18	250	66	0.28	<2	2	25
CAE104812		10	<1	0.85	20	1.65	397	3	0.07	91	1310	18	0.93	<2	3	69
CAE104813		<10	<1	0.08	<10	0.02	77	<1	0.05	1	20	<2	<0.01	<2	<1	19
CAE104814		10	<1	0.61	20	1.45	335	3	0.08	87	1290	17	0.75	<2	2	73
CAE104815		<10	<1	0.25	10	1.14	284	3	0.07	45	840	29	0.72	<2	2	96
CAE104816		10	<1	0.19	10	1.09	360	3	0.05	42	790	32	0.60	<2	1	141
CAE104817		<10	<1	0.29	10	1.33	378	3	0.06	62	940	30	0.36	<2	2	72
CAE104818		<10	<1	0.28	10	1.36	374	3	0.06	65	960	31	0.35	<2	2	73
CAE104819		<10	<1	0.32	20	1.24	593	14	0.05	52	820	53	0.68	<2	4	76
CAE104820		<10	<1	0.41	10	0.88	473	6	0.05	39	660	41	0.86	<2	4	69
CAE104821		<10	<1	0.62	20	1.25	343	4	0.08	71	1110	25	0.84	<2	3	63
CAE104822		<10	<1	0.22	10	1.10	266	3	0.07	57	910	27	0.62	<2	2	64
CAE104823		<10	<1	0.23	10	0.92	265	4	0.05	60	930	25	0.51	<2	1	59
CAE104824		<10	<1	0.17	10	1.02	296	4	0.06	50	860	30	0.60	<2	2	69
CAE104825		<10	<1	0.42	20	1.15	279	4	0.07	80	1060	19	0.55	<2	2	56
CAE104826		<10	<1	0.24	10	0.73	484	32	0.11	32	670	75	0.61	2	6	52
CAE104827		<10	<1	0.37	20	1.30	378	16	0.08	90	1130	15	0.56	<2	3	69
CAE104828		<10	<1	0.44	20	1.30	310	8	0.07	90	1080	22	0.50	<2	2	57
CAE104829		<10	<1	0.40	20	1.19	290	4	0.07	71	1000	17	0.67	<2	2	59
CAE104830		<10	<1	0.13	<10	0.03	169	<1	0.05	2	130	4	<0.01	<2	1	70
CAE104831		<10	<1	0.18	20	0.98	318	7	0.05	46	800	18	0.63	<2	2	67
CAE104832		<10	<1	0.20	20	0.99	292	5	0.05	49	810	29	0.67	<2	2	78
CAE104833		<10	<1	0.19	20	0.94	322	5	0.05	46	830	16	0.43	<2	1	90
CAE104834		<10	<1	0.20	20	0.83	295	4	0.06	51	890	18	0.45	<2	1	87
CAE104835		10	<1	0.49	10	1.35	354	2	0.05	76	1140	17	0.83	<2	3	69
CAE104836		10	<1	0.47	10	1.32	347	2	0.05	71	1130	19	0.75	<2	3	67
CAE104837		<10	<1	0.40	10	1.03	476	6	0.03	48	430	22	0.83	<2	5	30
CAE104838		<10	<1	0.22	20	0.76	394	6	0.01	50	2520	22	0.77	<2	5	28
CAE104839		10	<1	0.73	10	1.44	492	10	0.05	55	920	16	0.74	<2	10	36
CAE104840		10	<1	1.07	<10	1.94	649	2	0.04	122	890	13	0.68	<2	8	21
CAE104841		10	<1	1.15	10	2.28	421	2	0.06	164	870	16	0.40	<2	6	32
CAE104842		10	<1	1.41	<10	4.18	1215	15	0.02	689	20	10	0.35	<2	4	51
CAE104843		10	<1	0.42	10	1.51	875	8	0.02	85	820	77	0.74	6	8	55
CAE104844		10	<1	0.85	<10	1.54	398	2	0.03	96	690	17	0.59	<2	5	51
CAE104845		<10	<1	0.16	10	0.39	330	4	0.02	23	650	209	0.90	<2	3	41
CAE104846		<10	<1	0.08	10	0.17	421	1	0.01	17	160	49	0.68	<2	2	19
CAE104847		<10	<1	0.16	10	0.27	393	1	0.01	16	100	63	0.76	3	2	21
CAE104848		<10	<1	0.11	10	0.21	420	2	0.01	18	150	70	0.62	2	2	22

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104809		<20	<0.01	<10	<10	11	<10	385
CAE104810		<20	0.12	<10	<10	72	20	110
CAE104811		<20	<0.01	<10	<10	11	<10	428
CAE104812		<20	0.21	<10	<10	67	<10	118
CAE104813		<20	0.01	<10	<10	19	<10	8
CAE104814		<20	0.20	<10	<10	57	<10	85
CAE104815		<20	0.09	<10	<10	32	<10	96
CAE104816		<20	0.06	<10	<10	28	<10	98
CAE104817		<20	0.11	<10	<10	39	<10	89
CAE104818		<20	0.11	<10	<10	40	<10	92
CAE104819		<20	0.08	<10	<10	42	<10	364
CAE104820		<20	0.09	<10	<10	36	<10	210
CAE104821		<20	0.18	<10	<10	55	<10	107
CAE104822		<20	0.09	<10	<10	34	<10	75
CAE104823		<20	0.09	<10	<10	30	<10	58
CAE104824		<20	0.08	<10	<10	29	<10	75
CAE104825		<20	0.15	<10	<10	41	<10	73
CAE104826		<20	0.12	<10	<10	72	20	107
CAE104827		<20	0.15	<10	<10	46	<10	50
CAE104828		<20	0.16	<10	<10	45	<10	66
CAE104829		<20	0.14	<10	<10	42	<10	62
CAE104830		<20	0.01	<10	<10	24	<10	15
CAE104831		<20	0.09	<10	<10	33	<10	58
CAE104832		<20	0.09	<10	<10	33	<10	74
CAE104833		<20	0.09	<10	<10	32	<10	89
CAE104834		<20	0.09	<10	<10	30	<10	53
CAE104835		<20	0.17	<10	<10	56	<10	79
CAE104836		<20	0.16	<10	<10	54	<10	85
CAE104837		<20	0.06	<10	<10	46	<10	138
CAE104838		<20	0.04	<10	<10	95	<10	128
CAE104839		<20	0.15	<10	<10	95	<10	98
CAE104840		<20	0.19	<10	<10	84	<10	127
CAE104841		<20	0.17	<10	<10	62	<10	116
CAE104842		<20	0.06	<10	<10	32	<10	181
CAE104843		<20	0.06	<10	<10	55	<10	313
CAE104844		<20	0.11	<10	<10	48	<10	123
CAE104845		<20	0.01	<10	<10	28	<10	242
CAE104846		<20	<0.01	<10	<10	13	<10	193
CAE104847		<20	0.01	<10	<10	14	<10	2520
CAE104848		<20	<0.01	<10	<10	11	<10	562

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE104849		0.16	1.180	0.9	1.46	22	<10	190	<0.5	2	0.98	0.6	12	44	581	3.34
CAE104850		4.99	0.004	1.3	0.55	<2	<10	50	<0.5	2	0.88	4.1	6	16	74	2.32
CAE104851		0.67	<0.001	<0.2	0.14	<2	<10	50	<0.5	<2	0.04	<0.5	<1	7	1	0.23
CAE104852		3.12	0.003	1.7	0.42	2	<10	30	<0.5	2	0.25	5.6	7	15	68	2.38
CAE104853		3.73	0.006	1.8	0.41	2	<10	30	<0.5	2	0.25	3.6	8	13	122	2.39
CAE104854		3.35	0.010	3.7	0.44	3	<10	30	<0.5	2	0.25	3.8	9	15	267	2.48
CAE104855		5.66	0.004	1.1	0.49	2	<10	50	<0.5	2	0.31	3.8	7	14	74	2.25
CAE104856		4.65	0.003	1.3	0.42	2	<10	40	<0.5	2	0.28	3.6	7	30	78	2.31
CAE104857		5.36	0.004	1.2	0.65	2	<10	90	<0.5	2	0.63	3.1	8	63	65	2.53

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104849		10	<1	0.23	10	0.70	465	28	0.10	32	640	72	0.57	3	6	49
CAE104850		<10	<1	0.14	10	0.47	436	3	0.01	16	230	59	0.63	2	2	39
CAE104851		<10	<1	0.11	<10	0.01	29	<1	0.05	1	90	2	<0.01	<2	<1	69
CAE104852		<10	<1	0.10	10	0.25	442	3	0.01	16	290	105	0.90	<2	2	19
CAE104853		<10	<1	0.08	10	0.23	310	3	0.01	17	200	63	0.96	2	3	23
CAE104854		<10	<1	0.08	10	0.24	308	3	0.01	16	220	63	0.97	2	3	23
CAE104855		<10	<1	0.12	10	0.29	259	5	0.01	17	330	57	0.76	<2	3	27
CAE104856		<10	<1	0.11	10	0.32	497	7	0.01	21	100	65	0.73	<2	3	21
CAE104857		<10	<1	0.28	10	0.59	330	3	0.01	65	410	65	0.81	2	4	48

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 21-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119914

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
CAE104849		<20	0.12	<10	<10	69	20	107
CAE104850		<20	<0.01	<10	<10	12	<10	367
CAE104851		<20	0.01	<10	<10	3	<10	6
CAE104852		<20	<0.01	<10	<10	11	<10	469
CAE104853		<20	<0.01	<10	<10	12	<10	313
CAE104854		<20	<0.01	<10	<10	12	<10	321
CAE104855		<20	0.01	<10	<10	13	<10	330
CAE104856		<20	0.01	<10	<10	18	<10	325
CAE104857		<20	0.02	<10	<10	43	<10	299