ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

CERTIFICATE WH11119917

Project: JP Ross Project

P.O. No.: JR00322011

This report is for 135 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104594		3.53	0.104	0.4	2.86	18	<10	250	0.8	3	0.34	<0.5	70	27	275	6.30
CAE104595		4.86	0.006	0.9	4.42	15	<10	570	0.5	8	0.90	<0.5	24	7	94	7.07
CAE104596		6.43	0.002	0.2	3.44	6	<10	310	<0.5	2	1.10	<0.5	24	4	47	4.49
CAE104597		2.40	0.003	<0.2	3.29	13	<10	250	<0.5	2	0.92	<0.5	25	6	101	4.67
CAE104598		2.45	0.002	<0.2	3.31	12	<10	290	<0.5	2	0.92	<0.5	25	6	51	4.60
CAE104599		5.07	0.003	<0.2	2.99	15	<10	280	<0.5	<2	0.61	<0.5	23	14	39	4.55
CAE104600		5.24	0.004	<0.2	2.61	16	<10	200	<0.5	<2	1.10	<0.5	14	35	34	3.82
CAE104601		4.99	<0.001	<0.2	1.55	6	<10	110	<0.5	<2	0.99	<0.5	9	49	30	2.52
CAE104602		4.26	0.056	0.2	1.34	8	<10	90	<0.5	<2	0.36	<0.5	8	44	9	2.21
CAE104603		4.77	0.002	0.2	2.40	6	<10	200	<0.5	2	0.29	<0.5	12	34	37	3.92
CAE104604		5.55	<0.001	<0.2	1.80	9	<10	170	0.5	<2	0.50	<0.5	9	27	17	3.03
CAE104605		4.89	<0.001	<0.2	2.09	6	<10	170	<0.5	<2	0.15	<0.5	12	31	28	3.50
CAE104606		3.99	0.002	0.5	2.27	5	<10	240	<0.5	3	0.21	<0.5	12	39	10	3.48
CAE104607		5.02	0.041	<0.2	1.95	7	<10	180	<0.5	2	0.31	<0.5	10	37	15	3.13
CAE104608		0.15	1.100	1.1	1.48	24	<10	200	<0.5	<2	1.03	0.5	11	46	595	3.59
CAE104609		4.44	0.003	<0.2	2.50	8	<10	280	<0.5	<2	0.20	<0.5	13	41	23	3.91
CAE104610		4.96	0.003	<0.2	1.48	5	<10	160	<0.5	<2	0.17	<0.5	8	27	14	2.63
CAE104611		5.35	0.004	<0.2	2.34	8	<10	340	<0.5	3	0.42	<0.5	16	38	42	4.45
CAE104612		0.50	0.001	<0.2	0.20	3	<10	30	<0.5	2	0.12	<0.5	<1	3	<1	0.48
CAE104613		5.49	0.003	0.3	2.49	3	<10	420	<0.5	2	1.43	<0.5	14	14	23	4.58
CAE104614		5.40	0.002	<0.2	2.72	2	<10	460	<0.5	<2	1.39	<0.5	16	12	12	4.43
CAE104615		2.53	0.007	0.3	2.57	8	<10	310	<0.5	<2	1.17	<0.5	17	13	44	4.76
CAE104616		2.44	0.011	0.3	2.38	11	<10	280	<0.5	<2	1.09	<0.5	18	12	47	4.45
CAE104617		3.53	0.022	0.5	2.78	6	<10	590	<0.5	<2	1.89	<0.5	14	12	33	4.50
CAE104618		3.40	0.007	0.2	2.00	4	<10	310	<0.5	<2	1.22	<0.5	10	29	24	3.30
CAE104619		5.45	0.002	<0.2	1.65	4	<10	250	<0.5	2	0.56	<0.5	8	31	14	2.99
CAE104620		5.30	0.002	<0.2	1.58	3	<10	270	<0.5	<2	1.49	<0.5	7	34	13	2.64
CAE104621		4.07	0.002	0.2	1.94	4	<10	240	<0.5	<2	0.56	<0.5	8	48	13	2.87
CAE104622		5.34	0.002	0.3	2.50	4	<10	320	<0.5	5	0.71	<0.5	13	70	17	3.90
CAE104623		5.48	0.002	0.2	2.40	2	<10	370	<0.5	2	0.47	<0.5	12	58	19	3.84
CAE104624		5.59	0.002	<0.2	2.12	<2	<10	340	<0.5	2	0.45	<0.5	11	65	14	3.52
CAE104625		5.43	0.002	<0.2	2.02	3	<10	190	<0.5	2	0.71	<0.5	9	35	9	3.61
CAE104626		5.05	0.002	<0.2	2.01	4	<10	240	<0.5	3	0.36	<0.5	10	58	30	3.46
CAE104627		0.15	2.99	55.8	1.76	40	<10	160	<0.5	2	2.71	7.9	10	52	166	2.97
CAE104628		5.22	0.003	0.3	1.91	5	<10	90	<0.5	2	0.42	<0.5	9	43	18	3.48
CAE104629		5.43	0.007	<0.2	1.54	3	<10	100	<0.5	2	0.30	<0.5	8	36	10	2.80
CAE104630		5.25	0.002	0.2	1.83	4	<10	240	<0.5	<2	0.61	<0.5	8	36	11	3.37
CAE104631		5.53	0.002	<0.2	2.13	4	<10	300	<0.5	<2	0.54	<0.5	12	90	21	3.55
CAE104632		0.48	0.001	<0.2	0.23	3	<10	40	<0.5	2	0.05	<0.5	<1	3	<1	0.56
CAE104633		5.61	0.002	0.2	1.59	2	<10	260	<0.5	3	0.48	<0.5	9	49	34	3.16

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104594		10	<1	0.42	40	1.15	1235	1	0.01	38	420	13	0.03	<2	9	54
CAE104595		10	<1	0.52	10	2.41	871	<1	0.06	9	870	28	<0.01	2	17	742
CAE104596		10	<1	0.67	<10	2.00	661	<1	0.12	10	650	5	<0.01	<2	12	251
CAE104597		10	<1	0.82	<10	2.21	644	<1	0.11	13	560	3	<0.01	<2	11	110
CAE104598		10	<1	0.82	<10	2.26	682	<1	0.09	15	680	3	<0.01	2	12	172
CAE104599		10	<1	1.00	10	2.17	815	<1	0.07	17	660	<2	<0.01	<2	14	89
CAE104600		10	<1	0.60	30	1.59	634	<1	0.07	15	560	5	0.01	<2	10	37
CAE104601		10	<1	0.33	30	0.94	439	<1	0.07	15	500	4	0.01	<2	7	30
CAE104602		10	1	0.43	40	0.82	361	<1	0.05	16	290	5	<0.01	<2	5	13
CAE104603		10	1	1.05	40	1.15	301	<1	0.04	27	380	4	<0.01	<2	4	11
CAE104604		10	1	0.73	40	0.79	285	<1	0.04	21	380	4	<0.01	<2	3	12
CAE104605		10	1	0.99	40	1.05	330	<1	0.04	24	370	4	<0.01	<2	4	8
CAE104606		10	<1	0.99	30	1.39	446	<1	0.06	17	500	4	<0.01	<2	8	9
CAE104607		10	<1	0.89	40	0.99	334	<1	0.05	24	390	3	<0.01	<2	4	9
CAE104608		<10	1	0.25	10	0.74	480	29	0.11	33	670	76	0.60	4	6	51
CAE104609		10	<1	1.24	40	1.23	473	<1	0.06	24	360	3	<0.01	<2	7	11
CAE104610		10	<1	0.65	40	0.66	307	<1	0.04	17	340	4	<0.01	<2	3	9
CAE104611		10	<1	1.02	40	1.10	745	<1	0.07	22	510	4	<0.01	<2	10	15
CAE104612		<10	<1	0.11	<10	0.03	48	<1	0.08	<1	20	2	<0.01	<2	<1	27
CAE104613		10	1	0.89	10	1.42	881	<1	0.15	6	840	3	0.01	<2	13	60
CAE104614		10	<1	1.16	10	1.47	875	<1	0.17	4	760	3	0.01	<2	11	44
CAE104615		10	1	0.87	10	1.29	769	<1	0.15	6	730	4	0.02	<2	12	66
CAE104616		10	1	0.78	10	1.19	727	<1	0.14	6	730	3	0.02	<2	11	60
CAE104617		10	<1	0.69	10	1.10	829	<1	0.10	4	620	3	<0.01	<2	12	567
CAE104618		10	1	0.75	20	1.05	588	2	0.05	13	430	4	<0.01	<2	8	89
CAE104619		10	<1	0.93	30	1.04	499	<1	0.09	10	470	<2	<0.01	<2	8	28
CAE104620		10	<1	0.81	30	0.78	495	1	0.05	11	470	<2	<0.01	<2	7	21
CAE104621		10	1	1.01	30	0.94	501	1	0.07	15	410	5	0.04	<2	8	18
CAE104622		10	1	1.56	30	1.41	636	<1	0.12	22	600	3	0.06	<2	12	24
CAE104623		10	<1	1.56	40	1.20	600	<1	0.08	22	520	3	0.05	<2	10	15
CAE104624		10	<1	1.41	30	1.22	555	<1	0.10	14	620	3	0.09	<2	9	21
CAE104625		10	1	0.83	30	1.12	561	<1	0.09	10	650	3	0.06	<2	9	20
CAE104626		10	<1	1.17	40	1.11	510	<1	0.07	19	610	3	0.16	<2	8	16
CAE104627		<10	12	0.23	10	1.52	554	8	0.06	38	500	1015	0.95	141	4	87
CAE104628		10	1	0.32	40	1.07	480	<1	0.05	20	480	4	0.04	<2	6	10
CAE104629		10	1	0.49	30	0.79	356	1	0.04	18	480	2	0.03	<2	4	10
CAE104630		10	1	0.86	30	0.98	544	<1	0.08	11	550	2	0.06	<2	7	18
CAE104631		10	<1	1.33	30	1.13	501	<1	0.07	26	510	<2	0.06	<2	9	16
CAE104632		<10	<1	0.16	<10	0.02	68	<1	0.08	1	30	<2	<0.01	<2	<1	44
CAE104633		10	<1	1.04	40	0.79	444	15	0.07	19	360	<2	0.18	<2	8	14

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104594		<20	0.03	<10	<10	88	<10	100
CAE104595		<20	0.09	<10	<10	210	<10	100
CAE104596		<20	0.17	<10	<10	152	<10	67
CAE104597		<20	0.17	<10	<10	145	<10	72
CAE104598		<20	0.16	<10	<10	141	<10	73
CAE104599		<20	0.18	<10	<10	138	<10	76
CAE104600		<20	0.06	<10	<10	95	<10	59
CAE104601		<20	0.06	<10	<10	46	<10	45
CAE104602		20	0.07	<10	<10	32	<10	37
CAE104603		20	0.14	<10	<10	38	<10	54
CAE104604		20	0.08	<10	<10	26	<10	45
CAE104605		<20	0.13	<10	<10	32	<10	67
CAE104606		<20	0.14	<10	<10	71	<10	75
CAE104607		20	0.13	<10	<10	36	<10	46
CAE104608		<20	0.12	<10	<10	71	20	103
CAE104609		20	0.18	<10	<10	57	<10	69
CAE104610		20	0.09	<10	<10	27	<10	47
CAE104611		20	0.19	<10	<10	76	<10	67
CAE104612		<20	0.01	<10	<10	16	<10	6
CAE104613		<20	0.22	<10	<10	131	<10	83
CAE104614		<20	0.25	<10	<10	127	<10	80
CAE104615		<20	0.21	<10	<10	127	<10	73
CAE104616		<20	0.21	<10	<10	120	<10	70
CAE104617		<20	0.16	<10	<10	116	<10	75
CAE104618		<20	0.13	<10	<10	67	<10	56
CAE104619		<20	0.19	<10	<10	50	<10	43
CAE104620		<20	0.15	<10	<10	41	<10	43
CAE104621		<20	0.18	<10	<10	51	<10	46
CAE104622		<20	0.29	<10	<10	87	<10	69
CAE104623		<20	0.29	<10	<10	65	<10	67
CAE104624		<20	0.28	<10	<10	66	<10	64
CAE104625		<20	0.21	<10	<10	62	<10	55
CAE104626		<20	0.24	<10	<10	60	<10	55
CAE104627		<20	0.04	<10	<10	44	<10	2000
CAE104628		<20	0.05	<10	<10	43	<10	52
CAE104629		<20	0.09	<10	<10	38	<10	43
CAE104630		<20	0.18	<10	<10	55	<10	51
CAE104631		<20	0.27	<10	<10	62	<10	61
CAE104632		<20	0.01	<10	<10	15	<10	6
CAE104633		20	0.24	<10	<10	49	<10	50

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104634		5.00	0.001	0.2	1.73	3	<10	220	<0.5	3	0.21	<0.5	9	43	62	3.65
CAE104635		5.54	0.002	<0.2	1.68	<2	<10	160	<0.5	2	0.74	<0.5	10	53	6	2.78
CAE104636		5.38	0.002	<0.2	1.80	4	<10	180	<0.5	2	0.77	<0.5	9	30	9	3.06
CAE104637		2.60	0.002	<0.2	1.70	2	<10	160	<0.5	2	0.67	<0.5	6	31	8	2.73
CAE104638		2.30	0.001	<0.2	1.66	<2	<10	150	<0.5	<2	0.83	<0.5	6	26	12	2.61
CAE104639		4.80	0.002	<0.2	1.28	<2	<10	120	<0.5	<2	0.69	<0.5	4	15	11	2.25
CAE104640		5.69	0.001	<0.2	2.25	<2	<10	240	<0.5	2	1.16	<0.5	10	34	9	3.49
CAE104641		4.93	0.002	<0.2	1.78	<2	<10	160	<0.5	2	1.66	<0.5	6	20	15	2.84
CAE104642		2.82	0.004	0.2	2.33	<2	<10	130	<0.5	<2	2.22	<0.5	10	38	5	3.03
CAE104643		2.45	0.003	<0.2	2.37	8	<10	120	<0.5	2	2.04	<0.5	13	31	28	3.40
CAE104644		2.40	0.002	<0.2	2.15	<2	<10	90	<0.5	<2	2.25	<0.5	14	46	11	3.06
CAE104645		2.86	0.003	<0.2	1.04	<2	<10	100	<0.5	<2	1.65	<0.5	6	19	15	1.75
CAE104646		0.15	3.05	57.3	1.77	34	<10	160	<0.5	2	2.66	7.8	10	50	165	2.92
CAE104647		2.04	0.208	0.2	0.33	12	<10	130	<0.5	17	0.70	<0.5	15	11	132	2.82
CAE104648		1.38	0.010	<0.2	1.53	6	<10	100	<0.5	2	0.99	<0.5	23	20	86	4.32
CAE104649		3.46	0.033	<0.2	2.46	3	<10	200	<0.5	2	1.37	<0.5	12	28	45	3.96
CAE104650		1.45	0.095	<0.2	1.63	13	<10	300	<0.5	3	0.47	<0.5	12	15	93	3.18
CAE104651		3.51	0.004	<0.2	1.93	3	<10	240	<0.5	<2	0.75	<0.5	15	27	44	3.71
CAE104652		0.79	0.002	<0.2	0.20	<2	<10	100	<0.5	<2	0.04	<0.5	1	6	1	0.74
CAE104653		2.60	0.002	<0.2	1.97	<2	<10	130	<0.5	2	0.49	<0.5	12	32	16	3.88
CAE104654		1.45	1.680	0.5	0.12	25	<10	20	<0.5	17	1.20	<0.5	24	11	465	3.32
CAE104655		1.34	2.81	0.4	0.13	33	<10	20	<0.5	25	1.66	<0.5	39	11	447	4.32
CAE104656		2.07	0.003	<0.2	2.80	<2	<10	90	<0.5	<2	0.88	<0.5	8	26	13	3.89
CAE104657		2.59	0.005	<0.2	2.96	<2	<10	120	0.5	<2	1.31	<0.5	13	35	9	4.19
CAE104658		3.09	0.070	<0.2	2.40	<2	<10	230	0.5	<2	3.67	<0.5	8	14	38	2.62
CAE104659		4.87	0.093	<0.2	3.43	5	<10	120	0.8	2	3.18	<0.5	18	33	51	4.76
CAE104660		5.68	0.885	<0.2	2.61	5	<10	170	<0.5	9	2.64	<0.5	17	32	64	3.29
CAE104661		5.40	0.006	<0.2	1.93	<2	<10	190	<0.5	2	0.79	<0.5	9	17	6	3.36
CAE104662		5.18	0.012	<0.2	1.63	<2	<10	150	<0.5	2	0.69	<0.5	7	10	7	2.85
CAE104663		5.29	0.006	<0.2	1.31	<2	<10	150	<0.5	2	0.81	<0.5	6	9	15	2.43
CAE104664		4.63	0.053	<0.2	1.56	<2	<10	170	<0.5	<2	1.16	<0.5	7	8	17	2.90
CAE104665		5.07	0.010	<0.2	1.41	<2	<10	160	<0.5	<2	0.70	<0.5	7	8	25	2.61
CAE104666		5.21	0.033	<0.2	1.38	4	<10	240	<0.5	<2	0.90	<0.5	6	8	24	2.44
CAE104667		0.15	1.190	0.8	1.48	18	<10	190	<0.5	<2	1.01	0.7	12	44	592	3.47
CAE104668		5.19	0.001	<0.2	1.64	<2	<10	200	<0.5	<2	0.65	<0.5	6	9	8	2.68
CAE104669		5.14	0.013	<0.2	1.64	2	<10	220	<0.5	<2	0.87	<0.5	7	9	14	2.69
CAE104670		5.00	0.014	<0.2	1.16	<2	<10	120	<0.5	<2	1.06	<0.5	5	8	5	2.17
CAE104671		5.17	0.029	<0.2	1.90	<2	<10	210	0.5	<2	0.92	<0.5	6	5	10	2.77
CAE104672		5.08	0.005	<0.2	1.51	<2	<10	230	<0.5	2	0.61	<0.5	6	8	5	2.51
CAE104673		5.46	0.029	<0.2	0.94	<2	<10	170	<0.5	<2	0.63	<0.5	4	10	12	1.74

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104634		10	1	1.08	40	0.80	458	1	0.08	15	520	<2	0.12	<2	8	18
CAE104635		10	<1	0.97	20	1.23	477	<1	0.10	6	450	<2	0.05	<2	7	17
CAE104636		10	1	1.10	20	1.16	490	1	0.13	4	570	2	0.07	<2	7	20
CAE104637		10	<1	0.95	20	1.00	454	<1	0.11	4	440	<2	0.06	<2	7	20
CAE104638		10	<1	0.83	20	0.94	426	1	0.13	6	410	3	0.09	<2	7	23
CAE104639		<10	<1	0.64	30	0.61	408	2	0.08	2	350	3	0.07	<2	6	16
CAE104640		10	<1	1.32	20	1.47	602	1	0.13	4	570	2	0.13	<2	7	22
CAE104641		10	<1	0.68	20	0.94	547	1	0.10	4	500	2	0.09	<2	6	36
CAE104642		10	<1	0.66	10	1.57	487	<1	0.10	4	620	3	0.06	<2	8	53
CAE104643		10	<1	0.68	20	1.59	560	<1	0.08	6	520	2	0.13	<2	8	60
CAE104644		<10	<1	0.62	10	1.60	485	<1	0.08	6	530	3	0.15	<2	7	57
CAE104645		<10	<1	0.53	10	0.68	357	<1	0.07	2	220	<2	0.10	<2	5	25
CAE104646		10	11	0.23	10	1.51	536	9	0.06	36	510	986	0.96	143	4	85
CAE104647		<10	<1	0.15	10	0.06	138	9	0.04	3	70	6	1.80	<2	1	20
CAE104648		<10	<1	0.56	10	0.90	451	4	0.06	5	210	2	1.76	<2	5	24
CAE104649		10	<1	0.94	10	1.64	567	3	0.06	8	340	<2	0.38	<2	9	35
CAE104650		10	<1	0.54	10	0.80	221	179	0.07	3	330	<2	0.47	<2	7	34
CAE104651		10	<1	0.87	20	1.19	385	1	0.09	7	600	<2	0.49	<2	8	23
CAE104652		<10	<1	0.15	<10	0.01	244	<1	0.07	1	100	6	0.01	<2	1	129
CAE104653		10	<1	0.62	20	1.22	388	<1	0.08	8	530	2	0.20	<2	9	20
CAE104654		<10	<1	0.02	<10	0.02	230	1	0.01	4	10	9	2.86	<2	<1	8
CAE104655		<10	<1	0.02	<10	0.05	289	1	0.01	5	10	7	4.34	<2	<1	11
CAE104656		10	<1	0.49	20	1.64	629	<1	0.04	6	600	3	0.12	<2	8	64
CAE104657		10	<1	0.85	20	1.99	770	<1	0.04	11	770	3	0.04	<2	11	77
CAE104658		<10	<1	0.73	20	1.34	745	<1	0.02	2	700	3	0.07	<2	7	84
CAE104659		10	<1	0.42	20	2.01	716	<1	0.02	8	970	4	0.22	<2	9	159
CAE104660		<10	<1	0.50	10	1.61	405	6	0.07	6	390	6	0.82	<2	6	100
CAE104661		10	<1	0.74	20	1.08	499	<1	0.09	2	670	<2	0.04	<2	6	31
CAE104662		10	<1	0.61	30	0.74	491	<1	0.12	1	430	<2	0.07	<2	4	35
CAE104663		<10	<1	0.48	20	0.58	407	<1	0.10	<1	400	<2	0.20	<2	4	31
CAE104664		10	<1	0.38	20	0.68	438	<1	0.10	1	360	<2	0.31	<2	4	32
CAE104665		<10	<1	0.48	20	0.64	381	<1	0.07	1	330	<2	0.29	<2	5	30
CAE104666		<10	<1	0.38	20	0.56	357	<1	0.07	<1	390	2	0.24	<2	4	24
CAE104667		<10	<1	0.24	10	0.72	461	31	0.10	31	650	73	0.61	4	6	49
CAE104668		10	<1	0.73	20	0.68	479	<1	0.13	1	410	<2	0.06	<2	5	42
CAE104669		10	<1	0.64	20	0.62	462	<1	0.15	<1	410	<2	0.15	<2	5	49
CAE104670		<10	<1	0.23	20	0.49	367	<1	0.07	1	410	2	0.11	<2	4	52
CAE104671		<10	<1	0.53	20	0.72	467	<1	0.05	<1	410	<2	0.06	<2	4	116
CAE104672		<10	<1	0.68	20	0.62	455	<1	0.10	1	380	<2	0.06	<2	4	31
CAE104673		<10	<1	0.41	20	0.31	322	<1	0.09	<1	230	<2	0.17	<2	3	16

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104634		<20	0.22	<10	<10	50	<10	50
CAE104635		<20	0.21	<10	<10	57	<10	45
CAE104636		<20	0.24	<10	<10	54	<10	51
CAE104637		<20	0.21	<10	<10	44	<10	45
CAE104638		<20	0.18	<10	<10	41	<10	43
CAE104639		<20	0.15	<10	<10	26	<10	28
CAE104640		<20	0.26	<10	<10	64	<10	60
CAE104641		<20	0.16	<10	<10	41	<10	45
CAE104642		<20	0.17	<10	<10	69	<10	48
CAE104643		<20	0.17	<10	<10	64	<10	51
CAE104644		<20	0.17	<10	<10	65	<10	44
CAE104645		<20	0.10	<10	<10	35	<10	29
CAE104646		<20	0.04	<10	<10	43	<10	1960
CAE104647		<20	<0.01	<10	<10	7	10	3
CAE104648		<20	0.10	<10	<10	37	20	35
CAE104649		<20	0.14	<10	<10	69	<10	55
CAE104650		<20	0.11	<10	<10	46	<10	30
CAE104651		<20	0.18	<10	<10	60	<10	47
CAE104652		<20	0.01	<10	<10	15	<10	13
CAE104653		<20	0.19	<10	<10	69	<10	49
CAE104654		<20	<0.01	<10	<10	8	<10	2
CAE104655		<20	<0.01	<10	<10	8	<10	2
CAE104656		<20	0.17	<10	<10	64	<10	55
CAE104657		<20	0.19	<10	<10	85	<10	68
CAE104658		<20	0.08	<10	<10	57	<10	42
CAE104659		<20	0.05	<10	<10	76	<10	69
CAE104660		<20	0.09	<10	<10	51	<10	40
CAE104661		<20	0.20	<10	<10	56	<10	52
CAE104662		<20	0.15	<10	<10	44	<10	47
CAE104663		<20	0.13	<10	<10	36	<10	37
CAE104664		<20	0.09	<10	<10	40	<10	40
CAE104665		<20	0.10	<10	<10	36	<10	36
CAE104666		<20	0.06	<10	<10	29	<10	27
CAE104667		<20	0.12	<10	<10	69	20	101
CAE104668		<20	0.16	<10	<10	43	<10	40
CAE104669		<20	0.14	<10	<10	41	<10	35
CAE104670		<20	0.07	<10	<10	33	<10	33
CAE104671		<20	0.07	<10	<10	33	<10	40
CAE104672		<20	0.12	<10	<10	37	<10	35
CAE104673		<20	0.06	<10	<10	20	<10	23

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104674		0.93	0.001	<0.2	0.22	<2	<10	80	<0.5	<2	0.04	<0.5	2	8	2	1.10
CAE104675		5.37	0.020	<0.2	1.14	2	<10	240	<0.5	<2	1.62	<0.5	5	8	14	1.95
CAE104676		5.34	0.025	<0.2	1.74	<2	<10	120	<0.5	<2	1.59	<0.5	7	5	9	2.59
CAE104677		4.98	0.007	<0.2	1.56	<2	<10	180	<0.5	<2	1.14	<0.5	6	22	7	2.66
CAE104678		2.49	0.002	<0.2	1.71	<2	<10	240	<0.5	<2	1.57	<0.5	11	51	21	2.74
CAE104679		2.43	0.002	<0.2	1.92	<2	<10	260	<0.5	2	1.47	<0.5	12	59	20	3.08
CAE104680		5.19	0.001	<0.2	1.04	<2	<10	170	<0.5	<2	1.70	<0.5	6	50	8	2.01
CAE104681		5.11	0.002	<0.2	1.44	<2	<10	120	<0.5	<2	2.78	<0.5	8	37	13	2.27
CAE104682		5.03	0.001	<0.2	2.00	<2	<10	440	<0.5	<2	0.39	<0.5	11	56	22	3.55
CAE104683		0.14	3.10	58.6	1.81	38	<10	160	<0.5	2	2.71	8.1	11	51	176	2.95
CAE104684		5.79	0.005	<0.2	1.88	<2	<10	230	<0.5	<2	0.45	<0.5	11	36	35	3.30
CAE104685		5.21	0.002	<0.2	1.19	<2	<10	100	<0.5	<2	0.97	<0.5	7	42	14	2.01
CAE104686		6.02	0.001	<0.2	1.48	<2	<10	160	<0.5	<2	0.62	<0.5	8	52	9	2.41
CAE104687		0.79	0.001	<0.2	0.19	<2	<10	80	<0.5	<2	0.03	<0.5	1	10	1	0.57
CAE104688		5.97	0.001	<0.2	2.34	<2	<10	250	<0.5	<2	0.48	<0.5	12	52	18	3.87
CAE104689		5.23	0.003	<0.2	1.92	<2	<10	200	<0.5	<2	0.50	<0.5	10	44	10	3.05
CAE104690		5.90	0.001	<0.2	1.84	<2	<10	250	<0.5	<2	0.49	<0.5	9	39	12	2.98
CAE104691		2.44	0.001	<0.2	2.88	<2	<10	350	<0.5	<2	0.59	<0.5	13	58	17	4.27
CAE104692		2.71	0.001	<0.2	2.73	<2	<10	330	<0.5	<2	0.53	<0.5	13	58	15	4.24
CAE104693		5.52	0.001	<0.2	3.68	<2	<10	250	0.5	<2	1.44	<0.5	16	81	27	4.12
CAE104694		5.26	0.001	<0.2	3.50	<2	<10	290	<0.5	<2	1.19	<0.5	13	66	24	4.10
CAE104695		5.70	0.001	<0.2	2.15	<2	<10	220	<0.5	<2	0.70	<0.5	12	109	22	3.23
CAE104696		5.84	0.001	<0.2	2.18	<2	<10	150	<0.5	<2	1.46	<0.5	13	71	29	3.36
CAE104697		5.83	0.001	<0.2	2.19	<2	<10	200	<0.5	<2	0.62	<0.5	12	50	22	3.78
CAE104698		5.32	0.001	<0.2	1.98	<2	<10	170	<0.5	<2	0.39	<0.5	11	47	29	3.57
CAE104699		5.79	0.002	<0.2	1.89	7	<10	200	<0.5	<2	0.72	<0.5	13	38	29	3.54
CAE104700		5.79	0.001	<0.2	2.66	<2	<10	240	<0.5	<2	0.52	<0.5	15	62	40	4.45
CAE104701		5.41	0.001	<0.2	3.57	<2	<10	320	<0.5	<2	1.46	<0.5	15	78	23	3.68
CAE104702		5.94	0.001	<0.2	1.35	<2	<10	120	<0.5	<2	0.55	<0.5	7	38	15	1.97
CAE104703		4.69	0.001	<0.2	1.73	<2	<10	110	<0.5	<2	0.48	<0.5	11	56	19	2.78
CAE104704		5.62	0.001	<0.2	1.95	<2	<10	140	<0.5	<2	0.45	<0.5	10	52	21	2.88
CAE104705		3.38	0.002	<0.2	1.37	<2	<10	60	<0.5	<2	0.42	<0.5	11	56	14	2.75
CAE104706		1.92	0.027	<0.2	1.25	<2	<10	100	<0.5	<2	3.97	<0.5	11	12	48	2.55
CAE104707		3.45	0.108	0.2	1.26	<2	<10	90	<0.5	<2	4.67	<0.5	24	13	83	4.06
CAE104708		0.14	3.04	60.6	1.84	39	10	170	<0.5	2	2.77	8.3	11	53	183	2.99
CAE104709		2.29	0.003	0.2	1.21	<2	<10	20	<0.5	<2	2.86	<0.5	7	11	29	2.27
CAE104710		3.09	0.002	<0.2	1.42	<2	<10	<10	0.5	<2	2.73	<0.5	2	11	1	1.71
CAE104711		3.25	0.002	<0.2	1.26	<2	<10	<10	<0.5	<2	2.50	<0.5	2	20	1	1.49
CAE104712		0.91	0.001	<0.2	0.22	<2	<10	70	<0.5	<2	0.09	<0.5	1	6	<1	0.76
CAE104713		3.26	0.003	<0.2	1.28	9	<10	<10	<0.5	<2	2.59	<0.5	7	33	12	2.31

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104674		<10	<1	0.13	<10	0.02	243	<1	0.08	3	170	4	<0.01	<2	2	82
CAE104675		<10	<1	0.42	20	0.39	403	<1	0.07	1	340	3	0.13	<2	3	29
CAE104676		10	<1	0.48	20	0.76	503	<1	0.04	1	410	3	0.07	<2	4	76
CAE104677		10	<1	0.47	20	0.75	475	<1	0.08	5	480	3	0.04	<2	6	42
CAE104678		10	<1	0.68	30	0.98	424	<1	0.09	18	650	3	0.21	<2	8	66
CAE104679		10	<1	0.77	30	1.10	437	<1	0.10	20	650	3	0.18	<2	8	62
CAE104680		<10	<1	0.59	20	0.53	361	<1	0.07	14	430	3	0.09	<2	5	38
CAE104681		<10	<1	0.48	20	0.71	467	<1	0.04	14	1030	5	0.09	<2	6	78
CAE104682		10	<1	1.33	40	1.05	535	<1	0.10	23	520	4	0.20	<2	8	18
CAE104683		10	12	0.24	10	1.56	552	9	0.06	39	500	1070	0.98	156	4	88
CAE104684		10	<1	1.23	40	0.79	484	<1	0.04	32	530	13	0.11	<2	4	24
CAE104685		10	<1	0.60	20	0.51	334	<1	0.06	18	420	4	0.07	<2	5	44
CAE104686		10	<1	0.85	30	0.77	460	<1	0.06	19	350	5	0.09	<2	6	40
CAE104687		<10	<1	0.15	<10	0.01	151	<1	0.07	2	90	6	<0.01	<2	1	104
CAE104688		10	<1	1.48	40	1.06	566	<1	0.06	26	610	7	0.16	<2	7	29
CAE104689		10	<1	1.19	40	0.87	455	<1	0.07	20	400	4	0.09	<2	6	30
CAE104690		10	<1	1.17	40	0.78	478	<1	0.08	18	370	6	0.07	<2	5	24
CAE104691		10	<1	1.77	40	1.37	689	<1	0.14	22	550	5	0.15	<2	11	39
CAE104692		10	<1	1.71	40	1.28	647	<1	0.14	22	560	7	0.14	<2	10	37
CAE104693		10	<1	1.71	10	1.89	648	<1	0.31	17	950	10	0.30	<2	8	122
CAE104694		10	<1	1.67	30	1.45	641	<1	0.23	22	600	9	0.26	<2	9	120
CAE104695		10	<1	1.30	30	1.31	422	<1	0.08	32	700	5	0.20	<2	7	25
CAE104696		10	<1	1.05	30	1.21	566	<1	0.07	20	480	7	0.28	<2	8	67
CAE104697		10	<1	1.37	50	1.02	496	<1	0.05	26	490	6	0.16	<2	6	19
CAE104698		10	<1	1.29	40	0.85	448	<1	0.07	24	620	6	0.14	<2	6	18
CAE104699		10	<1	1.16	40	0.83	381	<1	0.05	25	620	5	0.30	<2	5	14
CAE104700		10	<1	1.64	60	1.19	543	<1	0.13	34	610	8	0.49	<2	8	35
CAE104701		10	<1	1.49	10	1.88	628	<1	0.30	18	1010	13	0.25	<2	7	99
CAE104702		<10	<1	0.62	20	0.68	316	<1	0.08	14	580	5	0.16	<2	4	21
CAE104703		10	<1	0.83	30	0.84	324	<1	0.10	23	500	6	0.18	<2	7	32
CAE104704		10	<1	0.95	20	0.88	357	<1	0.08	24	580	5	0.19	<2	7	44
CAE104705		10	<1	0.49	30	0.84	321	<1	0.09	25	560	2	0.34	<2	7	34
CAE104706		10	<1	0.13	10	0.19	465	<1	0.02	13	590	4	0.99	<2	1	166
CAE104707		<10	<1	0.11	10	0.21	535	<1	0.03	37	940	4	2.51	<2	2	170
CAE104708		10	12	0.24	10	1.59	565	9	0.06	40	510	1105	1.00	159	4	89
CAE104709		10	<1	0.03	10	0.20	326	<1	0.02	13	1350	5	0.73	<2	2	210
CAE104710		10	<1	0.01	10	0.14	312	<1	0.01	4	520	3	0.15	2	2	268
CAE104711		<10	<1	0.01	10	0.14	246	<1	0.03	4	1510	<2	0.11	2	3	235
CAE104712		<10	<1	0.15	<10	0.01	154	<1	0.07	<1	80	4	0.02	<2	1	83
CAE104713		<10	<1	0.01	20	0.23	271	<1	0.02	8	750	<2	0.49	3	4	167

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104674		<20	0.01	<10	<10	28	<10	23
CAE104675		<20	0.06	<10	<10	25	<10	27
CAE104676		<20	0.06	<10	<10	37	<10	42
CAE104677		<20	0.10	<10	<10	44	<10	37
CAE104678		<20	0.17	<10	<10	60	<10	47
CAE104679		<20	0.18	<10	<10	63	<10	55
CAE104680		<20	0.15	<10	<10	34	<10	32
CAE104681		<20	0.11	<10	<10	39	<10	42
CAE104682		<20	0.28	<10	<10	58	<10	74
CAE104683		<20	0.04	<10	<10	45	<10	2190
CAE104684		20	0.24	<10	<10	36	<10	69
CAE104685		<20	0.15	<10	<10	31	<10	36
CAE104686		<20	0.19	<10	<10	42	<10	42
CAE104687		<20	0.01	<10	<10	10	<10	8
CAE104688		20	0.29	<10	<10	53	<10	71
CAE104689		20	0.23	<10	<10	42	<10	54
CAE104690		20	0.23	<10	<10	38	<10	57
CAE104691		<20	0.33	<10	<10	78	<10	80
CAE104692		<20	0.33	<10	<10	74	<10	78
CAE104693		<20	0.29	<10	<10	102	<10	71
CAE104694		<20	0.31	<10	<10	80	<10	70
CAE104695		<20	0.26	<10	<10	62	<10	63
CAE104696		<20	0.22	<10	<10	63	<10	55
CAE104697		20	0.26	<10	<10	50	<10	70
CAE104698		20	0.26	<10	<10	48	<10	63
CAE104699		20	0.21	<10	<10	37	<10	67
CAE104700		20	0.34	<10	<10	65	<10	94
CAE104701		<20	0.27	<10	<10	93	<10	74
CAE104702		<20	0.11	<10	<10	28	<10	40
CAE104703		<20	0.17	<10	<10	50	<10	73
CAE104704		<20	0.18	<10	<10	45	<10	76
CAE104705		<20	0.14	<10	<10	46	<10	31
CAE104706		<20	0.09	<10	<10	16	<10	9
CAE104707		<20	0.10	<10	<10	13	<10	8
CAE104708		<20	0.04	<10	<10	46	<10	2240
CAE104709		<20	0.11	<10	<10	14	<10	15
CAE104710		<20	0.16	<10	<10	17	<10	6
CAE104711		<20	0.24	<10	<10	23	<10	6
CAE104712		<20	0.01	<10	<10	15	<10	8
CAE104713		<20	0.29	<10	<10	27	<10	8

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE104714		2.63	0.002	0.2	1.44	<2	<10	110	<0.5	<2	0.63	<0.5	12	62	14	2.89
CAE104715		2.61	0.002	<0.2	1.86	<2	<10	110	<0.5	<2	1.18	<0.5	13	85	17	3.24
CAE104716		2.82	0.001	<0.2	2.30	6	<10	160	<0.5	<2	1.09	<0.5	15	129	12	3.59
CAE104717		5.01	0.001	<0.2	2.09	<2	<10	200	<0.5	<2	1.79	<0.5	11	55	8	3.03
CAE104718		2.90	0.001	<0.2	1.71	<2	<10	210	<0.5	<2	0.36	<0.5	11	67	13	2.90
CAE104719		2.53	0.001	<0.2	1.65	<2	<10	200	<0.5	<2	0.35	<0.5	11	64	11	2.77
CAE104720		5.55	0.002	<0.2	1.62	<2	<10	250	<0.5	<2	0.44	<0.5	10	66	18	2.76
CAE104721		5.24	0.001	<0.2	1.42	<2	<10	340	<0.5	<2	0.35	<0.5	9	54	20	2.61
CAE104722		5.88	0.001	<0.2	1.65	2	<10	210	<0.5	<2	0.36	<0.5	11	54	11	2.89
CAE104723		5.23	0.002	<0.2	1.84	4	<10	210	<0.5	<2	0.58	<0.5	11	43	16	3.28
CAE104724		0.14	1.100	1.0	1.51	21	<10	200	<0.5	<2	1.03	0.5	12	46	597	3.44
CAE104725		5.56	0.002	0.2	1.27	<2	<10	80	<0.5	<2	0.96	<0.5	10	47	41	2.73
CAE104726		5.28	0.002	0.2	0.80	<2	<10	20	<0.5	<2	1.42	<0.5	10	23	56	2.00
CAE104727		4.51	0.004	<0.2	0.64	<2	<10	20	<0.5	<2	1.31	<0.5	11	28	65	2.18
CAE104728		6.75	0.001	<0.2	0.57	<2	<10	<10	<0.5	<2	1.78	<0.5	8	16	14	1.24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104714		10	<1	0.81	40	0.86	345	<1	0.11	27	510	<2	0.45	<2	9	14
CAE104715		10	1	0.87	40	1.30	412	<1	0.09	23	690	<2	0.48	3	10	30
CAE104716		10	<1	0.94	30	1.84	557	<1	0.09	25	720	<2	0.17	<2	11	33
CAE104717		10	<1	0.74	20	1.53	581	<1	0.09	12	720	2	0.12	<2	10	66
CAE104718		10	<1	0.88	30	1.11	298	<1	0.09	20	390	<2	0.13	<2	8	12
CAE104719		10	<1	0.87	30	1.06	279	<1	0.09	20	340	<2	0.14	<2	8	13
CAE104720		10	<1	0.82	30	0.93	355	<1	0.11	17	480	<2	0.22	<2	8	25
CAE104721		10	<1	0.76	30	0.77	308	<1	0.09	13	360	<2	0.22	<2	7	14
CAE104722		10	<1	0.76	30	0.81	325	<1	0.09	18	430	2	0.11	<2	7	24
CAE104723		10	1	0.73	30	0.85	365	<1	0.07	22	470	4	0.23	<2	5	19
CAE104724		<10	<1	0.25	10	0.73	477	29	0.11	30	650	73	0.63	5	6	50
CAE104725		10	<1	0.28	20	0.81	298	<1	0.09	13	640	4	0.60	2	5	56
CAE104726		<10	<1	0.09	20	0.47	233	<1	0.07	14	780	3	0.70	<2	3	62
CAE104727		<10	<1	0.14	10	0.36	242	<1	0.07	13	250	<2	0.89	<2	2	45
CAE104728		<10	<1	0.01	10	0.13	164	<1	0.04	9	380	<2	0.59	<2	1	71

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 14-AUG-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11119917

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104714		20	0.18	<10	<10	56	<10	40
CAE104715		<20	0.19	<10	<10	68	<10	49
CAE104716		<20	0.20	<10	<10	87	<10	58
CAE104717		<20	0.17	<10	<10	84	<10	55
CAE104718		<20	0.16	<10	<10	63	<10	47
CAE104719		<20	0.16	<10	<10	60	<10	46
CAE104720		<20	0.15	<10	<10	57	<10	35
CAE104721		<20	0.15	<10	<10	46	<10	35
CAE104722		<20	0.15	<10	<10	50	<10	41
CAE104723		20	0.14	<10	<10	40	<10	48
CAE104724		<20	0.12	<10	<10	72	30	104
CAE104725		<20	0.17	<10	<10	42	<10	38
CAE104726		<20	0.12	<10	<10	19	<10	16
CAE104727		<20	0.09	<10	<10	16	<10	11
CAE104728		<20	0.08	<10	<10	6	<10	3