ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

CERTIFICATE WH11130642

Project: JP Ross Project

P.O. No.: JR 00442011

This report is for 105 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441735		6.76	0.014	0.4	1.32	7	<10	170	<0.5	<2	0.39	<0.5	15	15	30	3.51
CAE441736		0.67	<0.001	<0.2	0.18	<2	<10	50	<0.5	<2	0.02	<0.5	2	4	1	0.56
CAE441737		5.67	<0.001	<0.2	2.43	<2	<10	340	<0.5	<2	0.37	0.8	16	8	17	3.80
CAE441738		5.24	<0.001	0.2	2.46	<2	<10	450	<0.5	<2	0.36	1.2	16	8	27	3.82
CAE441739		4.86	<0.001	0.2	2.32	<2	<10	330	<0.5	2	0.31	1.4	22	8	27	4.15
CAE441740		0.14	1.245	1.0	1.57	21	<10	200	<0.5	<2	1.04	0.8	13	46	611	3.67
CAE441741		3.59	<0.001	<0.2	2.41	<2	<10	340	<0.5	<2	0.30	1.0	19	9	26	3.95
CAE441742		2.03	<0.001	<0.2	2.19	4	<10	240	<0.5	<2	0.37	0.9	16	7	27	3.75
CAE441743		4.51	<0.001	0.4	2.41	7	<10	320	<0.5	<2	0.28	1.3	23	8	31	4.40
CAE441744		5.63	0.013	0.2	2.01	6	<10	260	<0.5	3	0.29	0.5	16	8	24	3.57
CAE441745		5.89	<0.001	<0.2	2.37	2	<10	310	<0.5	<2	0.38	<0.5	16	9	21	3.81
CAE441746		6.52	<0.001	<0.2	2.47	7	<10	350	<0.5	2	0.39	0.6	15	9	26	4.16
CAE441747		0.65	<0.001	<0.2	0.24	<2	<10	60	<0.5	<2	0.02	<0.5	1	4	1	0.50
CAE441748		5.11	<0.001	0.2	2.42	3	<10	260	<0.5	<2	0.36	<0.5	16	9	40	4.10
CAE441749		5.44	<0.001	<0.2	2.48	3	<10	260	<0.5	<2	0.42	<0.5	16	10	42	4.38
CAE441750		5.60	0.003	0.4	2.37	6	<10	300	<0.5	<2	0.34	<0.5	16	9	49	4.33
CAE441751		5.81	0.005	<0.2	2.32	2	<10	320	<0.5	2	0.42	<0.5	14	10	13	3.90
CAE441752		2.53	<0.001	<0.2	2.11	2	<10	240	<0.5	<2	0.40	<0.5	13	10	8	3.81
CAE441753		2.38	<0.001	<0.2	2.18	<2	<10	240	<0.5	<2	0.46	<0.5	13	10	8	3.82
CAE441754		5.84	0.001	<0.2	1.94	<2	<10	170	<0.5	<2	0.39	<0.5	13	8	36	3.51
CAE441755		5.82	<0.001	<0.2	2.02	3	<10	500	<0.5	<2	0.65	<0.5	12	9	17	3.36
CAE441756		5.71	<0.001	<0.2	1.98	<2	<10	500	<0.5	<2	0.59	<0.5	15	10	19	3.62
CAE441757		5.72	<0.001	<0.2	2.21	<2	<10	290	<0.5	<2	0.57	<0.5	13	12	14	3.82
CAE441758		5.67	<0.001	<0.2	2.17	2	<10	400	<0.5	<2	0.42	<0.5	15	9	16	3.72
CAE441759		6.22	<0.001	<0.2	2.37	<2	<10	450	<0.5	<2	0.65	<0.5	14	10	12	3.78
CAE441760		5.43	<0.001	<0.2	2.32	<2	<10	380	<0.5	<2	0.59	<0.5	15	10	17	3.71
CAE441761		5.62	<0.001	<0.2	2.43	2	<10	430	<0.5	<2	0.69	<0.5	14	12	20	3.83
CAE441762		6.19	<0.001	<0.2	2.13	<2	<10	290	<0.5	<2	0.71	<0.5	14	9	27	3.48
CAE441763		5.67	0.042	<0.2	2.22	<2	<10	240	<0.5	<2	0.68	<0.5	14	9	24	3.50
CAE441764		0.15	1.285	0.8	1.50	22	<10	200	<0.5	<2	1.04	0.6	11	45	596	3.56
CAE441765		5.94	0.001	<0.2	1.96	<2	<10	210	<0.5	<2	0.75	<0.5	12	9	31	3.36
CAE441766		4.98	<0.001	1.3	2.23	<2	<10	230	<0.5	<2	1.01	<0.5	13	8	40	3.72
CAE441767		5.91	<0.001	<0.2	2.23	<2	<10	270	<0.5	<2	1.10	<0.5	15	10	53	3.77
CAE441768		5.40	<0.001	<0.2	2.30	<2	<10	270	<0.5	<2	0.95	<0.5	14	11	31	3.69
CAE441769		5.20	<0.001	<0.2	2.25	<2	<10	340	<0.5	<2	1.39	<0.5	14	9	21	3.56
CAE441770		5.45	<0.001	<0.2	2.47	<2	<10	640	<0.5	<2	1.05	<0.5	14	10	25	3.65
CAE441771		1.11	<0.001	<0.2	0.22	<2	<10	60	<0.5	<2	0.03	<0.5	1	5	1	0.63
CAE441772		5.03	0.002	<0.2	2.09	2	<10	190	<0.5	<2	1.42	<0.5	13	12	19	3.36
CAE441773		5.60	<0.001	<0.2	2.28	<2	<10	310	<0.5	<2	0.93	<0.5	14	9	16	3.43
CAE441774		6.20	0.002	0.3	2.11	<2	<10	260	<0.5	<2	0.77	<0.5	12	9	19	3.36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441735		<10	<1	0.63	10	1.23	779	1	0.03	18	580	17	0.26	<2	5	24
CAE441736		<10	<1	0.12	<10	0.02	79	<1	0.07	<1	70	4	0.01	<2	<1	37
CAE441737		<10	<1	1.23	10	1.33	1020	1	0.05	11	480	6	0.02	<2	4	24
CAE441738		10	<1	1.18	10	1.35	1220	1	0.05	10	490	6	0.02	<2	4	23
CAE441739		10	1	1.09	10	1.21	1160	1	0.05	20	460	7	0.02	<2	6	20
CAE441740		10	1	0.24	10	0.74	482	33	0.12	33	660	81	0.62	5	6	52
CAE441741		10	<1	1.31	10	1.35	1090	1	0.05	13	500	4	0.02	<2	4	18
CAE441742		10	1	0.85	10	1.17	890	1	0.05	15	510	6	0.02	<2	5	19
CAE441743		10	<1	1.14	10	1.20	1440	1	0.04	21	470	6	0.02	<2	5	17
CAE441744		10	1	1.02	10	1.13	843	1	0.05	10	430	5	0.02	<2	3	17
CAE441745		10	<1	1.23	10	1.30	864	1	0.06	11	480	5	0.02	<2	4	24
CAE441746		10	1	1.29	10	1.46	898	1	0.04	8	500	5	<0.01	2	4	24
CAE441747		<10	<1	0.16	<10	0.02	74	<1	0.09	1	40	3	<0.01	<2	<1	40
CAE441748		10	1	1.33	10	1.37	709	1	0.04	6	510	6	<0.01	<2	4	22
CAE441749		10	1	1.16	10	1.40	745	1	0.06	5	510	3	<0.01	<2	5	27
CAE441750		10	1	1.02	10	1.44	668	1	0.04	7	520	8	<0.01	2	6	20
CAE441751		10	<1	1.22	10	1.38	666	1	0.06	5	490	3	<0.01	<2	6	25
CAE441752		10	1	0.94	10	1.46	680	1	0.04	6	500	2	<0.01	<2	4	22
CAE441753		10	1	0.95	10	1.45	660	1	0.07	5	490	3	<0.01	<2	5	27
CAE441754		10	1	0.60	10	1.32	773	1	0.04	4	490	5	<0.01	<2	4	25
CAE441755		<10	<1	0.84	10	1.31	669	1	0.07	3	440	4	<0.01	<2	4	39
CAE441756		<10	<1	0.85	<10	1.44	680	<1	0.06	3	520	2	0.08	<2	4	28
CAE441757		10	<1	0.90	10	1.51	699	1	0.06	4	480	<2	0.01	<2	4	26
CAE441758		10	<1	1.22	10	1.45	610	1	0.05	10	520	5	0.02	<2	4	22
CAE441759		10	1	1.46	10	1.55	661	1	0.09	5	490	2	0.01	2	4	31
CAE441760		10	1	1.52	10	1.58	665	1	0.06	3	500	<2	0.01	<2	3	25
CAE441761		10	<1	1.47	10	1.64	780	2	0.09	3	500	3	0.03	<2	4	31
CAE441762		10	<1	1.27	10	1.47	624	2	0.06	4	510	2	0.05	<2	3	30
CAE441763		10	<1	1.22	10	1.44	681	1	0.06	3	470	<2	0.01	<2	3	32
CAE441764		<10	<1	0.25	10	0.75	461	30	0.11	32	650	75	0.61	3	6	49
CAE441765		10	<1	1.01	10	1.27	687	1	0.05	2	430	<2	0.05	<2	3	25
CAE441766		10	1	1.14	10	1.26	768	1	0.05	3	460	4	0.01	<2	5	29
CAE441767		10	1	1.06	10	1.48	720	2	0.05	3	500	3	0.04	<2	4	36
CAE441768		10	<1	1.00	10	1.50	830	1	0.05	4	490	4	0.02	<2	4	35
CAE441769		10	1	1.16	10	1.40	849	2	0.05	3	460	4	0.02	<2	5	37
CAE441770		10	1	1.18	10	1.54	1015	1	0.06	3	480	5	0.06	<2	4	46
CAE441771		<10	<1	0.14	<10	0.03	84	<1	0.07	1	100	4	<0.01	<2	1	62
CAE441772		10	1	1.01	10	1.26	770	2	0.04	3	420	3	0.02	<2	5	37
CAE441773		10	1	1.44	10	1.42	728	1	0.05	3	470	3	0.04	<2	4	31
CAE441774		10	1	1.27	10	1.36	696	2	0.05	3	450	3	0.08	<2	4	28

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441735		<20	0.09	<10	<10	59	<10	107
CAE441736		<20	<0.01	<10	<10	20	<10	10
CAE441737		<20	0.18	<10	<10	72	<10	179
CAE441738		<20	0.17	<10	<10	73	<10	295
CAE441739		<20	0.15	<10	<10	81	<10	173
CAE441740		<20	0.12	<10	<10	72	30	106
CAE441741		<20	0.19	<10	<10	84	<10	126
CAE441742		<20	0.12	<10	<10	75	<10	136
CAE441743		<20	0.15	<10	<10	76	<10	163
CAE441744		<20	0.15	<10	<10	71	<10	99
CAE441745		<20	0.17	<10	<10	72	<10	106
CAE441746		<20	0.16	<10	<10	77	<10	168
CAE441747		<20	<0.01	<10	<10	8	<10	10
CAE441748		<20	0.17	<10	<10	74	<10	110
CAE441749		<20	0.15	<10	<10	85	<10	95
CAE441750		<20	0.14	<10	<10	88	<10	108
CAE441751		<20	0.15	<10	<10	87	<10	83
CAE441752		<20	0.13	<10	<10	85	<10	80
CAE441753		<20	0.13	<10	<10	86	<10	79
CAE441754		<20	0.07	<10	<10	69	<10	134
CAE441755		<20	0.15	<10	<10	74	<10	88
CAE441756		<20	0.16	<10	<10	80	<10	92
CAE441757		<20	0.12	<10	<10	81	<10	64
CAE441758		<20	0.16	<10	<10	81	<10	79
CAE441759		<20	0.20	<10	<10	91	<10	64
CAE441760		<20	0.20	<10	<10	89	<10	59
CAE441761		<20	0.21	<10	<10	95	<10	68
CAE441762		<20	0.18	<10	<10	80	<10	59
CAE441763		<20	0.15	<10	<10	79	<10	55
CAE441764		<20	0.12	<10	<10	72	20	102
CAE441765		<20	0.13	<10	<10	72	<10	61
CAE441766		<20	0.14	<10	<10	77	<10	61
CAE441767		<20	0.13	<10	<10	77	<10	79
CAE441768		<20	0.13	<10	<10	75	<10	107
CAE441769		<20	0.14	<10	<10	77	<10	104
CAE441770		<20	0.15	<10	<10	75	<10	215
CAE441771		<20	<0.01	<10	<10	24	<10	12
CAE441772		<20	0.13	<10	<10	73	<10	71
CAE441773		<20	0.18	<10	<10	80	<10	78
CAE441774		<20	0.16	<10	<10	80	<10	79

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441775		5.31	<0.001	<0.2	2.02	<2	<10	270	<0.5	<2	1.23	<0.5	11	9	17	3.40
CAE441776		2.53	<0.001	<0.2	1.93	<2	<10	200	<0.5	<2	0.82	<0.5	11	9	15	3.05
CAE441777		2.56	<0.001	<0.2	1.96	<2	<10	200	<0.5	<2	0.81	<0.5	11	8	13	3.08
CAE441778		6.04	<0.001	<0.2	1.93	2	<10	160	<0.5	<2	1.32	<0.5	10	10	12	3.09
CAE441779		6.00	0.001	<0.2	1.97	3	<10	320	<0.5	<2	1.51	<0.5	13	9	7	3.01
CAE441780		5.50	<0.001	<0.2	2.00	<2	<10	460	<0.5	<2	0.75	<0.5	12	10	15	2.91
CAE441781		6.10	<0.001	0.8	2.08	<2	<10	170	<0.5	<2	2.14	<0.5	10	8	16	2.60
CAE441782		5.07	<0.001	0.4	2.10	<2	<10	180	<0.5	<2	0.69	<0.5	11	8	32	2.84
CAE441783		6.70	<0.001	0.2	2.16	<2	<10	310	<0.5	<2	1.60	<0.5	10	9	18	2.70
CAE441784		6.78	0.007	1.1	2.28	<2	<10	310	<0.5	2	1.06	<0.5	11	9	95	3.21
CAE441785		0.15	3.24	63.1	1.88	39	<10	170	<0.5	<2	2.64	8.3	10	51	179	2.91
CAE441786		5.47	0.007	0.5	1.89	<2	<10	130	<0.5	<2	1.24	<0.5	10	8	122	2.72
CAE441787		5.33	0.003	0.3	1.99	<2	<10	250	<0.5	<2	1.78	<0.5	12	28	20	2.90
CAE441788		5.93	0.001	0.3	1.96	<2	<10	990	<0.5	<2	1.81	<0.5	9	19	16	2.59
CAE441789		1.09	<0.001	<0.2	0.27	<2	<10	90	<0.5	<2	0.07	<0.5	1	5	1	0.73
CAE441790		5.87	0.003	0.2	2.03	<2	<10	800	<0.5	<2	2.51	<0.5	10	17	22	3.19
CAE441791		6.01	0.008	0.5	1.33	<2	<10	300	0.5	<2	2.71	<0.5	12	40	32	3.28
CAE441792		5.05	0.007	0.2	1.60	<2	<10	200	0.7	<2	1.50	<0.5	14	10	21	5.29
CAE441793		5.96	<0.001	0.3	2.27	<2	<10	370	0.5	<2	1.37	<0.5	14	10	50	4.07
CAE441794		2.58	<0.001	0.3	1.38	2	<10	450	0.5	<2	0.89	<0.5	12	30	57	3.07
CAE441795		2.21	<0.001	0.3	1.47	<2	<10	430	0.5	<2	0.77	<0.5	11	30	56	3.13
CAE441796		5.97	<0.001	0.6	1.46	<2	<10	610	0.7	<2	1.06	<0.5	11	40	44	3.19
CAE441797		5.23	0.004	1.5	0.55	43	<10	160	0.5	<2	2.01	3.1	6	83	112	1.93
CAE441798		4.97	0.003	2.1	0.56	27	<10	140	<0.5	<2	1.77	3.4	4	50	127	1.52
CAE441799		5.71	0.005	1.8	0.62	49	<10	140	<0.5	<2	1.71	2.8	3	57	109	1.31
CAE441800		5.60	0.004	2.0	0.57	26	<10	120	0.5	<2	2.76	2.6	4	74	126	1.52
CAE441801		5.63	0.007	1.9	0.58	33	<10	180	0.5	<2	2.03	4.1	5	67	116	1.56
CAE441802		6.28	0.005	1.9	0.45	25	<10	150	<0.5	<2	1.86	4.1	5	61	120	1.33
CAE441803		6.36	0.007	2.5	0.61	47	<10	170	0.6	<2	2.37	5.6	6	77	124	1.89
CAE441804		4.85	<0.001	0.6	0.79	15	<10	150	0.5	<2	0.75	1.5	8	31	66	2.42
CAE441805		0.14	1.215	1.0	1.49	21	<10	190	<0.5	<2	1.01	0.5	11	45	577	3.35
CAE441806		5.31	0.003	0.5	1.09	15	<10	180	0.5	<2	1.64	<0.5	11	52	49	3.13
CAE441807		5.55	0.002	0.4	1.04	11	<10	340	0.5	<2	1.13	<0.5	12	53	52	3.13
CAE441808		5.47	0.002	0.5	0.96	12	<10	220	0.6	<2	0.81	<0.5	11	33	56	3.51
CAE441809		5.91	0.003	0.4	0.90	7	<10	200	0.6	<2	0.60	<0.5	12	30	57	3.27
CAE441810		4.88	0.004	0.5	0.64	9	<10	160	<0.5	<2	0.36	<0.5	13	25	74	2.89
CAE441811		5.60	<0.001	0.2	0.23	8	<10	60	<0.5	<2	0.50	<0.5	11	24	40	1.19
CAE441812		5.67	0.003	0.5	0.46	22	<10	100	<0.5	<2	0.42	<0.5	16	25	75	2.40
CAE441813		1.34	0.001	<0.2	0.16	<2	<10	50	<0.5	<2	0.04	<0.5	<1	7	2	0.45
CAE441814		4.85	0.006	0.6	0.41	59	<10	100	<0.5	<2	0.24	0.5	24	22	79	2.40

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441775		10	<1	1.24	10	1.29	712	2	0.06	3	620	<2	0.10	<2	4	41
CAE441776		<10	1	1.22	10	1.17	685	2	0.06	2	410	2	0.05	<2	3	31
CAE441777		10	1	1.25	10	1.21	698	2	0.05	3	420	2	0.04	<2	3	27
CAE441778		10	1	0.93	10	1.16	660	1	0.06	2	440	3	0.04	<2	3	42
CAE441779		<10	<1	0.89	10	1.29	661	1	0.05	2	420	2	0.12	<2	3	56
CAE441780		<10	<1	0.98	10	1.35	568	2	0.05	2	420	2	0.11	<2	3	40
CAE441781		<10	1	0.93	10	1.16	625	2	0.03	2	380	3	0.05	<2	4	55
CAE441782		<10	1	1.13	10	1.19	602	2	0.06	3	390	2	0.07	<2	3	29
CAE441783		<10	1	0.71	10	1.06	567	1	0.05	3	370	3	0.04	<2	5	56
CAE441784		<10	1	0.90	10	1.25	650	1	0.05	2	430	35	0.16	<2	5	38
CAE441785		10	13	0.26	10	1.57	554	9	0.07	37	490	1085	0.98	163	4	86
CAE441786		<10	1	0.87	10	0.94	536	2	0.06	2	330	3	0.09	<2	4	42
CAE441787		<10	1	0.34	10	1.17	551	9	0.05	13	770	2	0.08	<2	4	58
CAE441788		<10	1	0.15	10	0.86	475	1	0.10	9	450	2	0.11	<2	6	91
CAE441789		<10	<1	0.18	<10	0.02	176	<1	0.11	1	60	5	<0.01	<2	1	84
CAE441790		<10	1	0.24	10	1.13	685	2	0.06	11	650	3	0.17	<2	7	96
CAE441791		<10	1	0.37	20	1.39	816	2	0.04	25	440	8	0.33	<2	9	69
CAE441792		<10	1	0.49	20	1.36	1175	2	0.04	3	580	5	0.23	<2	16	46
CAE441793		10	1	0.73	20	1.31	811	1	0.06	3	630	4	0.30	<2	13	50
CAE441794		<10	1	0.71	20	1.03	434	1	0.03	30	860	2	0.71	<2	6	28
CAE441795		10	1	0.76	20	1.06	448	1	0.03	28	440	3	0.69	<2	6	23
CAE441796		<10	<1	0.69	20	1.23	519	1	0.03	39	610	4	0.45	<2	6	26
CAE441797		<10	1	0.21	10	0.42	396	22	0.02	108	4800	20	0.76	<2	4	118
CAE441798		<10	1	0.19	10	0.24	262	14	0.02	79	5310	19	0.73	<2	3	46
CAE441799		<10	<1	0.21	10	0.27	244	29	0.02	89	5400	8	0.45	<2	2	50
CAE441800		<10	<1	0.22	10	0.69	307	16	0.02	97	6540	13	0.47	<2	3	61
CAE441801		<10	<1	0.30	10	0.80	284	15	0.02	95	3390	13	0.76	<2	3	80
CAE441802		<10	<1	0.24	<10	0.55	207	13	0.02	110	4280	10	0.68	<2	2	72
CAE441803		<10	<1	0.34	10	0.82	348	16	0.02	116	4840	32	1.01	<2	4	116
CAE441804		<10	<1	0.31	10	0.82	264	9	0.02	61	790	4	1.00	<2	3	35
CAE441805		<10	1	0.24	10	0.71	463	31	0.11	31	630	73	0.58	4	6	50
CAE441806		<10	<1	0.34	20	1.50	445	1	0.03	43	530	6	0.71	<2	6	47
CAE441807		<10	<1	0.53	20	1.32	462	1	0.02	49	530	6	0.67	<2	7	37
CAE441808		<10	<1	0.42	20	1.38	667	3	0.02	41	320	8	0.72	<2	5	35
CAE441809		<10	1	0.43	20	1.15	1015	2	0.02	48	440	7	0.74	<2	4	33
CAE441810		<10	1	0.24	10	0.61	1595	2	0.02	55	340	8	0.78	<2	3	14
CAE441811		<10	<1	0.06	<10	0.36	1060	1	0.01	32	130	5	0.22	<2	2	19
CAE441812		<10	<1	0.13	10	0.50	1730	2	0.02	65	260	4	0.63	<2	3	19
CAE441813		<10	<1	0.13	<10	0.01	46	<1	0.06	2	70	4	<0.01	<2	<1	76
CAE441814		<10	<1	0.12	10	0.44	1465	2	0.01	92	210	4	0.57	<2	2	11

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441775		<20	0.16	<10	<10	78	<10	66
CAE441776		<20	0.15	<10	<10	69	<10	67
CAE441777		<20	0.16	<10	<10	70	<10	69
CAE441778		<20	0.11	<10	<10	61	<10	57
CAE441779		<20	0.12	<10	<10	60	<10	67
CAE441780		<20	0.14	<10	<10	62	<10	71
CAE441781		<20	0.10	<10	<10	59	<10	52
CAE441782		<20	0.14	<10	<10	63	<10	58
CAE441783		<20	0.08	<10	<10	59	<10	55
CAE441784		<20	0.11	<10	<10	70	<10	109
CAE441785		<20	0.04	<10	<10	46	<10	2170
CAE441786		<20	0.10	<10	<10	53	<10	56
CAE441787		<20	0.05	<10	<10	64	<10	52
CAE441788		<20	0.04	<10	<10	63	<10	45
CAE441789		<20	0.01	<10	<10	15	<10	9
CAE441790		<20	0.04	<10	<10	98	<10	70
CAE441791		<20	0.03	<10	<10	72	<10	100
CAE441792		<20	0.04	<10	<10	103	<10	66
CAE441793		<20	0.09	<10	<10	92	<10	71
CAE441794		<20	0.09	<10	<10	55	<10	52
CAE441795		<20	0.09	<10	<10	54	<10	52
CAE441796		<20	0.08	<10	<10	52	<10	98
CAE441797		<20	0.01	<10	<10	192	<10	326
CAE441798		<20	<0.01	<10	<10	82	<10	324
CAE441799		<20	<0.01	<10	<10	215	<10	271
CAE441800		<20	0.01	<10	<10	168	<10	308
CAE441801		<20	0.01	<10	<10	300	<10	336
CAE441802		<20	0.01	<10	<10	238	<10	374
CAE441803		<20	0.01	<10	<10	200	<10	661
CAE441804		<20	0.01	<10	<10	83	<10	207
CAE441805		<20	0.12	<10	<10	71	20	100
CAE441806		<20	0.02	<10	<10	53	<10	80
CAE441807		<20	0.05	<10	<10	55	<10	113
CAE441808		<20	0.02	<10	<10	52	<10	109
CAE441809		<20	0.03	<10	<10	39	<10	96
CAE441810		<20	0.02	<10	<10	43	<10	67
CAE441811		<20	<0.01	<10	<10	22	<10	35
CAE441812		<20	<0.01	<10	<10	40	<10	64
CAE441813		<20	0.01	<10	<10	13	<10	6
CAE441814		<20	<0.01	<10	<10	38	<10	69

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441815		5.07	0.007	0.6	0.30	45	<10	80	<0.5	2	0.59	0.5	12	19	62	2.45
CAE441816		2.96	0.005	1.0	0.41	145	<10	100	<0.5	<2	1.10	1.6	7	22	63	2.40
CAE441817		2.66	0.006	1.3	0.37	142	<10	90	<0.5	2	1.22	2.1	7	24	62	2.17
CAE441818		5.37	0.113	1.2	0.40	146	<10	80	<0.5	<2	1.79	0.5	8	23	38	3.14
CAE441819		5.30	0.300	1.2	0.18	436	<10	50	<0.5	<2	0.98	<0.5	7	15	14	2.89
CAE441820		5.71	0.847	3.1	0.75	686	<10	100	0.6	<2	0.87	<0.5	26	6	54	7.07
CAE441821		5.98	0.292	0.9	0.59	99	<10	130	0.6	<2	0.89	<0.5	15	4	24	4.95
CAE441822		0.15	2.89	63.2	2.00	40	<10	170	<0.5	<2	2.78	8.5	13	55	190	3.08
CAE441823		6.63	0.081	0.7	0.63	47	<10	120	0.6	<2	0.67	<0.5	12	4	21	4.94
CAE441824		5.22	0.017	1.1	0.58	75	<10	90	<0.5	<2	0.47	<0.5	13	4	21	3.16
CAE441825		5.59	0.064	0.5	0.61	63	<10	230	<0.5	<2	1.46	<0.5	11	4	22	2.76
CAE441826		1.47	0.001	<0.2	0.17	2	<10	60	<0.5	<2	0.08	<0.5	3	5	6	0.69
CAE441827		6.16	0.031	0.6	0.61	33	<10	110	<0.5	<2	1.30	<0.5	11	3	20	2.53
CAE441828		5.66	0.006	0.5	0.73	21	<10	110	<0.5	<2	1.62	<0.5	12	11	19	2.89
CAE441829		5.99	0.041	3.3	0.56	197	<10	150	<0.5	<2	1.51	1.1	12	21	65	2.68
CAE441830		5.97	0.006	2.2	0.67	58	<10	150	<0.5	<2	2.08	2.2	13	26	96	2.55
CAE441831		2.57	0.004	1.1	0.62	66	<10	150	<0.5	<2	1.42	<0.5	16	22	65	3.25
CAE441832		2.35	0.004	1.2	0.47	67	<10	120	<0.5	<2	1.18	<0.5	15	19	65	3.14
CAE441833		5.33	0.014	2.2	0.53	39	<10	110	<0.5	<2	1.31	0.7	21	20	106	3.01
CAE441834		5.70	0.004	1.7	0.30	41	<10	60	<0.5	<2	0.77	<0.5	19	23	82	2.20
CAE441835		5.73	0.067	1.0	0.29	20	<10	60	<0.5	<2	0.94	<0.5	8	18	41	1.56
CAE441836		4.97	0.022	2.2	0.44	47	<10	80	<0.5	<2	1.28	0.8	11	11	53	2.70
CAE441837		6.35	0.006	10.0	0.37	46	<10	70	<0.5	<2	1.39	<0.5	9	18	37	2.27
CAE441838		5.18	0.009	3.6	0.25	15	<10	30	<0.5	<2	1.29	0.5	6	14	35	1.82
CAE441839		4.89	0.041	1.4	0.60	3	<10	80	<0.5	<2	1.46	<0.5	7	13	30	1.98

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441815		<10	<1	0.11	10	0.61	1325	1	0.01	45	200	8	0.57	<2	2	16
CAE441816		<10	<1	0.15	10	0.77	814	3	0.01	38	1100	24	0.60	<2	3	34
CAE441817		<10	<1	0.13	10	0.69	775	5	0.01	53	1870	22	0.56	<2	2	42
CAE441818		<10	<1	0.16	10	0.90	1695	4	0.02	49	1360	18	0.99	<2	4	72
CAE441819		<10	<1	0.09	<10	0.50	1370	<1	<0.01	13	250	9	1.07	<2	2	24
CAE441820		<10	<1	0.33	10	0.95	2450	2	<0.01	15	1240	27	2.99	<2	6	25
CAE441821		<10	<1	0.34	10	0.73	2840	1	<0.01	3	440	9	1.07	<2	5	29
CAE441822		10	13	0.27	10	1.64	590	9	0.04	41	540	1085	1.04	156	4	93
CAE441823		<10	1	0.36	20	0.70	2780	1	<0.01	2	370	9	0.83	<2	4	25
CAE441824		<10	<1	0.27	20	0.69	722	<1	<0.01	3	400	13	0.38	2	3	23
CAE441825		<10	<1	0.34	10	0.99	791	1	<0.01	3	420	7	0.53	<2	2	52
CAE441826		<10	<1	0.11	<10	0.02	162	<1	0.03	7	70	9	<0.01	<2	1	73
CAE441827		<10	<1	0.36	20	0.78	481	1	<0.01	5	360	8	0.51	<2	2	47
CAE441828		<10	<1	0.26	10	0.93	662	<1	<0.01	13	370	11	0.34	<2	2	70
CAE441829		<10	<1	0.26	10	0.76	724	3	<0.01	44	1250	28	0.63	<2	2	43
CAE441830		<10	<1	0.28	10	0.80	1285	4	<0.01	60	2740	36	0.52	<2	3	53
CAE441831		<10	<1	0.26	10	0.84	1240	1	<0.01	38	560	8	0.62	<2	3	50
CAE441832		<10	<1	0.21	10	0.75	1225	1	<0.01	38	470	7	0.65	<2	2	41
CAE441833		<10	<1	0.25	10	0.74	3300	6	<0.01	91	440	8	0.66	<2	3	49
CAE441834		<10	<1	0.09	10	0.46	2610	1	<0.01	76	190	11	0.61	<2	2	23
CAE441835		<10	<1	0.13	<10	0.37	847	1	<0.01	19	700	8	0.50	<2	2	24
CAE441836		<10	<1	0.25	10	0.53	1400	8	<0.01	21	1210	61	0.59	<2	2	34
CAE441837		<10	<1	0.21	<10	0.57	1100	5	<0.01	24	880	14	0.86	<2	2	42
CAE441838		<10	<1	0.12	10	0.54	833	17	0.01	16	830	15	0.56	<2	2	40
CAE441839		<10	<1	0.39	10	0.75	688	2	0.03	11	1090	17	0.22	<2	3	38

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 30-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11130642

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441815		<20	<0.01	<10	<10	35	<10	76
CAE441816		<20	<0.01	<10	<10	42	<10	170
CAE441817		<20	<0.01	<10	<10	47	<10	227
CAE441818		<20	<0.01	<10	<10	55	<10	80
CAE441819		<20	<0.01	<10	<10	14	<10	27
CAE441820		<20	<0.01	<10	<10	51	<10	104
CAE441821		<20	<0.01	<10	<10	34	<10	64
CAE441822		<20	0.04	<10	<10	48	<10	2230
CAE441823		<20	<0.01	<10	<10	31	<10	60
CAE441824		<20	<0.01	<10	<10	31	<10	58
CAE441825		<20	<0.01	<10	<10	24	<10	45
CAE441826		<20	0.01	<10	<10	17	<10	16
CAE441827		<20	<0.01	<10	<10	21	<10	55
CAE441828		<20	<0.01	<10	<10	29	<10	51
CAE441829		<20	<0.01	<10	<10	31	<10	138
CAE441830		<20	<0.01	<10	<10	53	<10	246
CAE441831		<20	<0.01	<10	<10	33	<10	83
CAE441832		<20	<0.01	<10	<10	29	<10	86
CAE441833		<20	<0.01	<10	<10	41	<10	114
CAE441834		<20	<0.01	<10	<10	31	<10	62
CAE441835		<20	<0.01	<10	<10	19	<10	40
CAE441836		<20	<0.01	<10	<10	20	<10	90
CAE441837		<20	0.01	<10	<10	24	60	34
CAE441838		<20	<0.01	<10	<10	27	<10	56
CAE441839		<20	0.02	<10	<10	28	<10	62