ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

CERTIFICATE WH11114316

Project: JP Ross Project

P.O. No.: WG00312011

This report is for 112 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104482		5.78	0.002	<0.2	2.23	3	<10	140	<0.5	<2	1.54	<0.5	13	15	28	3.13
CAE104483		5.93	0.002	<0.2	2.63	4	<10	200	<0.5	<2	1.34	<0.5	16	18	33	3.87
CAE104484		4.74	<0.001	<0.2	2.71	2	<10	290	<0.5	<2	1.53	<0.5	13	17	23	3.42
CAE104485		5.23	0.001	<0.2	2.94	3	<10	340	<0.5	3	1.31	<0.5	18	20	64	4.78
CAE104486		4.96	<0.001	<0.2	2.85	3	<10	400	<0.5	<2	1.29	<0.5	15	22	27	4.24
CAE104487		5.17	0.001	<0.2	3.15	3	<10	430	<0.5	<2	1.41	<0.5	16	22	31	4.25
CAE104488		5.69	0.001	<0.2	2.66	2	<10	280	<0.5	<2	1.54	<0.5	14	18	42	3.46
CAE104489		5.76	<0.001	<0.2	2.20	<2	<10	220	<0.5	<2	1.12	<0.5	13	18	16	3.33
CAE104490		5.41	0.009	<0.2	2.27	3	<10	200	<0.5	<2	0.81	<0.5	14	17	33	3.79
CAE104491		5.47	0.023	<0.2	2.26	12	<10	320	<0.5	<2	0.59	<0.5	35	9	77	4.09
CAE104492		4.92	0.001	<0.2	2.17	2	<10	320	<0.5	<2	0.89	<0.5	12	11	14	3.45
CAE104493		2.46	0.001	<0.2	2.09	<2	<10	330	<0.5	<2	1.05	<0.5	11	11	12	3.20
CAE104494		2.74	<0.001	<0.2	2.07	<2	<10	340	<0.5	<2	1.01	<0.5	12	10	11	3.21
CAE104495		2.39	0.001	<0.2	1.86	2	<10	290	<0.5	<2	0.94	<0.5	10	11	14	2.94
CAE104496		2.93	<0.001	<0.2	1.82	2	<10	280	<0.5	<2	0.95	<0.5	10	10	13	2.92
CAE104497		2.04	0.001	<0.2	2.20	2	<10	310	<0.5	<2	0.81	<0.5	11	14	27	3.49
CAE104498		2.25	<0.001	<0.2	2.15	<2	<10	310	<0.5	<2	0.85	<0.5	10	12	21	3.38
CAE104499		5.37	<0.001	<0.2	2.25	<2	<10	460	<0.5	<2	1.00	<0.5	14	12	23	3.63
CAE104500		5.18	<0.001	<0.2	2.14	<2	<10	420	<0.5	2	1.09	<0.5	12	10	21	3.32
CAE104501		5.81	<0.001	<0.2	1.65	2	<10	150	<0.5	<2	1.13	<0.5	10	11	20	2.84
CAE104502		5.67	0.001	<0.2	2.27	<2	<10	410	<0.5	<2	1.15	<0.5	16	10	67	4.08
CAE104503		5.33	0.003	<0.2	2.12	3	<10	250	<0.5	<2	1.34	<0.5	14	16	32	3.66
CAE104504		5.12	0.001	<0.2	2.49	<2	<10	320	<0.5	<2	0.97	<0.5	15	11	22	4.35
CAE104505		5.05	<0.001	<0.2	2.30	<2	<10	450	<0.5	<2	0.92	<0.5	14	11	14	3.71
CAE104506		5.52	0.001	<0.2	2.68	<2	<10	530	<0.5	<2	1.17	<0.5	14	12	29	4.34
CAE104507		5.35	<0.001	<0.2	2.33	<2	<10	450	<0.5	<2	1.00	<0.5	14	12	27	3.81
CAE104508		5.29	0.001	<0.2	2.16	<2	<10	330	<0.5	<2	1.07	<0.5	12	10	15	3.46
CAE104509		2.47	0.001	<0.2	1.84	<2	<10	100	<0.5	<2	1.12	<0.5	12	10	22	3.24
CAE104510		2.62	0.003	<0.2	1.94	<2	<10	170	<0.5	<2	1.16	<0.5	13	10	29	3.40
CAE104511		4.67	1.840	0.3	2.37	2	<10	280	<0.5	2	0.98	<0.5	19	11	47	4.58
CAE104512		5.22	0.002	<0.2	1.90	<2	<10	260	<0.5	<2	0.87	<0.5	12	11	24	3.62
CAE104513		2.53	0.001	<0.2	1.87	3	<10	270	<0.5	<2	0.84	<0.5	14	33	86	3.65
CAE104514		2.75	<0.001	<0.2	1.88	2	<10	280	<0.5	<2	0.82	<0.5	13	23	41	3.55
CAE104515		5.66	0.001	<0.2	2.07	<2	<10	320	<0.5	<2	0.82	<0.5	13	12	21	3.75
CAE104516		4.96	0.002	<0.2	1.96	3	<10	200	<0.5	<2	0.86	<0.5	21	10	16	3.83
CAE104517		5.13	0.001	<0.2	2.27	3	<10	170	<0.5	<2	1.34	<0.5	14	14	31	4.17
CAE104518		2.46	<0.001	<0.2	1.65	2	<10	160	<0.5	<2	1.00	<0.5	13	10	26	3.18
CAE104519		2.51	0.001	<0.2	1.77	<2	<10	170	<0.5	<2	1.06	<0.5	15	12	27	3.34
CAE104520		5.36	<0.001	<0.2	1.75	2	<10	180	<0.5	<2	0.99	<0.5	13	10	15	3.22
CAE104521		5.48	<0.001	<0.2	1.34	<2	<10	40	<0.5	<2	1.13	<0.5	9	8	7	2.56

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104482		10	<1	0.28	10	1.09	601	<1	0.20	3	710	4	<0.01	<2	10	59
CAE104483		10	<1	0.42	<10	1.40	770	<1	0.17	3	670	3	<0.01	<2	11	53
CAE104484		10	1	0.68	<10	1.31	660	<1	0.26	3	680	2	<0.01	<2	10	76
CAE104485		10	<1	0.91	<10	1.52	662	<1	0.25	4	700	2	<0.01	<2	14	61
CAE104486		10	<1	1.00	<10	1.61	793	<1	0.23	4	720	3	0.01	<2	14	58
CAE104487		10	<1	1.01	<10	1.71	742	<1	0.26	5	690	2	<0.01	<2	15	82
CAE104488		10	<1	0.68	<10	1.32	693	<1	0.27	3	680	<2	<0.01	<2	11	78
CAE104489		10	1	0.63	10	1.32	703	<1	0.23	3	620	<2	<0.01	<2	11	36
CAE104490		10	1	0.63	10	1.44	765	<1	0.14	3	630	<2	<0.01	<2	13	25
CAE104491		10	<1	0.46	10	1.18	1015	<1	0.09	5	430	2	0.01	<2	9	24
CAE104492		10	<1	0.91	10	1.24	753	<1	0.19	2	560	3	<0.01	<2	10	31
CAE104493		10	<1	0.81	10	1.20	690	<1	0.21	3	600	<2	<0.01	<2	9	41
CAE104494		10	<1	0.85	10	1.21	690	<1	0.20	3	640	2	<0.01	<2	9	37
CAE104495		10	<1	0.73	10	1.01	568	<1	0.20	2	510	2	<0.01	<2	8	36
CAE104496		10	<1	0.71	10	1.01	563	<1	0.20	2	530	2	<0.01	<2	8	34
CAE104497		10	<1	1.02	10	1.42	591	<1	0.17	3	700	2	0.01	<2	14	28
CAE104498		10	<1	0.94	10	1.36	557	<1	0.18	1	640	2	0.04	<2	14	32
CAE104499		10	<1	1.09	10	1.31	631	<1	0.19	1	580	<2	0.02	<2	9	35
CAE104500		10	<1	0.91	10	1.21	627	<1	0.22	3	590	3	0.01	<2	9	51
CAE104501		10	<1	0.44	20	1.00	580	<1	0.22	1	600	2	0.01	<2	10	49
CAE104502		10	<1	0.86	10	1.27	576	<1	0.19	5	540	5	0.03	<2	12	54
CAE104503		10	<1	0.62	10	1.17	718	<1	0.19	4	540	2	0.01	<2	12	34
CAE104504		10	1	0.94	10	1.49	953	<1	0.15	3	600	2	0.02	<2	13	21
CAE104505		10	<1	1.11	10	1.24	846	<1	0.20	2	550	<2	<0.01	3	8	31
CAE104506		10	1	1.27	10	1.48	823	<1	0.17	1	620	<2	<0.01	<2	13	32
CAE104507		10	<1	1.07	10	1.32	770	<1	0.19	2	580	<2	<0.01	2	10	31
CAE104508		10	<1	0.87	10	1.12	690	<1	0.18	1	560	<2	<0.01	2	9	37
CAE104509		10	<1	0.21	10	0.99	614	<1	0.15	1	540	<2	<0.01	<2	8	31
CAE104510		10	<1	0.34	10	1.03	677	<1	0.16	1	570	<2	<0.01	<2	9	31
CAE104511		10	<1	0.85	10	1.36	969	1	0.12	3	570	4	0.01	2	12	23
CAE104512		10	<1	0.95	10	1.18	780	<1	0.16	1	580	<2	0.03	<2	10	21
CAE104513		10	<1	0.89	10	1.10	783	<1	0.15	12	760	<2	0.01	<2	9	18
CAE104514		10	<1	0.93	20	1.12	786	<1	0.15	7	680	<2	0.01	2	9	16
CAE104515		10	1	1.02	10	1.24	843	<1	0.16	2	580	<2	0.01	<2	10	22
CAE104516		10	<1	0.67	10	1.02	767	3	0.10	1	590	<2	0.02	3	10	22
CAE104517		10	<1	0.62	10	1.41	816	<1	0.19	2	670	<2	0.14	<2	12	34
CAE104518		10	<1	0.69	10	0.93	540	<1	0.16	1	600	<2	0.22	<2	8	30
CAE104519		10	<1	0.73	20	0.99	581	<1	0.16	2	580	<2	0.24	<2	9	30
CAE104520		10	<1	0.62	10	0.99	555	<1	0.20	2	610	<2	0.10	<2	9	30
CAE104521		<10	<1	0.25	20	0.77	456	<1	0.20	1	580	<2	0.11	<2	8	40

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104482		<20	0.15	<10	<10	101	<10	50
CAE104483		<20	0.19	<10	<10	123	<10	58
CAE104484		<20	0.21	<10	<10	112	<10	54
CAE104485		<20	0.21	<10	<10	142	<10	64
CAE104486		<20	0.24	<10	<10	142	<10	67
CAE104487		<20	0.22	<10	<10	148	<10	64
CAE104488		<20	0.19	<10	<10	111	<10	53
CAE104489		<20	0.17	<10	<10	111	<10	59
CAE104490		<20	0.14	<10	<10	123	<10	72
CAE104491		<20	0.10	<10	<10	91	<10	64
CAE104492		<20	0.22	<10	<10	103	<10	63
CAE104493		<20	0.21	<10	<10	97	<10	61
CAE104494		<20	0.21	<10	<10	97	<10	61
CAE104495		<20	0.19	<10	<10	90	<10	52
CAE104496		<20	0.19	<10	<10	90	<10	51
CAE104497		<20	0.21	<10	<10	126	<10	62
CAE104498		<20	0.21	<10	<10	127	<10	59
CAE104499		<20	0.24	<10	<10	109	<10	60
CAE104500		<20	0.22	<10	<10	100	<10	56
CAE104501		<20	0.15	<10	<10	88	<10	58
CAE104502		<20	0.20	<10	<10	115	<10	65
CAE104503		<20	0.19	<10	<10	114	<10	60
CAE104504		<20	0.22	<10	<10	131	<10	76
CAE104505		<20	0.26	<10	<10	111	<10	67
CAE104506		<20	0.25	<10	<10	131	<10	73
CAE104507		<20	0.24	<10	<10	116	<10	65
CAE104508		<20	0.22	<10	<10	103	<10	57
CAE104509		<20	0.16	<10	<10	90	<10	47
CAE104510		<20	0.18	<10	<10	98	<10	50
CAE104511		<20	0.21	<10	<10	127	<10	73
CAE104512		<20	0.20	<10	<10	112	<10	71
CAE104513		<20	0.22	<10	<10	115	<10	67
CAE104514		<20	0.21	<10	<10	113	<10	68
CAE104515		<20	0.23	<10	<10	114	<10	83
CAE104516		<20	0.16	<10	<10	105	<10	70
CAE104517		<20	0.18	<10	<10	133	<10	77
CAE104518		<20	0.16	<10	<10	94	<10	52
CAE104519		<20	0.17	<10	<10	98	<10	55
CAE104520		<20	0.15	<10	<10	100	<10	51
CAE104521		<20	0.11	<10	<10	78	<10	35

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104522		5.59	0.001	<0.2	1.13	2	<10	110	<0.5	<2	1.04	<0.5	12	8	21	2.42
CAE104523		5.67	0.001	<0.2	1.57	<2	<10	70	<0.5	<2	0.82	<0.5	13	11	30	3.24
CAE104524		2.49	0.001	<0.2	1.69	<2	<10	130	<0.5	<2	0.81	<0.5	12	11	28	3.25
CAE104525		2.73	0.001	<0.2	1.77	<2	<10	140	<0.5	<2	0.80	<0.5	12	12	28	3.36
CAE104526		5.09	<0.001	<0.2	1.86	<2	<10	140	<0.5	<2	1.14	<0.5	11	11	24	3.25
CAE104527		5.65	<0.001	<0.2	2.00	<2	<10	310	<0.5	<2	0.95	<0.5	12	11	26	3.76
CAE104528		5.70	<0.001	<0.2	1.52	<2	<10	280	<0.5	<2	0.87	<0.5	14	9	40	3.23
CAE104529		5.18	<0.001	<0.2	1.84	2	<10	280	<0.5	<2	0.93	<0.5	13	11	29	3.42
CAE104530		4.90	<0.001	<0.2	1.26	2	<10	130	<0.5	<2	1.32	<0.5	8	10	15	2.20
CAE104531		5.23	<0.001	0.2	1.50	<2	<10	70	<0.5	<2	1.17	<0.5	10	8	16	2.57
CAE104532		2.03	<0.001	<0.2	1.67	2	<10	230	<0.5	<2	0.94	<0.5	11	9	41	3.21
CAE104533		2.32	<0.001	0.2	1.65	<2	<10	220	<0.5	<2	0.89	<0.5	11	10	31	3.10
CAE104534		4.97	<0.001	<0.2	2.24	<2	<10	460	<0.5	<2	1.01	<0.5	13	12	20	3.76
CAE104535		5.30	<0.001	<0.2	1.84	3	<10	190	<0.5	<2	1.27	<0.5	12	11	21	3.27
CAE104536		5.19	<0.001	0.2	1.69	<2	<10	240	<0.5	<2	1.09	<0.5	11	11	22	3.15
CAE104537		2.31	<0.001	<0.2	1.84	<2	<10	260	<0.5	<2	1.02	<0.5	13	10	20	3.37
CAE104538		2.53	<0.001	<0.2	1.84	3	<10	290	<0.5	<2	1.04	<0.5	11	10	18	3.26
CAE104539		5.65	<0.001	<0.2	2.08	<2	<10	400	<0.5	<2	1.03	<0.5	15	10	35	3.86
CAE104540		5.23	<0.001	<0.2	2.29	2	<10	310	<0.5	<2	1.30	<0.5	13	11	19	3.79
CAE104541		5.91	<0.001	<0.2	2.64	<2	<10	470	<0.5	<2	1.40	<0.5	13	11	18	3.84
CAE104542		5.57	<0.001	<0.2	2.39	<2	<10	370	<0.5	<2	1.37	<0.5	12	11	20	3.69
CAE104543		5.39	<0.001	<0.2	2.06	<2	<10	250	<0.5	<2	1.56	<0.5	13	12	34	3.48
CAE104544		2.40	<0.001	<0.2	2.48	4	<10	310	<0.5	<2	1.45	<0.5	12	10	15	3.61
CAE104545		2.70	<0.001	<0.2	2.48	<2	<10	290	<0.5	<2	1.48	<0.5	12	11	12	3.66
CAE104546		5.04	<0.001	<0.2	2.17	<2	<10	280	<0.5	<2	1.21	<0.5	11	11	13	3.37
CAE104547		5.17	<0.001	<0.2	1.99	<2	<10	270	<0.5	<2	1.16	<0.5	11	12	23	3.26
CAE104548		5.36	<0.001	<0.2	1.97	<2	<10	240	<0.5	<2	1.16	<0.5	12	10	29	3.43
CAE104549		5.19	<0.001	<0.2	2.10	3	<10	220	<0.5	<2	1.58	<0.5	12	9	44	3.52
CAE104550		4.96	<0.001	<0.2	2.34	2	<10	180	<0.5	<2	1.71	<0.5	11	9	21	3.56
CAE104551		5.32	0.001	0.2	2.24	<2	<10	250	<0.5	<2	0.96	<0.5	14	10	33	3.84
CAE104552		5.18	<0.001	<0.2	1.39	<2	<10	120	<0.5	<2	0.70	<0.5	9	48	21	2.51
CAE104553		5.20	0.003	0.2	0.65	<2	<10	30	<0.5	<2	0.52	<0.5	12	21	469	1.88
CAE104554		2.44	<0.001	<0.2	2.30	2	<10	200	<0.5	<2	0.36	<0.5	18	42	88	3.95
CAE104555		2.76	<0.001	<0.2	2.38	<2	<10	210	<0.5	<2	0.34	<0.5	18	44	121	4.19
CAE104556		5.70	<0.001	<0.2	2.68	<2	<10	180	<0.5	<2	0.83	<0.5	23	28	37	5.30
CAE104557		2.29	0.001	<0.2	2.45	2	<10	130	<0.5	<2	1.31	<0.5	24	5	52	4.51
CAE104558		2.63	0.001	<0.2	2.56	<2	<10	120	<0.5	<2	1.43	<0.5	23	4	58	4.56
CAE104559		5.18	<0.001	<0.2	2.45	<2	<10	240	<0.5	<2	0.63	<0.5	17	22	47	4.16
CAE104560		5.19	<0.001	<0.2	2.09	<2	<10	220	<0.5	<2	0.33	<0.5	11	31	21	3.13
CAE104561		5.44	<0.001	<0.2	1.87	<2	<10	220	<0.5	<2	0.30	<0.5	11	34	17	2.98

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104522		<10	<1	0.29	10	0.56	466	<1	0.13	1	500	<2	0.22	<2	6	66
CAE104523		10	<1	0.49	20	0.98	606	<1	0.18	1	620	<2	0.18	2	9	24
CAE104524		10	<1	0.78	20	1.05	652	<1	0.17	1	600	<2	0.09	<2	9	20
CAE104525		10	<1	0.85	20	1.11	696	<1	0.16	1	600	<2	0.07	<2	9	18
CAE104526		10	1	0.60	20	1.01	615	<1	0.24	<1	640	<2	0.08	<2	10	38
CAE104527		10	<1	0.98	10	1.10	687	<1	0.19	1	630	<2	0.25	2	10	31
CAE104528		10	<1	0.72	10	0.87	534	<1	0.17	2	490	<2	0.56	<2	8	32
CAE104529		10	<1	0.95	20	1.09	610	1	0.19	1	610	<2	0.28	<2	9	29
CAE104530		<10	<1	0.31	10	0.58	394	<1	0.16	1	430	<2	0.26	<2	7	79
CAE104531		<10	<1	0.33	10	0.71	468	<1	0.20	1	560	<2	0.11	<2	7	68
CAE104532		10	<1	0.74	10	0.95	640	<1	0.19	1	560	<2	0.15	3	9	28
CAE104533		10	<1	0.75	20	0.95	645	<1	0.19	1	530	<2	0.11	<2	9	26
CAE104534		10	<1	1.15	10	1.26	808	<1	0.19	1	580	<2	0.15	<2	10	45
CAE104535		10	<1	0.65	10	0.96	603	<1	0.20	1	610	<2	0.14	<2	10	61
CAE104536		10	<1	0.74	10	1.00	568	<1	0.18	1	470	<2	0.27	<2	9	43
CAE104537		10	<1	0.78	10	1.06	602	<1	0.19	1	570	<2	0.18	<2	10	27
CAE104538		10	<1	0.76	10	1.01	595	<1	0.20	1	640	<2	0.13	2	10	30
CAE104539		10	<1	0.96	10	1.20	695	<1	0.19	1	580	<2	0.36	<2	10	28
CAE104540		10	<1	0.85	10	1.33	758	<1	0.20	1	590	<2	0.12	<2	12	49
CAE104541		10	<1	0.99	10	1.28	722	<1	0.29	1	590	<2	0.05	2	10	56
CAE104542		10	<1	0.87	10	1.20	727	<1	0.26	1	600	2	0.07	<2	11	45
CAE104543		10	<1	0.71	10	1.08	558	<1	0.22	3	1820	2	0.35	<2	10	53
CAE104544		10	<1	0.86	10	1.19	740	<1	0.20	1	570	<2	0.05	2	11	84
CAE104545		10	<1	0.84	10	1.21	769	<1	0.21	1	560	<2	0.05	3	11	70
CAE104546		10	<1	0.88	10	1.09	667	<1	0.23	1	540	<2	0.03	<2	9	59
CAE104547		10	<1	0.77	10	1.01	645	<1	0.21	<1	530	<2	0.05	2	10	38
CAE104548		10	1	0.74	20	1.09	655	<1	0.19	1	600	<2	0.13	2	10	32
CAE104549		10	<1	0.72	10	1.07	585	<1	0.17	2	480	<2	0.43	<2	9	84
CAE104550		10	<1	0.83	20	1.15	633	<1	0.16	1	590	<2	0.24	<2	9	138
CAE104551		10	<1	1.12	20	1.36	625	<1	0.19	1	630	<2	0.33	2	10	40
CAE104552		10	<1	0.56	30	0.67	294	<1	0.19	15	400	<2	0.27	<2	6	42
CAE104553		<10	<1	0.11	10	0.17	138	<1	0.09	7	180	<2	0.70	<2	2	79
CAE104554		10	<1	1.08	30	1.49	450	<1	0.09	19	400	<2	0.31	<2	10	16
CAE104555		10	<1	1.13	30	1.55	460	<1	0.09	20	410	<2	0.38	2	11	13
CAE104556		10	1	0.94	20	1.93	681	<1	0.11	13	640	<2	0.58	<2	14	21
CAE104557		10	<1	0.55	10	1.70	684	<1	0.22	5	910	<2	0.48	2	11	37
CAE104558		10	<1	0.54	10	1.71	720	<1	0.25	5	860	2	0.48	<2	12	43
CAE104559		10	<1	1.03	30	1.52	539	<1	0.15	14	620	<2	0.30	2	8	22
CAE104560		10	<1	1.13	30	1.03	341	<1	0.07	20	350	2	0.10	<2	4	8
CAE104561		<10	<1	1.11	30	0.81	268	<1	0.07	20	340	2	0.08	2	4	6

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104522		<20	0.13	<10	<10	64	<10	36
CAE104523		<20	0.15	<10	<10	98	<10	57
CAE104524		<20	0.18	<10	<10	101	<10	66
CAE104525		<20	0.19	<10	<10	104	<10	69
CAE104526		<20	0.16	<10	<10	103	<10	57
CAE104527		<20	0.22	<10	<10	108	<10	59
CAE104528		<20	0.18	<10	<10	80	<10	48
CAE104529		<20	0.21	<10	<10	101	<10	61
CAE104530		<20	0.11	<10	<10	57	<10	31
CAE104531		<20	0.12	<10	<10	72	<10	39
CAE104532		<20	0.18	<10	<10	93	<10	56
CAE104533		<20	0.18	<10	<10	92	<10	56
CAE104534		<20	0.25	<10	<10	112	<10	78
CAE104535		<20	0.19	<10	<10	96	<10	86
CAE104536		<20	0.19	<10	<10	91	<10	66
CAE104537		<20	0.20	<10	<10	96	<10	65
CAE104538		<20	0.20	<10	<10	95	<10	62
CAE104539		<20	0.22	<10	<10	106	<10	72
CAE104540		<20	0.20	<10	<10	112	<10	75
CAE104541		<20	0.24	<10	<10	111	<10	60
CAE104542		<20	0.21	<10	<10	108	<10	63
CAE104543		<20	0.20	<10	<10	102	<10	50
CAE104544		<20	0.21	<10	<10	105	<10	60
CAE104545		<20	0.21	<10	<10	107	<10	60
CAE104546		<20	0.21	<10	<10	98	<10	54
CAE104547		<20	0.19	<10	<10	96	<10	52
CAE104548		<20	0.20	<10	<10	100	<10	61
CAE104549		<20	0.17	<10	<10	95	<10	62
CAE104550		<20	0.18	<10	<10	91	<10	67
CAE104551		<20	0.23	<10	<10	112	<10	70
CAE104552		<20	0.17	<10	<10	53	<10	34
CAE104553		<20	0.07	<10	<10	17	<10	9
CAE104554		<20	0.17	<10	<10	84	<10	54
CAE104555		<20	0.19	<10	<10	87	<10	56
CAE104556		<20	0.17	<10	<10	159	<10	75
CAE104557		<20	0.15	<10	<10	154	<10	61
CAE104558		<20	0.16	<10	<10	159	<10	61
CAE104559		<20	0.17	<10	<10	101	<10	45
CAE104560		<20	0.16	<10	<10	33	<10	42
CAE104561		<20	0.17	<10	<10	34	<10	56

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104562		6.14	<0.001	<0.2	2.08	<2	<10	200	0.6	<2	0.82	<0.5	11	28	21	3.38
CAE104563		2.67	<0.001	<0.2	2.49	2	<10	300	<0.5	<2	0.47	<0.5	15	42	40	3.78
CAE104564		2.55	<0.001	<0.2	2.33	3	<10	290	<0.5	<2	0.46	<0.5	13	39	25	3.60
CAE104565		5.59	<0.001	<0.2	2.78	<2	<10	490	<0.5	<2	0.39	<0.5	13	53	28	4.27
CAE104566		5.35	<0.001	<0.2	2.40	<2	<10	320	<0.5	<2	0.44	<0.5	12	65	26	3.65
CAE104567		5.89	<0.001	<0.2	2.18	3	<10	340	<0.5	<2	0.53	<0.5	11	54	36	3.25
CAE104568		6.19	<0.001	<0.2	2.39	<2	<10	350	<0.5	<2	1.18	<0.5	11	49	23	3.51
CAE104569		5.53	<0.001	<0.2	2.00	<2	<10	280	<0.5	<2	0.55	<0.5	9	43	17	3.20
CAE104570		2.63	<0.001	<0.2	2.69	<2	<10	320	<0.5	<2	1.30	<0.5	13	73	11	3.73
CAE104571		2.65	<0.001	<0.2	2.56	<2	<10	320	<0.5	<2	0.95	<0.5	12	62	15	3.65
CAE104572		6.30	<0.001	<0.2	2.06	<2	<10	200	<0.5	<2	1.71	<0.5	12	43	32	3.08
CAE104573		6.02	<0.001	<0.2	3.28	3	<10	130	0.7	<2	6.8	<0.5	11	80	7	2.98
CAE104574		5.31	<0.001	<0.2	1.97	<2	<10	200	<0.5	<2	1.10	<0.5	13	101	18	3.08
CAE104575		2.43	0.001	<0.2	2.37	<2	<10	410	<0.5	<2	0.84	<0.5	12	64	23	3.85
CAE104576		2.48	<0.001	<0.2	2.21	<2	<10	410	<0.5	<2	0.75	<0.5	12	57	17	3.69
CAE104577		5.54	<0.001	0.2	2.04	<2	<10	270	<0.5	<2	0.91	<0.5	12	62	53	3.36
CAE104578		5.18	<0.001	<0.2	2.65	<2	<10	210	<0.5	<2	0.92	<0.5	12	63	21	3.52
CAE104579		5.67	0.001	<0.2	1.83	<2	<10	130	<0.5	<2	1.14	<0.5	8	32	20	2.93
CAE104580		5.00	0.001	<0.2	1.31	<2	<10	80	<0.5	<2	0.62	<0.5	5	6	5	2.09
CAE104581		5.54	0.014	<0.2	1.84	3	<10	80	0.5	<2	0.88	<0.5	9	32	23	2.49
CAE104582		5.71	0.001	<0.2	1.93	<2	<10	60	0.5	<2	1.72	<0.5	10	37	21	2.84
CAE104583		5.83	<0.001	<0.2	1.92	<2	<10	80	0.5	<2	0.97	<0.5	9	42	19	2.66
CAE104584		2.03	<0.001	<0.2	1.86	4	<10	70	0.6	<2	1.21	<0.5	12	34	24	2.58
CAE104585		2.61	<0.001	<0.2	1.74	3	<10	60	0.5	<2	1.21	<0.5	10	32	17	2.38
CAE104586		5.73	<0.001	0.2	1.92	2	<10	70	0.5	<2	1.68	<0.5	10	43	26	2.81
CAE104587		4.89	<0.001	0.2	2.33	<2	<10	200	<0.5	<2	0.59	<0.5	13	59	36	3.87
CAE104588		5.13	<0.001	0.2	2.84	<2	<10	160	0.5	<2	1.06	<0.5	13	47	27	3.53
CAE104589		5.87	<0.001	<0.2	1.90	<2	<10	110	<0.5	<2	0.96	<0.5	9	50	28	2.96
CAE104590		5.34	<0.001	<0.2	1.35	<2	<10	140	<0.5	<2	1.00	<0.5	12	114	43	2.65
CAE104591		2.28	<0.001	<0.2	1.47	<2	<10	140	<0.5	<2	0.83	<0.5	13	124	23	2.58
CAE104592		2.50	<0.001	<0.2	1.38	<2	<10	140	<0.5	<2	0.76	<0.5	12	116	30	2.58
CAE104593		0.81	<0.001	<0.2	0.28	<2	<10	110	<0.5	<2	0.04	<0.5	2	10	1	1.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104562		10	<1	1.02	30	0.80	348	<1	0.05	21	370	5	0.08	2	3	12
CAE104563		10	<1	1.39	30	1.12	351	<1	0.07	26	440	3	0.11	<2	6	9
CAE104564		10	<1	1.33	30	1.08	333	<1	0.06	22	420	3	0.08	<2	6	8
CAE104565		10	1	1.72	40	1.39	465	<1	0.10	23	610	<2	0.18	2	9	16
CAE104566		10	<1	1.39	40	1.14	575	<1	0.09	26	380	2	0.19	2	8	29
CAE104567		10	<1	1.23	30	1.15	602	<1	0.07	18	400	3	0.25	<2	8	92
CAE104568		10	<1	1.17	30	1.09	601	<1	0.08	14	520	3	0.25	2	8	140
CAE104569		10	<1	1.23	40	0.90	531	<1	0.06	16	490	3	0.09	<2	7	17
CAE104570		10	<1	1.42	30	1.36	657	<1	0.10	21	570	3	0.06	2	9	50
CAE104571		10	<1	1.40	30	1.28	639	<1	0.09	18	560	4	0.07	<2	9	42
CAE104572		10	<1	0.98	20	1.13	635	<1	0.10	11	400	4	0.14	2	8	47
CAE104573		10	1	0.60	20	1.41	824	<1	0.11	20	540	7	0.09	<2	7	181
CAE104574		10	<1	0.85	10	1.42	478	1	0.10	26	620	5	0.11	<2	9	33
CAE104575		10	<1	1.39	30	1.40	689	<1	0.10	20	550	5	0.18	<2	10	33
CAE104576		10	<1	1.38	30	1.32	636	<1	0.12	18	610	3	0.14	<2	10	29
CAE104577		10	<1	1.21	40	1.17	585	<1	0.09	22	510	3	0.19	<2	10	29
CAE104578		10	1	1.27	40	1.14	501	<1	0.07	23	520	5	0.10	<2	7	80
CAE104579		10	<1	0.81	30	0.81	474	1	0.06	13	380	2	0.24	<2	6	39
CAE104580		<10	1	0.54	20	0.48	389	<1	0.09	<1	250	2	0.06	<2	4	36
CAE104581		<10	1	0.44	20	0.66	331	<1	0.07	16	400	3	0.42	<2	5	72
CAE104582		10	<1	0.36	20	0.80	429	<1	0.12	20	460	5	0.31	2	4	55
CAE104583		10	<1	0.68	20	0.70	394	<1	0.15	16	330	4	0.25	<2	5	42
CAE104584		10	<1	0.51	20	0.71	383	<1	0.13	18	370	6	0.23	<2	5	82
CAE104585		10	1	0.49	20	0.67	358	<1	0.12	17	350	6	0.13	<2	5	74
CAE104586		10	<1	0.62	30	0.79	365	<1	0.14	19	500	5	0.43	<2	6	50
CAE104587		10	<1	1.50	50	1.12	508	<1	0.12	22	490	2	0.35	<2	11	32
CAE104588		10	<1	1.37	20	1.21	468	<1	0.26	17	520	6	0.30	<2	7	42
CAE104589		10	<1	0.86	30	0.82	399	<1	0.21	19	720	7	0.23	<2	6	41
CAE104590		10	1	0.74	30	0.91	322	<1	0.14	27	400	5	0.38	<2	5	26
CAE104591		10	1	0.89	20	0.94	328	<1	0.10	28	390	4	0.27	<2	5	25
CAE104592		10	<1	0.85	20	0.88	330	<1	0.10	27	360	2	0.37	<2	5	22
CAE104593		<10	<1	0.22	<10	0.02	223	<1	0.11	3	130	5	0.01	<2	2	111

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 15-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11114316

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104562		<20	0.15	<10	<10	29	<10	69
CAE104563		<20	0.20	<10	<10	48	<10	74
CAE104564		<20	0.20	<10	<10	48	<10	74
CAE104565		<20	0.27	<10	<10	59	<10	83
CAE104566		20	0.22	<10	<10	54	<10	76
CAE104567		<20	0.22	<10	<10	63	<10	78
CAE104568		<20	0.22	<10	<10	65	<10	59
CAE104569		20	0.25	<10	<10	46	<10	59
CAE104570		<20	0.27	<10	<10	73	<10	66
CAE104571		<20	0.27	<10	<10	68	<10	63
CAE104572		<20	0.21	<10	<10	64	<10	52
CAE104573		<20	0.14	<10	<10	67	<10	65
CAE104574		<20	0.20	<10	<10	81	<10	50
CAE104575		<20	0.27	<10	<10	76	<10	66
CAE104576		<20	0.27	<10	<10	73	<10	65
CAE104577		<20	0.25	<10	<10	68	<10	58
CAE104578		<20	0.21	<10	<10	51	<10	68
CAE104579		<20	0.13	<10	<10	41	<10	47
CAE104580		<20	0.09	<10	<10	31	<10	31
CAE104581		<20	0.11	<10	<10	33	10	46
CAE104582		<20	0.14	<10	<10	34	<10	58
CAE104583		<20	0.17	<10	<10	38	<10	55
CAE104584		<20	0.15	<10	<10	34	<10	51
CAE104585		<20	0.16	<10	<10	32	<10	48
CAE104586		20	0.18	<10	<10	42	<10	59
CAE104587		20	0.30	<10	<10	67	<10	70
CAE104588		<20	0.26	<10	<10	67	<10	82
CAE104589		<20	0.21	<10	<10	45	<10	56
CAE104590		<20	0.20	<10	<10	54	<10	47
CAE104591		<20	0.20	<10	<10	56	<10	54
CAE104592		<20	0.20	<10	<10	54	<10	53
CAE104593		<20	0.01	<10	<10	19	<10	16