ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

CERTIFICATE WH11111279

Project: JP Ross Project

P.O. No.: WG00282011

This report is for 137 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104117		3.41	0.009	0.2	2.21	54	<10	230	<0.5	3	0.90	<0.5	13	17	139	3.98
CAE104118		3.31	0.015	<0.2	3.21	60	<10	490	<0.5	<2	0.57	<0.5	11	17	184	5.69
CAE104119		3.60	0.030	<0.2	3.07	209	<10	390	<0.5	<2	0.54	<0.5	8	17	190	7.86
CAE104120		2.43	0.295	1.1	2.17	244	<10	340	<0.5	6	0.24	<0.5	1	12	255	10.65
CAE104121		4.81	0.004	<0.2	3.30	51	<10	320	<0.5	<2	0.62	<0.5	19	20	196	5.65
CAE104122		5.79	<0.001	<0.2	2.43	21	<10	370	<0.5	<2	1.09	<0.5	21	15	49	3.88
CAE104123		5.55	<0.001	<0.2	3.02	<2	<10	410	<0.5	<2	1.50	<0.5	14	15	23	3.61
CAE104124		5.23	<0.001	<0.2	2.93	5	<10	490	<0.5	<2	1.38	<0.5	16	13	18	3.84
CAE104125		5.33	<0.001	<0.2	2.83	4	<10	480	<0.5	<2	1.33	<0.5	15	13	26	3.57
CAE104126		0.17	1.155	1.0	1.56	26	<10	190	<0.5	2	0.98	<0.5	12	44	641	3.41
CAE104127		5.85	0.001	0.2	3.26	2	<10	350	<0.5	<2	1.97	<0.5	14	17	35	3.62
CAE104128		5.46	0.001	<0.2	3.80	3	<10	340	<0.5	<2	2.26	<0.5	14	16	27	3.89
CAE104129		5.67	<0.001	<0.2	3.47	2	<10	370	<0.5	<2	2.03	<0.5	12	16	22	3.41
CAE104130		0.96	<0.001	<0.2	0.22	3	<10	30	<0.5	2	0.01	<0.5	1	2	<1	0.49
CAE104131		5.64	0.001	<0.2	3.94	5	<10	390	<0.5	<2	3.06	<0.5	15	17	32	3.84
CAE104132		4.58	<0.001	0.2	2.83	5	<10	340	<0.5	<2	1.77	<0.5	15	17	32	3.66
CAE104133		5.35	<0.001	<0.2	2.08	2	<10	240	<0.5	2	1.84	<0.5	12	14	26	3.03
CAE104134		2.82	<0.001	<0.2	2.56	2	<10	330	<0.5	<2	1.53	<0.5	13	16	26	3.72
CAE104135		2.56	<0.001	0.2	2.46	<2	<10	330	<0.5	2	1.44	<0.5	14	17	30	3.55
CAE104136		5.44	<0.001	<0.2	2.89	3	<10	340	<0.5	2	1.77	<0.5	14	16	28	3.65
CAE104137		5.10	0.001	0.3	2.51	8	<10	250	<0.5	<2	2.12	<0.5	13	17	33	3.70
CAE104138		5.36	<0.001	<0.2	2.48	4	<10	320	<0.5	2	1.23	<0.5	14	18	28	3.77
CAE104139		5.30	<0.001	0.2	3.42	3	<10	380	<0.5	<2	1.79	<0.5	15	21	34	4.16
CAE104140		5.25	<0.001	<0.2	4.19	4	<10	430	<0.5	<2	2.33	<0.5	14	17	29	3.75
CAE104141		5.75	<0.001	0.2	3.21	4	<10	360	<0.5	<2	2.04	<0.5	15	16	36	3.79
CAE104142		5.15	<0.001	<0.2	3.52	5	<10	450	<0.5	2	2.22	<0.5	14	18	20	4.00
CAE104143		5.78	<0.001	<0.2	3.32	3	<10	380	<0.5	<2	1.99	<0.5	14	19	28	3.98
CAE104144		4.48	0.001	0.3	3.57	6	<10	390	<0.5	<2	1.79	<0.5	19	23	59	5.28
CAE104145		5.58	0.019	<0.2	3.44	5	<10	450	<0.5	<2	1.62	<0.5	18	21	58	5.10
CAE104146		5.55	<0.001	<0.2	2.99	<2	<10	320	<0.5	2	1.71	<0.5	15	20	27	3.78
CAE104147		5.22	<0.001	<0.2	2.66	4	<10	300	<0.5	<2	1.37	<0.5	14	18	31	3.71
CAE104148		0.18	1.215	1.0	1.50	20	<10	180	<0.5	<2	1.02	0.5	12	45	594	3.50
CAE104149		5.63	0.001	<0.2	2.65	<2	<10	340	<0.5	<2	1.63	<0.5	13	16	25	3.50
CAE104150		5.48	0.001	<0.2	2.80	<2	<10	300	<0.5	<2	1.61	<0.5	14	20	37	4.07
CAE104151		5.97	<0.001	<0.2	3.61	<2	<10	350	<0.5	<2	2.35	<0.5	14	19	24	3.79
CAE104152		5.06	<0.001	<0.2	3.74	2	<10	390	<0.5	<2	2.28	<0.5	15	20	30	4.37
CAE104153		5.59	<0.001	0.2	3.46	3	<10	460	<0.5	<2	3.01	<0.5	11	21	28	4.37
CAE104154		1.08	<0.001	<0.2	0.30	<2	<10	70	<0.5	<2	0.05	<0.5	1	4	<1	0.65
CAE104155		5.43	<0.001	<0.2	3.06	<2	<10	410	<0.5	<2	3.02	<0.5	14	17	20	3.78
CAE104156		2.65	<0.001	<0.2	2.73	<2	<10	320	<0.5	<2	1.74	<0.5	13	20	21	3.74

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104117		10	1	0.62	10	0.97	455	1	0.14	6	510	2	0.08	<2	11	42
CAE104118		10	<1	0.97	10	0.98	364	<1	0.11	3	510	5	0.40	<2	12	77
CAE104119		10	<1	0.78	10	0.76	285	<1	0.16	2	640	4	0.71	<2	15	99
CAE104120		10	<1	0.39	10	0.66	136	<1	0.18	<1	650	5	0.89	2	7	53
CAE104121		10	<1	0.66	10	1.21	465	<1	0.12	4	540	5	0.24	<2	14	71
CAE104122		10	<1	0.71	10	1.18	623	<1	0.20	3	620	4	0.02	<2	10	81
CAE104123		10	1	0.80	10	1.37	620	<1	0.32	3	600	7	0.04	<2	10	89
CAE104124		10	1	0.85	10	1.20	629	<1	0.29	3	630	3	0.04	<2	9	92
CAE104125		10	<1	0.91	<10	1.36	615	<1	0.28	4	660	<2	0.04	<2	8	70
CAE104126		10	<1	0.25	<10	0.74	451	34	0.10	34	690	74	0.64	<2	6	49
CAE104127		10	<1	0.68	<10	1.42	592	<1	0.37	4	820	3	0.06	<2	11	93
CAE104128		10	1	0.71	<10	1.36	620	<1	0.46	4	760	3	0.01	<2	12	122
CAE104129		10	<1	0.69	<10	1.21	544	<1	0.43	4	770	<2	<0.01	<2	10	117
CAE104130		<10	<1	0.12	10	0.01	107	<1	0.09	<1	20	4	<0.01	<2	<1	16
CAE104131		10	<1	0.82	<10	1.39	659	<1	0.46	5	790	3	0.14	<2	12	149
CAE104132		10	<1	0.70	<10	1.18	526	<1	0.34	4	700	<2	0.24	<2	10	81
CAE104133		10	<1	0.52	<10	1.08	469	<1	0.23	3	630	<2	0.21	<2	9	57
CAE104134		10	<1	0.82	<10	1.37	615	<1	0.28	5	690	2	0.11	<2	11	67
CAE104135		10	<1	0.82	<10	1.35	594	<1	0.25	5	720	<2	0.13	<2	10	55
CAE104136		10	1	0.79	<10	1.28	594	<1	0.35	4	710	<2	0.07	<2	11	73
CAE104137		10	<1	0.66	10	1.31	617	1	0.19	4	810	<2	0.04	<2	13	58
CAE104138		10	<1	0.82	10	1.33	657	<1	0.24	5	670	2	0.01	<2	12	55
CAE104139		10	1	1.13	10	1.80	622	<1	0.32	5	750	2	0.17	<2	15	86
CAE104140		10	1	0.81	<10	1.48	629	<1	0.49	5	750	2	0.04	<2	12	157
CAE104141		10	<1	0.72	<10	1.34	599	<1	0.36	4	810	2	0.12	<2	11	89
CAE104142		10	1	0.88	<10	1.49	677	<1	0.37	4	750	2	0.05	<2	13	104
CAE104143		10	<1	0.85	<10	1.49	678	<1	0.36	4	740	<2	0.06	<2	12	93
CAE104144		10	1	1.43	10	2.34	921	<1	0.11	5	860	<2	0.18	<2	19	128
CAE104145		10	1	1.29	10	1.87	710	<1	0.16	5	740	<2	0.18	<2	17	64
CAE104146		10	<1	0.75	<10	1.42	659	<1	0.32	4	750	<2	0.01	<2	12	85
CAE104147		10	1	0.75	10	1.37	652	<1	0.27	4	700	3	0.04	<2	11	58
CAE104148		10	<1	0.25	10	0.72	478	29	0.11	30	660	73	0.61	5	6	49
CAE104149		10	<1	0.71	<10	1.20	620	<1	0.30	2	600	<2	0.04	<2	11	68
CAE104150		10	<1	0.78	10	1.46	713	<1	0.30	3	710	<2	0.13	<2	13	63
CAE104151		10	<1	0.70	<10	1.33	664	<1	0.44	3	700	<2	0.04	<2	13	117
CAE104152		10	<1	0.93	10	1.56	700	<1	0.38	3	710	3	0.07	<2	15	116
CAE104153		10	<1	1.06	10	1.96	736	<1	0.24	2	690	2	0.09	<2	14	95
CAE104154		<10	<1	0.23	<10	0.01	135	<1	0.09	<1	100	3	<0.01	<2	1	46
CAE104155		10	<1	0.73	<10	1.35	671	<1	0.27	2	650	2	0.04	2	11	129
CAE104156		10	<1	0.72	<10	1.39	685	<1	0.30	2	680	<2	0.04	<2	12	109

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104117		<20	0.20	<10	<10	105	<10	204
CAE104118		<20	0.22	<10	<10	124	<10	58
CAE104119		<20	0.20	<10	<10	136	<10	44
CAE104120		<20	0.01	<10	<10	87	<10	22
CAE104121		<20	0.15	<10	<10	136	<10	66
CAE104122		<20	0.20	<10	<10	106	<10	62
CAE104123		<20	0.22	<10	<10	110	<10	60
CAE104124		<20	0.21	<10	<10	101	<10	58
CAE104125		<20	0.23	<10	<10	103	<10	60
CAE104126		<20	0.12	<10	<10	69	20	103
CAE104127		<20	0.19	<10	<10	113	<10	55
CAE104128		<20	0.20	<10	<10	120	<10	55
CAE104129		<20	0.19	<10	<10	110	<10	49
CAE104130		<20	<0.01	<10	<10	11	<10	12
CAE104131		<20	0.21	<10	<10	125	<10	58
CAE104132		<20	0.20	<10	<10	109	<10	51
CAE104133		<20	0.18	<10	<10	89	<10	46
CAE104134		<20	0.22	<10	<10	113	<10	58
CAE104135		<20	0.21	<10	<10	110	<10	56
CAE104136		<20	0.21	<10	<10	113	<10	54
CAE104137		<20	0.18	<10	<10	122	<10	60
CAE104138		<20	0.19	<10	<10	117	<10	58
CAE104139		<20	0.22	<10	<10	143	<10	72
CAE104140		<20	0.21	<10	<10	123	<10	58
CAE104141		<20	0.21	<10	<10	119	<10	55
CAE104142		<20	0.22	<10	<10	130	<10	63
CAE104143		<20	0.23	<10	<10	128	<10	62
CAE104144		<20	0.25	<10	<10	176	<10	92
CAE104145		<20	0.23	<10	<10	156	10	71
CAE104146		<20	0.22	<10	<10	122	<10	57
CAE104147		<20	0.21	<10	<10	119	<10	53
CAE104148		<20	0.12	<10	<10	70	20	102
CAE104149		<20	0.21	<10	<10	113	<10	50
CAE104150		<20	0.21	<10	<10	135	<10	60
CAE104151		<20	0.22	<10	<10	127	<10	55
CAE104152		<20	0.24	<10	<10	145	10	65
CAE104153		<20	0.24	<10	<10	154	30	74
CAE104154		<20	0.01	<10	<10	30	<10	13
CAE104155		<20	0.21	<10	<10	120	<10	55
CAE104156		<20	0.22	<10	<10	122	<10	55

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104157		2.47	<0.001	<0.2	2.90	<2	<10	310	<0.5	<2	1.88	<0.5	14	19	21	3.87
CAE104158		5.97	<0.001	<0.2	3.42	<2	<10	390	<0.5	<2	2.18	<0.5	15	22	31	4.19
CAE104159		4.52	0.001	<0.2	3.18	<2	<10	340	<0.5	<2	2.09	<0.5	14	18	21	4.03
CAE104160		5.42	<0.001	<0.2	2.64	<2	<10	370	<0.5	<2	1.47	<0.5	14	19	27	3.85
CAE104161		5.60	<0.001	<0.2	2.75	<2	<10	470	<0.5	<2	1.38	<0.5	15	18	22	3.55
CAE104162		5.41	<0.001	<0.2	2.93	<2	<10	450	<0.5	<2	1.69	<0.5	16	18	26	3.71
CAE104163		5.48	<0.001	<0.2	2.68	<2	<10	240	<0.5	<2	2.12	<0.5	15	16	29	3.60
CAE104164		0.17	3.11	53.6	1.66	34	10	150	<0.5	2	2.48	7.3	12	47	157	2.71
CAE104165		5.42	0.001	0.2	2.30	<2	<10	220	<0.5	<2	1.29	<0.5	14	14	15	3.65
CAE104166		5.40	0.003	<0.2	1.81	<2	<10	60	<0.5	<2	1.39	<0.5	13	10	30	2.98
CAE104167		5.34	0.035	<0.2	2.48	10	<10	390	<0.5	<2	1.24	<0.5	15	11	20	3.65
CAE104168		0.92	0.001	<0.2	0.26	2	<10	80	<0.5	<2	0.05	<0.5	3	5	1	0.76
CAE104169		5.15	0.465	0.6	2.73	7	<10	380	<0.5	4	0.51	<0.5	26	9	163	6.09
CAE104170		2.13	0.001	<0.2	2.81	2	<10	510	<0.5	<2	1.10	<0.5	16	10	26	3.88
CAE104171		2.59	0.001	<0.2	2.83	<2	<10	520	<0.5	<2	1.12	<0.5	17	10	34	3.86
CAE104172		5.19	<0.001	<0.2	2.58	<2	<10	510	<0.5	<2	1.17	<0.5	17	12	24	3.96
CAE104173		5.31	0.005	<0.2	2.36	<2	<10	490	<0.5	<2	1.11	<0.5	17	12	51	4.02
CAE104174		5.08	0.019	<0.2	2.43	16	<10	450	<0.5	<2	0.97	<0.5	15	10	61	4.13
CAE104175		4.86	0.012	<0.2	2.80	20	<10	270	<0.5	<2	2.11	<0.5	16	9	64	4.40
CAE104176		4.94	0.052	<0.2	2.39	3	<10	250	<0.5	<2	2.75	<0.5	16	10	40	4.06
CAE104177		5.09	0.041	<0.2	2.22	2	<10	480	<0.5	<2	1.45	<0.5	20	10	58	4.33
CAE104178		5.35	0.001	<0.2	2.34	<2	<10	320	<0.5	<2	1.44	<0.5	16	11	27	3.69
CAE104179		4.94	0.041	0.2	2.15	4	<10	430	<0.5	<2	1.62	<0.5	17	10	107	4.42
CAE104180		5.30	<0.001	<0.2	2.19	<2	<10	290	<0.5	<2	1.34	<0.5	14	11	17	3.68
CAE104181		5.41	0.001	<0.2	2.09	2	<10	270	<0.5	<2	1.50	<0.5	13	11	15	3.54
CAE104182		5.15	0.001	<0.2	2.18	<2	<10	290	<0.5	<2	1.94	<0.5	15	16	20	3.48
CAE104183		4.66	0.003	<0.2	2.27	3	<10	230	<0.5	<2	1.91	<0.5	14	10	22	3.40
CAE104184		5.06	0.001	<0.2	2.11	<2	<10	270	<0.5	<2	1.00	<0.5	15	12	24	3.80
CAE104185		5.40	0.001	<0.2	1.61	<2	<10	130	<0.5	<2	1.14	<0.5	14	10	22	3.34
CAE104186		4.91	0.001	<0.2	2.13	<2	<10	180	<0.5	<2	0.64	<0.5	18	34	35	3.92
CAE104187		4.90	<0.001	<0.2	1.97	<2	<10	160	0.5	<2	0.52	<0.5	11	25	14	2.78
CAE104188		4.85	<0.001	<0.2	2.42	<2	<10	270	<0.5	<2	0.48	<0.5	15	41	28	3.82
CAE104189		5.00	<0.001	<0.2	1.72	<2	<10	190	<0.5	<2	0.43	<0.5	11	39	26	2.69
CAE104190		5.37	<0.001	<0.2	2.53	<2	<10	540	<0.5	<2	1.49	<0.5	14	24	13	3.77
CAE104191		0.18	3.05	57.0	1.81	38	10	160	<0.5	<2	2.63	7.9	12	49	170	2.87
CAE104192		4.93	<0.001	<0.2	2.18	<2	<10	440	<0.5	<2	1.17	<0.5	15	24	47	3.28
CAE104193		5.36	<0.001	<0.2	1.79	<2	<10	280	<0.5	<2	0.73	<0.5	10	35	16	2.75
CAE104194		5.28	0.001	<0.2	1.98	<2	<10	250	<0.5	<2	0.62	<0.5	11	50	20	2.99
CAE104195		0.93	<0.001	<0.2	0.21	<2	<10	50	<0.5	<2	0.02	<0.5	3	5	1	0.45
CAE104196		4.72	<0.001	<0.2	2.10	<2	<10	210	<0.5	<2	1.11	<0.5	13	56	13	3.36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104157		10	<1	0.72	<10	1.43	713	<1	0.33	3	690	<2	0.05	<2	13	131
CAE104158		10	<1	0.90	<10	1.60	722	<1	0.33	3	720	<2	0.07	<2	13	213
CAE104159		10	<1	0.96	10	1.58	755	<1	0.17	2	600	<2	0.08	<2	13	303
CAE104160		10	<1	0.90	10	1.47	780	<1	0.29	3	610	<2	0.16	<2	13	101
CAE104161		10	<1	1.00	10	1.39	676	<1	0.30	6	590	3	0.04	<2	9	68
CAE104162		10	<1	0.96	<10	1.39	666	<1	0.29	6	610	2	0.05	<2	10	81
CAE104163		10	<1	0.64	10	1.34	684	8	0.29	4	640	<2	0.03	<2	12	72
CAE104164		10	11	0.21	10	1.40	511	9	0.05	36	480	965	0.93	137	4	81
CAE104165		10	<1	0.81	10	1.34	736	<1	0.20	4	600	<2	0.06	<2	12	40
CAE104166		10	<1	0.32	10	0.97	584	<1	0.20	3	590	<2	0.06	<2	11	67
CAE104167		10	<1	0.91	10	1.25	666	<1	0.26	4	560	2	0.07	<2	9	45
CAE104168		<10	<1	0.16	<10	0.03	176	<1	0.10	2	80	3	<0.01	<2	1	53
CAE104169		10	<1	0.74	10	1.36	590	1	0.08	4	550	2	0.23	<2	9	30
CAE104170		10	<1	1.01	10	1.32	628	2	0.25	4	590	2	0.06	<2	8	56
CAE104171		10	<1	1.03	10	1.34	624	1	0.24	4	590	2	0.08	<2	8	54
CAE104172		10	1	1.01	10	1.36	736	1	0.24	3	610	<2	0.05	<2	9	71
CAE104173		10	<1	0.88	10	1.28	661	<1	0.16	4	560	<2	0.22	<2	7	39
CAE104174		10	<1	0.67	10	1.20	506	1	0.11	3	550	2	0.16	<2	6	46
CAE104175		10	<1	0.39	10	1.41	647	4	0.06	3	510	2	0.52	<2	9	38
CAE104176		10	<1	0.48	10	1.39	701	<1	0.07	4	550	2	0.32	<2	11	86
CAE104177		10	<1	0.70	10	1.08	684	3	0.12	5	540	2	0.29	<2	10	31
CAE104178		10	<1	0.76	10	1.12	642	<1	0.25	4	620	<2	0.20	<2	11	56
CAE104179		10	<1	0.75	10	1.13	625	2	0.12	4	600	3	0.62	<2	10	21
CAE104180		10	<1	0.88	10	1.20	731	<1	0.21	2	590	<2	0.06	<2	10	34
CAE104181		10	<1	0.80	10	1.10	729	<1	0.15	3	580	<2	0.10	<2	10	84
CAE104182		10	<1	0.85	10	1.22	707	7	0.17	6	640	2	0.09	<2	12	35
CAE104183		10	<1	0.70	20	1.13	685	<1	0.14	2	580	<2	0.07	<2	10	30
CAE104184		10	<1	0.94	20	1.24	655	<1	0.19	4	580	<2	0.12	<2	12	26
CAE104185		10	<1	0.71	20	0.90	548	2	0.15	3	610	<2	0.21	<2	10	33
CAE104186		10	<1	1.11	20	1.21	499	<1	0.09	17	450	3	0.44	<2	10	37
CAE104187		10	<1	0.94	30	0.93	379	1	0.04	19	340	3	0.07	<2	4	9
CAE104188		10	<1	1.12	30	1.18	412	1	0.07	24	380	2	0.19	<2	8	12
CAE104189		10	<1	0.92	30	0.77	337	<1	0.06	19	310	<2	0.16	<2	5	12
CAE104190		10	<1	1.15	10	1.57	798	1	0.11	8	690	2	0.04	<2	6	44
CAE104191		10	11	0.24	10	1.52	542	9	0.05	37	510	1055	0.99	149	4	86
CAE104192		10	<1	0.93	10	1.11	766	2	0.15	9	430	3	0.21	<2	6	64
CAE104193		10	<1	0.95	30	0.83	504	1	0.12	13	500	5	0.25	<2	6	45
CAE104194		10	<1	1.10	30	0.94	431	<1	0.06	19	390	5	0.31	<2	7	26
CAE104195		<10	<1	0.14	10	0.01	76	<1	0.08	1	50	6	<0.01	<2	<1	35
CAE104196		10	<1	1.24	30	1.10	567	<1	0.06	17	520	4	0.10	<2	8	22

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104157		<20	0.22	<10	<10	127	<10	57
CAE104158		<20	0.24	<10	<10	136	<10	62
CAE104159		<20	0.20	<10	<10	128	<10	66
CAE104160		<20	0.22	<10	<10	127	<10	60
CAE104161		<20	0.23	<10	<10	113	<10	66
CAE104162		<20	0.23	<10	<10	117	<10	61
CAE104163		<20	0.17	<10	<10	117	<10	64
CAE104164		<20	0.03	<10	<10	41	<10	1930
CAE104165		<20	0.16	<10	<10	117	<10	72
CAE104166		<20	0.11	<10	<10	90	<10	63
CAE104167		<20	0.21	<10	<10	106	<10	60
CAE104168		<20	0.01	<10	<10	18	<10	19
CAE104169		<20	0.13	<10	<10	100	<10	60
CAE104170		<20	0.23	<10	<10	107	<10	70
CAE104171		<20	0.24	<10	<10	109	<10	70
CAE104172		<20	0.25	<10	<10	110	<10	68
CAE104173		<20	0.22	<10	<10	101	<10	59
CAE104174		<20	0.16	<10	<10	89	<10	47
CAE104175		<20	0.10	<10	<10	91	<10	48
CAE104176		<20	0.13	<10	<10	99	<10	52
CAE104177		<20	0.13	<10	<10	92	<10	49
CAE104178		<20	0.20	<10	<10	109	<10	65
CAE104179		<20	0.15	<10	<10	98	<10	52
CAE104180		<20	0.22	<10	<10	110	<10	59
CAE104181		<20	0.20	<10	<10	104	<10	60
CAE104182		<20	0.20	<10	<10	112	<10	59
CAE104183		<20	0.14	<10	<10	101	<10	60
CAE104184		<20	0.20	<10	<10	121	<10	61
CAE104185		<20	0.18	<10	<10	96	<10	43
CAE104186		<20	0.21	<10	<10	90	<10	47
CAE104187		<20	0.12	<10	<10	29	<10	37
CAE104188		<20	0.15	<10	<10	62	<10	34
CAE104189		<20	0.14	<10	<10	43	<10	43
CAE104190		<20	0.24	<10	<10	98	<10	76
CAE104191		<20	0.04	<10	<10	44	<10	2100
CAE104192		<20	0.17	<10	<10	85	<10	64
CAE104193		<20	0.19	<10	<10	50	<10	52
CAE104194		<20	0.21	<10	<10	49	<10	62
CAE104195		<20	<0.01	<10	<10	8	<10	13
CAE104196		<20	0.25	<10	<10	59	<10	63

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104197		2.47	<0.001	<0.2	2.20	<2	<10	260	<0.5	<2	0.68	<0.5	11	84	26	3.51
CAE104198		2.61	<0.001	<0.2	2.16	<2	<10	260	<0.5	<2	0.59	<0.5	11	80	21	3.45
CAE104199		4.89	<0.001	<0.2	2.56	<2	<10	220	<0.5	<2	1.19	<0.5	13	128	26	3.50
CAE104200		5.08	0.003	<0.2	2.09	<2	<10	190	<0.5	<2	0.93	<0.5	11	111	13	3.08
CAE104201		5.28	0.001	<0.2	1.22	<2	<10	80	<0.5	<2	0.79	<0.5	7	39	16	2.29
CAE104202		5.37	<0.001	<0.2	1.49	<2	<10	150	<0.5	<2	0.93	<0.5	9	44	28	2.93
CAE104203		4.81	0.001	<0.2	2.06	<2	<10	260	<0.5	<2	0.82	<0.5	8	41	16	3.34
CAE104204		5.13	<0.001	<0.2	2.39	<2	<10	280	<0.5	<2	0.27	<0.5	11	35	18	3.79
CAE104205		4.91	0.001	<0.2	2.98	<2	<10	260	0.6	<2	0.60	<0.5	12	51	30	4.44
CAE104206		4.90	0.001	<0.2	2.82	<2	<10	170	0.5	<2	0.94	<0.5	10	52	22	3.77
CAE104207		4.93	<0.001	<0.2	1.77	2	<10	90	<0.5	2	1.49	<0.5	9	36	31	2.79
CAE104208		0.18	1.105	0.9	1.56	21	<10	200	<0.5	<2	1.02	0.5	12	46	627	3.56
CAE104209		5.26	0.001	<0.2	1.35	<2	<10	40	<0.5	<2	1.67	<0.5	8	30	16	2.29
CAE104210		5.17	0.001	<0.2	1.39	<2	<10	60	<0.5	<2	1.54	<0.5	8	34	21	2.51
CAE104211		4.92	<0.001	<0.2	1.20	<2	<10	90	<0.5	<2	0.70	<0.5	7	37	22	2.42
CAE104212		5.09	<0.001	<0.2	1.96	<2	<10	170	<0.5	<2	0.31	<0.5	10	50	33	3.71
CAE104213		0.75	<0.001	<0.2	0.28	<2	<10	80	<0.5	<2	0.05	<0.5	1	5	1	0.51
CAE104214		5.31	<0.001	<0.2	1.11	2	<10	40	<0.5	<2	1.70	<0.5	9	27	27	1.73
CAE104215		5.57	0.001	<0.2	0.92	2	<10	30	<0.5	<2	2.31	<0.5	11	21	45	2.31
CAE104216		2.10	<0.001	<0.2	0.93	5	<10	50	<0.5	<2	1.86	<0.5	8	26	28	2.33
CAE104217		2.35	<0.001	<0.2	1.00	3	<10	50	<0.5	<2	1.80	<0.5	7	31	27	2.32
CAE104218		4.93	0.001	0.2	1.12	8	<10	50	<0.5	<2	3.03	<0.5	16	27	95	3.64
CAE104219		5.75	<0.001	<0.2	0.77	4	<10	80	<0.5	2	2.74	<0.5	23	23	93	4.16
CAE104220		5.24	0.001	0.3	0.97	8	<10	70	<0.5	<2	1.47	<0.5	13	30	62	2.99
CAE104221		4.91	<0.001	<0.2	1.76	<2	<10	70	<0.5	<2	1.55	<0.5	9	44	23	2.83
CAE104222		5.24	<0.001	<0.2	1.42	<2	<10	90	<0.5	<2	1.77	<0.5	9	41	39	2.79
CAE104223		4.85	<0.001	<0.2	1.84	<2	<10	80	<0.5	<2	0.95	<0.5	8	44	29	2.88
CAE104224		5.31	0.001	<0.2	0.86	2	<10	30	<0.5	<2	1.14	<0.5	7	33	25	1.83
CAE104225		4.35	0.027	<0.2	3.37	<2	<10	190	0.8	<2	1.60	<0.5	13	65	35	4.19
CAE104226		5.15	0.001	<0.2	3.55	<2	<10	150	0.8	<2	1.37	<0.5	14	77	44	5.16
CAE104227		0.17	2.97	63.3	1.86	38	<10	170	<0.5	2	2.71	9.0	11	52	189	2.96
CAE104228		5.99	0.001	<0.2	2.25	<2	<10	220	<0.5	<2	0.85	<0.5	17	207	61	3.25
CAE104229		5.29	0.001	<0.2	3.03	2	<10	130	0.7	<2	1.80	<0.5	13	69	57	4.71
CAE104230		5.02	0.001	<0.2	3.38	<2	<10	140	0.7	<2	1.46	<0.5	14	73	46	5.23
CAE104231		4.84	0.002	<0.2	1.71	<2	<10	80	<0.5	<2	1.23	<0.5	13	36	51	3.61
CAE104232		4.98	0.001	<0.2	1.35	<2	<10	80	<0.5	<2	1.64	<0.5	11	41	39	3.03
CAE104233		4.99	0.001	<0.2	1.88	<2	<10	80	<0.5	<2	0.88	<0.5	9	48	27	2.94
CAE104234		5.47	0.001	<0.2	2.69	<2	<10	160	<0.5	<2	0.45	<0.5	12	64	36	4.58
CAE104235		1.04	<0.001	<0.2	0.26	<2	<10	50	<0.5	<2	0.02	<0.5	1	5	<1	0.65
CAE104236		5.07	<0.001	<0.2	2.30	<2	<10	90	<0.5	<2	0.85	<0.5	17	243	7	3.11

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104197		10	<1	1.48	30	1.24	591	1	0.12	26	580	6	0.16	<2	10	27
CAE104198		10	<1	1.47	30	1.20	588	4	0.11	22	540	3	0.13	<2	10	27
CAE104199		10	1	1.53	30	1.58	614	<1	0.14	31	560	2	0.10	<2	11	51
CAE104200		10	<1	1.31	30	1.26	442	<1	0.13	20	350	2	0.18	<2	9	25
CAE104201		10	<1	0.59	20	0.60	358	3	0.12	16	330	4	0.18	<2	4	30
CAE104202		10	<1	0.74	30	0.68	390	<1	0.08	20	320	4	0.38	<2	6	29
CAE104203		10	1	1.03	50	0.89	373	<1	0.07	17	440	5	0.12	<2	5	29
CAE104204		10	<1	1.57	50	1.00	326	<1	0.05	23	520	4	0.09	<2	5	12
CAE104205		10	<1	1.60	70	1.27	503	<1	0.09	29	860	5	0.29	<2	9	131
CAE104206		10	<1	1.38	50	0.96	480	<1	0.18	24	530	4	0.28	<2	9	68
CAE104207		10	<1	0.51	20	0.61	321	8	0.13	17	410	5	0.69	<2	5	106
CAE104208		10	<1	0.25	10	0.74	489	33	0.11	33	680	78	0.62	4	6	51
CAE104209		<10	<1	0.34	20	0.48	319	<1	0.11	16	470	5	0.32	<2	4	111
CAE104210		10	<1	0.54	30	0.55	364	<1	0.09	14	290	5	0.35	<2	5	44
CAE104211		10	<1	0.69	30	0.56	281	<1	0.09	12	260	4	0.34	<2	6	32
CAE104212		10	<1	1.35	40	0.92	275	<1	0.06	24	330	4	0.37	<2	8	16
CAE104213		<10	<1	0.22	<10	0.02	106	<1	0.10	1	100	4	<0.01	<2	1	80
CAE104214		<10	<1	0.18	10	0.43	209	<1	0.09	20	400	4	0.40	<2	2	53
CAE104215		<10	<1	0.16	20	0.35	254	<1	0.08	18	480	2	0.83	<2	2	51
CAE104216		<10	<1	0.25	20	0.34	265	<1	0.07	13	320	3	0.53	<2	4	42
CAE104217		<10	<1	0.30	20	0.36	261	<1	0.07	13	510	2	0.41	<2	4	44
CAE104218		<10	<1	0.26	20	0.45	399	11	0.06	17	380	3	1.68	<2	4	73
CAE104219		<10	<1	0.17	30	0.29	301	3	0.04	15	450	4	2.61	<2	4	47
CAE104220		<10	<1	0.30	30	0.38	218	<1	0.11	17	370	2	1.32	<2	4	43
CAE104221		10	<1	0.69	30	0.67	308	<1	0.14	19	520	5	0.37	<2	6	64
CAE104222		10	<1	0.57	30	0.58	316	<1	0.11	18	450	4	0.60	<2	6	44
CAE104223		10	<1	0.73	20	0.85	347	<1	0.14	18	420	3	0.39	<2	6	54
CAE104224		<10	<1	0.21	30	0.38	195	<1	0.10	13	360	4	0.27	<2	3	38
CAE104225		10	<1	1.45	50	1.16	399	<1	0.22	29	380	4	0.57	<2	11	104
CAE104226		20	<1	1.90	70	1.42	465	1	0.24	36	440	4	0.77	<2	14	60
CAE104227		10	13	0.26	10	1.58	575	10	0.06	39	520	1135	1.03	157	4	90
CAE104228		10	<1	1.41	20	1.61	378	<1	0.15	37	550	3	0.24	<2	6	52
CAE104229		10	<1	1.31	60	1.36	427	<1	0.18	29	520	3	0.96	<2	11	86
CAE104230		20	<1	1.94	70	1.54	450	<1	0.21	30	660	4	0.80	<2	13	59
CAE104231		10	1	0.76	30	0.63	272	<1	0.17	17	550	3	1.14	<2	5	42
CAE104232		10	<1	0.60	30	0.60	320	<1	0.13	20	460	4	0.85	<2	5	48
CAE104233		10	<1	0.86	30	0.85	311	<1	0.16	17	300	5	0.38	<2	7	55
CAE104234		10	<1	1.79	60	1.27	366	<1	0.12	27	390	3	0.51	<2	11	26
CAE104235		<10	<1	0.16	<10	0.01	82	<1	0.11	<1	30	2	<0.01	<2	<1	36
CAE104236		10	<1	1.60	20	1.81	377	<1	0.14	39	500	2	0.06	<2	6	53

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104197		<20	0.29	<10	<10	67	<10	63
CAE104198		<20	0.29	<10	<10	66	<10	59
CAE104199		<20	0.25	<10	<10	80	<10	61
CAE104200		<20	0.23	<10	<10	66	<10	57
CAE104201		<20	0.16	<10	<10	32	<10	38
CAE104202		20	0.16	<10	<10	44	<10	56
CAE104203		20	0.17	<10	<10	38	<10	57
CAE104204		20	0.22	<10	<10	35	<10	70
CAE104205		30	0.28	<10	<10	55	<10	92
CAE104206		20	0.27	<10	<10	56	<10	69
CAE104207		<20	0.16	<10	<10	38	<10	56
CAE104208		<20	0.12	<10	<10	73	20	105
CAE104209		<20	0.16	<10	<10	26	<10	51
CAE104210		20	0.14	<10	<10	34	<10	48
CAE104211		20	0.16	<10	<10	36	<10	43
CAE104212		20	0.24	<10	<10	50	<10	64
CAE104213		<20	0.01	<10	<10	15	<10	11
CAE104214		<20	0.14	<10	<10	19	<10	33
CAE104215		<20	0.13	<10	<10	19	<10	29
CAE104216		<20	0.11	<10	<10	25	<10	31
CAE104217		<20	0.12	<10	<10	28	<10	35
CAE104218		<20	0.11	<10	<10	25	<10	34
CAE104219		20	0.06	<10	<10	20	<10	22
CAE104220		20	0.15	<10	<10	27	<10	31
CAE104221		20	0.18	<10	<10	40	<10	51
CAE104222		20	0.16	<10	<10	38	<10	66
CAE104223		<20	0.19	<10	<10	44	<10	61
CAE104224		20	0.13	<10	<10	25	<10	30
CAE104225		20	0.27	<10	<10	74	<10	98
CAE104226		30	0.33	<10	<10	90	<10	112
CAE104227		<20	0.04	<10	<10	46	10	2290
CAE104228		<20	0.26	<10	<10	89	<10	50
CAE104229		20	0.24	<10	<10	73	<10	86
CAE104230		30	0.34	<10	<10	83	<10	108
CAE104231		<20	0.15	<10	<10	38	<10	43
CAE104232		20	0.20	<10	<10	41	<10	41
CAE104233		20	0.20	<10	<10	52	<10	65
CAE104234		30	0.33	<10	<10	70	<10	98
CAE104235		<20	0.01	<10	<10	20	<10	9
CAE104236		<20	0.24	<10	<10	97	<10	55

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE104237		5.81	0.001	<0.2	2.20	<2	<10	170	<0.5	<2	0.78	<0.5	19	306	40	3.36
CAE104238		2.56	<0.001	<0.2	1.99	<2	<10	190	<0.5	<2	1.00	<0.5	18	286	42	3.02
CAE104239		2.48	<0.001	<0.2	2.09	<2	<10	200	<0.5	<2	1.06	<0.5	18	293	41	3.14
CAE104240		5.25	<0.001	<0.2	1.80	13	<10	90	<0.5	<2	2.25	<0.5	22	225	92	4.05
CAE104241		5.20	<0.001	<0.2	1.91	<2	<10	120	<0.5	<2	1.14	<0.5	13	159	33	2.98
CAE104242		5.25	<0.001	<0.2	2.13	<2	<10	210	<0.5	<2	0.81	<0.5	16	196	58	3.10
CAE104243		0.18	3.19	63.8	1.84	39	<10	170	<0.5	2	2.66	8.5	11	50	189	2.89
CAE104244		5.53	<0.001	<0.2	1.76	<2	<10	170	<0.5	<2	1.03	<0.5	14	203	41	2.33
CAE104245		5.36	<0.001	<0.2	2.37	<2	<10	150	<0.5	<2	0.68	<0.5	10	56	27	3.05
CAE104246		4.34	<0.001	<0.2	1.84	<2	<10	160	<0.5	<2	0.62	<0.5	10	50	29	3.31
CAE104247		5.49	0.001	<0.2	1.30	<2	<10	70	<0.5	<2	1.59	<0.5	8	31	25	2.29
CAE104248		5.23	<0.001	<0.2	1.19	<2	<10	80	<0.5	<2	0.97	<0.5	10	35	29	2.42
CAE104249		1.06	<0.001	<0.2	0.29	<2	<10	70	<0.5	<2	0.03	<0.5	1	4	<1	0.57
CAE104250		4.58	<0.001	<0.2	1.20	<2	<10	120	<0.5	<2	0.53	<0.5	6	38	15	2.30
CAE104251		2.35	<0.001	<0.2	0.69	<2	<10	70	<0.5	<2	1.18	<0.5	5	23	17	1.48
CAE104252		2.25	<0.001	<0.2	0.69	<2	<10	70	<0.5	<2	1.03	<0.5	5	24	17	1.52
CAE104253		4.64	0.001	<0.2	0.92	<2	<10	50	0.5	<2	2.42	<0.5	7	17	20	1.55

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104237		10	<1	1.77	10	2.14	396	<1	0.09	47	540	<2	0.08	<2	5	15
CAE104238		10	<1	1.39	10	1.90	366	<1	0.08	45	540	<2	0.05	<2	5	17
CAE104239		10	<1	1.44	10	1.97	382	<1	0.09	46	550	2	0.05	<2	5	19
CAE104240		10	<1	0.81	10	1.57	423	<1	0.05	39	470	2	1.46	<2	5	35
CAE104241		10	<1	1.02	20	1.30	354	<1	0.12	28	480	5	0.18	<2	5	63
CAE104242		10	<1	1.34	20	1.52	359	<1	0.14	36	510	2	0.24	<2	5	50
CAE104243		10	13	0.25	10	1.56	564	10	0.06	39	510	1130	1.02	159	4	86
CAE104244		10	<1	0.93	10	1.48	317	<1	0.15	35	560	4	0.04	<2	6	51
CAE104245		10	<1	1.29	40	0.88	390	<1	0.17	19	520	3	0.17	<2	10	101
CAE104246		10	<1	1.22	40	0.85	339	<1	0.10	18	290	3	0.34	<2	9	18
CAE104247		<10	<1	0.48	30	0.53	243	<1	0.11	18	370	3	0.40	<2	5	50
CAE104248		10	<1	0.57	30	0.58	246	<1	0.10	21	340	3	0.44	<2	5	32
CAE104249		<10	<1	0.19	<10	0.02	93	<1	0.12	1	50	4	<0.01	<2	1	45
CAE104250		10	<1	0.68	30	0.53	245	<1	0.12	12	290	5	0.18	<2	6	25
CAE104251		<10	<1	0.29	30	0.28	150	<1	0.09	10	300	4	0.23	2	2	27
CAE104252		<10	<1	0.29	30	0.28	152	<1	0.09	11	300	4	0.23	<2	2	26
CAE104253		<10	<1	0.16	20	0.25	196	<1	0.07	12	580	5	0.45	<2	2	48

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111279

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
CAE104237		<20	0.27	<10	<10	109	<10	48
CAE104238		<20	0.25	<10	<10	100	<10	42
CAE104239		<20	0.26	<10	<10	103	<10	43
CAE104240		<20	0.17	<10	<10	86	<10	43
CAE104241		<20	0.22	<10	<10	75	<10	47
CAE104242		<20	0.25	<10	<10	85	<10	47
CAE104243		<20	0.04	<10	<10	44	10	2180
CAE104244		<20	0.20	<10	<10	72	<10	33
CAE104245		20	0.28	<10	<10	56	<10	55
CAE104246		20	0.26	<10	<10	53	<10	60
CAE104247		20	0.17	<10	<10	30	<10	40
CAE104248		<20	0.18	<10	<10	34	<10	47
CAE104249		<20	<0.01	<10	<10	10	<10	10
CAE104250		20	0.18	<10	<10	35	<10	36
CAE104251		20	0.12	<10	<10	19	<10	23
CAE104252		20	0.12	<10	<10	19	<10	22
CAE104253		<20	0.14	<10	<10	14	<10	20