ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

CERTIFICATE WH11099585

Project: JP Ross Project

P.O. No.: WG00242011

This report is for 116 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104001		3.28	0.765	1.5	0.46	11	<10	30	<0.5	<2	0.04	<0.5	2	7	3	0.94
CAE104002		2.58	0.003	<0.2	0.53	3	<10	30	<0.5	<2	0.03	<0.5	1	5	9	0.95
CAE104003		4.37	0.005	<0.2	0.69	2	<10	40	<0.5	<2	0.05	<0.5	1	5	7	1.10
CAE104004		4.54	0.005	<0.2	0.72	2	<10	40	<0.5	<2	0.05	<0.5	1	4	5	1.11
CAE104005		4.50	0.004	<0.2	0.95	2	<10	50	<0.5	<2	0.06	<0.5	3	4	5	1.46
CAE104006		4.34	0.002	<0.2	1.23	<2	<10	70	<0.5	<2	0.09	<0.5	3	4	6	1.73
CAE104007		0.14	1.175	0.9	1.51	22	<10	200	<0.5	<2	1.03	<0.5	11	45	591	3.45
CAE104008		5.38	0.004	<0.2	1.23	<2	<10	60	<0.5	<2	0.08	<0.5	4	5	7	1.81
CAE104009		4.04	0.007	<0.2	1.11	2	<10	50	<0.5	<2	0.05	<0.5	3	3	6	1.64
CAE104010		5.00	0.001	<0.2	0.96	2	<10	140	<0.5	<2	0.03	<0.5	2	3	6	1.33
CAE104011		4.99	0.002	<0.2	0.94	3	<10	50	0.6	<2	0.05	<0.5	2	4	8	1.26
CAE104012		4.56	0.001	<0.2	1.15	<2	<10	50	<0.5	<2	0.07	<0.5	4	4	9	1.69
CAE104013		4.58	0.001	<0.2	1.09	<2	<10	60	<0.5	<2	0.09	1.3	5	3	14	1.77
CAE104014		1.36	<0.001	<0.2	0.27	<2	<10	70	<0.5	<2	0.04	<0.5	1	4	1	0.63
CAE104015		5.14	0.004	<0.2	0.71	3	<10	40	<0.5	<2	0.03	<0.5	2	5	6	1.54
CAE104016		2.64	0.017	0.2	0.42	21	<10	40	<0.5	<2	0.02	<0.5	1	5	12	1.05
CAE104017		1.93	0.011	<0.2	0.49	4	<10	40	<0.5	<2	0.02	<0.5	1	5	7	1.02
CAE104018		5.24	0.019	0.2	0.44	4	<10	40	<0.5	<2	0.02	<0.5	3	7	11	1.68
CAE104019		4.29	0.001	0.2	1.04	4	<10	50	<0.5	<2	0.05	<0.5	3	5	18	1.61
CAE104020		4.26	0.001	<0.2	0.91	2	<10	50	<0.5	<2	0.08	<0.5	3	16	11	1.20
CAE104021		5.48	0.008	0.2	0.68	<2	<10	40	<0.5	<2	0.09	<0.5	4	5	13	1.52
CAE104022		4.89	0.037	0.2	0.69	2	<10	30	<0.5	<2	0.09	<0.5	5	5	15	1.57
CAE104023		4.30	0.002	<0.2	0.96	<2	<10	40	<0.5	<2	0.13	<0.5	5	5	16	1.56
CAE104024		5.38	0.002	0.2	0.72	3	<10	40	<0.5	<2	0.09	<0.5	4	7	24	1.37
CAE104025		0.13	3.14	53.6	1.79	36	<10	150	<0.5	<2	2.69	7.4	10	52	162	2.96
CAE104026		3.63	0.002	0.2	1.41	3	<10	280	0.7	<2	0.24	1.0	9	21	46	2.69
CAE104027		4.96	0.001	<0.2	0.81	2	<10	90	<0.5	<2	0.13	1.3	6	25	6	1.38
CAE104028		5.21	0.001	<0.2	0.48	2	<10	50	<0.5	<2	0.09	<0.5	2	7	4	1.13
CAE104029		0.76	<0.001	<0.2	0.24	<2	<10	70	<0.5	<2	0.05	<0.5	1	3	2	0.52
CAE104030		4.99	0.005	<0.2	0.72	2	<10	80	<0.5	<2	0.14	<0.5	3	6	4	1.43
CAE104031		5.11	0.007	0.2	0.69	<2	<10	80	<0.5	<2	0.13	<0.5	3	6	8	1.25
CAE104032		4.69	0.005	<0.2	0.66	2	<10	70	<0.5	<2	0.29	<0.5	3	5	2	1.38
CAE104033		2.40	0.034	<0.2	0.60	2	<10	70	<0.5	<2	0.49	<0.5	4	4	6	1.19
CAE104034		2.11	0.089	<0.2	0.58	3	<10	60	<0.5	<2	0.51	<0.5	3	4	5	1.30
CAE104035		4.98	0.001	<0.2	0.84	<2	<10	110	<0.5	<2	0.40	<0.5	3	5	1	1.34
CAE104036		5.30	0.021	<0.2	0.87	<2	<10	90	<0.5	<2	0.18	<0.5	3	6	1	1.56
CAE104037		5.30	<0.001	<0.2	1.05	<2	<10	80	<0.5	<2	0.29	<0.5	3	5	2	1.82
CAE104038		5.00	<0.001	<0.2	0.95	<2	<10	60	<0.5	<2	0.16	<0.5	3	7	4	1.78
CAE104039		5.64	<0.001	<0.2	1.09	<2	<10	90	<0.5	<2	0.27	<0.5	4	7	2	1.89
CAE104040		5.44	0.004	<0.2	1.04	3	<10	60	<0.5	<2	0.57	<0.5	4	9	3	2.01

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104001		<10	<1	0.24	20	0.13	131	2	0.09	1	80	6	0.03	<2	2	7
CAE104002		<10	<1	0.29	30	0.14	130	2	0.08	6	130	5	<0.01	<2	2	6
CAE104003		<10	<1	0.33	20	0.16	169	1	0.06	<1	90	3	<0.01	<2	1	6
CAE104004		<10	<1	0.36	20	0.19	160	1	0.06	<1	120	5	<0.01	<2	2	6
CAE104005		<10	<1	0.50	30	0.29	264	1	0.05	<1	180	<2	<0.01	<2	3	7
CAE104006		<10	<1	0.63	30	0.35	356	1	0.04	<1	250	2	<0.01	<2	3	7
CAE104007		<10	<1	0.25	10	0.73	477	30	0.11	32	680	74	0.59	2	6	49
CAE104008		<10	<1	0.65	30	0.40	392	1	0.04	1	210	2	<0.01	<2	4	7
CAE104009		<10	<1	0.55	40	0.34	286	1	0.03	<1	190	4	<0.01	<2	3	8
CAE104010		<10	<1	0.42	60	0.21	181	2	0.02	<1	270	5	<0.01	<2	3	7
CAE104011		<10	<1	0.38	70	0.19	193	1	0.02	<1	260	5	<0.01	<2	4	6
CAE104012		<10	<1	0.57	30	0.34	352	2	0.04	1	240	2	<0.01	<2	3	5
CAE104013		<10	<1	0.47	80	0.28	384	<1	0.04	1	260	7	0.06	<2	4	6
CAE104014		<10	<1	0.20	<10	0.03	65	<1	0.08	<1	130	3	<0.01	<2	1	56
CAE104015		<10	<1	0.30	30	0.14	220	1	0.06	<1	150	3	0.03	<2	2	7
CAE104016		<10	<1	0.24	20	0.08	75	1	0.06	<1	160	6	0.11	<2	2	7
CAE104017		<10	<1	0.26	20	0.09	88	1	0.06	<1	140	3	0.09	<2	2	6
CAE104018		<10	<1	0.25	30	0.09	137	11	0.06	1	140	7	0.67	<2	2	7
CAE104019		<10	<1	0.44	20	0.26	271	1	0.04	<1	220	7	0.09	<2	3	6
CAE104020		<10	<1	0.43	30	0.34	188	2	0.05	4	280	4	<0.01	<2	3	6
CAE104021		<10	<1	0.37	40	0.21	377	25	0.06	1	170	7	0.11	<2	2	8
CAE104022		<10	<1	0.42	40	0.26	195	4	0.06	<1	240	4	0.37	<2	3	8
CAE104023		<10	<1	0.53	30	0.36	306	2	0.07	1	270	3	0.12	<2	4	8
CAE104024		<10	<1	0.44	40	0.31	253	1	0.08	2	240	2	0.13	<2	4	7
CAE104025		10	11	0.23	10	1.53	549	9	0.07	38	510	939	0.93	145	4	83
CAE104026		10	<1	0.81	30	0.71	740	1	0.04	12	410	17	0.14	<2	6	12
CAE104027		<10	<1	0.46	30	0.33	402	2	0.05	11	260	9	0.11	<2	3	9
CAE104028		<10	<1	0.29	30	0.12	318	1	0.06	<1	130	2	0.12	<2	1	9
CAE104029		<10	<1	0.19	<10	0.02	103	<1	0.08	<1	110	2	<0.01	<2	1	66
CAE104030		<10	<1	0.43	40	0.23	335	1	0.05	<1	220	5	0.14	<2	2	11
CAE104031		<10	<1	0.42	30	0.21	280	1	0.05	<1	200	21	0.12	<2	1	10
CAE104032		<10	1	0.38	30	0.25	418	1	0.05	<1	210	8	0.09	<2	2	17
CAE104033		<10	<1	0.36	30	0.17	312	1	0.04	<1	170	6	0.24	<2	1	17
CAE104034		<10	<1	0.36	30	0.16	367	1	0.04	1	170	5	0.31	<2	1	16
CAE104035		<10	<1	0.45	30	0.27	354	<1	0.05	<1	190	3	0.03	<2	2	18
CAE104036		<10	<1	0.55	30	0.34	344	<1	0.06	<1	240	<2	0.04	<2	3	14
CAE104037		<10	<1	0.65	30	0.40	452	1	0.07	<1	350	2	0.03	<2	3	17
CAE104038		<10	<1	0.60	40	0.37	489	<1	0.08	1	220	9	0.09	<2	4	13
CAE104039		<10	<1	0.67	30	0.39	455	1	0.08	<1	270	<2	0.05	<2	4	21
CAE104040		<10	<1	0.63	30	0.41	484	1	0.10	1	260	2	0.10	<2	5	24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104001		20	0.03	<10	<10	10	<10	14
CAE104002		20	0.03	<10	<10	11	<10	21
CAE104003		20	0.04	<10	<10	11	<10	23
CAE104004		20	0.04	<10	<10	12	<10	25
CAE104005		20	0.06	<10	<10	18	<10	33
CAE104006		20	0.08	<10	<10	23	<10	44
CAE104007		<20	0.12	<10	<10	71	20	101
CAE104008		20	0.08	<10	<10	27	<10	48
CAE104009		<20	0.07	<10	<10	24	<10	37
CAE104010		20	0.04	<10	<10	15	<10	29
CAE104011		20	0.03	<10	<10	13	<10	31
CAE104012		20	0.06	<10	<10	20	<10	46
CAE104013		20	0.05	<10	<10	21	<10	49
CAE104014		<20	0.01	<10	<10	25	<10	15
CAE104015		20	0.03	<10	<10	14	<10	35
CAE104016		20	0.02	<10	<10	12	<10	12
CAE104017		20	0.02	<10	<10	12	<10	13
CAE104018		<20	0.02	<10	<10	13	<10	20
CAE104019		20	0.06	<10	<10	20	<10	35
CAE104020		20	0.04	<10	<10	20	<10	37
CAE104021		20	0.04	<10	<10	14	<10	39
CAE104022		20	0.04	<10	<10	19	<10	36
CAE104023		<20	0.06	<10	<10	26	<10	43
CAE104024		20	0.05	<10	<10	24	<10	41
CAE104025		<20	0.04	<10	<10	44	<10	1920
CAE104026		<20	0.08	<10	<10	49	<10	212
CAE104027		20	0.04	<10	<10	18	<10	43
CAE104028		20	0.02	<10	<10	8	<10	20
CAE104029		<20	0.01	<10	<10	20	<10	11
CAE104030		20	0.04	<10	<10	13	<10	36
CAE104031		20	0.03	<10	<10	9	<10	37
CAE104032		20	0.03	<10	<10	9	<10	34
CAE104033		20	0.02	<10	<10	6	<10	19
CAE104034		20	0.02	<10	<10	6	<10	19
CAE104035		20	0.04	<10	<10	10	<10	35
CAE104036		<20	0.07	<10	<10	18	<10	33
CAE104037		20	0.08	<10	<10	24	<10	40
CAE104038		20	0.07	<10	<10	22	<10	38
CAE104039		<20	0.08	<10	<10	24	<10	40
CAE104040		<20	0.08	<10	<10	29	<10	51

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104041		5.39	0.004	<0.2	1.07	<2	<10	70	<0.5	<2	0.33	<0.5	4	7	2	1.88
CAE104042		5.05	0.001	<0.2	1.04	3	<10	80	<0.5	<2	0.47	<0.5	3	8	4	1.91
CAE104043		0.13	1.140	1.0	1.58	22	<10	210	<0.5	<2	1.07	0.5	12	47	609	3.55
CAE104044		5.34	0.006	<0.2	1.07	<2	<10	60	<0.5	<2	0.39	<0.5	4	12	3	1.92
CAE104045		4.74	0.002	<0.2	1.16	3	<10	80	<0.5	<2	0.35	<0.5	5	7	4	1.77
CAE104046		5.88	<0.001	<0.2	1.05	2	<10	90	<0.5	<2	0.30	<0.5	4	15	2	1.71
CAE104047		1.16	<0.001	<0.2	0.21	2	<10	50	<0.5	<2	0.02	<0.5	1	4	1	0.43
CAE104048		2.84	<0.001	<0.2	1.27	<2	<10	110	<0.5	<2	0.76	<0.5	5	9	3	2.03
CAE104049		2.25	<0.001	<0.2	1.24	<2	<10	110	<0.5	<2	1.23	<0.5	5	8	2	2.04
CAE104050		5.68	<0.001	<0.2	2.06	<2	<10	250	<0.5	<2	1.42	<0.5	10	10	8	3.16
CAE104051		5.33	<0.001	<0.2	2.14	<2	<10	350	<0.5	<2	1.37	<0.5	10	8	7	3.08
CAE104052		5.70	0.005	<0.2	2.14	<2	<10	330	<0.5	<2	0.64	<0.5	10	11	5	3.11
CAE104053		5.55	0.001	<0.2	2.14	<2	<10	220	<0.5	<2	0.67	<0.5	11	11	7	3.13
CAE104054		6.08	<0.001	<0.2	1.89	<2	<10	140	<0.5	<2	0.51	<0.5	9	12	5	2.75
CAE104055		5.34	<0.001	<0.2	1.88	2	<10	170	<0.5	<2	0.85	<0.5	9	8	8	2.65
CAE104056		5.50	<0.001	<0.2	1.87	<2	<10	150	<0.5	<2	0.52	<0.5	9	9	7	2.77
CAE104057		5.56	<0.001	<0.2	1.92	<2	<10	130	<0.5	<2	0.76	<0.5	9	9	12	2.79
CAE104058		5.96	<0.001	<0.2	1.94	<2	<10	180	<0.5	<2	0.84	<0.5	10	9	12	2.80
CAE104059		5.58	<0.001	<0.2	1.91	<2	<10	180	<0.5	<2	0.99	<0.5	9	9	4	2.95
CAE104060		5.52	<0.001	<0.2	1.89	<2	<10	200	<0.5	<2	0.50	<0.5	8	10	6	3.04
CAE104061		5.73	0.002	<0.2	1.85	<2	<10	130	<0.5	<2	0.69	<0.5	9	9	9	2.85
CAE104062		5.66	<0.001	<0.2	1.95	<2	<10	200	<0.5	<2	0.88	<0.5	8	9	10	2.75
CAE104063		5.49	<0.001	<0.2	1.96	<2	<10	280	<0.5	<2	0.74	<0.5	9	11	22	2.88
CAE104064		5.30	<0.001	0.2	1.69	2	<10	110	<0.5	<2	0.79	<0.5	8	10	22	2.66
CAE104065		5.73	<0.001	<0.2	1.94	<2	<10	160	<0.5	<2	0.95	<0.5	10	26	11	2.96
CAE104066		5.52	<0.001	<0.2	1.92	<2	<10	170	<0.5	<2	0.83	<0.5	10	12	6	2.98
CAE104067		5.44	<0.001	<0.2	1.85	<2	<10	160	<0.5	<2	1.10	<0.5	10	10	10	2.97
CAE104068		0.14	1.155	0.9	1.57	21	<10	200	<0.5	<2	1.05	0.5	11	46	604	3.48
CAE104069		5.53	<0.001	<0.2	1.98	2	<10	190	<0.5	<2	1.16	<0.5	10	9	10	3.10
CAE104070		5.83	<0.001	<0.2	1.89	<2	<10	180	<0.5	<2	1.00	<0.5	9	9	16	2.94
CAE104071		5.78	<0.001	<0.2	1.95	3	<10	150	<0.5	<2	1.10	<0.5	9	9	14	3.09
CAE104072		5.53	<0.001	<0.2	1.87	<2	<10	150	<0.5	<2	1.31	<0.5	9	9	8	2.88
CAE104073		0.95	<0.001	<0.2	0.32	<2	<10	90	<0.5	<2	0.06	<0.5	1	5	1	0.76
CAE104074		5.67	<0.001	<0.2	1.85	<2	<10	220	<0.5	<2	1.04	<0.5	8	8	21	2.88
CAE104075		5.56	0.001	<0.2	1.71	2	<10	280	<0.5	<2	2.31	<0.5	8	7	9	2.56
CAE104076		3.03	<0.001	<0.2	2.14	<2	<10	330	<0.5	<2	1.33	<0.5	11	8	9	3.41
CAE104077		2.37	<0.001	<0.2	2.01	2	<10	320	<0.5	<2	1.28	<0.5	9	8	7	3.20
CAE104078		5.66	<0.001	<0.2	1.97	2	<10	290	<0.5	<2	1.50	<0.5	8	8	9	3.06
CAE104079		5.59	0.009	<0.2	2.11	<2	<10	210	<0.5	<2	0.86	<0.5	10	8	8	3.32
CAE104080		5.41	0.001	<0.2	1.78	2	<10	330	<0.5	<2	2.90	<0.5	9	6	7	2.61

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104041		<10	<1	0.66	30	0.37	455	1	0.08	1	250	<2	0.05	<2	4	23
CAE104042		<10	<1	0.66	30	0.39	503	1	0.08	<1	250	2	0.05	<2	4	25
CAE104043		<10	<1	0.26	10	0.76	493	30	0.12	32	700	74	0.63	4	6	52
CAE104044		<10	<1	0.66	30	0.43	510	1	0.07	2	250	4	0.05	<2	4	19
CAE104045		<10	<1	0.59	30	0.42	474	<1	0.06	4	260	4	0.05	<2	3	27
CAE104046		<10	<1	0.65	30	0.42	385	<1	0.07	4	240	3	0.04	<2	3	20
CAE104047		<10	<1	0.13	<10	0.02	82	<1	0.09	1	40	4	0.01	<2	<1	33
CAE104048		<10	<1	0.72	20	0.54	440	<1	0.07	1	270	4	0.05	<2	5	37
CAE104049		<10	<1	0.70	30	0.53	478	1	0.06	1	290	3	0.07	<2	6	49
CAE104050		10	<1	1.37	20	1.06	711	1	0.08	2	380	6	0.10	<2	8	61
CAE104051		10	<1	1.43	10	1.12	728	1	0.07	2	430	3	0.07	<2	5	66
CAE104052		<10	<1	1.40	20	1.10	635	<1	0.09	2	390	<2	0.03	<2	4	40
CAE104053		<10	<1	1.43	10	1.13	678	<1	0.11	2	380	<2	0.06	<2	3	36
CAE104054		<10	1	1.26	10	0.96	605	1	0.09	2	340	<2	0.02	<2	2	32
CAE104055		<10	<1	1.13	10	0.90	619	1	0.06	2	350	<2	0.03	<2	3	52
CAE104056		<10	<1	1.27	10	0.99	599	<1	0.07	1	350	<2	0.02	<2	2	38
CAE104057		10	1	1.22	10	0.98	650	1	0.07	2	330	<2	0.06	<2	3	58
CAE104058		<10	<1	1.25	10	1.00	639	<1	0.08	1	340	<2	0.05	<2	3	56
CAE104059		10	<1	1.25	20	0.98	699	<1	0.09	1	340	18	0.06	<2	4	58
CAE104060		10	<1	1.30	10	1.01	721	<1	0.10	1	330	<2	0.04	<2	6	45
CAE104061		10	<1	1.19	10	0.93	634	<1	0.09	1	330	3	0.08	<2	4	47
CAE104062		<10	<1	1.20	20	0.90	668	<1	0.10	1	320	14	0.02	<2	4	51
CAE104063		<10	<1	1.30	10	1.03	650	<1	0.08	2	370	8	0.04	<2	4	47
CAE104064		<10	<1	1.14	10	0.89	604	2	0.08	1	330	<2	0.09	<2	3	38
CAE104065		<10	<1	1.34	10	1.13	695	1	0.07	7	360	<2	0.05	<2	4	50
CAE104066		<10	<1	1.27	10	1.00	630	<1	0.08	2	350	2	0.08	<2	5	52
CAE104067		<10	<1	1.28	20	1.01	711	1	0.08	1	370	17	0.06	<2	6	61
CAE104068		<10	<1	0.26	10	0.74	484	29	0.12	33	680	72	0.62	3	6	51
CAE104069		<10	<1	1.30	20	1.02	715	1	0.08	2	360	11	0.09	2	6	67
CAE104070		10	<1	1.24	20	0.95	641	<1	0.07	2	350	<2	0.08	<2	6	59
CAE104071		10	<1	1.26	20	0.96	773	<1	0.08	1	340	4	0.05	<2	7	66
CAE104072		<10	<1	1.20	20	0.90	745	1	0.06	1	330	4	0.06	<2	7	80
CAE104073		<10	<1	0.25	10	0.04	120	<1	0.10	1	150	2	0.01	<2	1	70
CAE104074		10	<1	1.16	20	0.84	619	1	0.05	6	330	4	0.04	<2	6	56
CAE104075		<10	<1	1.14	20	0.72	775	1	0.04	4	340	4	0.14	<2	6	63
CAE104076		10	<1	1.30	20	1.01	714	<1	0.05	2	370	2	0.03	<2	9	69
CAE104077		10	<1	1.23	20	0.95	687	<1	0.05	2	360	<2	0.02	<2	8	66
CAE104078		10	1	1.27	20	0.86	757	<1	0.05	1	370	<2	0.08	<2	9	71
CAE104079		10	<1	1.29	20	1.00	582	<1	0.04	2	380	2	0.17	<2	8	97
CAE104080		10	1	1.10	20	0.76	861	<1	0.04	2	360	3	0.11	<2	8	87

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104041		20	0.08	<10	<10	23	<10	40
CAE104042		20	0.08	<10	<10	23	<10	41
CAE104043		<20	0.13	<10	<10	74	20	105
CAE104044		<20	0.07	<10	<10	25	<10	40
CAE104045		<20	0.06	<10	<10	19	<10	35
CAE104046		<20	0.07	<10	<10	20	<10	35
CAE104047		<20	<0.01	<10	<10	8	<10	12
CAE104048		<20	0.09	<10	<10	34	<10	42
CAE104049		<20	0.08	<10	<10	35	<10	41
CAE104050		<20	0.15	<10	<10	70	<10	69
CAE104051		<20	0.15	<10	<10	66	<10	74
CAE104052		<20	0.17	<10	<10	71	<10	55
CAE104053		<20	0.17	<10	<10	71	<10	57
CAE104054		<20	0.15	<10	<10	57	<10	47
CAE104055		<20	0.12	<10	<10	49	<10	51
CAE104056		<20	0.15	<10	<10	57	<10	46
CAE104057		<20	0.14	<10	<10	57	<10	46
CAE104058		<20	0.15	<10	<10	60	<10	59
CAE104059		<20	0.15	<10	<10	63	<10	66
CAE104060		<20	0.15	<10	<10	71	<10	65
CAE104061		<20	0.14	<10	<10	62	<10	52
CAE104062		<20	0.14	<10	<10	59	<10	84
CAE104063		<20	0.16	<10	<10	63	<10	89
CAE104064		<20	0.14	<10	<10	59	<10	54
CAE104065		<20	0.16	<10	<10	69	<10	51
CAE104066		<20	0.16	<10	<10	66	<10	48
CAE104067		<20	0.15	<10	<10	69	<10	54
CAE104068		<20	0.12	<10	<10	73	20	102
CAE104069		<20	0.15	<10	<10	69	<10	50
CAE104070		<20	0.15	<10	<10	65	<10	47
CAE104071		<20	0.15	<10	<10	70	<10	55
CAE104072		<20	0.14	<10	<10	65	<10	48
CAE104073		<20	0.01	<10	<10	34	<10	19
CAE104074		<20	0.13	<10	<10	57	<10	54
CAE104075		<20	0.10	<10	<10	41	<10	47
CAE104076		<20	0.15	<10	<10	68	<10	52
CAE104077		<20	0.14	<10	<10	65	<10	50
CAE104078		<20	0.12	<10	<10	65	<10	58
CAE104079		<20	0.14	<10	<10	77	<10	62
CAE104080		<20	0.09	<10	<10	47	<10	46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104081		5.48	0.001	<0.2	1.83	2	<10	290	<0.5	<2	2.20	<0.5	9	11	8	2.84
CAE104082		5.43	0.001	<0.2	1.90	2	<10	260	<0.5	<2	2.22	0.6	10	37	5	2.88
CAE104083		5.26	<0.001	<0.2	0.97	<2	<10	110	<0.5	<2	1.74	<0.5	4	8	9	1.56
CAE104084		5.29	0.015	<0.2	1.65	<2	<10	220	<0.5	<2	2.46	<0.5	9	8	13	2.65
CAE104085		5.25	<0.001	<0.2	2.10	2	<10	280	<0.5	<2	2.57	<0.5	11	29	52	3.10
CAE104086		0.14	1.270	1.1	1.62	21	<10	210	<0.5	<2	1.09	0.5	12	47	636	3.69
CAE104087		5.18	0.002	<0.2	1.03	<2	<10	110	<0.5	<2	0.74	<0.5	3	9	3	1.78
CAE104088		4.99	<0.001	<0.2	0.91	2	<10	110	<0.5	<2	1.31	<0.5	3	9	4	1.41
CAE104089		5.31	0.006	<0.2	0.88	<2	<10	110	<0.5	<2	1.47	<0.5	3	9	3	1.54
CAE104090		4.97	<0.001	<0.2	1.08	<2	<10	100	<0.5	<2	0.55	<0.5	3	15	2	1.72
CAE104091		5.15	<0.001	<0.2	1.05	<2	<10	100	<0.5	<2	0.68	<0.5	4	7	3	1.68
CAE104092		4.88	0.034	<0.2	0.87	3	<10	60	<0.5	<2	1.18	<0.5	3	8	4	1.51
CAE104093		4.98	<0.001	<0.2	1.17	3	<10	90	<0.5	<2	0.62	<0.5	3	9	2	1.90
CAE104094		1.08	<0.001	<0.2	0.24	3	<10	70	<0.5	<2	<0.01	<0.5	1	5	1	0.68
CAE104095		6.57	0.004	<0.2	1.00	2	<10	90	<0.5	<2	1.59	<0.5	4	9	1	1.59
CAE104096		1.64	0.014	0.2	0.74	<2	<10	70	<0.5	<2	1.94	<0.5	4	5	4	1.29
CAE104097		1.50	0.013	0.2	0.83	<2	<10	70	<0.5	<2	1.83	<0.5	4	7	3	1.43
CAE104098		5.42	<0.001	<0.2	1.04	<2	<10	110	<0.5	<2	0.71	<0.5	4	7	1	1.60
CAE104099		5.20	<0.001	<0.2	0.99	2	<10	100	<0.5	<2	0.84	<0.5	4	9	2	1.62
CAE104100		5.11	<0.001	<0.2	0.96	<2	<10	80	<0.5	<2	0.45	<0.5	3	10	2	1.72
CAE104101		6.01	<0.001	<0.2	1.07	<2	<10	80	<0.5	<2	0.50	<0.5	4	11	5	1.73
CAE104102		4.32	<0.001	<0.2	1.19	<2	<10	80	<0.5	<2	0.38	<0.5	4	9	12	1.96
CAE104103		5.01	<0.001	<0.2	1.21	<2	<10	90	<0.5	<2	0.40	<0.5	4	10	13	2.11
CAE104104		5.01	<0.001	<0.2	1.21	2	<10	90	<0.5	<2	0.44	<0.5	4	9	19	1.99
CAE104105		0.14	1.210	0.9	1.55	22	<10	200	<0.5	<2	1.03	0.6	11	46	610	3.54
CAE104106		5.12	0.015	<0.2	1.21	2	<10	90	<0.5	<2	0.51	<0.5	4	9	6	1.94
CAE104107		5.02	0.002	<0.2	1.07	<2	<10	70	<0.5	<2	0.59	<0.5	4	11	6	1.77
CAE104108		5.06	<0.001	<0.2	1.16	2	<10	80	<0.5	<2	0.72	<0.5	4	8	3	1.85
CAE104109		5.06	<0.001	<0.2	1.19	2	<10	70	<0.5	<2	0.41	<0.5	4	7	3	1.90
CAE104110		0.57	<0.001	<0.2	0.24	<2	<10	80	<0.5	<2	0.04	<0.5	<1	7	<1	0.31
CAE104111		4.98	<0.001	<0.2	1.24	<2	<10	70	<0.5	<2	1.61	<0.5	4	6	2	1.97
CAE104112		2.39	0.001	<0.2	1.31	<2	<10	90	<0.5	<2	0.70	<0.5	4	8	2	2.14
CAE104113		5.09	<0.001	<0.2	1.29	<2	<10	80	<0.5	<2	0.77	<0.5	5	7	3	2.16
CAE104114		2.33	<0.001	<0.2	1.34	<2	<10	80	<0.5	<2	0.72	<0.5	4	6	4	2.19
CAE104115		4.97	0.001	<0.2	1.14	<2	<10	60	<0.5	<2	1.08	<0.5	4	6	1	1.85
CAE104116		5.36	<0.001	<0.2	1.12	<2	<10	80	<0.5	<2	0.57	<0.5	4	11	3	1.80

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104081		10	<1	1.22	20	0.90	746	<1	0.04	4	340	<2	0.07	<2	7	75
CAE104082		10	<1	1.21	20	1.09	714	<1	0.04	14	320	34	0.18	<2	8	69
CAE104083		<10	<1	0.68	20	0.37	460	<1	0.04	<1	200	<2	0.07	<2	2	37
CAE104084		<10	<1	1.15	20	0.70	721	1	0.04	1	330	<2	0.21	<2	6	58
CAE104085		10	<1	1.36	20	1.28	757	<1	0.04	9	400	3	0.16	<2	10	88
CAE104086		10	<1	0.26	10	0.77	504	32	0.11	33	690	75	0.64	<2	7	48
CAE104087		<10	<1	0.64	30	0.36	475	<1	0.07	<1	250	7	0.09	<2	3	31
CAE104088		<10	<1	0.55	30	0.26	456	<1	0.05	<1	230	2	0.07	<2	2	43
CAE104089		<10	<1	0.58	30	0.28	495	<1	0.06	<1	250	3	0.11	<2	2	41
CAE104090		<10	<1	0.61	30	0.36	434	<1	0.06	<1	250	<2	0.01	<2	3	37
CAE104091		<10	<1	0.58	30	0.33	428	<1	0.05	1	240	2	0.04	<2	3	39
CAE104092		<10	<1	0.49	20	0.26	432	1	0.05	<1	210	3	0.15	<2	3	44
CAE104093		10	<1	0.62	30	0.36	509	<1	0.07	<1	250	15	0.04	<2	3	41
CAE104094		<10	<1	0.19	<10	0.01	90	<1	0.07	1	70	<2	<0.01	<2	1	42
CAE104095		<10	<1	0.53	30	0.31	578	<1	0.05	<1	250	<2	0.08	<2	3	47
CAE104096		<10	<1	0.48	30	0.23	534	<1	0.04	<1	240	4	0.26	<2	3	46
CAE104097		<10	<1	0.52	30	0.26	542	<1	0.05	<1	260	3	0.26	<2	3	45
CAE104098		<10	<1	0.61	30	0.33	462	<1	0.05	1	250	<2	0.02	<2	2	32
CAE104099		<10	1	0.55	30	0.35	483	<1	0.06	1	260	<2	0.05	<2	3	33
CAE104100		<10	<1	0.53	30	0.37	455	<1	0.07	1	230	<2	0.03	<2	3	30
CAE104101		<10	<1	0.60	30	0.38	464	1	0.06	<1	250	<2	0.04	<2	2	34
CAE104102		<10	<1	0.75	30	0.43	529	11	0.06	<1	270	<2	0.02	<2	2	30
CAE104103		<10	<1	0.77	30	0.46	538	17	0.08	1	270	9	0.05	<2	3	26
CAE104104		<10	<1	0.73	30	0.42	520	6	0.07	<1	260	<2	0.03	<2	2	33
CAE104105		10	<1	0.25	10	0.73	482	31	0.10	32	670	70	0.61	3	6	45
CAE104106		<10	<1	0.71	30	0.43	529	<1	0.07	1	270	14	0.04	<2	2	35
CAE104107		<10	<1	0.55	30	0.38	475	3	0.06	<1	250	6	0.05	<2	3	38
CAE104108		<10	<1	0.67	30	0.41	537	4	0.06	<1	260	3	0.04	<2	3	42
CAE104109		<10	<1	0.71	30	0.43	512	1	0.06	<1	260	8	0.01	<2	3	38
CAE104110		<10	<1	0.20	<10	0.01	47	<1	0.10	<1	80	2	<0.01	<2	<1	81
CAE104111		<10	1	0.68	30	0.43	603	1	0.06	<1	270	7	0.03	<2	3	86
CAE104112		<10	1	0.75	30	0.47	564	<1	0.06	1	270	<2	0.03	<2	3	60
CAE104113		<10	1	0.74	30	0.47	561	<1	0.06	<1	280	2	0.03	<2	4	62
CAE104114		<10	1	0.76	30	0.47	563	<1	0.07	1	290	3	0.03	<2	4	61
CAE104115		10	1	0.46	30	0.43	533	<1	0.06	<1	280	2	0.02	<2	3	72
CAE104116		<10	<1	0.67	20	0.41	472	<1	0.07	<1	250	<2	0.04	<2	2	40

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 22-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11099585

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104081		<20	0.12	<10	<10	58	<10	45
CAE104082		<20	0.12	<10	<10	56	<10	58
CAE104083		20	0.06	<10	<10	19	<10	30
CAE104084		<20	0.11	<10	<10	42	<10	49
CAE104085		<20	0.14	<10	<10	70	<10	66
CAE104086		<20	0.14	<10	<10	77	20	108
CAE104087		20	0.08	<10	<10	19	<10	43
CAE104088		20	0.05	<10	<10	13	<10	30
CAE104089		20	0.06	<10	<10	15	<10	32
CAE104090		<20	0.08	<10	<10	19	<10	36
CAE104091		<20	0.07	<10	<10	18	<10	37
CAE104092		20	0.05	<10	<10	17	<10	30
CAE104093		20	0.08	<10	<10	21	<10	44
CAE104094		<20	0.01	<10	<10	30	<10	16
CAE104095		<20	0.05	<10	<10	16	<10	32
CAE104096		20	0.04	<10	<10	14	<10	29
CAE104097		20	0.05	<10	10	16	<10	33
CAE104098		<20	0.07	<10	<10	16	<10	35
CAE104099		20	0.06	<10	<10	17	<10	32
CAE104100		20	0.06	<10	<10	20	<10	39
CAE104101		20	0.08	<10	<10	20	<10	49
CAE104102		20	0.11	<10	<10	24	<10	61
CAE104103		20	0.11	<10	<10	27	<10	87
CAE104104		<20	0.10	<10	<10	25	<10	57
CAE104105		<20	0.13	<10	<10	74	20	104
CAE104106		<20	0.10	<10	<10	24	<10	62
CAE104107		20	0.06	<10	<10	21	<10	71
CAE104108		<20	0.09	<10	<10	24	<10	55
CAE104109		<20	0.10	<10	<10	26	<10	48
CAE104110		<20	0.01	<10	<10	5	<10	5
CAE104111		<20	0.09	<10	<10	25	<10	57
CAE104112		<20	0.10	<10	<10	28	<10	55
CAE104113		20	0.10	<10	<10	28	<10	59
CAE104114		20	0.11	<10	<10	29	<10	59
CAE104115		<20	0.05	<10	<10	21	<10	43
CAE104116		<20	0.09	<10	<10	23	<10	45