ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

CERTIFICATE WH11105627

Project: JP Ross Project

P.O. No.: WG00252011

This report is for 120 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103082		3.71	0.001	<0.2	0.39	<2	<10	30	<0.5	<2	0.02	<0.5	1	8	4	0.70
CAE103083		4.69	0.017	<0.2	0.46	3	<10	40	<0.5	<2	0.03	<0.5	2	6	10	0.93
CAE103084		4.52	0.059	<0.2	0.51	<2	<10	60	<0.5	<2	0.02	<0.5	3	5	9	0.82
CAE103085		4.61	0.074	<0.2	0.53	3	<10	60	<0.5	<2	0.02	<0.5	2	5	14	0.97
CAE103086		5.24	0.003	<0.2	0.64	2	<10	60	<0.5	<2	0.04	<0.5	5	5	9	1.06
CAE103087		3.48	0.002	<0.2	0.71	<2	<10	70	<0.5	<2	0.04	<0.5	4	3	15	1.17
CAE103088		4.17	0.003	<0.2	0.93	<2	<10	110	0.5	<2	0.06	<0.5	6	3	15	1.65
CAE103089		4.65	<0.001	<0.2	0.85	<2	<10	70	<0.5	<2	0.07	<0.5	2	4	11	1.64
CAE103090		3.88	0.005	<0.2	0.72	<2	<10	90	<0.5	<2	0.05	<0.5	1	5	5	1.28
CAE103091		4.36	0.001	<0.2	0.89	<2	<10	110	<0.5	<2	0.07	<0.5	2	4	7	1.50
CAE103092		4.54	<0.001	<0.2	1.15	<2	<10	110	<0.5	<2	0.83	<0.5	4	4	8	1.97
CAE103093		4.65	<0.001	<0.2	1.27	<2	<10	80	<0.5	<2	0.34	<0.5	6	5	12	2.30
CAE103094		4.37	<0.001	<0.2	1.21	<2	<10	60	0.5	<2	0.13	<0.5	6	6	6	2.48
CAE103095		4.25	<0.001	<0.2	1.17	<2	<10	60	<0.5	<2	0.07	<0.5	4	4	8	1.99
CAE103096		0.12	1.110	0.9	1.51	23	<10	200	<0.5	<2	1.07	0.5	12	46	620	3.56
CAE103097		4.59	<0.001	<0.2	1.20	<2	<10	60	<0.5	<2	0.10	<0.5	4	5	7	2.23
CAE103098		0.99	<0.001	<0.2	0.22	<2	<10	60	<0.5	<2	0.04	<0.5	<1	3	<1	0.45
CAE103099		2.14	0.001	<0.2	1.21	2	<10	50	<0.5	<2	0.15	<0.5	6	3	10	2.89
CAE103100		2.08	<0.001	<0.2	1.25	4	<10	60	<0.5	<2	0.16	<0.5	5	3	12	2.77
CAE103101		4.38	0.001	<0.2	1.37	2	<10	80	<0.5	<2	0.21	<0.5	7	8	10	2.84
CAE103102		4.89	0.001	<0.2	1.19	<2	<10	90	<0.5	<2	0.62	<0.5	5	3	8	2.40
CAE103103		4.81	0.003	<0.2	1.00	<2	<10	70	0.5	<2	0.62	<0.5	4	8	13	1.95
CAE103104		4.23	0.001	<0.2	0.63	<2	<10	80	<0.5	<2	0.18	<0.5	3	10	5	1.49
CAE103105		4.63	0.005	<0.2	0.71	<2	<10	70	<0.5	<2	0.09	<0.5	2	6	6	1.65
CAE103106		4.38	0.013	<0.2	0.57	<2	<10	40	<0.5	<2	0.10	<0.5	3	8	4	1.84
CAE103107		4.23	<0.001	<0.2	1.24	<2	<10	130	<0.5	<2	0.19	<0.5	6	9	1	2.37
CAE103108		4.91	0.002	<0.2	0.88	<2	<10	80	<0.5	<2	0.86	<0.5	3	4	5	1.64
CAE103109		4.99	<0.001	<0.2	1.12	<2	<10	80	<0.5	<2	0.24	<0.5	4	5	2	2.08
CAE103110		4.12	0.002	<0.2	0.99	<2	<10	70	<0.5	<2	0.23	<0.5	4	6	2	2.01
CAE103111		0.12	1.130	0.9	1.53	21	<10	200	<0.5	<2	1.08	0.5	13	46	622	3.57
CAE103112		5.53	<0.001	<0.2	1.03	<2	<10	90	<0.5	<2	0.67	<0.5	4	10	5	1.87
CAE103113		4.92	<0.001	<0.2	0.96	<2	<10	80	<0.5	<2	1.20	<0.5	4	6	<1	1.92
CAE103114		1.15	<0.001	<0.2	0.21	<2	<10	60	<0.5	<2	0.03	<0.5	1	3	<1	0.64
CAE103115		5.33	0.001	<0.2	1.18	<2	<10	100	<0.5	<2	1.21	<0.5	6	14	8	2.12
CAE103116		2.05	<0.001	<0.2	1.20	<2	<10	120	<0.5	<2	1.52	<0.5	7	26	14	2.04
CAE103117		1.98	<0.001	<0.2	1.11	<2	<10	110	<0.5	<2	1.65	<0.5	7	18	17	2.01
CAE103118		5.03	<0.001	<0.2	0.95	<2	<10	100	<0.5	<2	1.43	<0.5	3	4	6	1.59
CAE103119		4.37	0.002	<0.2	0.80	<2	<10	110	<0.5	<2	1.34	<0.5	3	4	6	1.29
CAE103120		4.42	0.050	<0.2	1.03	<2	<10	90	<0.5	<2	0.59	<0.5	4	4	5	1.72
CAE103121		6.43	0.002	<0.2	0.99	<2	<10	110	0.6	<2	2.45	<0.5	3	3	1	1.67

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE103082		<10	<1	0.19	20	0.06	81	1	0.10	<1	40	<2	<0.01	<2	1	5
CAE103083		<10	<1	0.19	30	0.06	111	1	0.12	<1	100	2	<0.01	<2	1	7
CAE103084		<10	<1	0.27	40	0.06	189	1	0.06	<1	90	<2	<0.01	<2	1	6
CAE103085		<10	<1	0.23	30	0.06	158	3	0.10	<1	110	2	0.01	<2	1	8
CAE103086		<10	<1	0.32	40	0.11	312	1	0.06	<1	80	<2	<0.01	<2	1	7
CAE103087		<10	<1	0.33	50	0.12	289	1	0.05	<1	120	3	<0.01	2	1	6
CAE103088		<10	<1	0.44	80	0.18	512	1	0.03	1	180	3	<0.01	2	2	6
CAE103089		<10	<1	0.45	30	0.20	286	1	0.06	<1	140	<2	<0.01	2	2	7
CAE103090		<10	<1	0.44	20	0.14	137	1	0.03	<1	160	<2	0.02	3	1	10
CAE103091		<10	<1	0.54	40	0.19	195	2	0.02	<1	240	2	<0.01	3	2	9
CAE103092		<10	<1	0.67	30	0.31	671	1	0.04	<1	260	<2	0.02	2	3	24
CAE103093		10	<1	0.77	30	0.44	806	1	0.05	1	290	<2	<0.01	2	4	11
CAE103094		10	<1	0.67	30	0.41	763	1	0.04	1	320	3	0.04	3	5	5
CAE103095		<10	<1	0.62	20	0.36	480	<1	0.04	<1	230	<2	<0.01	<2	3	4
CAE103096		10	<1	0.25	10	0.75	487	32	0.10	33	680	75	0.59	6	6	49
CAE103097		<10	<1	0.66	20	0.41	494	<1	0.04	<1	260	<2	0.07	2	4	4
CAE103098		<10	<1	0.16	<10	0.03	118	<1	0.08	<1	100	2	<0.01	3	1	60
CAE103099		10	<1	0.67	20	0.41	778	4	0.04	1	260	4	0.18	3	5	5
CAE103100		<10	1	0.68	20	0.42	779	1	0.04	<1	270	2	0.22	2	5	6
CAE103101		10	<1	0.83	30	0.55	1200	1	0.04	3	330	3	0.10	2	5	7
CAE103102		10	<1	0.69	30	0.41	926	4	0.04	1	290	2	0.28	2	4	16
CAE103103		<10	<1	0.57	40	0.33	612	17	0.04	1	240	5	0.22	2	3	17
CAE103104		<10	<1	0.33	40	0.20	328	1	0.09	1	160	7	0.39	<2	3	9
CAE103105		<10	<1	0.45	40	0.23	274	1	0.08	<1	210	2	0.41	2	2	6
CAE103106		<10	<1	0.31	30	0.22	374	1	0.08	1	220	2	0.54	2	3	6
CAE103107		<10	<1	0.69	30	0.53	720	1	0.05	3	320	<2	0.12	2	4	8
CAE103108		<10	<1	0.54	30	0.29	563	<1	0.05	<1	250	<2	0.26	2	3	22
CAE103109		10	<1	0.72	40	0.44	559	<1	0.08	<1	260	<2	0.14	2	4	11
CAE103110		<10	<1	0.67	30	0.41	560	<1	0.08	<1	250	<2	0.12	3	4	9
CAE103111		10	<1	0.25	10	0.75	490	36	0.10	32	680	75	0.59	5	6	51
CAE103112		<10	<1	0.67	30	0.42	564	1	0.05	2	270	60	0.14	2	4	20
CAE103113		<10	<1	0.64	40	0.36	662	<1	0.05	<1	250	<2	0.30	2	3	33
CAE103114		<10	<1	0.16	10	0.01	107	<1	0.08	<1	60	2	<0.01	3	1	40
CAE103115		<10	<1	0.78	30	0.59	656	<1	0.04	3	260	2	0.16	2	5	36
CAE103116		<10	1	0.76	30	0.68	636	<1	0.05	9	240	2	0.22	2	4	44
CAE103117		<10	<1	0.71	30	0.61	628	<1	0.04	6	240	3	0.38	2	4	44
CAE103118		<10	<1	0.59	30	0.27	613	<1	0.03	<1	250	2	0.05	3	3	29
CAE103119		<10	<1	0.53	40	0.22	551	1	0.03	<1	260	4	0.10	3	2	25
CAE103120		<10	<1	0.61	30	0.33	501	<1	0.05	1	290	2	0.06	2	3	19
CAE103121		<10	<1	0.54	30	0.32	964	1	0.02	<1	360	4	0.07	3	3	51

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103082		20	0.01	<10	<10	5	<10	7
CAE103083		20	0.02	<10	<10	7	<10	10
CAE103084		20	0.01	<10	<10	4	<10	10
CAE103085		20	0.01	<10	<10	6	<10	11
CAE103086		20	0.03	<10	<10	7	<10	20
CAE103087		20	0.03	<10	<10	7	<10	28
CAE103088		20	0.04	<10	<10	11	<10	47
CAE103089		20	0.05	<10	<10	14	<10	35
CAE103090		20	0.03	<10	<10	9	<10	16
CAE103091		20	0.04	<10	<10	13	<10	24
CAE103092		20	0.06	<10	<10	19	<10	39
CAE103093		20	0.09	<10	<10	28	<10	64
CAE103094		20	0.09	<10	<10	30	<10	78
CAE103095		20	0.08	<10	<10	23	<10	52
CAE103096		<20	0.13	<10	<10	73	20	103
CAE103097		20	0.09	<10	<10	27	<10	47
CAE103098		<20	0.01	<10	<10	13	<10	9
CAE103099		20	0.09	<10	<10	32	<10	56
CAE103100		20	0.09	<10	<10	33	<10	54
CAE103101		20	0.11	<10	<10	37	<10	60
CAE103102		20	0.08	<10	<10	27	<10	44
CAE103103		20	0.06	<10	<10	22	<10	36
CAE103104		20	0.04	<10	<10	19	<10	28
CAE103105		20	0.05	<10	<10	17	<10	25
CAE103106		20	0.04	<10	<10	20	<10	26
CAE103107		20	0.08	<10	<10	29	<10	51
CAE103108		20	0.05	<10	<10	17	<10	31
CAE103109		20	0.09	<10	<10	27	<10	45
CAE103110		20	0.09	<10	<10	27	<10	44
CAE103111		<20	0.12	<10	<10	74	20	104
CAE103112		20	0.07	<10	<10	22	<10	49
CAE103113		20	0.07	<10	<10	18	<10	35
CAE103114		<20	0.01	<10	<10	22	<10	15
CAE103115		20	0.09	<10	<10	31	<10	35
CAE103116		<20	0.07	<10	<10	30	<10	36
CAE103117		<20	0.06	<10	<10	26	<10	32
CAE103118		<20	0.05	<10	<10	14	<10	26
CAE103119		20	0.03	<10	<10	9	<10	18
CAE103120		<20	0.06	<10	<10	16	<10	32
CAE103121		<20	0.04	<10	<10	15	<10	33

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103122		3.00	<0.001	<0.2	1.00	<2	<10	70	<0.5	<2	0.67	<0.5	3	4	1	1.72
CAE103123		5.15	<0.001	<0.2	0.93	<2	<10	70	<0.5	<2	0.50	<0.5	4	6	6	1.86
CAE103124		4.87	<0.001	<0.2	0.90	<2	<10	70	<0.5	<2	0.81	<0.5	3	5	1	1.71
CAE103125		4.53	0.007	<0.2	0.81	<2	<10	80	<0.5	<2	1.55	<0.5	3	5	1	1.65
CAE103126		5.01	<0.001	<0.2	1.28	<2	<10	130	<0.5	<2	1.51	<0.5	6	43	<1	2.16
CAE103127		4.88	0.012	<0.2	0.74	<2	<10	50	<0.5	<2	1.44	<0.5	4	7	2	1.76
CAE103128		4.85	0.001	<0.2	0.90	<2	<10	60	<0.5	<2	0.75	<0.5	3	5	1	1.79
CAE103129		5.04	0.003	<0.2	0.86	<2	<10	60	<0.5	<2	1.16	<0.5	4	5	1	1.71
CAE103130		4.91	0.008	<0.2	1.63	<2	<10	110	<0.5	<2	2.14	<0.5	8	7	6	2.76
CAE103131		4.95	0.017	<0.2	1.97	<2	<10	220	<0.5	<2	1.20	<0.5	10	8	5	3.18
CAE103132		5.09	<0.001	<0.2	2.16	<2	<10	200	<0.5	<2	1.25	<0.5	10	6	3	2.91
CAE103133		0.12	1.175	0.9	1.50	18	<10	200	<0.5	<2	0.99	0.5	11	45	593	3.45
CAE103134		4.95	0.001	<0.2	2.22	<2	<10	240	<0.5	<2	0.94	<0.5	11	9	8	3.28
CAE103135		0.73	<0.001	0.2	0.25	<2	<10	50	<0.5	<2	0.02	<0.5	1	3	<1	0.56
CAE103136		5.08	<0.001	<0.2	2.05	<2	<10	260	<0.5	<2	0.72	<0.5	9	8	8	3.12
CAE103137		2.38	0.002	<0.2	1.99	<2	<10	190	<0.5	<2	0.92	<0.5	10	7	8	2.97
CAE103138		2.37	<0.001	<0.2	1.99	<2	<10	200	<0.5	<2	0.79	<0.5	9	7	7	3.04
CAE103139		5.01	<0.001	<0.2	1.79	<2	<10	170	<0.5	<2	1.24	<0.5	9	9	8	2.79
CAE103140		4.99	<0.001	<0.2	1.83	<2	<10	220	<0.5	<2	1.09	<0.5	8	8	6	2.62
CAE103141		5.07	<0.001	<0.2	1.80	<2	<10	200	<0.5	<2	1.05	<0.5	9	7	8	2.66
CAE103142		4.62	<0.001	<0.2	1.78	<2	<10	290	<0.5	<2	2.49	<0.5	8	6	5	2.26
CAE103143		5.05	<0.001	<0.2	1.75	<2	<10	180	<0.5	<2	3.45	<0.5	8	4	<1	1.63
CAE103144		5.50	<0.001	<0.2	1.94	<2	<10	100	<0.5	<2	2.67	<0.5	5	3	<1	1.75
CAE103145		5.07	<0.001	<0.2	1.93	<2	<10	170	<0.5	<2	1.89	<0.5	8	5	2	2.52
CAE103146		2.24	<0.001	0.4	1.93	<2	<10	150	<0.5	<2	0.86	<0.5	8	7	6	2.96
CAE103147		4.51	0.001	<0.2	2.07	<2	<10	130	<0.5	<2	1.10	<0.5	9	7	5	3.01
CAE103148		4.85	<0.001	<0.2	1.65	<2	<10	120	<0.5	<2	0.85	<0.5	7	9	7	2.66
CAE103149		5.14	<0.001	<0.2	1.98	<2	<10	160	<0.5	<2	2.56	<0.5	9	7	9	3.05
CAE103150		4.82	<0.001	<0.2	2.04	<2	<10	260	<0.5	<2	1.86	<0.5	10	8	9	3.10
CAE103151		5.17	<0.001	<0.2	2.16	<2	<10	220	<0.5	<2	1.19	<0.5	11	8	14	3.22
CAE103152		5.15	<0.001	<0.2	1.94	<2	<10	260	<0.5	<2	1.54	<0.5	10	8	5	3.07
CAE103153		0.11	2.95	57.5	1.86	36	<10	160	<0.5	2	2.68	8.0	10	52	170	2.96
CAE103154		5.24	<0.001	<0.2	1.96	<2	<10	160	<0.5	<2	1.17	<0.5	10	8	24	2.87
CAE103155		0.72	<0.001	<0.2	0.24	<2	<10	50	<0.5	<2	0.03	<0.5	1	4	<1	0.62
CAE103156		5.50	<0.001	<0.2	2.01	<2	<10	210	<0.5	<2	1.81	<0.5	11	7	8	3.19
CAE103157		5.20	<0.001	<0.2	1.91	<2	<10	190	<0.5	<2	2.77	<0.5	10	7	17	3.07
CAE103158		2.41	<0.001	<0.2	2.20	<2	<10	200	<0.5	<2	0.90	<0.5	11	7	15	3.04
CAE103159		2.23	<0.001	<0.2	2.02	<2	<10	190	<0.5	<2	0.80	<0.5	11	8	16	2.88
CAE103160		2.61	<0.001	<0.2	2.12	<2	<10	210	<0.5	<2	1.13	<0.5	11	8	10	3.11
CAE103161		7.97	<0.001	<0.2	2.13	<2	<10	230	<0.5	<2	0.73	<0.5	12	10	16	3.05

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103122		<10	<1	0.57	40	0.33	498	<1	0.05	<1	240	6	0.04	2	3	18
CAE103123		<10	<1	0.59	30	0.36	549	<1	0.07	5	250	6	0.05	<2	4	17
CAE103124		<10	<1	0.53	30	0.30	536	<1	0.07	<1	240	<2	0.04	<2	4	21
CAE103125		<10	<1	0.50	30	0.27	596	<1	0.05	<1	230	5	0.19	<2	3	38
CAE103126		<10	1	0.81	30	0.69	683	<1	0.07	12	250	2	0.06	<2	5	50
CAE103127		<10	<1	0.48	30	0.33	570	2	0.07	1	230	<2	0.22	<2	4	38
CAE103128		<10	<1	0.55	30	0.34	461	<1	0.08	<1	220	<2	0.08	<2	3	21
CAE103129		<10	1	0.54	30	0.32	462	<1	0.07	<1	210	<2	0.14	<2	3	26
CAE103130		10	1	1.16	20	0.84	767	<1	0.07	1	320	<2	0.18	<2	8	45
CAE103131		10	<1	1.36	20	1.08	728	<1	0.07	2	430	<2	0.14	<2	6	36
CAE103132		10	1	1.24	10	1.10	713	<1	0.06	2	390	5	0.04	<2	3	49
CAE103133		<10	<1	0.24	10	0.72	474	30	0.11	31	660	72	0.62	3	6	48
CAE103134		10	1	1.40	10	1.22	753	<1	0.06	3	410	<2	0.06	<2	3	36
CAE103135		<10	<1	0.16	<10	0.02	100	<1	0.11	<1	40	3	0.01	<2	<1	33
CAE103136		10	<1	1.36	10	1.10	706	<1	0.08	1	380	<2	0.04	<2	4	28
CAE103137		<10	<1	1.29	10	1.04	651	<1	0.08	2	360	<2	0.07	<2	3	36
CAE103138		<10	<1	1.28	10	1.05	645	<1	0.08	1	370	<2	0.05	<2	3	34
CAE103139		10	<1	1.14	20	0.90	625	<1	0.08	1	330	10	0.09	<2	5	35
CAE103140		<10	<1	1.04	10	0.87	637	<1	0.07	1	330	5	0.04	<2	3	39
CAE103141		<10	<1	1.06	20	0.87	662	<1	0.07	2	330	18	0.05	<2	3	39
CAE103142		10	<1	0.88	20	0.84	708	<1	0.06	1	330	6	0.05	<2	3	89
CAE103143		<10	<1	0.62	10	0.79	710	<1	0.06	2	360	<2	0.03	<2	3	147
CAE103144		10	1	0.42	10	0.54	430	<1	0.03	2	380	5	0.05	<2	4	243
CAE103145		10	1	0.96	20	0.84	568	<1	0.05	1	350	4	0.06	<2	5	103
CAE103146		10	1	1.15	20	0.92	664	<1	0.07	1	320	78	0.05	<2	5	64
CAE103147		10	<1	1.20	10	0.98	622	<1	0.05	2	410	6	0.11	<2	7	90
CAE103148		10	<1	0.93	20	0.76	538	<1	0.06	1	270	<2	0.08	<2	7	76
CAE103149		10	<1	1.09	20	0.96	728	<1	0.05	1	330	8	0.15	<2	8	115
CAE103150		10	<1	1.28	20	1.13	776	<1	0.06	2	390	<2	0.12	<2	5	70
CAE103151		10	<1	1.30	10	1.18	701	<1	0.07	2	380	<2	0.08	<2	5	57
CAE103152		10	<1	0.97	10	1.08	731	<1	0.06	2	360	10	0.12	<2	5	68
CAE103153		10	12	0.24	10	1.57	564	8	0.07	38	520	1025	1.02	150	4	87
CAE103154		10	<1	0.96	10	1.00	619	<1	0.06	3	360	2	0.08	<2	5	70
CAE103155		<10	<1	0.15	10	0.02	78	<1	0.09	<1	40	<2	0.01	<2	1	30
CAE103156		10	<1	1.17	20	1.05	738	<1	0.06	3	370	12	0.13	<2	6	94
CAE103157		10	1	1.12	20	0.98	858	<1	0.05	2	350	7	0.20	<2	8	115
CAE103158		10	1	1.26	10	1.15	616	<1	0.07	2	360	<2	0.06	<2	4	59
CAE103159		<10	<1	1.18	10	1.10	579	<1	0.06	3	350	<2	0.05	<2	3	53
CAE103160		10	<1	1.28	10	1.15	653	<1	0.06	3	360	26	0.09	<2	5	58
CAE103161		<10	1	1.33	10	1.20	608	<1	0.06	3	370	<2	0.06	<2	3	48

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103122		20	0.06	<10	<10	16	<10	34
CAE103123		20	0.07	<10	<10	21	<10	44
CAE103124		20	0.06	<10	<10	18	<10	32
CAE103125		<20	0.05	<10	<10	14	<10	27
CAE103126		<20	0.07	<10	<10	28	<10	47
CAE103127		<20	0.06	<10	<10	24	<10	30
CAE103128		<20	0.07	<10	<10	24	<10	30
CAE103129		20	0.06	<10	<10	19	<10	32
CAE103130		<20	0.11	<10	<10	62	<10	50
CAE103131		<20	0.17	<10	<10	76	<10	53
CAE103132		<20	0.14	<10	<10	61	<10	82
CAE103133		<20	0.12	<10	<10	70	20	100
CAE103134		<20	0.16	<10	<10	65	<10	67
CAE103135		<20	<0.01	<10	<10	11	<10	11
CAE103136		<20	0.17	<10	<10	68	<10	55
CAE103137		<20	0.15	<10	<10	62	<10	50
CAE103138		<20	0.16	<10	<10	60	<10	50
CAE103139		<20	0.13	<10	<10	57	<10	52
CAE103140		<20	0.11	<10	<10	45	<10	61
CAE103141		<20	0.12	<10	<10	48	<10	70
CAE103142		<20	0.08	<10	<10	38	<10	59
CAE103143		<20	0.06	<10	<10	25	<10	41
CAE103144		<20	0.03	<10	<10	39	<10	30
CAE103145		<20	0.10	<10	<10	54	<10	57
CAE103146		<20	0.14	<10	<10	63	<10	55
CAE103147		<20	0.13	<10	<10	73	<10	54
CAE103148		<20	0.11	<10	<10	56	<10	40
CAE103149		<20	0.12	<10	<10	74	<10	49
CAE103150		<20	0.14	<10	<10	64	<10	57
CAE103151		<20	0.15	<10	<10	74	<10	51
CAE103152		<20	0.11	<10	<10	65	<10	51
CAE103153		<20	0.04	<10	<10	46	10	2060
CAE103154		<20	0.10	<10	<10	62	<10	47
CAE103155		<20	0.01	<10	<10	23	<10	11
CAE103156		<20	0.13	<10	<10	72	<10	51
CAE103157		<20	0.10	<10	10	68	<10	47
CAE103158		<20	0.14	<10	<10	66	<10	47
CAE103159		<20	0.13	<10	<10	62	<10	46
CAE103160		<20	0.14	<10	<10	73	<10	47
CAE103161		<20	0.16	<10	<10	67	<10	48

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103162		5.47	<0.001	<0.2	1.91	<2	<10	200	<0.5	<2	1.15	<0.5	10	7	10	2.81
CAE103163		5.57	<0.001	<0.2	1.70	<2	<10	170	<0.5	<2	1.78	<0.5	8	7	3	2.47
CAE103164		5.36	<0.001	<0.2	1.60	<2	<10	160	<0.5	<2	1.33	<0.5	7	6	2	2.52
CAE103165		5.01	<0.001	<0.2	2.04	<2	<10	180	<0.5	<2	2.19	<0.5	9	7	3	2.75
CAE103166		5.39	<0.001	<0.2	1.81	<2	<10	150	<0.5	<2	1.73	<0.5	9	7	11	2.79
CAE103167		5.34	<0.001	<0.2	1.99	<2	<10	200	<0.5	<2	0.93	<0.5	10	10	13	3.04
CAE103168		5.33	<0.001	<0.2	1.93	<2	<10	190	<0.5	<2	0.98	<0.5	10	7	5	2.95
CAE103169		5.04	<0.001	<0.2	1.93	<2	<10	190	<0.5	<2	0.93	<0.5	10	10	7	2.82
CAE103170		4.94	<0.001	<0.2	1.72	<2	<10	120	<0.5	<2	0.55	<0.5	8	8	13	2.64
CAE103171		5.62	<0.001	<0.2	1.87	<2	<10	210	<0.5	<2	0.91	<0.5	9	9	7	2.79
CAE103172		4.90	<0.001	<0.2	1.91	<2	<10	180	<0.5	<2	0.90	<0.5	10	7	10	3.00
CAE103173		4.42	<0.001	<0.2	1.94	<2	<10	150	<0.5	<2	1.28	<0.5	9	6	6	3.02
CAE103174		5.30	<0.001	<0.2	1.01	<2	<10	80	<0.5	<2	0.76	<0.5	3	6	<1	1.79
CAE103175		0.12	1.135	0.9	1.50	18	<10	200	<0.5	<2	1.00	0.5	12	45	600	3.47
CAE103176		5.33	0.001	<0.2	1.05	<2	<10	90	<0.5	<2	0.91	<0.5	3	5	1	1.84
CAE103177		1.59	0.001	<0.2	0.86	<2	<10	60	<0.5	<2	1.08	<0.5	3	4	5	1.68
CAE103178		1.30	<0.001	<0.2	0.29	<2	<10	80	<0.5	<2	0.07	<0.5	1	4	<1	0.53
CAE103179		2.15	<0.001	<0.2	1.04	<2	<10	80	<0.5	<2	0.75	<0.5	3	3	<1	1.73
CAE103180		2.36	<0.001	<0.2	1.11	<2	<10	80	<0.5	<2	0.74	<0.5	3	3	<1	1.82
CAE103181		4.49	<0.001	<0.2	0.97	<2	<10	90	<0.5	<2	0.88	<0.5	3	4	1	1.62
CAE103182		4.99	<0.001	<0.2	1.11	<2	<10	80	<0.5	<2	0.73	<0.5	4	4	<1	1.83
CAE103183		3.21	<0.001	<0.2	0.92	<2	<10	80	<0.5	<2	1.03	<0.5	3	4	1	1.73
CAE103184		5.18	0.008	<0.2	0.54	<2	<10	70	<0.5	<2	2.88	<0.5	3	2	2	0.86
CAE103185		2.59	0.001	<0.2	0.50	<2	<10	70	0.5	<2	2.33	<0.5	3	2	<1	0.82
CAE103186		5.39	0.001	<0.2	0.85	<2	<10	110	<0.5	<2	1.61	<0.5	3	5	5	1.38
CAE103187		4.09	0.001	<0.2	0.83	<2	<10	110	<0.5	<2	1.36	<0.5	4	8	5	1.50
CAE103188		2.70	0.006	<0.2	0.60	<2	<10	80	<0.5	<2	1.97	<0.5	3	2	3	1.08
CAE103189		4.89	<0.001	<0.2	0.94	<2	<10	110	<0.5	<2	1.22	<0.5	4	7	5	1.61
CAE103190		4.67	0.038	<0.2	0.75	<2	<10	100	<0.5	<2	2.32	<0.5	4	4	3	1.49
CAE103191		5.61	0.020	<0.2	1.03	<2	<10	120	<0.5	<2	1.31	<0.5	4	4	1	1.74
CAE103192		0.11	3.11	60.2	1.86	33	<10	170	<0.5	3	2.67	8.2	10	51	175	2.95
CAE103193		5.18	<0.001	<0.2	1.05	<2	<10	60	<0.5	<2	0.97	<0.5	4	5	<1	1.84
CAE103194		0.69	<0.001	<0.2	0.22	<2	<10	40	<0.5	<2	0.03	<0.5	1	3	<1	0.55
CAE103195		5.20	0.376	<0.2	0.92	<2	<10	80	<0.5	<2	1.83	<0.5	4	4	21	1.54
CAE103196		5.45	0.013	<0.2	1.03	<2	<10	100	<0.5	<2	1.65	<0.5	5	4	14	1.68
CAE103197		2.17	<0.001	<0.2	0.98	2	<10	90	<0.5	<2	1.58	<0.5	4	5	13	1.51
CAE103198		2.12	0.001	<0.2	0.98	<2	<10	90	<0.5	<2	1.65	<0.5	4	3	12	1.43
CAE103199		4.61	<0.001	<0.2	1.18	<2	<10	90	<0.5	<2	0.88	<0.5	4	4	19	1.97
CAE103200		5.44	<0.001	<0.2	1.14	<2	<10	90	<0.5	<2	1.18	<0.5	4	4	15	1.90
CAE103201		3.75	0.002	0.2	1.21	<2	<10	90	<0.5	<2	0.79	<0.5	6	3	50	2.22

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103162		<10	<1	1.15	20	0.98	606	<1	0.06	3	330	<2	0.03	<2	4	52
CAE103163		<10	1	0.85	20	0.79	691	<1	0.05	1	300	<2	0.04	<2	3	75
CAE103164		<10	1	0.82	20	0.77	652	<1	0.05	1	310	<2	0.05	<2	3	46
CAE103165		<10	1	1.02	20	0.92	713	<1	0.04	1	320	13	0.03	<2	6	120
CAE103166		10	<1	1.02	20	0.86	653	<1	0.06	1	330	2	0.18	<2	7	80
CAE103167		10	<1	1.21	10	1.10	655	<1	0.06	2	380	<2	0.04	<2	4	55
CAE103168		<10	<1	1.16	10	1.03	629	<1	0.06	2	360	15	0.04	<2	4	55
CAE103169		<10	<1	1.24	10	1.02	631	<1	0.07	2	360	<2	0.04	<2	3	48
CAE103170		10	<1	1.08	10	0.88	650	<1	0.06	1	310	<2	0.04	<2	2	36
CAE103171		10	<1	1.14	20	0.95	598	<1	0.06	1	320	<2	0.06	<2	3	50
CAE103172		<10	<1	1.21	10	1.03	634	<1	0.06	2	360	8	0.09	<2	4	49
CAE103173		10	1	1.14	20	1.01	689	<1	0.06	2	360	<2	0.05	<2	6	64
CAE103174		<10	<1	0.56	30	0.33	459	1	0.06	<1	230	<2	0.04	<2	3	38
CAE103175		<10	<1	0.24	10	0.73	475	31	0.11	32	650	72	0.62	3	6	48
CAE103176		<10	<1	0.58	30	0.35	499	<1	0.07	<1	240	<2	0.08	<2	3	42
CAE103177		<10	<1	0.52	30	0.31	463	<1	0.05	<1	220	<2	0.16	<2	3	43
CAE103178		<10	<1	0.22	<10	0.04	115	<1	0.09	<1	170	<2	<0.01	<2	1	74
CAE103179		<10	<1	0.52	30	0.33	451	<1	0.05	<1	240	<2	0.03	<2	4	49
CAE103180		<10	<1	0.56	30	0.35	467	<1	0.05	<1	250	<2	0.03	<2	4	48
CAE103181		<10	<1	0.52	30	0.30	437	<1	0.05	<1	230	<2	0.07	<2	3	47
CAE103182		<10	<1	0.56	30	0.33	447	<1	0.05	<1	250	<2	0.09	<2	3	56
CAE103183		<10	<1	0.50	30	0.26	406	<1	0.05	<1	240	<2	0.06	<2	3	50
CAE103184		<10	<1	0.33	30	0.07	713	<1	0.03	<1	230	<2	0.13	<2	1	67
CAE103185		<10	<1	0.33	20	0.05	576	<1	0.03	<1	220	2	0.13	<2	1	61
CAE103186		<10	<1	0.55	30	0.24	536	<1	0.04	<1	240	<2	0.06	<2	1	51
CAE103187		<10	<1	0.54	30	0.28	575	8	0.05	<1	250	<2	0.07	<2	2	41
CAE103188		<10	<1	0.41	30	0.14	650	23	0.03	<1	270	<2	0.15	<2	1	55
CAE103189		<10	<1	0.58	30	0.30	510	2	0.04	<1	270	2	0.05	<2	2	43
CAE103190		<10	<1	0.48	30	0.21	576	2	0.05	<1	240	2	0.58	<2	2	56
CAE103191		<10	<1	0.59	30	0.34	502	<1	0.05	<1	270	<2	0.20	<2	2	46
CAE103192		10	13	0.24	10	1.58	561	9	0.07	39	510	1065	1.01	155	4	87
CAE103193		<10	<1	0.34	30	0.41	523	<1	0.05	<1	270	3	0.02	<2	3	50
CAE103194		<10	<1	0.14	<10	0.02	86	<1	0.09	<1	60	<2	<0.01	<2	1	37
CAE103195		<10	<1	0.43	30	0.29	547	2	0.04	9	270	11	0.19	<2	3	54
CAE103196		<10	<1	0.59	30	0.33	628	3	0.04	2	280	10	0.20	<2	3	52
CAE103197		<10	<1	0.46	30	0.28	534	2	0.03	1	250	8	0.05	2	2	54
CAE103198		<10	<1	0.45	30	0.26	534	1	0.03	1	240	7	0.05	2	2	55
CAE103199		<10	<1	0.58	30	0.39	499	3	0.04	<1	300	<2	0.07	2	3	48
CAE103200		<10	<1	0.62	30	0.39	559	1	0.04	1	270	6	0.10	<2	4	53
CAE103201		<10	<1	0.74	30	0.47	556	1	0.05	<1	260	5	0.16	2	4	42

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 28-JUN-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11105627

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103162		<20	0.13	<10	<10	59	<10	41
CAE103163		<20	0.08	<10	<10	41	<10	42
CAE103164		<20	0.08	<10	<10	38	<10	40
CAE103165		<20	0.10	<10	<10	54	<10	54
CAE103166		<20	0.11	<10	<10	60	<10	46
CAE103167		<20	0.15	<10	<10	60	<10	48
CAE103168		<20	0.14	<10	<10	57	<10	48
CAE103169		<20	0.15	<10	<10	56	<10	49
CAE103170		<20	0.13	<10	<10	46	<10	47
CAE103171		<20	0.13	<10	<10	50	<10	44
CAE103172		<20	0.15	<10	<10	61	<10	48
CAE103173		<20	0.14	<10	<10	67	<10	49
CAE103174		20	0.07	<10	<10	18	<10	34
CAE103175		<20	0.12	<10	<10	71	20	100
CAE103176		<20	0.07	<10	<10	20	<10	36
CAE103177		<20	0.06	<10	<10	19	<10	31
CAE103178		<20	0.01	<10	<10	21	<10	11
CAE103179		<20	0.06	<10	<10	20	<10	30
CAE103180		<20	0.07	<10	<10	20	<10	31
CAE103181		<20	0.05	<10	<10	15	<10	29
CAE103182		<20	0.06	<10	<10	18	<10	35
CAE103183		20	0.06	<10	<10	15	<10	32
CAE103184		<20	0.01	<10	<10	4	<10	16
CAE103185		<20	<0.01	<10	10	3	<10	13
CAE103186		20	0.04	<10	<10	9	<10	33
CAE103187		<20	0.06	<10	<10	12	<10	43
CAE103188		<20	0.03	<10	<10	7	<10	21
CAE103189		<20	0.06	<10	<10	14	<10	46
CAE103190		<20	0.03	<10	<10	9	<10	25
CAE103191		<20	0.06	<10	<10	16	<10	35
CAE103192		<20	0.04	<10	<10	46	10	2110
CAE103193		<20	0.03	<10	<10	19	<10	47
CAE103194		<20	<0.01	<10	<10	17	<10	11
CAE103195		<20	0.03	<10	<10	14	<10	40
CAE103196		<20	0.05	<10	<10	17	<10	49
CAE103197		<20	0.04	<10	<10	13	<10	49
CAE103198		<20	0.03	<10	<10	12	<10	45
CAE103199		20	0.06	<10	<10	22	<10	67
CAE103200		<20	0.06	<10	<10	21	<10	57
CAE103201		<20	0.09	<10	<10	27	<10	68