ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

CERTIFICATE WH11129436

Project: JP Ross Project

P.O. No.: JR00402011

This report is for 113 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441311		9.06	0.001	0.2	2.13	<2	<10	1620	<0.5	<2	0.40	<0.5	13	137	59	3.19
CAE441312		5.18	<0.001	0.3	2.30	<2	<10	1320	<0.5	<2	0.43	<0.5	13	135	76	3.39
CAE441313		3.25	<0.001	0.3	1.84	2	<10	1140	<0.5	<2	0.38	<0.5	7	103	52	2.56
CAE441314		0.16	1.250	1.0	1.57	22	<10	200	<0.5	<2	1.04	0.5	12	45	586	3.51
CAE441315		5.83	0.008	0.2	1.79	<2	<10	870	<0.5	<2	0.26	<0.5	8	109	54	2.71
CAE441316		0.85	<0.001	<0.2	0.22	<2	<10	50	<0.5	<2	0.08	<0.5	1	4	1	0.57
CAE441317		5.67	<0.001	0.2	2.13	<2	<10	910	<0.5	<2	0.35	<0.5	12	173	47	2.90
CAE441318		2.70	<0.001	0.2	1.81	3	<10	910	<0.5	<2	0.33	<0.5	10	109	48	2.77
CAE441319		2.56	0.001	0.3	1.84	2	<10	890	<0.5	<2	0.30	<0.5	10	115	50	2.91
CAE441320		4.97	0.001	0.2	2.31	<2	<10	1430	<0.5	<2	0.44	<0.5	11	134	51	3.15
CAE441321		5.30	<0.001	0.3	1.97	3	<10	800	<0.5	<2	0.32	<0.5	10	108	63	2.84
CAE441322		4.97	<0.001	0.3	2.58	4	<10	1420	0.5	<2	0.51	<0.5	14	145	58	3.27
CAE441323		4.49	<0.001	0.2	2.33	5	<10	1080	<0.5	<2	0.33	<0.5	8	94	43	3.42
CAE441324		6.40	<0.001	0.2	2.42	4	<10	1070	<0.5	<2	0.36	<0.5	10	108	60	3.53
CAE441325		5.77	<0.001	0.3	1.73	7	<10	690	<0.5	<2	0.70	<0.5	8	97	48	2.73
CAE441326		4.40	<0.001	0.2	2.30	4	<10	830	<0.5	<2	0.45	<0.5	15	112	51	3.10
CAE441327		5.88	0.002	0.3	1.60	11	<10	710	<0.5	<2	0.48	<0.5	8	70	55	2.58
CAE441328		6.91	0.017	0.5	1.49	43	<10	320	<0.5	2	1.31	<0.5	9	73	31	2.62
CAE441329		6.38	<0.001	0.4	2.76	9	<10	590	0.5	<2	1.76	<0.5	19	121	64	3.80
CAE441330		3.46	0.001	0.2	2.60	7	<10	720	0.5	<2	1.26	<0.5	15	98	52	3.57
CAE441331		6.20	<0.001	<0.2	2.63	<2	<10	890	<0.5	<2	1.21	<0.5	16	117	43	3.25
CAE441332		7.14	<0.001	0.2	3.04	3	<10	610	0.6	<2	1.39	<0.5	18	101	46	3.65
CAE441333		6.95	0.002	0.3	2.72	6	<10	240	0.6	<2	3.61	<0.5	21	211	54	3.72
CAE441334		7.02	0.001	0.2	1.89	7	<10	590	<0.5	<2	1.95	<0.5	11	46	47	2.80
CAE441335		7.24	0.005	0.5	1.74	15	<10	350	<0.5	<2	0.51	<0.5	10	43	48	2.87
CAE441336		7.85	0.029	0.9	2.26	22	<10	240	0.6	<2	0.32	1.6	15	81	52	3.60
CAE441337		7.23	0.026	0.7	2.62	19	<10	70	0.8	<2	0.83	1.4	23	132	57	4.31
CAE441338		0.16	2.94	58.0	1.88	38	<10	160	<0.5	<2	2.65	7.5	10	50	166	2.90
CAE441339		7.52	0.002	<0.2	2.59	<2	<10	600	0.7	<2	0.48	<0.5	15	99	44	3.70
CAE441340		0.91	<0.001	<0.2	0.21	<2	<10	60	<0.5	<2	0.07	<0.5	1	8	1	0.65
CAE441341		3.74	0.001	0.2	2.17	<2	<10	1010	0.5	<2	0.78	<0.5	11	64	43	2.74
CAE441342		2.96	0.001	0.2	2.25	2	<10	950	0.6	<2	0.63	<0.5	11	71	41	2.70
CAE441343		7.33	0.001	0.2	2.16	4	<10	800	<0.5	<2	2.18	<0.5	15	158	48	2.98
CAE441344		6.70	0.003	0.2	2.27	4	<10	880	<0.5	<2	1.99	<0.5	16	175	62	3.12
CAE441345		6.15	0.002	<0.2	2.25	<2	<10	720	0.7	<2	0.83	<0.5	17	94	54	3.34
CAE441346		6.60	0.001	0.2	1.92	3	<10	810	<0.5	<2	0.64	<0.5	10	67	46	2.76
CAE441347		7.25	0.002	0.2	1.72	9	<10	660	0.5	<2	0.75	<0.5	9	48	55	2.51
CAE441348		6.49	0.010	0.2	1.90	5	<10	620	0.6	<2	0.54	<0.5	12	64	49	2.93
CAE441349		0.16	1.140	0.9	1.50	21	<10	190	<0.5	<2	0.99	0.5	12	43	578	3.40
CAE441350		6.19	0.004	0.2	1.61	8	<10	770	<0.5	<2	0.34	<0.5	10	58	57	2.84

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441311		10	<1	0.94	10	1.54	467	2	0.06	77	830	<2	0.04	2	8	16
CAE441312		10	<1	0.95	10	1.56	417	1	0.04	79	1010	2	0.02	<2	8	14
CAE441313		10	<1	0.74	10	1.20	351	1	0.03	53	930	<2	0.02	<2	6	14
CAE441314		<10	<1	0.24	10	0.73	462	30	0.12	31	660	74	0.63	5	6	51
CAE441315		10	<1	0.72	10	1.26	377	2	0.03	50	740	<2	0.05	<2	6	12
CAE441316		<10	<1	0.12	<10	0.04	136	<1	0.08	<1	70	<2	0.02	<2	<1	30
CAE441317		10	<1	0.76	10	1.79	386	1	0.04	105	780	<2	0.06	<2	7	12
CAE441318		10	<1	0.73	10	1.36	398	<1	0.03	63	830	<2	0.06	<2	6	13
CAE441319		10	<1	0.76	10	1.42	389	<1	0.03	72	810	<2	0.05	<2	7	11
CAE441320		10	<1	0.88	10	1.56	404	1	0.03	79	1020	2	0.04	<2	8	14
CAE441321		10	<1	0.78	10	1.36	583	<1	0.03	58	740	<2	0.02	<2	7	10
CAE441322		10	<1	0.89	10	1.71	462	1	0.03	94	1080	3	0.03	<2	9	18
CAE441323		10	<1	0.99	10	1.42	343	1	0.03	44	960	<2	0.04	<2	8	10
CAE441324		10	<1	0.86	10	1.52	331	1	0.03	55	740	<2	0.03	<2	8	11
CAE441325		10	<1	0.43	10	1.19	443	1	0.03	53	850	<2	0.06	<2	6	14
CAE441326		10	<1	0.55	10	1.56	520	1	0.02	71	840	<2	0.03	<2	9	11
CAE441327		<10	<1	0.52	10	1.03	397	1	0.02	40	860	3	0.09	<2	5	11
CAE441328		<10	<1	0.28	10	1.02	564	1	0.02	46	940	6	0.09	2	5	15
CAE441329		10	<1	0.64	10	1.82	843	1	0.03	79	910	5	0.14	<2	11	38
CAE441330		10	<1	0.77	10	1.52	801	1	0.03	53	740	5	0.27	<2	9	40
CAE441331		10	<1	1.00	10	1.58	764	<1	0.04	64	620	3	0.20	<2	7	50
CAE441332		10	1	0.72	10	1.76	699	<1	0.03	54	610	5	0.15	2	10	49
CAE441333		10	<1	0.28	20	2.01	1380	<1	0.02	59	500	11	0.31	<2	14	63
CAE441334		<10	<1	0.76	20	0.94	1025	<1	0.03	28	530	4	0.38	<2	5	31
CAE441335		10	<1	0.40	20	0.99	514	<1	0.02	31	460	7	0.44	<2	4	23
CAE441336		10	<1	0.37	20	1.48	446	1	0.02	65	460	27	0.53	<2	6	22
CAE441337		10	<1	0.33	10	1.74	461	<1	0.03	68	690	10	0.65	2	12	46
CAE441338		10	11	0.24	10	1.53	529	9	0.07	37	500	992	0.99	142	4	85
CAE441339		10	<1	0.71	10	1.67	520	<1	0.03	46	570	7	0.26	<2	9	53
CAE441340		<10	<1	0.13	<10	0.03	141	<1	0.08	1	80	3	0.01	<2	1	53
CAE441341		10	1	0.79	10	1.14	557	<1	0.03	39	510	5	0.19	<2	7	52
CAE441342		10	<1	0.76	10	1.24	496	<1	0.03	42	570	5	0.20	<2	7	57
CAE441343		10	<1	0.84	10	1.61	778	<1	0.04	95	800	3	0.20	<2	7	64
CAE441344		10	<1	0.86	10	1.77	839	1	0.03	112	710	<2	0.30	<2	8	55
CAE441345		10	<1	0.71	10	1.39	459	<1	0.06	76	620	3	0.22	<2	6	37
CAE441346		10	<1	0.84	20	1.08	514	<1	0.03	35	570	2	0.23	<2	5	36
CAE441347		10	<1	0.71	20	0.92	439	1	0.02	27	570	2	0.30	<2	5	43
CAE441348		10	<1	0.70	20	1.08	438	<1	0.05	41	550	3	0.25	<2	5	33
CAE441349		<10	<1	0.23	<10	0.71	446	26	0.11	32	640	71	0.61	4	6	49
CAE441350		10	<1	0.72	20	0.97	436	1	0.03	37	530	2	0.30	<2	5	17

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441311		<20	0.22	<10	<10	138	<10	78
CAE441312		<20	0.20	<10	<10	134	<10	83
CAE441313		<20	0.15	<10	<10	107	<10	65
CAE441314		<20	0.12	<10	<10	72	20	102
CAE441315		<20	0.12	<10	<10	132	<10	70
CAE441316		<20	0.01	<10	<10	16	<10	8
CAE441317		<20	0.15	<10	<10	106	<10	83
CAE441318		<20	0.12	<10	<10	99	<10	77
CAE441319		<20	0.12	<10	<10	108	<10	79
CAE441320		<20	0.17	<10	<10	120	<10	82
CAE441321		<20	0.15	<10	<10	98	<10	64
CAE441322		<20	0.19	<10	<10	139	<10	88
CAE441323		<20	0.18	<10	<10	132	<10	75
CAE441324		<20	0.17	<10	<10	129	<10	79
CAE441325		<20	0.09	<10	<10	108	<10	56
CAE441326		<20	0.11	<10	<10	127	<10	77
CAE441327		<20	0.08	<10	<10	90	<10	60
CAE441328		<20	0.04	<10	<10	87	<10	48
CAE441329		<20	0.15	<10	<10	124	<10	77
CAE441330		<20	0.14	<10	<10	112	<10	65
CAE441331		<20	0.17	<10	<10	90	<10	57
CAE441332		<20	0.12	<10	<10	120	<10	62
CAE441333		<20	0.04	<10	<10	116	<10	55
CAE441334		<20	0.13	<10	<10	71	<10	54
CAE441335		<20	0.05	<10	<10	62	<10	48
CAE441336		<20	0.04	<10	<10	83	<10	119
CAE441337		<20	0.06	<10	<10	110	<10	135
CAE441338		<20	0.04	<10	<10	45	<10	1970
CAE441339		<20	0.14	<10	<10	99	<10	68
CAE441340		<20	0.01	<10	<10	16	<10	10
CAE441341		<20	0.14	<10	<10	97	<10	52
CAE441342		<20	0.12	<10	<10	89	<10	52
CAE441343		<20	0.16	<10	<10	99	<10	61
CAE441344		<20	0.14	<10	<10	95	<10	68
CAE441345		<20	0.13	<10	<10	91	<10	58
CAE441346		<20	0.13	<10	<10	104	<10	59
CAE441347		<20	0.11	<10	<10	80	<10	49
CAE441348		<20	0.12	<10	<10	95	<10	55
CAE441349		<20	0.12	<10	<10	69	20	97
CAE441350		<20	0.13	<10	<10	97	<10	53

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441351		6.66	0.002	<0.2	2.36	3	<10	1270	<0.5	2	0.97	<0.5	20	203	74	3.20
CAE441352		6.76	0.001	0.4	2.09	2	<10	1250	<0.5	<2	0.81	<0.5	14	130	70	2.98
CAE441353		6.19	<0.001	<0.2	1.80	<2	<10	1210	<0.5	<2	0.47	<0.5	11	162	48	2.36
CAE441354		0.72	<0.001	<0.2	0.21	<2	<10	60	<0.5	<2	0.13	<0.5	1	5	5	0.59
CAE441355		5.76	0.001	0.2	2.00	2	<10	1360	<0.5	<2	0.42	<0.5	13	165	73	2.93
CAE441356		2.64	0.002	0.2	1.59	<2	<10	1080	<0.5	<2	0.20	<0.5	8	107	102	2.32
CAE441357		2.25	0.002	0.2	1.58	<2	<10	1160	<0.5	<2	0.19	<0.5	8	107	98	2.37
CAE441358		6.20	0.002	<0.2	1.87	<2	<10	1450	<0.5	2	0.24	<0.5	10	91	55	3.01
CAE441359		6.32	0.002	0.2	2.70	<2	<10	1830	<0.5	3	0.51	<0.5	17	213	61	3.69
CAE441360		5.95	0.001	0.2	2.33	<2	<10	1320	<0.5	<2	0.66	<0.5	15	149	47	3.12
CAE441361		5.45	0.001	<0.2	2.84	<2	<10	1270	<0.5	<2	0.71	<0.5	18	168	57	3.91
CAE441362		6.10	0.001	0.2	1.50	<2	<10	850	<0.5	<2	0.27	<0.5	8	89	60	2.53
CAE441363		4.58	0.001	0.3	1.96	<2	<10	570	<0.5	<2	0.51	<0.5	13	112	66	2.95
CAE441364		5.36	0.001	0.2	2.14	<2	<10	900	<0.5	<2	0.39	<0.5	15	224	49	3.00
CAE441365		4.80	0.001	0.4	1.31	<2	<10	280	<0.5	<2	0.32	0.6	11	59	69	2.95
CAE441366		5.56	0.002	0.3	1.82	<2	<10	270	<0.5	<2	0.94	0.9	10	67	58	2.95
CAE441367		0.16	3.09	61.5	1.86	40	<10	170	<0.5	2	2.65	8.0	10	51	170	2.90
CAE441368		6.01	0.004	0.3	1.46	<2	<10	570	<0.5	<2	0.32	0.6	9	76	44	2.30
CAE441369		6.20	0.002	0.3	1.28	<2	<10	450	<0.5	<2	0.33	0.5	8	53	51	2.36
CAE441370		5.92	0.001	0.2	1.95	<2	<10	730	<0.5	<2	0.42	<0.5	12	123	36	2.79
CAE441371		0.71	<0.001	<0.2	0.24	<2	<10	70	<0.5	<2	0.05	<0.5	<1	4	<1	0.44
CAE441372		2.79	0.001	0.3	2.62	<2	<10	560	0.8	<2	0.94	0.5	14	78	56	3.46
CAE441373		5.55	0.001	0.3	1.66	<2	<10	650	<0.5	<2	0.35	<0.5	10	66	42	2.51
CAE441374		5.28	<0.001	<0.2	1.99	<2	<10	930	<0.5	<2	0.52	<0.5	13	120	47	2.81
CAE441375		2.94	0.001	0.2	1.88	<2	<10	1100	<0.5	<2	0.48	<0.5	12	117	41	2.78
CAE441376		2.51	<0.001	<0.2	2.03	<2	<10	1120	<0.5	<2	0.64	<0.5	13	132	39	2.89
CAE441377		5.93	<0.001	<0.2	2.26	<2	<10	550	<0.5	<2	1.63	<0.5	13	133	57	3.09
CAE441378		6.22	<0.001	0.3	1.96	<2	<10	450	<0.5	<2	1.00	<0.5	10	93	68	3.01
CAE441379		5.00	<0.001	<0.2	1.99	<2	<10	1070	<0.5	<2	0.75	<0.5	13	145	46	2.84
CAE441380		5.70	<0.001	0.3	2.36	<2	<10	430	0.5	<2	0.83	<0.5	15	85	80	3.75
CAE441381		6.68	<0.001	<0.2	1.68	<2	<10	490	<0.5	<2	0.60	<0.5	12	86	59	2.73
CAE441382		7.08	<0.001	<0.2	2.21	<2	<10	660	<0.5	<2	0.85	<0.5	18	132	67	3.48
CAE441383		4.53	<0.001	<0.2	1.24	6	<10	190	<0.5	<2	0.92	<0.5	10	63	69	2.45
CAE441384		6.04	<0.001	<0.2	1.03	<2	<10	280	<0.5	<2	0.21	<0.5	6	41	34	2.03
CAE441385		5.16	0.018	0.6	0.60	15	<10	50	<0.5	<2	1.37	<0.5	9	33	29	2.43
CAE441386		6.15	<0.001	1.4	0.90	18	<10	30	<0.5	2	0.46	<0.5	8	47	97	2.56
CAE441387		5.76	<0.001	0.8	1.14	11	<10	120	<0.5	<2	0.10	<0.5	8	57	67	2.52
CAE441388		6.11	0.002	0.7	1.02	7	<10	70	<0.5	<2	0.59	<0.5	10	50	44	2.51
CAE441389		6.41	0.005	0.5	1.02	17	<10	70	<0.5	<2	1.02	<0.5	11	55	36	2.48
CAE441390		0.16	1.080	0.8	1.49	20	<10	190	<0.5	<2	1.01	<0.5	11	45	605	3.39

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441351		10	<1	1.15	10	2.27	521	<1	0.05	152	600	2	0.27	<2	7	35
CAE441352		10	<1	0.99	10	1.61	661	<1	0.04	84	670	3	0.23	<2	7	31
CAE441353		10	<1	0.98	10	1.47	495	<1	0.03	97	680	3	0.24	<2	6	24
CAE441354		<10	<1	0.13	<10	0.04	72	<1	0.10	1	210	2	0.02	<2	1	92
CAE441355		10	<1	1.21	10	1.61	608	<1	0.04	106	790	<2	0.28	<2	7	19
CAE441356		10	1	0.98	10	1.16	462	<1	0.04	66	560	<2	0.27	2	5	13
CAE441357		10	<1	0.96	10	1.16	467	<1	0.04	67	550	2	0.24	<2	5	13
CAE441358		10	<1	1.11	10	1.17	656	<1	0.04	56	560	<2	0.21	<2	7	16
CAE441359		10	<1	1.63	10	2.13	753	<1	0.05	139	770	<2	0.24	<2	9	30
CAE441360		10	<1	1.24	10	1.59	541	<1	0.08	89	630	<2	0.20	<2	7	33
CAE441361		10	<1	1.38	10	2.11	576	1	0.10	110	960	3	0.34	<2	10	39
CAE441362		10	1	0.91	10	1.06	449	1	0.05	54	710	<2	0.38	2	5	14
CAE441363		10	<1	1.09	10	1.42	484	3	0.07	81	1290	2	0.53	<2	6	28
CAE441364		10	1	1.38	10	2.01	501	1	0.05	147	690	<2	0.41	3	6	20
CAE441365		<10	<1	0.73	10	0.86	365	4	0.04	43	1010	<2	0.85	<2	5	13
CAE441366		10	<1	0.72	10	1.20	695	2	0.05	46	730	2	0.71	<2	6	41
CAE441367		10	12	0.24	10	1.54	531	8	0.07	39	500	1045	1.00	153	4	83
CAE441368		<10	<1	0.77	10	0.99	391	3	0.04	46	800	2	0.48	<2	5	22
CAE441369		<10	<1	0.66	10	0.84	362	2	0.04	34	510	3	0.64	<2	4	19
CAE441370		10	1	0.98	10	1.41	478	1	0.08	81	600	3	0.41	<2	5	38
CAE441371		<10	<1	0.20	<10	0.02	99	<1	0.07	1	110	2	0.02	<2	<1	132
CAE441372		10	<1	0.70	10	1.44	500	2	0.12	56	1060	8	0.61	<2	6	71
CAE441373		10	<1	0.72	10	0.99	410	2	0.03	43	720	3	0.48	<2	5	46
CAE441374		10	<1	1.02	10	1.42	575	1	0.09	72	640	<2	0.35	<2	7	29
CAE441375		10	<1	1.06	10	1.38	643	1	0.04	75	650	<2	0.32	<2	7	30
CAE441376		10	<1	1.12	10	1.49	720	1	0.05	82	650	2	0.31	<2	7	34
CAE441377		10	<1	1.21	10	1.57	701	2	0.06	86	1290	<2	0.53	2	8	102
CAE441378		10	1	0.95	10	1.22	568	2	0.03	57	1380	<2	0.69	<2	7	46
CAE441379		10	<1	1.08	10	1.51	650	1	0.02	93	730	<2	0.40	<2	7	33
CAE441380		10	<1	1.21	10	1.39	549	2	0.03	61	1590	<2	0.73	<2	6	39
CAE441381		10	<1	0.73	10	1.11	488	1	0.01	53	610	<2	0.49	<2	6	38
CAE441382		10	1	0.91	10	1.61	559	1	0.04	82	870	<2	0.49	<2	8	50
CAE441383		<10	<1	0.22	10	0.84	459	2	0.02	37	640	2	0.73	<2	4	47
CAE441384		<10	1	0.35	10	0.56	348	<1	0.03	23	270	<2	0.27	<2	3	22
CAE441385		<10	<1	0.12	10	0.97	932	2	<0.01	37	290	<2	0.58	<2	4	104
CAE441386		<10	<1	0.05	10	0.88	462	1	<0.01	39	140	2	0.56	<2	4	32
CAE441387		10	<1	0.27	10	0.96	325	1	<0.01	35	100	<2	0.42	<2	5	7
CAE441388		<10	<1	0.15	10	0.98	430	<1	<0.01	41	140	<2	0.37	<2	5	30
CAE441389		<10	<1	0.12	10	0.72	591	1	<0.01	47	370	<2	0.55	<2	4	21
CAE441390		10	1	0.24	10	0.71	468	27	0.09	32	650	72	0.59	4	6	50

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441351		<20	0.19	<10	<10	92	<10	50
CAE441352		<20	0.16	<10	<10	90	<10	61
CAE441353		<20	0.12	<10	<10	85	<10	60
CAE441354		<20	0.06	<10	<10	13	<10	9
CAE441355		<20	0.17	<10	<10	98	<10	60
CAE441356		<20	0.12	<10	<10	75	<10	54
CAE441357		<20	0.12	<10	<10	74	<10	53
CAE441358		<20	0.17	<10	<10	94	<10	58
CAE441359		<20	0.24	<10	<10	127	<10	84
CAE441360		<20	0.24	<10	<10	102	<10	59
CAE441361		<20	0.26	<10	<10	140	<10	94
CAE441362		<20	0.15	<10	<10	99	<10	67
CAE441363		<20	0.19	<10	<10	136	<10	81
CAE441364		<20	0.18	<10	<10	104	<10	84
CAE441365		<20	0.15	<10	<10	147	<10	133
CAE441366		<20	0.14	<10	<10	121	<10	148
CAE441367		<20	0.04	<10	<10	45	<10	2080
CAE441368		<20	0.12	<10	<10	111	<10	128
CAE441369		<20	0.11	<10	<10	100	<10	92
CAE441370		<20	0.17	<10	<10	80	<10	72
CAE441371		<20	0.01	<10	<10	11	<10	6
CAE441372		<20	0.18	<10	<10	103	<10	115
CAE441373		<20	0.12	<10	<10	91	<10	73
CAE441374		<20	0.20	<10	<10	93	<10	66
CAE441375		<20	0.19	<10	<10	100	<10	71
CAE441376		<20	0.19	<10	<10	99	<10	74
CAE441377		<20	0.21	<10	<10	143	<10	106
CAE441378		<20	0.18	<10	<10	144	<10	100
CAE441379		<20	0.17	<10	<10	113	<10	85
CAE441380		<20	0.23	<10	<10	136	<10	122
CAE441381		<20	0.14	<10	<10	87	<10	64
CAE441382		<20	0.21	<10	<10	92	<10	59
CAE441383		<20	0.05	<10	<10	64	<10	29
CAE441384		<20	0.05	<10	<10	34	<10	26
CAE441385		<20	0.01	<10	<10	38	<10	22
CAE441386		<20	0.01	<10	<10	48	<10	40
CAE441387		<20	0.04	<10	<10	53	<10	54
CAE441388		<20	0.02	<10	<10	41	<10	54
CAE441389		<20	0.01	<10	<10	46	<10	37
CAE441390		<20	0.12	<10	<10	71	20	101

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441391		6.24	0.001	0.4	2.48	24	<10	280	0.5	<2	2.45	<0.5	18	113	56	3.91
CAE441392		6.43	<0.001	0.2	2.24	7	<10	450	0.6	<2	0.54	<0.5	19	140	67	3.43
CAE441393		5.16	<0.001	<0.2	2.29	2	<10	880	<0.5	<2	0.57	<0.5	15	122	56	3.41
CAE441394		0.68	<0.001	<0.2	0.23	<2	<10	60	<0.5	<2	0.01	<0.5	1	6	1	0.76
CAE441395		5.51	<0.001	<0.2	2.50	2	<10	640	<0.5	<2	0.69	<0.5	18	112	112	3.89
CAE441396		3.57	<0.001	<0.2	2.27	<2	<10	670	<0.5	<2	0.39	<0.5	14	89	85	3.56
CAE441397		2.66	0.001	<0.2	2.32	<2	<10	710	0.5	<2	0.65	<0.5	18	100	69	3.74
CAE441398		4.60	<0.001	<0.2	2.61	<2	<10	540	0.6	<2	1.09	<0.5	25	122	96	4.59
CAE441399		4.73	<0.001	<0.2	2.34	<2	<10	630	0.6	<2	1.09	<0.5	23	120	77	4.36
CAE441400		5.64	<0.001	<0.2	2.14	<2	<10	620	<0.5	<2	0.90	<0.5	19	121	51	3.51
CAE441401		5.55	<0.001	<0.2	2.03	<2	<10	940	<0.5	<2	0.95	<0.5	20	119	51	3.41
CAE441402		5.33	<0.001	<0.2	2.21	6	<10	720	0.5	<2	1.05	<0.5	23	136	60	3.97
CAE441403		5.75	<0.001	<0.2	2.00	<2	<10	410	<0.5	<2	1.22	<0.5	23	119	66	4.00
CAE441404		5.54	<0.001	<0.2	1.63	<2	<10	520	<0.5	<2	1.08	<0.5	22	92	72	3.31
CAE441405		5.44	0.006	0.2	1.92	<2	<10	500	<0.5	<2	0.84	<0.5	19	108	59	3.54
CAE441406		5.23	<0.001	<0.2	1.88	<2	<10	620	<0.5	<2	1.02	<0.5	20	98	72	3.73
CAE441407		5.35	<0.001	<0.2	1.89	<2	<10	830	<0.5	<2	0.55	<0.5	16	98	58	3.28
CAE441408		5.85	0.004	<0.2	1.51	<2	<10	660	<0.5	<2	0.51	<0.5	16	89	81	2.86
CAE441409		5.66	<0.001	<0.2	1.61	<2	<10	650	<0.5	<2	0.58	<0.5	18	127	67	3.00
CAE441410		5.80	<0.001	<0.2	1.77	<2	<10	1000	<0.5	<2	0.48	<0.5	16	123	64	2.79
CAE441411		6.40	<0.001	0.2	2.23	<2	<10	1080	<0.5	2	0.58	<0.5	16	151	61	3.17
CAE441412		4.64	<0.001	<0.2	2.05	<2	<10	1050	<0.5	<2	0.47	<0.5	15	134	54	3.05
CAE441413		5.02	0.002	<0.2	2.45	6	<10	930	<0.5	<2	0.73	0.6	17	130	54	3.37
CAE441414		4.91	<0.001	<0.2	2.33	2	<10	1090	<0.5	<2	0.72	<0.5	17	187	50	3.22
CAE441415		0.16	1.040	1.0	1.61	20	<10	200	<0.5	<2	1.07	0.5	13	46	592	3.53
CAE441416		4.46	<0.001	0.2	2.33	11	<10	1080	<0.5	<2	0.78	<0.5	16	157	58	3.23
CAE441417		5.34	<0.001	0.2	2.43	2	<10	1030	<0.5	<2	0.78	<0.5	16	172	49	3.23
CAE441418		0.83	<0.001	<0.2	0.19	2	<10	50	<0.5	<2	0.08	0.6	4	3	2	0.62
CAE441419		4.95	<0.001	<0.2	2.38	<2	<10	1170	<0.5	2	0.45	<0.5	13	130	48	2.93
CAE441420		2.22	<0.001	0.3	2.42	5	<10	830	<0.5	2	0.42	<0.5	15	127	49	3.17
CAE441421		2.32	<0.001	0.2	2.39	5	<10	870	<0.5	<2	0.43	<0.5	14	122	50	3.13
CAE441422		4.67	<0.001	<0.2	2.67	<2	<10	900	<0.5	2	0.61	<0.5	16	150	51	3.28
CAE441423		2.76	<0.001	<0.2	2.50	<2	<10	1020	<0.5	2	0.45	<0.5	19	166	51	3.55

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441391		10	<1	0.34	10	1.89	1020	<1	<0.01	73	1040	3	0.52	<2	10	49
CAE441392		10	1	0.63	10	1.66	607	2	<0.01	97	760	6	0.50	<2	9	53
CAE441393		10	1	1.29	10	1.60	579	1	0.01	76	570	<2	0.17	<2	11	34
CAE441394		<10	<1	0.14	<10	0.03	68	<1	0.05	1	50	2	<0.01	<2	1	34
CAE441395		10	1	1.49	20	1.81	726	1	0.02	66	1240	2	0.52	<2	11	33
CAE441396		10	1	1.36	20	1.57	768	1	0.02	52	900	<2	0.43	<2	12	23
CAE441397		10	<1	1.24	10	1.66	828	<1	0.03	62	1140	<2	0.45	<2	11	32
CAE441398		10	<1	1.48	20	2.11	876	<1	0.03	80	2050	<2	0.69	3	13	40
CAE441399		10	<1	1.05	20	2.01	967	1	0.04	84	1400	<2	0.56	<2	13	38
CAE441400		10	1	0.89	10	1.77	694	1	0.05	72	920	<2	0.28	<2	9	24
CAE441401		10	1	0.94	20	1.70	713	<1	0.07	85	1190	<2	0.30	<2	9	20
CAE441402		10	<1	0.98	20	2.00	816	<1	0.03	103	1250	<2	0.39	<2	10	22
CAE441403		10	<1	0.89	10	1.68	667	<1	0.06	92	1320	<2	0.71	<2	8	28
CAE441404		10	1	0.73	10	1.34	565	<1	0.06	87	1470	<2	0.52	<2	7	20
CAE441405		10	<1	0.91	10	1.58	711	<1	0.05	72	1200	<2	0.44	<2	8	24
CAE441406		10	<1	0.89	10	1.52	665	<1	0.06	79	1380	<2	0.55	<2	7	24
CAE441407		10	<1	1.11	20	1.43	661	<1	0.06	60	890	<2	0.40	<2	7	17
CAE441408		10	<1	0.79	10	1.25	463	<1	0.04	57	760	<2	0.47	<2	6	18
CAE441409		10	<1	0.89	10	1.43	654	1	0.03	93	710	<2	0.47	<2	6	17
CAE441410		10	<1	1.02	10	1.45	695	1	0.04	88	700	<2	0.29	<2	6	16
CAE441411		10	<1	1.22	10	1.83	732	3	0.06	105	770	5	0.34	2	7	31
CAE441412		10	<1	1.23	10	1.63	659	2	0.06	93	680	4	0.35	<2	6	20
CAE441413		10	<1	1.21	10	1.77	626	2	0.06	83	740	9	0.34	<2	8	38
CAE441414		10	<1	1.42	10	2.05	608	2	0.06	131	820	4	0.29	<2	7	23
CAE441415		<10	<1	0.26	10	0.76	469	29	0.10	33	650	74	0.61	3	6	55
CAE441416		10	<1	1.21	10	1.95	531	2	0.07	113	1100	8	0.35	<2	7	35
CAE441417		10	<1	1.17	10	2.08	655	3	0.03	118	870	4	0.35	<2	8	53
CAE441418		<10	<1	0.14	<10	0.03	104	<1	0.06	1	130	5	0.02	<2	1	68
CAE441419		10	<1	1.30	10	1.62	603	2	0.03	80	740	4	0.27	<2	7	52
CAE441420		10	<1	1.07	10	1.72	648	2	0.02	80	770	6	0.37	<2	8	39
CAE441421		10	<1	1.11	10	1.66	627	3	0.02	80	760	6	0.37	<2	7	39
CAE441422		10	<1	1.37	10	1.86	694	2	0.02	106	670	5	0.37	<2	9	73
CAE441423		10	<1	1.22	10	1.92	627	2	0.04	103	750	6	0.41	<2	10	60

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129436

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441391		<20	0.03	<10	<10	97	<10	77
CAE441392		<20	0.09	<10	<10	98	<10	92
CAE441393		<20	0.20	<10	<10	94	<10	78
CAE441394		<20	0.01	<10	<10	21	<10	13
CAE441395		<20	0.22	<10	<10	111	<10	72
CAE441396		<20	0.22	<10	<10	95	<10	69
CAE441397		<20	0.27	<10	<10	99	<10	74
CAE441398		<20	0.34	<10	<10	124	<10	90
CAE441399		<20	0.31	<10	<10	116	<10	81
CAE441400		<20	0.26	<10	<10	97	<10	65
CAE441401		<20	0.31	<10	<10	89	<10	69
CAE441402		<20	0.26	<10	<10	108	<10	77
CAE441403		<20	0.32	<10	<10	94	<10	59
CAE441404		<20	0.31	<10	<10	80	<10	50
CAE441405		<20	0.26	<10	<10	93	<10	67
CAE441406		<20	0.31	<10	<10	88	<10	59
CAE441407		<20	0.27	<10	<10	87	<10	63
CAE441408		<20	0.22	<10	<10	81	<10	48
CAE441409		<20	0.24	<10	<10	83	<10	50
CAE441410		<20	0.22	<10	<10	83	<10	55
CAE441411		<20	0.25	<10	<10	99	<10	68
CAE441412		<20	0.23	<10	<10	95	<10	61
CAE441413		<20	0.24	<10	<10	101	<10	77
CAE441414		<20	0.24	<10	<10	111	<10	82
CAE441415		<20	0.13	<10	<10	74	30	101
CAE441416		<20	0.21	<10	<10	114	<10	88
CAE441417		<20	0.19	<10	<10	114	<10	85
CAE441418		<20	0.01	<10	<10	26	<10	12
CAE441419		<20	0.20	<10	<10	106	<10	89
CAE441420		<20	0.15	<10	<10	108	<10	76
CAE441421		<20	0.16	<10	<10	103	<10	75
CAE441422		<20	0.18	<10	<10	96	<10	78
CAE441423		<20	0.22	<10	<10	108	<10	87