ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

CERTIFICATE WH11122218

Project: JP Ross Project

P.O. No.: JR00352011

This report is for 125 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104858		5.88	0.018	1.2	0.46	<2	<10	240	<0.5	<2	0.98	9.9	6	3	53	2.89
CAE104859		4.88	0.019	1.1	0.58	<2	<10	190	<0.5	<2	1.02	6.3	6	4	59	2.31
CAE104860		4.69	0.021	1.2	0.66	<2	<10	230	0.5	<2	0.45	9.3	5	3	50	3.00
CAE104861		5.41	0.022	1.2	0.59	<2	<10	170	<0.5	2	0.44	4.9	5	2	82	2.81
CAE104862		4.61	0.022	1.9	0.59	<2	<10	150	<0.5	<2	0.89	12.4	6	2	93	2.67
CAE104863		4.89	0.008	1.5	0.61	<2	<10	160	<0.5	<2	1.60	6.9	5	2	76	2.72
CAE104864		5.17	0.026	1.6	0.52	2	<10	160	<0.5	2	2.36	9.9	5	3	58	2.72
CAE104865		5.11	0.021	4.0	0.56	<2	<10	130	0.5	4	1.88	26.0	9	3	110	3.78
CAE104866		5.10	0.016	1.7	0.64	36	<10	120	0.6	2	2.38	10.3	8	11	45	3.21
CAE104867		5.17	0.066	1.4	0.67	<2	<10	160	0.5	<2	1.34	5.0	6	5	32	2.29
CAE104868		4.85	0.041	1.4	0.52	<2	<10	120	<0.5	<2	2.03	2.8	6	4	46	2.62
CAE104869		0.15	1.165	1.0	1.41	19	<10	190	<0.5	<2	0.96	0.5	12	44	571	3.37
CAE104870		4.85	0.040	1.1	0.52	<2	<10	130	<0.5	<2	2.18	2.3	6	4	37	2.17
CAE104871		2.19	0.036	1.0	0.70	<2	<10	90	0.6	<2	2.43	1.1	7	8	41	2.38
CAE104872		3.93	0.063	1.3	2.49	<2	<10	120	1.2	<2	1.87	0.9	21	623	61	5.22
CAE104873		5.68	0.065	0.7	2.97	10	<10	380	0.8	2	2.79	1.8	15	370	25	4.63
CAE104874		0.63	<0.001	<0.2	0.16	<2	<10	20	<0.5	<2	0.16	<0.5	1	5	1	0.46
CAE104875		2.92	0.020	1.0	1.60	15	<10	140	0.8	<2	1.30	6.9	8	105	27	2.64
CAE104876		4.51	0.003	0.3	0.60	<2	<10	100	<0.5	<2	0.75	2.7	3	8	17	0.86
CAE104877		5.13	0.002	0.2	0.44	5	<10	100	<0.5	<2	0.61	0.9	3	12	10	0.64
CAE104878		4.69	0.002	0.2	0.46	9	<10	120	<0.5	<2	1.05	0.6	1	6	4	0.48
CAE104879		3.20	0.006	0.4	0.45	6	<10	130	0.5	<2	0.87	0.8	1	6	11	0.59
CAE104880		1.65	0.003	0.5	0.44	5	<10	120	<0.5	<2	0.86	0.6	2	7	16	0.51
CAE104881		1.63	0.004	0.5	0.41	9	<10	110	<0.5	<2	0.84	<0.5	4	7	19	0.55
CAE104882		7.39	0.011	1.3	0.74	5	<10	120	<0.5	2	0.63	8.9	11	36	76	2.67
CAE104883		3.87	0.038	0.9	0.40	<2	<10	60	<0.5	<2	0.62	2.3	6	25	52	1.75
CAE104884		5.33	0.011	1.2	0.40	<2	<10	40	<0.5	<2	0.71	6.1	7	25	62	2.35
CAE104885		5.65	1.805	5.0	0.39	4	<10	30	<0.5	5	0.48	8.5	8	19	69	2.81
CAE104886		5.36	1.300	8.4	0.54	2	<10	60	<0.5	3	1.69	2.0	7	26	69	2.61
CAE104887		2.74	1.730	2.1	2.55	<2	<10	70	0.6	2	0.41	2.4	24	73	161	6.73
CAE104888		4.64	0.015	1.1	0.46	<2	<10	50	<0.5	2	0.67	1.1	9	22	79	2.51
CAE104889		2.90	0.008	0.7	1.38	<2	<10	120	1.0	<2	0.99	0.8	7	16	44	2.18
CAE104890		0.16	1.120	1.2	1.50	21	<10	200	<0.5	<2	1.05	0.6	12	45	590	3.54
CAE104891		6.05	0.035	0.8	0.86	2	<10	140	<0.5	<2	0.53	0.9	7	41	56	2.62
CAE104892		0.62	<0.001	<0.2	0.19	<2	<10	60	<0.5	<2	0.03	<0.5	1	4	2	0.67
CAE104893		4.76	0.012	0.6	0.96	19	<10	160	<0.5	<2	0.74	0.7	12	45	47	2.61
CAE104894		5.88	0.009	0.5	0.81	13	<10	160	0.5	<2	0.45	0.9	10	33	47	2.36
CAE104895		2.43	0.049	2.4	0.32	19	<10	240	<0.5	2	0.67	5.4	8	13	133	1.57
CAE104896		2.74	0.499	3.4	0.32	25	<10	240	<0.5	2	1.14	7.4	11	14	95	1.88
CAE104897		5.15	0.002	0.9	0.38	<2	<10	70	<0.5	<2	0.72	<0.5	7	25	60	2.18

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE104858		<10	<1	0.16	20	0.16	482	<1	0.04	6	830	172	0.49	<2	2	97
CAE104859		<10	<1	0.18	20	0.13	534	<1	0.05	5	820	137	0.50	<2	3	83
CAE104860		<10	<1	0.17	20	0.09	553	1	0.04	7	800	260	0.58	<2	2	42
CAE104861		<10	<1	0.18	20	0.08	411	1	0.04	5	820	126	0.46	<2	2	37
CAE104862		<10	<1	0.19	20	0.19	296	1	0.03	6	810	188	0.68	<2	2	74
CAE104863		<10	1	0.20	10	0.36	472	1	0.03	3	790	145	1.13	<2	2	140
CAE104864		<10	<1	0.20	10	0.45	662	1	0.03	5	780	304	1.34	<2	2	217
CAE104865		<10	<1	0.27	10	0.48	907	1	0.02	6	770	434	1.78	<2	2	149
CAE104866		<10	<1	0.22	10	0.66	780	6	0.04	14	860	207	1.28	<2	3	207
CAE104867		<10	<1	0.17	10	0.30	492	1	0.04	5	850	266	0.79	<2	2	94
CAE104868		<10	<1	0.16	20	0.45	434	1	0.05	5	810	238	1.42	<2	2	163
CAE104869		10	1	0.23	10	0.69	448	27	0.10	30	610	70	0.57	<2	6	47
CAE104870		<10	<1	0.18	20	0.52	431	<1	0.05	5	790	198	1.11	<2	1	165
CAE104871		<10	<1	0.15	20	0.82	468	1	0.05	5	820	113	1.07	<2	2	223
CAE104872		10	1	1.24	20	2.57	664	6	0.10	241	2230	119	1.97	<2	15	114
CAE104873		10	1	1.44	10	3.99	912	1	0.08	167	1420	64	0.69	<2	12	152
CAE104874		<10	<1	0.09	<10	0.03	57	<1	0.06	2	20	<2	0.01	<2	<1	22
CAE104875		10	<1	0.34	20	1.54	573	1	0.03	94	810	265	0.35	<2	5	69
CAE104876		<10	<1	0.19	<10	0.36	256	<1	0.02	22	110	35	0.19	<2	1	32
CAE104877		<10	<1	0.18	10	0.19	182	<1	0.02	10	70	29	0.16	<2	1	23
CAE104878		<10	<1	0.22	10	0.18	188	<1	0.03	6	60	37	0.04	<2	<1	40
CAE104879		<10	<1	0.25	10	0.23	197	<1	0.03	6	50	22	0.10	<2	<1	30
CAE104880		<10	<1	0.25	10	0.16	163	<1	0.03	9	70	32	0.11	<2	<1	31
CAE104881		<10	<1	0.23	10	0.17	165	<1	0.03	9	70	32	0.19	<2	<1	29
CAE104882		<10	<1	0.29	<10	0.52	281	<1	0.01	27	170	68	1.10	<2	3	32
CAE104883		<10	<1	0.12	10	0.31	277	<1	<0.01	16	120	44	0.48	<2	2	22
CAE104884		<10	<1	0.13	<10	0.32	310	<1	<0.01	17	170	85	1.18	3	1	24
CAE104885		<10	<1	0.11	<10	0.25	237	1	<0.01	23	100	128	1.57	9	2	17
CAE104886		<10	<1	0.16	<10	0.35	527	<1	<0.01	30	90	63	1.08	5	3	48
CAE104887		10	<1	1.48	10	1.78	370	<1	0.02	76	500	42	2.30	2	9	28
CAE104888		<10	<1	0.13	<10	0.29	321	<1	<0.01	29	110	26	1.07	3	2	31
CAE104889		<10	<1	0.14	20	0.63	244	3	0.02	24	490	51	0.33	<2	2	81
CAE104890		10	<1	0.25	10	0.74	481	29	0.11	32	660	75	0.60	3	6	51
CAE104891		<10	<1	0.27	10	0.51	252	<1	0.01	31	230	22	0.44	2	5	36
CAE104892		<10	<1	0.12	<10	0.04	160	<1	0.04	2	100	5	<0.01	<2	1	41
CAE104893		<10	<1	0.32	10	0.58	273	<1	0.01	39	1020	23	0.60	<2	5	51
CAE104894		<10	<1	0.25	10	0.51	186	1	0.01	36	170	26	0.63	<2	4	29
CAE104895		<10	<1	0.16	10	0.20	323	1	0.01	43	140	79	0.69	3	1	24
CAE104896		<10	<1	0.16	10	0.20	455	1	0.01	55	190	96	1.10	3	1	32
CAE104897		<10	<1	0.14	10	0.44	288	<1	0.02	24	170	30	0.70	<2	3	36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104858		<20	<0.01	<10	<10	18	<10	888
CAE104859		<20	<0.01	<10	<10	18	<10	678
CAE104860		<20	<0.01	<10	<10	16	<10	821
CAE104861		<20	<0.01	<10	<10	15	<10	639
CAE104862		<20	<0.01	<10	<10	13	<10	1120
CAE104863		<20	<0.01	<10	<10	12	<10	682
CAE104864		<20	<0.01	<10	<10	13	<10	1050
CAE104865		<20	<0.01	<10	<10	13	<10	2560
CAE104866		<20	0.01	<10	<10	24	<10	862
CAE104867		<20	<0.01	<10	<10	18	<10	746
CAE104868		<20	<0.01	<10	<10	17	<10	340
CAE104869		<20	0.11	<10	<10	67	20	99
CAE104870		<20	<0.01	<10	<10	14	<10	260
CAE104871		<20	<0.01	<10	<10	23	<10	142
CAE104872		<20	0.29	<10	<10	167	<10	186
CAE104873		<20	0.29	<10	<10	122	<10	271
CAE104874		<20	0.01	<10	<10	18	<10	7
CAE104875		<20	0.03	<10	<10	47	<10	774
CAE104876		<20	<0.01	<10	<10	9	<10	280
CAE104877		<20	<0.01	<10	<10	9	<10	105
CAE104878		<20	<0.01	<10	<10	4	<10	71
CAE104879		<20	<0.01	<10	<10	3	<10	87
CAE104880		<20	<0.01	<10	<10	2	<10	65
CAE104881		<20	<0.01	<10	<10	2	<10	53
CAE104882		<20	0.03	<10	<10	35	<10	843
CAE104883		<20	<0.01	<10	<10	19	<10	260
CAE104884		<20	<0.01	<10	<10	22	<10	611
CAE104885		<20	<0.01	<10	<10	18	<10	764
CAE104886		<20	0.01	<10	<10	30	<10	225
CAE104887		<20	0.28	<10	<10	90	<10	316
CAE104888		<20	0.01	<10	<10	20	<10	127
CAE104889		<20	<0.01	<10	<10	12	<10	113
CAE104890		<20	0.13	<10	<10	72	20	106
CAE104891		<20	0.03	<10	<10	60	<10	104
CAE104892		<20	<0.01	<10	<10	28	<10	17
CAE104893		<20	0.02	<10	<10	67	<10	90
CAE104894		<20	0.02	<10	<10	50	<10	105
CAE104895		<20	<0.01	<10	<10	13	<10	514
CAE104896		<20	<0.01	<10	<10	14	<10	634
CAE104897		<20	<0.01	<10	<10	28	<10	66

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104898		4.78	0.002	0.6	0.56	5	<10	90	<0.5	<2	0.88	1.6	7	35	40	1.80
CAE104899		5.09	<0.001	0.6	1.60	9	<10	290	0.7	2	0.74	0.5	12	70	41	2.82
CAE104900		5.51	0.005	1.5	1.09	9	<10	100	0.6	2	1.14	8.1	10	36	59	2.53
CAE104901		4.96	<0.001	0.6	1.08	6	<10	140	0.6	<2	0.84	0.6	7	42	35	1.94
CAE104902		5.95	0.001	0.6	1.03	16	<10	140	<0.5	<2	0.72	1.1	11	50	42	2.17
CAE104903		4.55	0.008	0.4	0.44	17	<10	80	<0.5	<2	0.58	0.5	5	12	28	0.69
CAE104904		4.94	<0.001	0.3	0.41	3	<10	100	<0.5	<2	0.26	<0.5	3	8	15	0.37
CAE104905		5.17	<0.001	0.5	0.50	3	<10	100	<0.5	<2	0.75	0.9	5	22	36	1.33
CAE104906		4.84	0.015	0.8	0.47	3	<10	80	<0.5	<2	1.10	2.5	7	26	56	1.89
CAE104907		5.75	0.285	1.4	0.65	8	<10	80	<0.5	<2	1.13	3.5	12	35	95	2.69
CAE104908		4.94	0.032	1.3	0.93	<2	<10	80	<0.5	<2	1.17	1.0	13	51	97	3.18
CAE104909		5.01	0.011	0.6	1.28	<2	<10	320	<0.5	<2	0.83	0.7	8	64	47	2.48
CAE104910		5.08	0.008	0.6	1.62	2	<10	380	<0.5	<2	0.72	0.6	11	108	42	2.67
CAE104911		0.13	1.135	1.0	1.45	19	<10	200	<0.5	<2	0.99	0.5	12	44	582	3.40
CAE104912		5.19	0.003	0.7	1.35	<2	<10	150	<0.5	<2	0.89	1.1	10	69	57	2.52
CAE104913		5.86	0.016	1.2	2.18	11	<10	190	<0.5	<2	1.19	3.4	15	174	87	3.43
CAE104914		0.72	<0.001	<0.2	0.26	<2	<10	70	<0.5	<2	0.03	<0.5	1	6	1	0.69
CAE104915		5.46	0.015	0.4	2.08	4	<10	330	<0.5	2	1.38	<0.5	16	150	38	3.31
CAE104916		1.53	0.014	0.3	1.91	3	<10	260	<0.5	<2	1.01	<0.5	16	103	26	2.84
CAE104917		1.43	0.008	0.2	1.90	2	<10	280	<0.5	<2	1.05	<0.5	16	108	25	2.85
CAE104918		4.31	0.022	0.5	2.57	5	<10	500	0.5	<2	2.22	0.5	15	214	33	3.55
CAE104919		5.76	0.010	0.5	3.68	24	<10	530	0.6	2	1.32	0.7	29	708	27	3.44
CAE104920		4.14	0.001	0.3	2.70	12	<10	370	0.6	<2	1.84	<0.5	25	507	9	2.60
CAE104921		4.70	0.011	1.8	2.70	81	<10	500	0.6	2	2.56	7.6	27	463	60	3.59
CAE104922		4.98	0.015	0.8	2.22	8	<10	500	<0.5	<2	0.72	1.4	12	199	61	2.83
CAE104923		4.73	0.015	1.0	2.42	3	<10	340	0.5	<2	1.09	0.5	17	212	86	3.32
CAE104924		4.83	0.005	0.8	1.55	<2	<10	350	<0.5	<2	0.50	<0.5	8	66	55	2.54
CAE104925		4.24	0.003	0.4	1.64	4	<10	420	<0.5	<2	0.37	<0.5	8	69	38	2.62
CAE104926		4.93	<0.001	0.3	1.61	2	<10	400	<0.5	<2	1.33	0.5	8	47	35	2.35
CAE104927		4.79	0.002	0.7	1.64	4	<10	220	<0.5	<2	0.99	0.7	12	204	48	2.36
CAE104928		4.81	0.001	0.5	1.96	<2	<10	380	<0.5	<2	0.71	<0.5	10	99	48	2.61
CAE104929		0.15	3.16	58.6	1.76	35	<10	170	<0.5	2	2.60	7.7	11	49	166	2.85
CAE104930		4.58	<0.001	0.5	1.38	<2	<10	200	<0.5	<2	0.65	0.6	8	67	31	2.00
CAE104931		4.90	0.001	0.4	1.55	<2	<10	280	<0.5	<2	0.64	<0.5	8	53	35	2.18
CAE104932		0.73	<0.001	<0.2	0.19	3	<10	50	<0.5	<2	0.03	<0.5	1	5	<1	0.66
CAE104933		4.74	<0.001	0.2	0.77	<2	<10	140	<0.5	<2	0.65	0.5	3	23	20	1.01
CAE104934		4.69	0.005	0.5	1.84	6	<10	380	<0.5	<2	0.99	<0.5	11	140	42	2.81
CAE104935		5.31	0.013	0.6	2.46	4	<10	630	<0.5	<2	0.87	<0.5	13	120	56	3.74
CAE104936		2.38	0.003	0.7	1.25	5	<10	320	<0.5	<2	0.51	<0.5	6	43	76	1.82
CAE104937		1.78	<0.001	0.4	1.09	3	<10	370	<0.5	<2	0.49	<0.5	5	33	51	1.53

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104898		<10	<1	0.22	10	0.57	225	<1	0.03	42	60	35	0.40	<2	3	63
CAE104899		10	<1	0.57	20	0.99	271	<1	0.03	50	490	24	0.44	<2	7	42
CAE104900		<10	<1	0.30	10	0.58	332	<1	0.02	46	1350	107	0.76	<2	4	35
CAE104901		<10	<1	0.30	10	0.63	284	<1	0.03	38	520	25	0.35	<2	3	36
CAE104902		<10	<1	0.36	10	0.60	232	<1	0.03	40	420	25	0.54	<2	4	36
CAE104903		<10	<1	0.18	10	0.15	145	<1	0.05	10	120	27	0.29	<2	<1	24
CAE104904		<10	<1	0.23	10	0.13	74	<1	0.05	7	40	17	0.08	<2	<1	17
CAE104905		<10	<1	0.20	10	0.32	169	<1	0.03	22	150	36	0.31	<2	2	53
CAE104906		<10	<1	0.17	<10	0.45	287	<1	0.02	38	190	73	0.70	<2	2	78
CAE104907		<10	<1	0.16	<10	0.52	279	<1	0.02	48	300	79	1.35	<2	3	62
CAE104908		<10	<1	0.16	10	0.68	264	<1	0.02	50	1030	59	1.19	<2	5	59
CAE104909		10	<1	0.44	10	1.02	329	<1	0.04	38	970	31	0.55	<2	5	38
CAE104910		10	<1	0.57	10	1.30	360	<1	0.05	58	630	23	0.49	<2	7	33
CAE104911		<10	<1	0.24	10	0.71	461	28	0.10	31	630	71	0.57	2	6	48
CAE104912		10	<1	0.29	10	1.09	354	<1	0.03	40	690	52	0.68	<2	5	29
CAE104913		10	<1	0.76	10	2.30	477	<1	0.03	135	740	65	1.07	<2	7	43
CAE104914		<10	<1	0.18	<10	0.04	162	<1	0.07	2	100	4	<0.01	<2	1	56
CAE104915		10	<1	1.19	10	2.63	439	2	0.12	132	1630	12	0.45	2	4	109
CAE104916		10	<1	1.27	10	2.32	333	2	0.16	125	1620	7	0.27	<2	2	121
CAE104917		10	<1	1.24	10	2.35	345	2	0.14	122	1610	7	0.26	<2	2	117
CAE104918		10	<1	1.10	10	3.23	553	2	0.10	137	1600	26	0.73	2	7	155
CAE104919		10	<1	1.84	10	5.69	553	<1	0.04	483	520	28	0.28	<2	9	85
CAE104920		10	<1	1.20	10	4.42	565	<1	0.05	388	730	14	0.09	<2	7	114
CAE104921		10	<1	0.82	10	4.06	960	1	0.05	373	790	83	0.59	4	9	121
CAE104922		10	<1	0.82	10	2.40	450	1	0.03	118	700	28	0.41	<2	8	53
CAE104923		10	<1	1.08	10	2.59	492	1	0.05	149	750	18	0.67	<2	8	61
CAE104924		10	<1	0.47	10	0.97	312	1	0.03	36	540	11	0.46	<2	6	50
CAE104925		10	<1	0.69	10	0.92	397	<1	0.03	29	570	7	0.21	<2	7	39
CAE104926		10	<1	0.76	10	0.83	647	1	0.03	34	260	8	0.16	<2	5	50
CAE104927		10	<1	0.64	10	1.84	441	1	0.02	144	450	21	0.40	<2	5	39
CAE104928		10	<1	0.89	10	1.36	488	<1	0.06	47	510	10	0.31	<2	7	50
CAE104929		10	11	0.23	10	1.49	536	9	0.06	35	480	962	0.91	140	4	81
CAE104930		10	<1	0.49	10	0.99	368	<1	0.05	59	470	17	0.29	<2	3	42
CAE104931		<10	<1	0.66	10	1.01	395	<1	0.04	35	670	8	0.24	<2	4	49
CAE104932		<10	<1	0.12	<10	0.04	124	<1	0.05	<1	100	2	<0.01	<2	1	30
CAE104933		<10	<1	0.26	10	0.40	252	<1	0.05	16	390	9	0.18	<2	1	45
CAE104934		10	<1	0.85	10	1.69	565	<1	0.04	130	550	13	0.54	<2	6	52
CAE104935		10	<1	1.20	10	1.85	649	<1	0.07	82	760	9	0.59	<2	9	54
CAE104936		<10	<1	0.51	10	0.77	361	<1	0.04	25	790	6	0.32	<2	4	63
CAE104937		<10	<1	0.40	10	0.63	315	<1	0.04	19	760	6	0.29	<2	3	70

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104898		<20	0.01	<10	<10	37	<10	180
CAE104899		<20	0.08	<10	<10	76	<10	86
CAE104900		<20	0.01	<10	<10	39	<10	772
CAE104901		<20	0.02	<10	<10	38	<10	100
CAE104902		<20	0.03	<10	<10	48	<10	121
CAE104903		<20	<0.01	<10	<10	3	<10	53
CAE104904		<20	<0.01	<10	<10	2	<10	22
CAE104905		<20	<0.01	<10	<10	19	<10	101
CAE104906		<20	<0.01	<10	<10	27	<10	280
CAE104907		<20	<0.01	<10	<10	40	<10	377
CAE104908		<20	0.01	<10	<10	73	<10	138
CAE104909		<20	0.08	<10	<10	80	<10	118
CAE104910		<20	0.09	<10	<10	78	<10	102
CAE104911		<20	0.12	<10	<10	69	20	102
CAE104912		<20	0.04	<10	<10	67	<10	143
CAE104913		<20	0.06	<10	<10	79	<10	377
CAE104914		<20	0.01	<10	<10	33	<10	17
CAE104915		<20	0.29	<10	<10	91	<10	68
CAE104916		<20	0.27	<10	<10	80	<10	39
CAE104917		<20	0.27	<10	<10	79	<10	41
CAE104918		<20	0.28	<10	<10	101	<10	90
CAE104919		<20	0.14	<10	<10	62	<10	117
CAE104920		<20	0.10	<10	<10	49	<10	66
CAE104921		<20	0.09	<10	<10	75	<10	814
CAE104922		<20	0.10	<10	<10	101	<10	202
CAE104923		<20	0.16	<10	<10	99	<10	95
CAE104924		<20	0.08	<10	<10	96	<10	62
CAE104925		<20	0.13	<10	<10	114	<10	65
CAE104926		<20	0.13	<10	<10	68	<10	91
CAE104927		<20	0.06	<10	<10	61	<10	110
CAE104928		<20	0.15	<10	<10	71	<10	72
CAE104929		<20	0.04	<10	<10	44	<10	1965
CAE104930		<20	0.06	<10	<10	27	<10	102
CAE104931		<20	0.11	<10	<10	46	<10	67
CAE104932		<20	<0.01	<10	<10	25	<10	16
CAE104933		<20	0.02	<10	<10	12	<10	71
CAE104934		<20	0.12	<10	<10	56	<10	71
CAE104935		<20	0.24	<10	<10	94	<10	94
CAE104936		<20	0.08	<10	<10	37	<10	45
CAE104937		<20	0.05	<10	<10	28	<10	38

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104938		2.17	<0.001	<0.2	0.54	3	<10	140	<0.5	<2	0.21	<0.5	2	9	16	0.77
CAE104939		5.42	0.012	0.5	2.47	4	<10	790	0.5	<2	0.74	<0.5	12	106	49	3.77
CAE104940		6.45	0.232	1.4	0.93	3	<10	90	0.5	<2	1.32	6.3	5	19	56	2.28
CAE104941		4.25	0.103	1.0	1.21	2	<10	120	0.5	<2	1.45	2.3	9	44	63	3.21
CAE104942		3.53	0.243	1.2	0.75	2	<10	100	0.5	<2	1.29	3.4	7	11	79	2.37
CAE104943		3.47	0.111	0.8	0.80	2	10	90	0.6	<2	1.57	2.1	5	10	51	1.98
CAE104944		5.25	0.023	0.3	0.76	2	<10	160	0.5	<2	0.47	0.7	2	7	29	0.94
CAE104945		5.54	0.008	0.6	1.51	3	<10	230	0.5	<2	0.52	0.6	6	30	62	2.31
CAE104946		5.15	0.003	0.6	1.83	3	<10	490	<0.5	<2	0.39	<0.5	8	79	49	2.99
CAE104947		0.15	3.04	57.0	1.79	41	<10	160	<0.5	<2	2.67	7.9	10	51	172	2.91
CAE104948		5.92	0.007	0.5	1.83	2	<10	510	<0.5	<2	0.67	0.5	10	93	50	3.18
CAE104949		5.49	0.013	1.6	1.10	4	<10	140	0.6	<2	1.14	3.3	6	13	42	2.03
CAE104950		0.85	<0.001	<0.2	0.20	2	<10	60	<0.5	<2	0.05	<0.5	1	5	<1	0.57
CAE441151		2.06	0.007	0.3	0.47	2	<10	80	<0.5	<2	0.44	0.8	2	5	24	0.85
CAE441152		4.82	0.023	0.8	0.88	2	<10	240	0.5	<2	0.78	5.5	3	4	37	1.47
CAE441153		1.70	0.017	0.4	0.71	3	<10	80	<0.5	<2	1.43	1.2	1	2	14	0.83
CAE441154		2.80	0.037	0.9	0.53	4	<10	100	<0.5	<2	2.74	1.4	6	18	51	2.35
CAE441155		3.07	0.186	1.5	0.60	8	<10	90	<0.5	<2	1.86	3.6	5	9	70	2.42
CAE441156		2.26	0.014	0.7	0.85	5	<10	540	<0.5	<2	2.09	0.9	3	10	30	1.48
CAE441157		5.91	0.008	0.4	0.89	3	<10	170	<0.5	<2	0.38	0.7	6	32	35	2.10
CAE441158		2.83	0.043	1.1	0.96	2	<10	120	0.5	<2	1.26	0.8	5	10	47	1.72
CAE441159		2.68	0.526	5.2	0.83	10	<10	110	0.5	4	1.13	0.9	5	7	70	1.71
CAE441160		4.42	0.010	0.2	0.81	3	<10	80	<0.5	<2	0.61	0.6	2	6	21	1.07
CAE441161		5.44	0.045	0.3	0.76	2	<10	110	<0.5	<2	0.57	0.5	5	18	37	2.02
CAE441162		5.59	0.014	0.6	0.72	3	<10	140	<0.5	<2	0.90	1.5	5	23	51	2.03
CAE441163		5.65	0.551	1.5	0.70	5	<10	150	<0.5	<2	0.56	1.7	7	24	69	2.22
CAE441164		5.59	0.603	0.4	1.73	3	<10	400	<0.5	<2	0.32	0.5	9	44	50	3.00
CAE441165		5.85	0.151	0.5	0.91	4	<10	250	<0.5	<2	0.29	<0.5	6	28	42	1.95
CAE441166		5.56	0.004	0.6	0.88	6	<10	190	<0.5	<2	0.39	0.9	9	27	69	2.39
CAE441167		0.19	3.35	55.6	1.73	37	<10	150	<0.5	2	2.63	7.5	10	50	167	2.80
CAE441168		5.39	0.037	0.8	1.16	7	<10	270	<0.5	<2	0.32	0.7	9	44	68	2.69
CAE441169		4.92	0.168	1.8	0.98	18	<10	280	<0.5	2	0.40	1.0	10	38	60	2.65
CAE441170		5.46	0.006	0.5	1.19	4	<10	370	<0.5	<2	0.28	<0.5	7	41	39	2.07
CAE441171		0.71	0.001	0.3	0.15	<2	<10	30	<0.5	<2	0.06	<0.5	<1	4	1	0.43
CAE441172		5.41	0.005	0.4	1.33	12	<10	390	<0.5	<2	0.25	<0.5	7	32	37	2.24
CAE441173		5.51	0.007	0.8	1.09	13	<10	210	<0.5	<2	0.31	<0.5	10	39	89	2.74
CAE441174		5.62	0.062	0.8	0.43	<2	<10	80	<0.5	<2	0.31	0.9	6	21	66	1.84
CAE441175		4.93	0.010	0.5	0.72	<2	<10	180	<0.5	<2	0.31	<0.5	5	19	43	1.97
CAE441176		5.54	0.070	0.5	0.71	<2	<10	130	<0.5	<2	0.26	0.6	5	15	41	1.88
CAE441177		6.39	0.107	1.1	0.59	<2	<10	320	<0.5	<2	1.54	1.3	6	11	45	2.02

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104938		<10	<1	0.12	10	0.23	134	<1	0.05	9	360	7	0.18	<2	1	62
CAE104939		10	<1	1.27	10	1.84	736	<1	0.04	79	1500	15	0.38	<2	9	61
CAE104940		<10	<1	0.22	<10	0.71	491	<1	0.02	31	640	66	0.74	<2	3	129
CAE104941		<10	<1	0.26	<10	0.88	458	<1	0.02	71	1350	40	0.73	<2	4	145
CAE104942		<10	<1	0.17	10	0.63	279	1	0.02	12	460	46	0.99	<2	1	180
CAE104943		<10	<1	0.18	10	0.69	422	2	0.02	11	480	40	0.75	2	2	176
CAE104944		<10	<1	0.14	<10	0.36	169	<1	0.03	10	350	19	0.32	<2	1	123
CAE104945		10	<1	0.44	20	0.86	367	<1	0.03	32	600	12	0.58	2	4	107
CAE104946		10	<1	0.90	10	1.15	363	1	0.02	46	1170	9	0.65	4	6	73
CAE104947		10	12	0.24	10	1.55	538	8	0.06	37	510	1040	0.99	151	4	84
CAE104948		10	1	1.00	10	1.37	550	1	0.02	64	1410	12	0.53	4	8	58
CAE104949		<10	<1	0.22	<10	0.62	423	<1	0.02	24	560	90	0.81	7	2	142
CAE104950		<10	<1	0.13	<10	0.04	117	<1	0.06	1	100	3	0.01	<2	1	57
CAE441151		<10	<1	0.14	<10	0.25	149	<1	0.04	8	340	13	0.28	<2	<1	49
CAE441152		<10	<1	0.17	<10	0.45	281	<1	0.03	9	320	49	0.84	6	<1	135
CAE441153		<10	<1	0.14	<10	0.28	553	<1	0.03	2	380	14	0.43	3	<1	132
CAE441154		<10	<1	0.21	<10	0.30	1045	7	0.01	21	150	27	2.05	19	2	101
CAE441155		<10	<1	0.21	<10	0.36	675	2	0.02	17	560	63	2.02	18	1	85
CAE441156		<10	<1	0.21	<10	0.39	633	2	0.02	13	360	13	0.57	3	1	157
CAE441157		<10	<1	0.41	<10	0.52	340	3	0.02	24	270	8	0.80	5	3	38
CAE441158		<10	1	0.18	<10	0.47	524	1	0.02	13	280	31	1.04	9	1	137
CAE441159		<10	<1	0.15	<10	0.39	441	1	0.02	12	280	137	1.17	17	1	123
CAE441160		<10	<1	0.15	<10	0.39	278	<1	0.03	6	290	11	0.29	<2	1	88
CAE441161		<10	<1	0.30	10	0.41	446	<1	0.02	14	260	9	0.79	2	2	33
CAE441162		<10	<1	0.29	<10	0.39	523	2	0.02	16	190	20	0.88	6	2	39
CAE441163		<10	<1	0.29	<10	0.42	441	1	0.01	21	110	56	0.78	4	2	26
CAE441164		10	<1	0.75	10	1.03	402	1	0.02	32	740	10	0.61	<2	4	33
CAE441165		<10	<1	0.43	10	0.50	405	1	0.02	18	380	6	0.48	<2	3	19
CAE441166		<10	<1	0.38	10	0.57	461	2	0.02	22	560	7	0.88	<2	3	21
CAE441167		10	11	0.22	10	1.48	524	9	0.06	38	490	956	0.94	141	4	86
CAE441168		<10	1	0.54	10	0.73	312	4	0.02	35	570	13	0.80	3	4	24
CAE441169		<10	<1	0.54	10	0.64	321	3	0.02	33	710	46	0.88	2	4	25
CAE441170		<10	<1	0.54	10	0.67	241	1	0.03	26	580	9	0.38	2	4	22
CAE441171		<10	<1	0.10	<10	0.02	51	<1	0.06	<1	40	4	<0.01	<2	<1	49
CAE441172		<10	<1	0.54	10	0.74	367	2	0.02	33	620	7	0.32	2	3	23
CAE441173		<10	1	0.35	10	0.67	200	2	0.02	38	730	13	0.96	<2	4	26
CAE441174		<10	<1	0.14	<10	0.25	206	3	0.02	22	120	26	0.68	<2	2	23
CAE441175		<10	<1	0.20	10	0.40	286	1	0.01	16	150	8	0.43	2	2	26
CAE441176		<10	<1	0.21	10	0.38	525	<1	0.01	15	310	8	0.45	3	2	19
CAE441177		<10	<1	0.13	10	0.39	940	2	0.02	15	360	24	0.80	5	2	50

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104938		<20	<0.01	<10	<10	5	<10	17
CAE104939		<20	0.24	<10	<10	93	<10	113
CAE104940		<20	0.01	<10	<10	21	<10	659
CAE104941		<20	0.02	<10	<10	39	<10	321
CAE104942		<20	<0.01	<10	<10	11	<10	381
CAE104943		<20	<0.01	<10	<10	11	<10	244
CAE104944		<20	<0.01	<10	<10	6	<10	79
CAE104945		<20	0.06	<10	<10	31	<10	98
CAE104946		<20	0.18	<10	<10	97	<10	89
CAE104947		<20	0.04	<10	<10	44	<10	2050
CAE104948		<20	0.17	<10	<10	99	<10	112
CAE104949		<20	0.01	<10	<10	14	<10	351
CAE104950		<20	0.01	<10	<10	24	<10	14
CAE441151		<20	<0.01	<10	<10	2	<10	84
CAE441152		<20	<0.01	<10	<10	2	<10	529
CAE441153		<20	<0.01	<10	<10	<1	<10	135
CAE441154		<20	0.03	<10	<10	20	<10	178
CAE441155		<20	<0.01	<10	<10	8	<10	354
CAE441156		<20	0.01	<10	<10	10	<10	87
CAE441157		<20	0.05	<10	<10	28	<10	103
CAE441158		<20	0.01	<10	<10	11	<10	95
CAE441159		<20	<0.01	<10	<10	6	<10	92
CAE441160		<20	<0.01	<10	<10	4	<10	58
CAE441161		<20	0.03	<10	<10	14	<10	64
CAE441162		<20	0.04	<10	<10	25	<10	170
CAE441163		<20	0.04	<10	<10	27	<10	176
CAE441164		<20	0.13	<10	<10	63	<10	85
CAE441165		<20	0.06	<10	<10	34	<10	55
CAE441166		<20	0.05	<10	<10	38	<10	116
CAE441167		<20	0.03	<10	<10	43	<10	1955
CAE441168		<20	0.08	<10	<10	69	<10	118
CAE441169		<20	0.08	<10	<10	63	<10	134
CAE441170		<20	0.08	<10	<10	57	<10	66
CAE441171		<20	0.01	<10	<10	14	<10	6
CAE441172		<20	0.08	<10	<10	45	<10	68
CAE441173		<20	0.04	<10	<10	72	<10	75
CAE441174		<20	0.01	<10	<10	24	<10	104
CAE441175		<20	0.02	<10	<10	18	<10	62
CAE441176		<20	0.02	<10	<10	17	<10	59
CAE441177		<20	<0.01	<10	<10	14	<10	134

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method	WEI-21	Au-ICP22	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CAE441178		5.56	0.060	0.5	0.48	11	<10	380	<0.5	<2	1.26	0.7	4	12	33	1.48
CAE441179		5.11	0.258	1.0	0.52	25	<10	180	<0.5	<2	0.58	0.9	10	26	86	2.31
CAE441180		1.05	0.003	0.8	0.69	7	<10	270	<0.5	<2	0.43	0.5	8	25	48	2.20
CAE441181		1.03	0.002	0.5	0.62	4	<10	240	<0.5	<2	0.44	<0.5	7	27	51	2.09
CAE441182		3.64	0.158	0.8	0.53	<2	<10	100	<0.5	<2	0.43	1.4	7	23	71	2.30

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441178		<10	<1	0.15	<10	0.34	558	2	0.02	11	380	11	0.50	2	2	48
CAE441179		<10	1	0.25	10	0.42	285	2	0.02	33	760	20	0.85	<2	2	28
CAE441180		<10	<1	0.38	10	0.59	265	2	0.03	28	460	12	0.57	<2	3	31
CAE441181		<10	1	0.35	10	0.56	265	1	0.02	25	470	10	0.58	<2	3	31
CAE441182		<10	<1	0.20	<10	0.41	318	1	0.02	29	490	16	0.75	<2	2	27

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11122218

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441178		<20	0.01	<10	<10	11	<10	93
CAE441179		<20	0.02	<10	<10	34	<10	106
CAE441180		<20	0.05	<10	<10	43	<10	72
CAE441181		<20	0.05	<10	<10	38	<10	65
CAE441182		<20	0.01	<10	<10	28	<10	153