ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

CERTIFICATE WH11111277

Project: JP Ross Project

P.O. No.: WG00302011

This report is for 112 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104370		6.57	0.009	<0.2	3.55	80	<10	310	<0.5	<2	4.28	<0.5	11	20	23	3.33
CAE104371		5.39	<0.001	<0.2	4.11	4	<10	420	<0.5	<2	2.43	<0.5	14	18	26	3.80
CAE104372		0.60	<0.001	<0.2	0.27	4	<10	40	<0.5	<2	0.10	<0.5	1	4	<1	0.64
CAE104373		5.60	<0.001	<0.2	3.82	4	<10	440	<0.5	<2	2.15	<0.5	14	19	29	3.77
CAE104374		2.46	<0.001	<0.2	3.62	3	<10	430	<0.5	<2	2.08	<0.5	15	22	24	4.04
CAE104375		2.29	<0.001	<0.2	3.45	3	<10	410	<0.5	<2	2.37	<0.5	14	20	21	3.85
CAE104376		5.16	<0.001	<0.2	2.83	3	<10	360	<0.5	<2	1.82	<0.5	14	19	23	3.88
CAE104377		5.34	<0.001	<0.2	3.23	<2	<10	380	<0.5	<2	1.91	<0.5	14	17	25	3.56
CAE104378		4.98	<0.001	<0.2	3.70	3	<10	440	<0.5	<2	2.57	<0.5	12	19	23	3.77
CAE104379		5.91	<0.001	<0.2	3.76	<2	<10	440	<0.5	<2	2.28	<0.5	15	22	26	3.97
CAE104380		5.29	<0.001	<0.2	3.68	3	<10	450	<0.5	<2	2.01	<0.5	19	22	38	4.43
CAE104381		5.04	<0.001	<0.2	3.64	2	<10	540	<0.5	<2	2.12	<0.5	14	20	24	3.96
CAE104382		5.76	<0.001	<0.2	2.70	5	<10	310	<0.5	<2	1.81	<0.5	15	20	27	3.93
CAE104383		5.55	<0.001	<0.2	2.80	3	<10	300	<0.5	<2	1.71	<0.5	16	18	28	3.91
CAE104384		4.77	<0.001	<0.2	2.93	6	<10	300	<0.5	<2	2.15	<0.5	14	21	24	3.69
CAE104385		5.05	<0.001	<0.2	2.62	6	<10	280	<0.5	<2	1.99	<0.5	14	19	22	3.94
CAE104386		5.13	<0.001	<0.2	2.97	4	<10	290	<0.5	<2	1.74	<0.5	15	18	21	3.97
CAE104387		5.43	<0.001	<0.2	2.74	2	<10	290	<0.5	<2	1.71	<0.5	14	18	26	3.70
CAE104388		0.14	1.125	0.9	1.54	21	<10	190	<0.5	<2	1.02	0.5	12	46	595	3.49
CAE104389		5.68	<0.001	<0.2	2.67	3	<10	280	<0.5	<2	1.62	<0.5	15	19	30	3.86
CAE104390		5.10	<0.001	<0.2	2.34	3	<10	250	<0.5	<2	1.31	<0.5	16	23	54	4.47
CAE104391		5.43	0.001	<0.2	2.96	2	<10	270	<0.5	<2	1.89	<0.5	18	20	61	4.63
CAE104392		5.38	<0.001	<0.2	3.64	2	<10	410	<0.5	<2	2.49	<0.5	13	18	27	3.74
CAE104393		5.13	<0.001	<0.2	3.26	<2	<10	350	<0.5	<2	1.95	<0.5	15	19	31	3.94
CAE104394		0.67	<0.001	<0.2	0.26	3	<10	90	<0.5	<2	0.06	<0.5	1	5	1	0.68
CAE104395		5.65	<0.001	<0.2	3.59	<2	<10	390	<0.5	<2	2.28	<0.5	17	19	46	4.38
CAE104396		2.80	<0.001	<0.2	3.64	<2	<10	440	<0.5	<2	2.22	<0.5	16	17	28	4.20
CAE104397		2.33	<0.001	<0.2	3.56	<2	<10	390	<0.5	<2	2.17	<0.5	15	17	25	3.88
CAE104398		5.61	<0.001	<0.2	3.53	2	<10	420	<0.5	<2	2.05	<0.5	14	18	26	3.90
CAE104399		5.67	0.006	<0.2	3.11	3	<10	370	<0.5	<2	2.31	<0.5	16	17	40	4.05
CAE104400		5.75	<0.001	<0.2	3.77	<2	<10	430	<0.5	<2	2.35	<0.5	14	16	30	3.62
CAE104401		5.41	<0.001	<0.2	3.72	<2	<10	510	<0.5	<2	2.21	<0.5	14	17	25	3.83
CAE104402		5.53	<0.001	<0.2	3.53	2	<10	370	<0.5	<2	2.28	<0.5	13	16	20	3.51
CAE104403		0.14	3.07	61.5	1.95	39	10	170	<0.5	<2	2.74	8.4	11	53	178	2.98
CAE104404		5.48	0.001	<0.2	3.37	3	<10	470	<0.5	<2	2.06	<0.5	15	19	25	4.24
CAE104405		5.94	<0.001	<0.2	2.99	3	<10	410	<0.5	<2	1.83	<0.5	14	17	20	3.84
CAE104406		5.77	<0.001	<0.2	2.97	<2	<10	450	<0.5	<2	1.65	<0.5	16	23	22	3.97
CAE104407		0.55	<0.001	<0.2	0.30	<2	<10	90	<0.5	<2	0.06	<0.5	1	3	2	0.75
CAE104408		5.46	<0.001	<0.2	2.55	3	<10	270	<0.5	<2	1.67	<0.5	14	16	30	3.88
CAE104409		5.41	0.001	<0.2	2.93	2	<10	470	<0.5	<2	1.43	<0.5	16	19	22	4.27

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104370		10	1	0.56	<10	1.27	802	<1	0.34	4	740	<2	0.02	<2	11	142
CAE104371		10	<1	0.89	10	1.43	671	1	0.49	6	680	4	0.06	<2	12	142
CAE104372		<10	<1	0.15	<10	0.02	102	<1	0.11	<1	40	6	<0.01	<2	<1	48
CAE104373		10	<1	0.86	<10	1.51	679	<1	0.46	5	660	2	0.06	<2	13	119
CAE104374		10	<1	1.04	<10	1.64	679	1	0.39	4	680	3	0.11	<2	15	89
CAE104375		10	<1	0.93	<10	1.53	701	1	0.38	4	660	<2	0.08	<2	14	89
CAE104376		10	<1	0.86	10	1.42	707	1	0.25	5	650	2	0.04	<2	12	62
CAE104377		10	<1	0.81	10	1.27	625	1	0.42	4	610	<2	0.04	<2	11	99
CAE104378		10	<1	0.94	10	1.45	657	<1	0.42	5	760	3	0.11	<2	13	130
CAE104379		10	<1	0.92	10	1.46	712	1	0.48	5	670	2	0.05	<2	13	113
CAE104380		10	<1	1.07	10	1.49	650	1	0.45	6	660	<2	0.55	<2	14	104
CAE104381		10	<1	1.08	<10	1.52	686	1	0.42	5	650	2	0.07	<2	13	100
CAE104382		10	<1	0.87	10	1.36	786	1	0.28	5	670	<2	0.10	<2	12	50
CAE104383		10	<1	0.83	10	1.30	684	1	0.30	5	660	2	0.15	<2	12	60
CAE104384		10	<1	0.88	10	1.33	598	1	0.27	4	670	2	0.05	<2	14	69
CAE104385		10	<1	0.83	10	1.24	663	1	0.19	5	670	<2	0.08	<2	13	46
CAE104386		10	<1	0.90	10	1.47	734	<1	0.25	5	660	2	0.05	<2	12	65
CAE104387		10	<1	0.79	10	1.27	720	<1	0.31	6	660	<2	0.09	<2	12	53
CAE104388		<10	<1	0.25	10	0.75	480	31	0.11	33	660	76	0.59	3	6	51
CAE104389		10	<1	0.88	10	1.40	733	1	0.28	4	680	2	0.16	<2	12	57
CAE104390		10	<1	1.21	10	1.64	615	2	0.18	6	700	<2	1.03	<2	15	34
CAE104391		10	<1	1.08	10	1.59	660	2	0.30	6	710	<2	0.97	<2	15	69
CAE104392		10	<1	1.09	10	1.49	624	1	0.40	4	610	2	0.17	<2	14	125
CAE104393		10	<1	0.88	<10	1.52	776	1	0.41	5	680	<2	0.07	<2	14	84
CAE104394		<10	<1	0.21	<10	0.02	168	<1	0.08	1	140	5	<0.01	<2	1	113
CAE104395		10	<1	1.01	<10	1.58	725	<1	0.43	5	680	2	0.38	<2	14	108
CAE104396		10	<1	1.09	<10	1.60	736	<1	0.38	6	670	2	0.16	<2	13	102
CAE104397		10	<1	0.96	<10	1.50	723	<1	0.40	5	650	<2	0.07	<2	12	105
CAE104398		10	<1	0.95	10	1.42	675	<1	0.41	5	630	2	0.09	<2	12	103
CAE104399		10	<1	0.94	<10	1.38	632	1	0.33	5	650	2	0.49	<2	12	97
CAE104400		10	<1	0.74	<10	1.35	639	1	0.47	4	670	2	0.05	<2	12	128
CAE104401		10	<1	0.88	<10	1.45	677	1	0.44	4	670	2	0.05	<2	12	124
CAE104402		10	<1	0.72	10	1.33	608	1	0.41	4	680	<2	0.04	<2	12	147
CAE104403		10	13	0.26	10	1.63	572	9	0.06	39	520	1095	1.00	151	4	88
CAE104404		10	<1	1.12	10	1.65	749	<1	0.33	5	650	2	0.18	<2	13	82
CAE104405		10	<1	0.92	<10	1.41	712	1	0.35	4	640	2	0.06	<2	13	78
CAE104406		10	<1	1.09	<10	1.52	719	1	0.31	5	610	2	0.11	<2	13	64
CAE104407		<10	<1	0.24	<10	0.02	170	<1	0.09	3	150	6	0.01	<2	1	105
CAE104408		10	<1	0.87	10	1.46	768	<1	0.24	4	730	<2	0.20	<2	13	59
CAE104409		10	<1	1.29	10	1.67	780	<1	0.26	5	610	2	0.29	<2	14	55

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104370		<20	0.18	<10	<10	113	<10	53
CAE104371		<20	0.23	<10	<10	126	<10	60
CAE104372		<20	0.01	<10	<10	12	<10	6
CAE104373		<20	0.23	<10	<10	126	<10	59
CAE104374		<20	0.24	<10	<10	139	10	62
CAE104375		<20	0.24	<10	<10	133	<10	59
CAE104376		<20	0.24	<10	<10	126	<10	58
CAE104377		<20	0.23	<10	<10	116	<10	53
CAE104378		<20	0.24	<10	<10	131	<10	59
CAE104379		<20	0.24	<10	<10	134	<10	61
CAE104380		<20	0.25	<10	<10	137	<10	61
CAE104381		<20	0.25	<10	<10	138	<10	61
CAE104382		<20	0.23	<10	<10	128	<10	61
CAE104383		<20	0.24	<10	<10	124	<10	57
CAE104384		<20	0.21	<10	<10	127	<10	57
CAE104385		<20	0.21	<10	<10	127	<10	57
CAE104386		<20	0.24	<10	<10	128	<10	59
CAE104387		<20	0.22	<10	<10	120	<10	52
CAE104388		<20	0.12	<10	<10	72	20	104
CAE104389		<20	0.22	<10	<10	128	<10	58
CAE104390		<20	0.24	<10	<10	145	<10	63
CAE104391		<20	0.22	<10	<10	145	<10	62
CAE104392		<20	0.23	<10	<10	140	<10	58
CAE104393		<20	0.23	<10	<10	135	<10	63
CAE104394		<20	0.01	<10	<10	21	<10	14
CAE104395		<20	0.24	<10	<10	141	<10	63
CAE104396		<20	0.25	<10	<10	140	<10	65
CAE104397		<20	0.24	<10	<10	133	<10	61
CAE104398		<20	0.24	<10	<10	128	<10	57
CAE104399		<20	0.22	<10	<10	128	<10	55
CAE104400		<20	0.22	<10	<10	122	<10	55
CAE104401		<20	0.23	<10	<10	127	<10	61
CAE104402		<20	0.22	<10	<10	119	<10	55
CAE104403		<20	0.04	<10	<10	47	10	2190
CAE104404		<20	0.25	<10	<10	138	<10	85
CAE104405		<20	0.24	<10	<10	128	<10	69
CAE104406		<20	0.25	<10	<10	130	<10	63
CAE104407		<20	0.01	<10	<10	25	<10	16
CAE104408		<20	0.20	<10	<10	133	<10	77
CAE104409		<20	0.25	<10	<10	141	<10	75

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104410		5.84	<0.001	<0.2	2.84	<2	<10	430	<0.5	<2	1.57	<0.5	13	16	20	3.58
CAE104411		5.91	<0.001	<0.2	2.85	2	<10	430	<0.5	<2	1.63	<0.5	14	27	24	3.88
CAE104412		5.40	0.001	<0.2	3.01	3	<10	530	<0.5	<2	1.66	<0.5	15	18	34	3.88
CAE104413		5.94	<0.001	<0.2	2.94	<2	<10	500	<0.5	<2	1.66	<0.5	13	16	24	3.39
CAE104414		5.85	<0.001	<0.2	3.18	<2	<10	420	<0.5	<2	1.87	<0.5	12	18	24	3.52
CAE104415		2.92	<0.001	<0.2	2.96	2	<10	360	<0.5	<2	1.90	<0.5	13	16	28	3.51
CAE104416		2.40	<0.001	<0.2	3.09	3	<10	400	<0.5	<2	1.74	<0.5	13	20	19	3.71
CAE104417		5.52	0.001	<0.2	3.07	3	<10	370	<0.5	<2	2.64	<0.5	12	15	22	3.48
CAE104418		4.96	<0.001	<0.2	2.54	2	<10	250	<0.5	<2	1.23	<0.5	15	17	28	3.80
CAE104419		5.70	<0.001	<0.2	2.36	2	<10	70	<0.5	<2	1.95	<0.5	12	11	15	3.20
CAE104420		5.24	<0.001	<0.2	2.58	4	<10	100	<0.5	<2	1.90	<0.5	12	10	26	3.12
CAE104421		5.55	<0.001	<0.2	2.20	2	<10	120	<0.5	<2	1.34	<0.5	11	10	25	3.35
CAE104422		5.50	<0.001	<0.2	2.27	<2	<10	100	<0.5	<2	1.33	<0.5	14	11	42	3.82
CAE104423		5.53	<0.001	<0.2	1.92	<2	<10	70	<0.5	<2	1.26	<0.5	13	11	51	3.34
CAE104424		6.10	<0.001	<0.2	2.32	4	<10	130	<0.5	<2	1.83	<0.5	12	11	28	3.57
CAE104425		4.57	<0.001	<0.2	2.33	<2	<10	200	<0.5	<2	1.34	<0.5	13	10	23	3.35
CAE104426		5.45	<0.001	<0.2	2.58	3	<10	300	<0.5	<2	1.24	<0.5	14	12	21	3.81
CAE104427		0.14	1.155	1.1	1.57	22	<10	190	<0.5	<2	1.03	<0.5	12	45	594	3.50
CAE104428		5.51	0.001	<0.2	2.59	6	<10	280	<0.5	<2	1.29	<0.5	13	13	25	3.85
CAE104429		5.32	<0.001	<0.2	2.57	2	<10	290	<0.5	<2	1.35	<0.5	13	11	22	3.69
CAE104430		5.20	<0.001	<0.2	2.91	3	<10	460	<0.5	<2	1.37	<0.5	13	15	54	4.35
CAE104431		5.48	<0.001	<0.2	2.82	2	<10	650	<0.5	<2	1.20	<0.5	13	10	12	3.51
CAE104432		5.30	<0.001	<0.2	3.20	<2	<10	710	<0.5	<2	1.43	<0.5	14	11	27	3.97
CAE104433		5.68	<0.001	<0.2	2.92	2	<10	480	<0.5	<2	2.09	<0.5	16	13	33	4.38
CAE104434		0.44	<0.001	<0.2	0.30	<2	<10	50	<0.5	<2	0.02	<0.5	<1	2	<1	0.41
CAE104435		5.40	0.001	<0.2	2.53	<2	<10	520	<0.5	<2	1.36	<0.5	16	10	26	3.80
CAE104436		2.66	0.001	<0.2	2.90	3	<10	550	<0.5	<2	1.28	<0.5	14	11	13	3.76
CAE104437		2.42	0.001	<0.2	2.72	<2	<10	540	<0.5	<2	1.20	<0.5	13	10	13	3.58
CAE104438		5.46	<0.001	<0.2	3.00	<2	<10	520	<0.5	<2	1.45	<0.5	14	11	28	3.76
CAE104439		6.24	<0.001	<0.2	2.59	2	<10	380	<0.5	<2	1.53	<0.5	12	11	18	3.70
CAE104440		5.30	<0.001	<0.2	2.41	<2	<10	320	<0.5	<2	1.31	<0.5	12	12	20	3.87
CAE104441		5.54	0.001	<0.2	2.40	2	<10	230	<0.5	<2	1.44	<0.5	13	13	17	4.14
CAE104442		5.75	<0.001	<0.2	2.25	2	<10	200	<0.5	<2	1.35	<0.5	16	12	30	4.12
CAE104443		4.85	<0.001	<0.2	2.20	4	<10	210	<0.5	<2	1.54	<0.5	13	11	25	3.70
CAE104444		5.22	0.001	<0.2	2.45	<2	<10	290	<0.5	<2	1.41	<0.5	14	14	17	4.01
CAE104445		5.52	<0.001	<0.2	2.64	2	<10	370	<0.5	<2	1.29	<0.5	14	12	25	3.98
CAE104446		5.39	<0.001	<0.2	2.39	<2	<10	350	<0.5	<2	1.16	<0.5	12	11	18	3.81
CAE104447		5.54	<0.001	<0.2	2.28	2	<10	290	<0.5	<2	1.32	<0.5	12	9	21	3.51
CAE104448		5.29	0.001	0.6	2.39	<2	<10	200	<0.5	<2	1.39	<0.5	11	9	17	3.38
CAE104449		0.14	3.08	57.4	1.77	38	<10	140	<0.5	<2	2.54	7.8	10	48	170	2.78

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104410		10	<1	0.95	10	1.32	654	<1	0.31	5	590	<2	0.09	<2	10	83
CAE104411		10	<1	1.10	<10	1.55	716	1	0.28	5	640	2	0.13	<2	13	55
CAE104412		10	<1	1.11	<10	1.50	645	<1	0.31	5	600	2	0.15	2	11	73
CAE104413		10	<1	0.89	<10	1.33	600	<1	0.33	4	610	<2	0.07	<2	9	79
CAE104414		10	<1	0.91	10	1.36	582	1	0.31	4	620	<2	0.05	<2	11	100
CAE104415		10	<1	0.80	<10	1.36	606	<1	0.32	4	640	<2	0.08	<2	11	86
CAE104416		10	<1	0.90	<10	1.43	618	<1	0.33	5	600	2	0.07	<2	12	95
CAE104417		10	<1	0.83	10	1.44	645	1	0.22	4	600	2	0.05	<2	11	477
CAE104418		10	<1	0.82	10	1.56	799	<1	0.18	5	680	<2	0.05	<2	13	85
CAE104419		10	<1	0.26	10	1.23	714	<1	0.19	4	610	2	0.06	<2	10	77
CAE104420		10	<1	0.32	10	1.28	662	<1	0.15	4	580	2	0.08	<2	10	111
CAE104421		10	<1	0.44	10	1.18	691	<1	0.18	4	560	<2	0.09	<2	10	81
CAE104422		10	<1	0.48	10	1.32	689	<1	0.18	4	540	2	0.10	<2	12	42
CAE104423		10	<1	0.32	10	1.30	843	<1	0.17	3	550	<2	0.11	<2	10	30
CAE104424		10	<1	0.54	10	1.29	853	1	0.19	4	570	<2	0.04	<2	12	57
CAE104425		10	<1	0.65	10	1.27	671	1	0.20	3	540	2	0.09	<2	10	82
CAE104426		10	<1	0.98	10	1.48	774	2	0.26	4	610	<2	0.07	<2	12	44
CAE104427		10	<1	0.25	10	0.75	482	32	0.11	33	670	75	0.63	3	6	51
CAE104428		10	<1	0.95	10	1.40	737	1	0.23	4	610	2	0.06	<2	13	88
CAE104429		10	<1	0.97	10	1.37	712	<1	0.23	3	560	2	0.14	<2	13	80
CAE104430		10	<1	1.21	10	1.69	570	1	0.22	3	640	2	0.46	<2	15	49
CAE104431		10	<1	1.18	10	1.36	625	<1	0.26	3	560	2	0.04	<2	6	74
CAE104432		10	<1	1.26	10	1.50	713	<1	0.31	4	610	<2	0.09	<2	8	95
CAE104433		10	<1	0.89	10	1.55	778	<1	0.27	4	720	<2	0.11	<2	14	75
CAE104434		<10	<1	0.21	<10	<0.01	55	<1	0.11	<1	20	3	<0.01	<2	<1	35
CAE104435		10	<1	1.05	10	1.37	632	1	0.18	5	480	2	0.30	<2	8	57
CAE104436		10	<1	1.16	10	1.39	684	1	0.26	4	560	2	0.04	2	8	60
CAE104437		10	<1	1.11	10	1.31	646	1	0.23	3	550	3	0.03	<2	8	60
CAE104438		10	<1	1.13	10	1.42	673	5	0.25	4	580	<2	0.06	<2	11	99
CAE104439		10	<1	0.89	10	1.34	681	1	0.23	3	560	<2	0.08	<2	11	59
CAE104440		10	<1	0.97	10	1.48	653	<1	0.18	3	560	<2	0.27	<2	12	34
CAE104441		10	<1	0.86	10	1.67	804	<1	0.15	3	480	2	0.28	<2	13	28
CAE104442		10	<1	1.18	10	1.58	753	<1	0.11	5	560	2	0.63	<2	13	48
CAE104443		10	<1	0.72	10	1.21	755	1	0.14	7	500	7	0.27	<2	11	94
CAE104444		10	<1	0.91	10	1.37	773	<1	0.20	5	610	3	0.03	<2	13	32
CAE104445		10	<1	1.03	10	1.41	750	<1	0.26	4	610	3	0.06	<2	12	47
CAE104446		10	<1	0.94	10	1.43	784	<1	0.23	3	580	3	0.06	<2	12	30
CAE104447		10	<1	0.74	10	1.27	691	1	0.22	3	600	2	0.09	<2	11	49
CAE104448		10	<1	0.69	10	1.28	602	<1	0.13	3	550	<2	0.11	<2	10	41
CAE104449		10	11	0.24	10	1.47	531	9	0.05	36	480	1030	0.94	142	4	81

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104410		<20	0.23	<10	<10	114	<10	57
CAE104411		<20	0.25	<10	<10	132	<10	65
CAE104412		<20	0.25	<10	<10	127	<10	62
CAE104413		<20	0.22	<10	<10	112	<10	53
CAE104414		<20	0.21	<10	<10	119	<10	54
CAE104415		<20	0.21	<10	<10	116	<10	54
CAE104416		<20	0.23	<10	<10	121	<10	57
CAE104417		<20	0.20	<10	<10	122	<10	55
CAE104418		<20	0.18	<10	<10	124	<10	62
CAE104419		<20	0.11	<10	<10	94	<10	62
CAE104420		<20	0.10	<10	<10	96	<10	63
CAE104421		<20	0.12	<10	<10	99	<10	66
CAE104422		<20	0.12	<10	<10	112	<10	82
CAE104423		<20	0.12	<10	<10	100	<10	77
CAE104424		<20	0.13	<10	<10	110	<10	80
CAE104425		<20	0.16	<10	<10	102	<10	68
CAE104426		<20	0.22	<10	<10	121	<10	68
CAE104427		<20	0.13	<10	<10	72	30	104
CAE104428		<20	0.21	<10	<10	120	<10	69
CAE104429		<20	0.21	<10	<10	119	<10	65
CAE104430		<20	0.25	<10	<10	151	<10	66
CAE104431		<20	0.26	<10	<10	103	<10	60
CAE104432		<20	0.27	<10	<10	118	<10	64
CAE104433		<20	0.23	<10	<10	141	<10	68
CAE104434		<20	<0.01	<10	<10	4	<10	7
CAE104435		<20	0.23	<10	<10	108	<10	62
CAE104436		<20	0.25	<10	<10	110	<10	61
CAE104437		<20	0.24	<10	<10	105	<10	58
CAE104438		<20	0.24	<10	<10	109	<10	63
CAE104439		<20	0.22	<10	<10	112	<10	59
CAE104440		<20	0.22	<10	<10	126	<10	68
CAE104441		<20	0.20	<10	<10	133	<10	73
CAE104442		<20	0.21	<10	<10	132	<10	68
CAE104443		<20	0.19	<10	<10	112	<10	61
CAE104444		<20	0.22	<10	<10	124	<10	65
CAE104445		<20	0.24	<10	<10	123	<10	62
CAE104446		<20	0.22	<10	<10	119	<10	60
CAE104447		<20	0.21	<10	<10	106	<10	53
CAE104448		<20	0.17	<10	<10	92	<10	53
CAE104449		<20	0.04	<10	<10	43	10	1995

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE104450		5.10	<0.001	<0.2	1.90	<2	<10	270	<0.5	<2	1.09	<0.5	19	9	17	3.21
CAE104451		5.50	<0.001	<0.2	2.04	3	<10	240	<0.5	<2	1.64	<0.5	12	10	15	3.45
CAE104452		5.32	<0.001	<0.2	2.25	<2	<10	340	<0.5	<2	1.09	<0.5	11	11	11	3.72
CAE104453		5.22	<0.001	<0.2	2.35	<2	<10	370	<0.5	<2	1.37	<0.5	12	10	19	3.67
CAE104454		5.86	<0.001	<0.2	2.66	<2	<10	470	<0.5	<2	1.32	<0.5	14	11	16	3.81
CAE104455		0.47	<0.001	<0.2	0.25	4	<10	40	<0.5	<2	0.08	<0.5	<1	3	1	0.49
CAE104456		4.55	<0.001	<0.2	2.44	<2	<10	360	<0.5	<2	1.43	<0.5	12	10	14	3.67
CAE104457		5.43	<0.001	<0.2	2.24	<2	<10	370	<0.5	<2	1.54	<0.5	13	10	18	3.62
CAE104458		2.62	<0.001	<0.2	2.40	2	<10	430	<0.5	<2	1.28	<0.5	13	9	14	3.79
CAE104459		2.37	<0.001	<0.2	2.36	2	<10	440	<0.5	<2	1.21	<0.5	12	9	13	3.64
CAE104460		5.30	<0.001	<0.2	2.37	<2	<10	330	<0.5	<2	1.22	<0.5	12	10	17	3.61
CAE104461		5.25	<0.001	<0.2	2.07	3	<10	230	<0.5	<2	1.61	<0.5	15	8	28	3.82
CAE104462		5.13	<0.001	<0.2	2.11	<2	<10	250	<0.5	<2	1.37	<0.5	15	14	25	3.65
CAE104463		5.32	<0.001	<0.2	1.82	2	<10	210	<0.5	<2	1.02	<0.5	12	10	17	3.28
CAE104464		5.80	<0.001	<0.2	2.14	<2	<10	20	<0.5	<2	1.79	<0.5	11	9	21	2.60
CAE104465		5.30	<0.001	<0.2	1.49	<2	<10	10	<0.5	<2	1.16	<0.5	9	12	24	2.27
CAE104466		5.34	<0.001	<0.2	1.57	2	<10	30	<0.5	<2	1.29	<0.5	9	9	24	2.57
CAE104467		2.39	<0.001	<0.2	1.21	<2	<10	<10	<0.5	<2	1.08	<0.5	8	8	7	1.97
CAE104468		2.75	<0.001	<0.2	1.30	<2	<10	<10	<0.5	<2	1.12	<0.5	9	9	6	2.07
CAE104469		5.19	<0.001	<0.2	1.38	3	<10	10	<0.5	<2	1.88	<0.5	7	6	9	1.91
CAE104470		5.36	<0.001	<0.2	1.84	5	<10	70	<0.5	<2	2.47	<0.5	12	16	30	3.33
CAE104471		5.33	<0.001	<0.2	1.56	3	<10	60	<0.5	<2	2.36	<0.5	9	7	44	3.26
CAE104472		2.13	<0.001	<0.2	1.45	<2	<10	30	<0.5	<2	1.24	<0.5	11	7	31	3.11
CAE104473		2.46	<0.001	<0.2	1.34	2	<10	30	<0.5	<2	1.23	<0.5	11	6	29	2.92
CAE104474		5.11	<0.001	<0.2	1.00	2	<10	30	<0.5	<2	0.46	<0.5	7	16	17	2.42
CAE104475		5.21	<0.001	<0.2	1.36	<2	<10	20	<0.5	<2	0.82	<0.5	8	6	15	2.59
CAE104476		5.32	<0.001	<0.2	1.82	<2	<10	140	<0.5	<2	0.51	<0.5	9	31	11	3.30
CAE104477		4.68	<0.001	<0.2	1.98	<2	<10	120	<0.5	<2	0.27	<0.5	11	30	21	2.98
CAE104478		6.09	<0.001	<0.2	2.18	2	<10	140	<0.5	<2	0.35	<0.5	11	35	20	3.52
CAE104479		5.64	<0.001	<0.2	2.05	2	<10	150	<0.5	<2	0.60	<0.5	10	39	22	3.21
CAE104480		5.44	<0.001	<0.2	1.86	2	<10	210	<0.5	<2	0.43	<0.5	11	44	34	3.05
CAE104481		3.55	0.001	0.2	2.17	2	<10	170	<0.5	<2	1.37	<0.5	20	19	41	3.49

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE104450		10	<1	0.70	10	1.15	652	<1	0.20	3	570	2	0.16	<2	10	29
CAE104451		10	<1	0.61	10	1.14	698	2	0.22	3	590	3	0.20	<2	11	39
CAE104452		10	<1	1.09	10	1.35	740	<1	0.20	2	550	<2	0.11	<2	11	34
CAE104453		10	<1	0.90	10	1.32	696	1	0.22	3	560	2	0.07	<2	11	43
CAE104454		10	<1	1.08	10	1.41	729	<1	0.28	2	600	3	0.04	<2	10	65
CAE104455		<10	<1	0.16	<10	0.02	45	<1	0.09	<1	20	2	<0.01	<2	<1	32
CAE104456		10	<1	0.85	10	1.36	685	<1	0.21	3	580	2	0.06	<2	11	48
CAE104457		10	<1	0.91	10	1.20	701	<1	0.14	4	560	<2	0.18	<2	11	33
CAE104458		10	<1	1.04	10	1.41	794	<1	0.19	3	580	<2	0.13	<2	10	50
CAE104459		10	<1	1.06	10	1.35	754	<1	0.20	3	560	<2	0.08	<2	10	44
CAE104460		10	<1	0.95	10	1.26	734	<1	0.27	2	580	<2	0.11	<2	10	49
CAE104461		10	<1	0.74	10	1.20	737	<1	0.23	3	590	2	0.58	<2	10	40
CAE104462		10	<1	0.84	20	1.31	742	<1	0.20	5	560	<2	0.36	<2	10	34
CAE104463		10	<1	0.73	10	1.08	657	<1	0.21	3	540	<2	0.20	<2	10	28
CAE104464		10	<1	0.18	10	0.75	509	<1	0.27	5	560	2	0.30	<2	7	163
CAE104465		10	<1	0.21	10	0.62	355	<1	0.19	5	410	<2	0.25	<2	6	86
CAE104466		10	<1	0.24	10	0.73	465	<1	0.19	2	500	2	0.17	<2	7	77
CAE104467		<10	<1	0.10	10	0.53	326	<1	0.17	3	360	<2	0.12	<2	5	81
CAE104468		10	<1	0.09	10	0.52	343	<1	0.17	3	360	<2	0.12	<2	5	92
CAE104469		<10	<1	0.15	10	0.44	353	<1	0.12	1	380	<2	0.11	<2	5	161
CAE104470		10	<1	0.37	20	0.66	646	<1	0.07	7	450	3	0.42	<2	10	112
CAE104471		10	<1	0.31	20	0.73	567	<1	0.07	2	460	5	0.51	<2	10	98
CAE104472		10	<1	0.37	20	0.76	529	<1	0.11	2	440	2	0.24	<2	9	25
CAE104473		10	<1	0.34	20	0.70	489	<1	0.10	2	460	3	0.23	<2	9	23
CAE104474		10	1	0.26	20	0.60	326	<1	0.15	5	310	2	0.07	<2	6	24
CAE104475		10	<1	0.21	20	0.76	335	<1	0.17	1	490	2	0.05	<2	7	73
CAE104476		10	<1	0.75	30	1.16	485	<1	0.13	12	640	2	0.04	<2	9	29
CAE104477		10	<1	0.86	30	1.03	381	<1	0.05	19	290	<2	0.12	<2	5	9
CAE104478		10	<1	1.01	30	1.11	432	<1	0.07	23	330	2	0.31	<2	6	9
CAE104479		10	<1	1.06	30	1.11	405	1	0.06	21	310	<2	0.56	<2	6	13
CAE104480		10	1	1.06	30	0.83	393	<1	0.10	20	320	10	0.33	<2	7	21
CAE104481		10	1	0.41	10	1.33	805	<1	0.25	5	670	5	0.02	<2	13	29

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111277

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE104450		<20	0.19	<10	<10	96	<10	53
CAE104451		<20	0.20	<10	<10	102	<10	52
CAE104452		<20	0.23	<10	<10	116	<10	62
CAE104453		<20	0.22	<10	<10	112	<10	57
CAE104454		<20	0.24	<10	<10	115	<10	62
CAE104455		<20	0.01	<10	<10	13	<10	8
CAE104456		<20	0.20	<10	<10	110	<10	55
CAE104457		<20	0.19	<10	<10	106	<10	57
CAE104458		<20	0.24	<10	<10	112	<10	58
CAE104459		<20	0.23	<10	<10	108	<10	55
CAE104460		<20	0.22	<10	<10	106	<10	54
CAE104461		<20	0.20	<10	<10	108	<10	54
CAE104462		<20	0.20	<10	<10	108	<10	55
CAE104463		<20	0.19	<10	<10	99	<10	48
CAE104464		<20	0.12	<10	<10	70	<10	38
CAE104465		<20	0.10	<10	<10	61	<10	30
CAE104466		<20	0.12	<10	<10	68	<10	35
CAE104467		<20	0.08	<10	<10	46	<10	24
CAE104468		<20	0.09	<10	<10	47	<10	24
CAE104469		<20	0.09	<10	<10	43	<10	21
CAE104470		<20	0.10	<10	<10	75	<10	47
CAE104471		<20	0.10	<10	<10	74	<10	43
CAE104472		<20	0.09	<10	<10	78	<10	52
CAE104473		<20	0.09	<10	<10	72	<10	48
CAE104474		<20	0.09	<10	<10	58	<10	49
CAE104475		<20	0.09	<10	<10	70	<10	37
CAE104476		20	0.14	<10	<10	69	<10	50
CAE104477		<20	0.14	<10	<10	36	<10	21
CAE104478		<20	0.16	<10	<10	42	<10	29
CAE104479		<20	0.15	<10	<10	46	<10	50
CAE104480		<20	0.17	<10	<10	48	<10	50
CAE104481		<20	0.17	<10	<10	116	<10	62