ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

CERTIFICATE WH11111278

Project: JP Ross Project

P.O. No.: WG00272011

This report is for 153 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 18-JUN-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103202		3.36	0.036	0.4	1.59	14	<10	170	0.5	2	0.23	0.6	7	7	12	2.54
CAE103203		4.39	0.001	0.2	1.56	5	<10	150	0.5	<2	0.40	<0.5	7	7	5	2.31
CAE103204		3.42	0.001	<0.2	1.92	5	<10	150	0.7	<2	0.29	<0.5	11	7	7	3.19
CAE103205		2.23	0.001	<0.2	2.30	9	<10	100	0.9	<2	0.31	<0.5	11	12	12	3.90
CAE103206		4.61	0.003	<0.2	0.23	2	<10	10	<0.5	<2	0.02	<0.5	1	5	6	0.63
CAE103207		5.03	0.005	<0.2	0.40	<2	<10	30	<0.5	<2	0.04	<0.5	1	9	9	0.87
CAE103208		4.99	0.010	<0.2	0.35	<2	<10	20	<0.5	<2	0.02	<0.5	1	6	16	0.71
CAE103209		5.02	0.005	<0.2	0.36	<2	<10	30	<0.5	<2	0.02	<0.5	1	6	15	0.89
CAE103210		4.78	0.024	0.2	0.34	<2	<10	20	<0.5	<2	0.02	<0.5	1	5	8	0.65
CAE103211		5.77	0.064	0.6	0.30	5	<10	30	<0.5	<2	0.01	<0.5	3	10	10	0.78
CAE103212		4.61	0.016	<0.2	0.35	4	<10	30	<0.5	<2	0.02	<0.5	1	6	9	0.84
CAE103213		0.13	3.09	61.3	1.84	35	<10	170	<0.5	3	2.74	8.0	11	52	183	2.90
CAE103214		5.14	0.007	<0.2	0.38	2	<10	30	<0.5	<2	0.03	<0.5	1	5	9	0.77
CAE103215		4.95	0.013	0.2	0.34	4	<10	30	<0.5	<2	0.03	<0.5	1	5	8	0.86
CAE103216		0.88	<0.001	<0.2	0.24	<2	<10	50	<0.5	<2	0.05	<0.5	1	4	1	0.50
CAE103217		4.75	0.005	0.2	0.37	2	<10	30	<0.5	<2	0.03	<0.5	1	6	7	0.83
CAE103218		2.26	0.021	<0.2	0.32	2	<10	30	<0.5	<2	0.02	<0.5	1	5	7	0.68
CAE103219		2.34	0.014	0.2	0.36	2	<10	30	<0.5	<2	0.02	<0.5	<1	6	8	0.72
CAE103220		5.53	0.011	0.2	0.34	2	<10	30	<0.5	<2	0.02	<0.5	1	6	10	0.72
CAE103221		4.04	0.016	0.3	0.41	3	<10	40	<0.5	<2	0.02	<0.5	1	4	20	0.88
CAE103222		5.21	0.036	0.2	0.35	8	<10	40	<0.5	<2	0.01	<0.5	1	6	11	1.08
CAE103223		4.97	0.004	<0.2	0.43	<2	<10	40	<0.5	<2	0.03	<0.5	1	4	16	0.70
CAE103224		4.71	1.335	5.1	0.41	10	<10	70	<0.5	6	0.05	<0.5	9	3	10	3.55
CAE103225		6.81	1.170	1.5	0.47	6	<10	70	<0.5	4	0.07	<0.5	5	7	7	1.93
CAE103226		1.22	0.006	<0.2	0.62	2	<10	70	<0.5	<2	0.07	<0.5	2	4	22	1.09
CAE103227		2.55	0.012	0.2	0.71	2	<10	80	<0.5	<2	0.09	<0.5	3	9	3	1.23
CAE103228		5.04	0.011	<0.2	0.51	<2	<10	50	<0.5	<2	0.06	<0.5	2	10	6	1.16
CAE103229		5.52	0.009	<0.2	0.49	<2	<10	40	<0.5	<2	0.06	<0.5	2	7	4	1.21
CAE103230		4.33	0.015	<0.2	0.57	<2	<10	70	<0.5	<2	0.07	<0.5	2	7	6	1.20
CAE103231		4.86	0.086	0.2	0.77	<2	<10	70	<0.5	<2	0.10	<0.5	3	4	4	1.49
CAE103232		2.22	0.001	<0.2	0.81	<2	<10	70	<0.5	<2	0.12	<0.5	2	4	2	1.32
CAE103233		4.81	0.348	1.2	0.71	3	<10	80	<0.5	2	0.11	<0.5	6	3	13	2.05
CAE103234		0.13	1.325	1.0	1.55	22	<10	200	<0.5	<2	1.05	0.6	12	45	611	3.55
CAE103235		4.24	0.062	0.9	0.62	3	<10	60	<0.5	<2	0.22	<0.5	3	4	13	1.89
CAE103236		4.69	0.013	0.3	1.09	<2	<10	80	<0.5	<2	0.15	4.2	6	29	20	1.71
CAE103237		0.90	<0.001	<0.2	0.29	2	<10	110	<0.5	<2	0.02	<0.5	1	5	1	0.50
CAE103238		2.06	0.034	<0.2	0.95	<2	<10	120	<0.5	<2	0.11	<0.5	7	3	5	1.62
CAE103239		2.01	0.027	<0.2	0.94	<2	<10	120	<0.5	<2	0.10	<0.5	6	4	5	1.57
CAE103240		2.28	0.001	<0.2	0.96	<2	<10	100	<0.5	<2	0.15	<0.5	5	3	6	1.45
CAE103241		5.93	0.020	<0.2	0.80	4	<10	80	<0.5	<2	0.21	<0.5	4	3	3	1.37

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103202		10	1	0.86	20	0.64	658	28	0.03	2	270	9	0.07	<2	7	14
CAE103203		10	<1	0.70	20	0.58	734	4	0.05	2	260	15	0.01	<2	8	11
CAE103204		10	<1	1.17	20	1.00	988	7	0.03	2	850	7	0.02	<2	9	12
CAE103205		10	<1	1.50	10	1.29	1055	7	0.03	3	1180	5	0.11	<2	13	22
CAE103206		<10	<1	0.14	10	0.02	157	1	0.06	<1	30	2	0.07	<2	1	2
CAE103207		<10	<1	0.23	30	0.05	256	2	0.07	1	60	2	0.12	<2	1	5
CAE103208		<10	<1	0.21	10	0.01	131	1	0.08	<1	30	2	0.24	<2	1	3
CAE103209		<10	<1	0.19	20	0.01	58	3	0.08	<1	80	5	0.21	<2	1	8
CAE103210		<10	<1	0.21	20	0.01	97	5	0.07	<1	30	2	0.13	<2	1	3
CAE103211		<10	<1	0.19	10	0.01	26	12	0.07	1	30	2	0.30	<2	1	3
CAE103212		<10	<1	0.19	10	0.01	39	5	0.05	<1	40	3	0.26	<2	1	4
CAE103213		10	12	0.26	10	1.59	563	9	0.07	38	530	1075	1.04	156	4	89
CAE103214		<10	<1	0.21	20	0.02	170	1	0.06	4	30	9	0.26	<2	1	5
CAE103215		<10	<1	0.20	20	0.01	114	2	0.06	1	30	6	0.36	<2	1	5
CAE103216		<10	<1	0.15	<10	0.03	107	<1	0.11	2	80	3	<0.01	<2	1	53
CAE103217		<10	<1	0.22	30	0.03	174	1	0.08	1	40	3	0.12	<2	1	5
CAE103218		<10	<1	0.20	10	0.01	48	1	0.07	1	30	3	0.33	<2	1	5
CAE103219		<10	<1	0.22	10	0.01	52	1	0.08	1	30	3	0.32	<2	1	4
CAE103220		<10	<1	0.19	10	0.01	51	2	0.07	1	30	5	0.34	<2	1	5
CAE103221		<10	<1	0.19	10	0.01	46	1	0.06	<1	30	7	0.61	<2	1	5
CAE103222		<10	<1	0.20	10	<0.01	43	5	0.06	1	30	6	0.83	<2	1	5
CAE103223		<10	<1	0.20	20	0.04	124	2	0.05	1	50	2	0.15	<2	1	5
CAE103224		<10	<1	0.25	40	0.02	41	1	0.05	1	180	21	3.50	<2	1	11
CAE103225		<10	<1	0.20	30	0.05	87	5	0.07	2	60	10	1.56	<2	1	15
CAE103226		<10	<1	0.31	30	0.11	195	7	0.06	2	90	2	0.16	<2	1	10
CAE103227		<10	<1	0.40	40	0.22	244	1	0.06	5	150	3	0.13	<2	2	13
CAE103228		<10	<1	0.28	30	0.16	274	1	0.10	2	110	3	0.16	<2	2	11
CAE103229		<10	<1	0.28	40	0.15	300	<1	0.12	1	100	3	0.11	<2	2	9
CAE103230		<10	<1	0.35	40	0.14	393	<1	0.08	1	130	4	0.15	<2	1	9
CAE103231		<10	<1	0.45	30	0.22	407	1	0.08	1	150	4	0.20	<2	2	11
CAE103232		<10	<1	0.44	40	0.23	329	<1	0.06	1	160	2	0.05	<2	2	13
CAE103233		<10	<1	0.28	30	0.14	211	1	0.04	1	160	9	1.40	<2	2	11
CAE103234		10	<1	0.25	10	0.73	479	32	0.11	32	650	76	0.61	3	6	51
CAE103235		<10	<1	0.29	30	0.18	227	1	0.05	1	150	9	1.25	<2	2	26
CAE103236		<10	<1	0.58	30	0.47	375	<1	0.05	19	180	9	0.32	<2	3	16
CAE103237		<10	<1	0.26	<10	0.01	87	<1	0.10	2	70	3	<0.01	<2	1	74
CAE103238		<10	<1	0.49	30	0.21	360	1	0.04	3	240	8	0.44	<2	2	16
CAE103239		<10	<1	0.48	30	0.21	377	1	0.04	4	240	7	0.38	<2	2	16
CAE103240		<10	<1	0.49	20	0.34	272	1	0.07	1	230	4	0.31	<2	3	21
CAE103241		<10	<1	0.42	20	0.17	139	1	0.05	1	200	5	0.79	<2	2	26

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103202		<20	0.08	<10	<10	46	<10	61
CAE103203		<20	0.06	<10	<10	46	<10	65
CAE103204		<20	0.14	<10	<10	86	<10	105
CAE103205		<20	0.17	<10	<10	131	<10	97
CAE103206		30	<0.01	<10	<10	2	<10	13
CAE103207		30	0.01	<10	<10	4	<10	13
CAE103208		20	<0.01	<10	<10	1	<10	8
CAE103209		30	<0.01	<10	<10	5	<10	15
CAE103210		20	<0.01	<10	<10	1	<10	19
CAE103211		<20	<0.01	<10	<10	3	<10	3
CAE103212		20	<0.01	<10	<10	2	<10	4
CAE103213		<20	0.04	<10	<10	46	<10	2090
CAE103214		20	<0.01	<10	<10	1	<10	12
CAE103215		20	<0.01	<10	<10	2	<10	8
CAE103216		<20	0.01	<10	<10	9	<10	11
CAE103217		30	0.01	<10	<10	3	<10	9
CAE103218		20	<0.01	<10	<10	1	<10	4
CAE103219		20	<0.01	<10	<10	1	<10	4
CAE103220		30	<0.01	<10	<10	1	<10	4
CAE103221		20	<0.01	<10	<10	1	<10	8
CAE103222		20	<0.01	<10	<10	2	<10	5
CAE103223		20	0.01	<10	<10	2	<10	8
CAE103224		30	<0.01	<10	<10	3	<10	19
CAE103225		20	<0.01	<10	<10	4	<10	16
CAE103226		20	0.02	<10	<10	7	<10	24
CAE103227		20	0.03	<10	<10	11	<10	24
CAE103228		20	0.03	<10	<10	11	<10	20
CAE103229		20	0.03	<10	<10	11	<10	24
CAE103230		20	0.02	<10	<10	9	<10	26
CAE103231		20	0.05	<10	<10	13	<10	29
CAE103232		20	0.04	<10	<10	12	<10	28
CAE103233		20	0.02	<10	<10	10	<10	32
CAE103234		<20	0.12	<10	<10	72	20	107
CAE103235		20	0.02	<10	<10	10	<10	32
CAE103236		20	0.05	<10	<10	21	<10	246
CAE103237		<20	<0.01	<10	<10	11	<10	10
CAE103238		<20	0.03	<10	<10	12	<10	45
CAE103239		<20	0.03	<10	<10	11	<10	43
CAE103240		<20	0.04	<10	<10	18	<10	48
CAE103241		<20	0.01	<10	<10	12	<10	31

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103242		1.76	0.244	1.2	1.02	14	<10	100	0.6	<2	0.20	1.2	5	1	63	2.36
CAE103243		4.61	0.751	6.1	0.90	5	<10	70	<0.5	<2	0.06	0.6	5	4	13	1.77
CAE103244		4.89	0.119	0.3	0.86	<2	<10	70	<0.5	<2	0.09	<0.5	7	3	5	2.28
CAE103245		4.73	0.024	<0.2	0.46	<2	<10	40	<0.5	<2	0.04	<0.5	3	6	5	0.93
CAE103246		3.85	0.085	<0.2	0.81	<2	<10	70	0.5	<2	0.09	<0.5	5	5	3	1.47
CAE103247		4.42	0.011	<0.2	0.54	3	<10	60	<0.5	<2	0.09	<0.5	2	2	3	0.84
CAE103248		4.42	0.010	0.2	0.67	2	<10	70	<0.5	<2	0.06	<0.5	3	3	5	0.77
CAE103249		4.93	0.037	<0.2	0.64	2	<10	60	<0.5	<2	0.04	<0.5	2	3	2	0.74
CAE103250		0.13	3.10	60.8	1.83	40	<10	170	<0.5	<2	2.74	8.3	11	52	181	2.99
CAE103251		4.40	0.032	0.3	0.65	81	<10	50	<0.5	<2	0.31	<0.5	4	4	4	1.70
CAE103252		1.20	0.001	<0.2	0.23	<2	<10	80	<0.5	<2	0.13	<0.5	1	5	<1	0.68
CAE103253		2.23	0.005	0.5	0.41	27	<10	70	<0.5	2	0.43	<0.5	2	7	8	1.50
CAE103254		4.03	0.010	0.3	0.60	23	<10	40	<0.5	<2	0.22	<0.5	5	4	14	1.74
CAE103255		2.72	0.030	0.5	0.58	45	<10	60	<0.5	<2	0.34	<0.5	7	7	28	2.78
CAE103256		3.03	0.019	0.9	0.45	49	<10	90	<0.5	2	0.70	<0.5	7	6	46	2.80
CAE103257		2.91	0.003	0.2	1.05	73	<10	30	0.6	<2	0.25	<0.5	12	3	18	3.13
CAE103258		2.13	<0.001	<0.2	1.43	13	<10	100	0.5	<2	0.36	<0.5	9	4	15	2.96
CAE103259		2.00	0.001	<0.2	1.59	12	<10	110	0.5	<2	0.35	<0.5	9	4	15	2.97
CAE103260		4.63	<0.001	<0.2	2.00	3	<10	140	0.6	<2	0.58	<0.5	9	5	11	3.19
CAE103261		4.61	0.001	<0.2	2.34	2	<10	160	0.8	<2	0.66	<0.5	9	6	7	3.40
CAE103262		4.97	<0.001	<0.2	2.22	<2	<10	300	0.5	<2	0.68	<0.5	9	6	7	3.07
CAE103263		4.95	<0.001	<0.2	1.80	2	<10	360	0.5	<2	0.92	<0.5	8	6	9	2.93
CAE103264		5.04	0.001	<0.2	1.76	<2	<10	320	0.5	<2	0.99	<0.5	7	5	16	2.60
CAE103265		4.81	0.025	0.3	1.74	<2	<10	200	0.5	<2	0.50	<0.5	9	5	5	2.87
CAE103266		4.80	0.180	<0.2	1.89	<2	<10	220	0.5	<2	1.31	<0.5	9	5	13	2.83
CAE103267		4.58	0.223	0.2	1.69	3	<10	320	<0.5	<2	1.21	<0.5	9	5	10	2.77
CAE103268		4.91	0.053	0.2	2.12	<2	<10	490	<0.5	<2	1.54	<0.5	10	6	7	3.15
CAE103269		4.80	0.007	<0.2	2.18	<2	<10	260	<0.5	<2	1.06	<0.5	10	6	6	3.30
CAE103270		0.13	0.979	1.0	1.48	22	<10	190	<0.5	2	1.03	0.5	12	45	604	3.46
CAE103271		5.04	<0.001	<0.2	2.06	<2	<10	200	<0.5	<2	1.02	<0.5	10	7	17	3.29
CAE103272		4.82	0.004	<0.2	1.86	<2	<10	150	<0.5	<2	0.79	<0.5	9	6	7	2.92
CAE103273		4.67	<0.001	<0.2	1.81	<2	<10	180	<0.5	<2	0.78	<0.5	9	7	12	2.76
CAE103274		1.00	<0.001	<0.2	0.24	<2	<10	100	<0.5	<2	0.08	<0.5	1	5	<1	0.61
CAE103275		4.92	<0.001	<0.2	1.89	<2	<10	140	<0.5	<2	0.68	<0.5	9	7	15	2.86
CAE103276		4.79	<0.001	<0.2	1.84	<2	<10	160	<0.5	<2	0.68	<0.5	9	6	10	2.78
CAE103277		2.37	<0.001	<0.2	1.95	<2	<10	210	<0.5	<2	0.74	<0.5	9	6	8	2.86
CAE103278		2.42	<0.001	<0.2	1.81	<2	<10	210	<0.5	<2	1.11	<0.5	9	5	7	2.70
CAE103279		5.14	<0.001	<0.2	1.97	<2	<10	200	<0.5	<2	0.55	<0.5	10	6	12	2.99
CAE103280		4.96	0.059	2.5	2.10	<2	<10	180	<0.5	<2	0.74	3.5	10	7	30	3.21
CAE103281		5.20	<0.001	<0.2	2.03	<2	<10	190	<0.5	<2	0.77	<0.5	10	7	6	3.09

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103242		<10	<1	0.42	40	0.13	69	7	0.05	7	270	12	2.22	<2	3	20
CAE103243		<10	<1	0.40	20	0.16	115	1	0.05	2	190	5	1.18	<2	2	18
CAE103244		<10	<1	0.45	30	0.24	274	1	0.07	<1	200	6	1.28	<2	2	10
CAE103245		<10	<1	0.19	20	0.06	254	<1	0.09	1	90	2	0.30	<2	1	10
CAE103246		<10	<1	0.36	20	0.11	734	1	0.05	3	210	4	0.55	<2	2	25
CAE103247		<10	<1	0.28	20	0.06	122	<1	0.04	1	110	5	0.45	<2	1	16
CAE103248		<10	<1	0.34	20	0.06	51	<1	0.04	2	150	8	0.40	<2	1	13
CAE103249		<10	<1	0.34	20	0.04	46	<1	0.04	1	130	3	0.45	<2	1	11
CAE103250		10	12	0.25	10	1.59	565	8	0.06	37	510	1095	1.00	148	4	85
CAE103251		<10	<1	0.25	20	0.14	65	3	0.02	1	170	13	1.53	2	3	20
CAE103252		<10	<1	0.14	<10	0.02	134	<1	0.10	1	120	2	<0.01	<2	1	68
CAE103253		<10	<1	0.21	10	0.17	79	9	0.01	<1	130	67	1.11	<2	2	21
CAE103254		<10	<1	0.22	10	0.09	55	5	0.03	<1	250	8	1.64	<2	3	13
CAE103255		<10	<1	0.27	10	0.13	88	16	0.02	2	240	13	2.64	<2	3	18
CAE103256		<10	<1	0.22	20	0.27	117	106	0.01	1	200	106	2.69	<2	4	36
CAE103257		<10	<1	0.22	20	0.14	198	5	0.01	2	280	19	2.80	2	8	14
CAE103258		<10	<1	0.58	20	0.53	573	1	0.01	1	310	5	0.94	<2	8	16
CAE103259		<10	<1	0.59	20	0.53	596	1	0.01	<1	330	8	0.86	<2	9	16
CAE103260		10	<1	0.93	10	0.87	582	<1	0.02	<1	340	4	0.52	<2	9	41
CAE103261		<10	<1	1.12	20	1.01	542	<1	0.04	<1	360	15	0.27	<2	10	62
CAE103262		<10	<1	1.23	20	1.00	598	<1	0.04	1	350	8	0.10	<2	10	43
CAE103263		<10	<1	1.08	20	0.86	715	<1	0.05	<1	330	38	0.08	<2	8	50
CAE103264		<10	<1	1.02	20	0.78	571	<1	0.03	<1	330	178	0.15	<2	6	48
CAE103265		<10	<1	0.98	20	0.78	461	<1	0.03	1	330	17	0.48	<2	7	31
CAE103266		<10	<1	0.93	20	0.70	515	<1	0.03	1	360	28	0.78	<2	8	49
CAE103267		<10	<1	1.02	20	0.73	558	<1	0.04	1	310	15	0.41	<2	8	45
CAE103268		10	<1	1.26	20	0.94	686	<1	0.05	<1	340	6	0.18	<2	10	57
CAE103269		10	<1	1.32	10	1.02	638	<1	0.05	1	350	3	0.07	<2	9	54
CAE103270		<10	<1	0.24	10	0.73	474	31	0.11	30	650	75	0.60	2	6	48
CAE103271		10	<1	1.37	20	1.08	702	<1	0.06	<1	350	2	0.07	2	8	63
CAE103272		10	<1	1.22	10	0.93	597	<1	0.06	1	330	<2	0.05	<2	6	45
CAE103273		<10	<1	1.15	20	0.89	545	<1	0.05	<1	320	5	0.07	<2	5	47
CAE103274		<10	<1	0.17	10	0.03	183	<1	0.10	1	140	3	<0.01	<2	1	81
CAE103275		<10	<1	1.19	20	0.94	574	<1	0.06	1	330	8	0.07	<2	4	48
CAE103276		<10	<1	1.16	20	0.91	548	<1	0.06	<1	320	<2	0.06	<2	4	47
CAE103277		<10	<1	1.22	20	0.96	522	<1	0.05	1	350	<2	0.06	<2	4	58
CAE103278		<10	<1	1.14	10	0.88	562	<1	0.05	1	320	<2	0.06	<2	4	59
CAE103279		10	<1	1.22	10	0.99	533	<1	0.05	<1	350	<2	0.05	<2	4	52
CAE103280		<10	<1	1.28	10	1.02	572	<1	0.07	1	360	353	0.17	<2	5	56
CAE103281		10	<1	1.28	10	1.04	598	<1	0.06	1	360	14	0.05	<2	5	50

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103242		20	0.01	<10	10	17	<10	28
CAE103243		<20	0.02	<10	10	14	<10	31
CAE103244		20	0.04	<10	<10	13	<10	38
CAE103245		20	0.01	<10	<10	5	<10	16
CAE103246		<20	0.01	<10	<10	9	<10	26
CAE103247		20	<0.01	<10	<10	4	<10	15
CAE103248		20	0.01	<10	<10	5	<10	18
CAE103249		20	<0.01	<10	<10	4	<10	20
CAE103250		<20	0.04	<10	<10	46	10	2140
CAE103251		<20	<0.01	<10	10	16	<10	22
CAE103252		<20	0.01	<10	<10	19	<10	17
CAE103253		<20	<0.01	<10	10	15	<10	19
CAE103254		<20	<0.01	<10	<10	21	<10	26
CAE103255		<20	0.01	<10	<10	29	<10	35
CAE103256		<20	<0.01	<10	10	37	<10	51
CAE103257		<20	0.01	<10	<10	37	<10	38
CAE103258		<20	0.06	<10	<10	51	<10	47
CAE103259		<20	0.06	<10	<10	54	<10	49
CAE103260		<20	0.10	<10	<10	67	<10	58
CAE103261		<20	0.12	<10	<10	72	<10	74
CAE103262		<20	0.12	<10	<10	71	<10	56
CAE103263		<20	0.11	<10	<10	61	<10	62
CAE103264		<20	0.10	<10	<10	51	<10	76
CAE103265		<20	0.11	<10	<10	58	<10	74
CAE103266		<20	0.09	<10	<10	53	<10	56
CAE103267		<20	0.09	<10	<10	54	<10	48
CAE103268		<20	0.13	<10	<10	68	<10	49
CAE103269		<20	0.15	<10	<10	75	<10	48
CAE103270		<20	0.12	<10	<10	71	20	102
CAE103271		<20	0.16	<10	<10	78	<10	56
CAE103272		<20	0.14	<10	<10	63	<10	44
CAE103273		<20	0.13	<10	<10	57	<10	49
CAE103274		<20	0.01	<10	<10	12	<10	16
CAE103275		<20	0.13	<10	<10	58	<10	49
CAE103276		<20	0.14	<10	<10	55	<10	44
CAE103277		<20	0.14	<10	<10	55	<10	47
CAE103278		<20	0.12	<10	<10	50	<10	44
CAE103279		<20	0.14	<10	<10	61	<10	47
CAE103280		<20	0.14	<10	<10	67	<10	59
CAE103281		<20	0.15	<10	<10	68	<10	51

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103282		5.20	<0.001	<0.2	1.99	<2	<10	200	<0.5	<2	0.86	<0.5	10	9	11	3.00
CAE103283		5.03	<0.001	<0.2	2.08	<2	<10	220	<0.5	<2	2.02	<0.5	10	18	13	3.09
CAE103284		4.86	<0.001	0.2	2.28	2	<10	210	<0.5	<2	2.13	<0.5	10	8	9	3.41
CAE103285		5.06	0.001	<0.2	2.14	2	<10	260	<0.5	<2	2.45	<0.5	10	7	9	3.23
CAE103286		4.80	<0.001	<0.2	2.25	2	<10	220	<0.5	<2	2.00	<0.5	12	9	11	3.29
CAE103287		4.95	<0.001	<0.2	1.86	2	<10	180	<0.5	<2	1.84	<0.5	11	13	7	2.58
CAE103288		0.13	1.150	0.9	1.65	23	<10	200	<0.5	<2	1.03	0.5	14	45	618	3.45
CAE103289		5.07	<0.001	<0.2	1.98	2	<10	190	<0.5	<2	0.96	<0.5	10	8	6	2.86
CAE103290		4.96	0.001	<0.2	1.77	3	<10	280	<0.5	<2	1.68	<0.5	10	6	6	2.50
CAE103291		0.92	<0.001	<0.2	0.23	<2	<10	80	<0.5	<2	0.10	<0.5	3	6	<1	0.64
CAE103292		5.03	<0.001	<0.2	1.98	<2	<10	250	<0.5	<2	0.89	<0.5	11	8	8	2.71
CAE103293		2.32	<0.001	<0.2	1.83	2	<10	250	<0.5	<2	1.35	<0.5	10	6	18	2.59
CAE103294		2.41	<0.001	<0.2	1.87	3	<10	260	<0.5	<2	1.59	<0.5	12	6	39	2.69
CAE103295		4.86	0.003	<0.2	1.69	2	<10	190	<0.5	<2	1.29	<0.5	11	7	11	2.41
CAE103296		5.08	<0.001	<0.2	2.28	<2	<10	250	<0.5	<2	1.25	<0.5	15	25	27	2.94
CAE103297		5.34	<0.001	<0.2	1.92	<2	<10	190	<0.5	<2	0.87	<0.5	11	13	13	2.59
CAE103298		5.51	<0.001	<0.2	2.17	<2	<10	290	<0.5	<2	0.90	<0.5	11	11	45	3.11
CAE103299		4.60	0.006	<0.2	1.55	3	<10	190	<0.5	<2	1.01	<0.5	8	7	3	2.35
CAE103300		5.20	0.046	0.8	0.86	<2	<10	80	<0.5	<2	1.21	<0.5	5	6	7	1.48
CAE103301		5.22	0.004	<0.2	0.77	2	<10	110	<0.5	<2	2.44	<0.5	5	4	2	1.14
CAE103302		4.99	<0.001	<0.2	1.08	3	<10	90	<0.5	<2	0.87	<0.5	5	6	<1	1.57
CAE103303		5.03	0.001	<0.2	1.05	2	<10	100	<0.5	<2	0.92	<0.5	6	5	7	1.72
CAE103304		2.32	<0.001	<0.2	1.12	<2	<10	90	<0.5	<2	0.68	<0.5	6	4	1	1.67
CAE103305		3.58	0.003	<0.2	1.16	<2	<10	190	<0.5	<2	0.66	<0.5	6	5	7	1.71
CAE103306		5.41	0.026	0.2	0.88	5	<10	180	<0.5	<2	1.74	<0.5	8	6	44	1.56
CAE103307		4.97	0.005	<0.2	0.79	2	<10	110	<0.5	<2	1.46	<0.5	5	4	13	1.22
CAE103308		5.63	0.028	0.2	0.67	33	<10	80	<0.5	<2	0.65	<0.5	6	6	9	1.41
CAE103309		4.33	0.013	0.2	0.84	64	<10	100	<0.5	<2	0.54	<0.5	6	4	15	1.42
CAE103310		4.70	0.006	<0.2	0.92	140	<10	50	<0.5	<2	0.34	<0.5	6	2	23	1.52
CAE103311		4.71	0.084	<0.2	1.10	137	<10	70	<0.5	<2	0.40	<0.5	6	2	4	1.55
CAE103312		0.13	3.00	61.3	1.88	38	<10	160	<0.5	<2	2.60	8.2	13	51	173	2.85
CAE103313		2.40	0.007	0.2	1.13	29	<10	110	0.5	<2	0.70	<0.5	7	5	26	1.68
CAE103314		0.81	0.001	<0.2	0.25	3	<10	90	<0.5	<2	0.13	<0.5	3	5	<1	0.54
CAE103315		2.69	0.071	0.5	0.81	12	<10	140	0.5	<2	0.51	<0.5	14	4	167	2.45
CAE103316		3.70	0.012	<0.2	0.95	3	<10	130	<0.5	<2	0.99	<0.5	6	4	20	1.72
CAE103317		5.92	0.001	<0.2	1.24	2	<10	130	<0.5	<2	1.01	<0.5	6	6	5	1.81
CAE103318		2.44	0.110	0.2	1.06	2	<10	130	<0.5	<2	1.03	<0.5	7	6	37	1.96
CAE103319		2.38	0.062	0.2	1.11	2	<10	130	<0.5	<2	1.02	<0.5	8	4	52	2.10
CAE103320		5.06	0.003	<0.2	1.10	2	<10	100	<0.5	<2	0.87	<0.5	6	6	13	1.65
CAE103321		5.25	0.003	<0.2	1.12	2	<10	90	<0.5	2	0.66	<0.5	4	6	4	1.82

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103282		<10	<1	1.25	10	1.02	615	<1	0.06	1	350	3	0.02	<2	5	50
CAE103283		<10	<1	1.25	10	1.01	729	<1	0.06	4	360	4	0.03	<2	6	70
CAE103284		10	<1	1.31	20	1.07	815	<1	0.05	1	370	3	0.03	<2	10	89
CAE103285		10	<1	1.24	20	0.98	828	<1	0.04	1	360	2	0.04	<2	12	89
CAE103286		10	<1	1.26	20	0.98	717	<1	0.06	5	350	2	0.11	<2	11	81
CAE103287		10	1	1.04	20	0.77	599	<1	0.06	5	310	2	0.08	<2	7	72
CAE103288		10	1	0.27	10	0.74	481	33	0.13	31	690	75	0.65	2	6	54
CAE103289		10	<1	1.17	20	0.87	616	<1	0.07	<1	330	<2	0.04	<2	7	49
CAE103290		<10	<1	1.13	10	0.78	611	<1	0.06	<1	330	<2	0.08	<2	4	54
CAE103291		<10	<1	0.15	<10	0.03	155	<1	0.10	<1	110	2	0.01	<2	1	79
CAE103292		<10	1	1.21	10	0.91	617	<1	0.08	<1	350	4	0.04	<2	4	42
CAE103293		<10	<1	1.11	10	0.85	667	<1	0.08	<1	340	<2	0.08	<2	3	42
CAE103294		<10	1	1.11	10	0.86	719	<1	0.07	<1	340	<2	0.16	<2	3	43
CAE103295		<10	<1	1.05	10	0.72	530	<1	0.07	<1	310	<2	0.14	<2	4	39
CAE103296		10	<1	1.26	10	1.32	639	<1	0.08	7	440	<2	0.09	<2	5	52
CAE103297		<10	<1	1.14	10	0.93	566	<1	0.08	2	340	<2	0.06	<2	3	37
CAE103298		10	<1	1.33	10	1.03	713	1	0.10	<1	390	<2	0.10	<2	6	36
CAE103299		<10	<1	0.95	20	0.61	576	<1	0.09	<1	290	3	0.13	<2	5	34
CAE103300		<10	<1	0.51	30	0.27	369	2	0.07	<1	220	<2	0.25	<2	3	34
CAE103301		<10	<1	0.47	30	0.18	508	2	0.05	<1	220	<2	0.30	<2	2	53
CAE103302		<10	<1	0.57	20	0.31	449	<1	0.08	<1	240	<2	0.03	<2	3	27
CAE103303		<10	<1	0.60	30	0.32	428	<1	0.07	<1	240	<2	0.16	<2	4	25
CAE103304		<10	<1	0.62	40	0.34	406	<1	0.08	<1	230	<2	0.07	<2	3	25
CAE103305		<10	<1	0.65	30	0.33	398	5	0.08	<1	260	<2	0.20	<2	3	29
CAE103306		<10	<1	0.55	30	0.19	534	9	0.04	<1	250	<2	0.60	<2	2	31
CAE103307		<10	<1	0.45	20	0.26	384	1	0.04	<1	220	<2	0.24	<2	2	51
CAE103308		<10	<1	0.38	30	0.26	316	1	0.06	<1	210	<2	0.45	<2	2	41
CAE103309		<10	<1	0.37	30	0.23	158	15	0.04	<1	250	4	0.86	<2	2	44
CAE103310		<10	<1	0.23	30	0.14	198	1	0.02	<1	290	10	1.03	<2	3	24
CAE103311		<10	<1	0.38	20	0.25	238	<1	0.03	<1	270	3	0.66	<2	3	32
CAE103312		10	13	0.25	10	1.52	538	9	0.07	35	510	1065	1.01	153	4	88
CAE103313		<10	<1	0.49	30	0.34	310	1	0.04	<1	260	7	0.50	<2	3	53
CAE103314		<10	<1	0.15	10	0.04	177	<1	0.11	1	220	<2	0.02	<2	1	110
CAE103315		<10	<1	0.44	20	0.26	475	5	0.04	<1	210	<2	1.18	<2	4	31
CAE103316		<10	<1	0.55	30	0.31	457	1	0.05	<1	240	<2	0.27	<2	3	40
CAE103317		<10	<1	0.65	30	0.39	486	2	0.08	<1	260	2	0.08	<2	3	53
CAE103318		<10	<1	0.60	30	0.31	459	<1	0.06	<1	260	<2	0.49	<2	2	31
CAE103319		<10	<1	0.62	30	0.32	455	<1	0.06	<1	260	2	0.60	<2	2	30
CAE103320		<10	<1	0.61	30	0.35	479	<1	0.07	<1	260	<2	0.10	<2	2	37
CAE103321		<10	<1	0.59	30	0.41	458	<1	0.06	<1	270	4	0.03	<2	2	62

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103282		<20	0.15	<10	<10	65	<10	59
CAE103283		<20	0.15	<10	<10	71	<10	50
CAE103284		<20	0.15	<10	<10	79	<10	50
CAE103285		<20	0.14	<10	<10	77	<10	45
CAE103286		<20	0.14	<10	<10	75	<10	54
CAE103287		<20	0.11	<10	<10	51	<10	44
CAE103288		<20	0.12	<10	<10	71	20	103
CAE103289		<20	0.13	<10	<10	59	<10	46
CAE103290		<20	0.12	<10	<10	42	<10	46
CAE103291		<20	0.01	<10	<10	17	<10	15
CAE103292		<20	0.14	<10	<10	52	<10	49
CAE103293		<20	0.12	<10	<10	45	<10	50
CAE103294		<20	0.12	<10	<10	44	<10	50
CAE103295		<20	0.11	<10	<10	42	<10	42
CAE103296		<20	0.16	<10	<10	71	<10	51
CAE103297		<20	0.13	<10	<10	51	<10	49
CAE103298		<20	0.16	<10	<10	71	<10	154
CAE103299		<20	0.10	<10	<10	41	<10	50
CAE103300		<20	0.05	<10	<10	15	<10	29
CAE103301		<20	0.02	<10	<10	8	<10	15
CAE103302		<20	0.06	<10	<10	16	<10	30
CAE103303		<20	0.06	<10	<10	17	<10	30
CAE103304		20	0.07	<10	<10	19	<10	30
CAE103305		<20	0.07	<10	<10	19	<10	30
CAE103306		<20	0.02	<10	<10	10	<10	18
CAE103307		<20	0.02	<10	<10	7	<10	14
CAE103308		<20	0.02	<10	<10	10	<10	18
CAE103309		20	0.01	<10	<10	9	<10	26
CAE103310		<20	0.01	<10	<10	12	<10	33
CAE103311		<20	0.03	<10	<10	14	<10	30
CAE103312		<20	0.04	<10	<10	44	<10	2070
CAE103313		<20	0.03	<10	<10	14	<10	37
CAE103314		<20	0.02	<10	<10	13	<10	18
CAE103315		<20	0.02	<10	<10	10	<10	23
CAE103316		<20	0.04	<10	<10	16	<10	29
CAE103317		<20	0.06	<10	<10	20	<10	42
CAE103318		<20	0.05	<10	<10	17	<10	39
CAE103319		<20	0.05	<10	<10	17	<10	39
CAE103320		<20	0.06	<10	<10	17	<10	41
CAE103321		<20	0.07	<10	<10	22	<10	43

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE103322		4.98	0.002	<0.2	1.18	<2	<10	170	<0.5	<2	0.82	<0.5	4	5	5	1.95
CAE103323		4.84	0.010	0.3	1.03	62	<10	130	<0.5	<2	0.62	<0.5	4	6	9	1.82
CAE103324		5.02	0.003	0.3	0.74	43	<10	60	0.5	<2	0.67	<0.5	5	5	12	1.89
CAE103325		5.03	0.065	0.5	0.60	47	<10	50	<0.5	<2	0.34	<0.5	5	4	8	1.79
CAE103326		2.39	0.014	0.2	1.07	23	<10	80	0.5	<2	0.48	<0.5	5	3	10	1.80
CAE103327		5.01	0.004	<0.2	1.11	6	<10	150	0.5	<2	1.02	<0.5	4	4	14	1.80
CAE103328		5.23	0.001	<0.2	1.16	2	<10	200	<0.5	<2	0.99	<0.5	4	5	9	1.92
CAE103329		5.12	0.007	0.2	1.19	3	<10	210	<0.5	<2	1.36	<0.5	4	5	10	1.86
CAE103330		5.18	0.001	<0.2	1.25	3	<10	210	<0.5	<2	1.13	<0.5	4	6	6	1.87
CAE103331		5.16	0.002	<0.2	1.50	5	<10	220	<0.5	<2	1.70	<0.5	4	4	9	2.26
CAE103332		2.40	0.004	<0.2	1.24	<2	<10	140	<0.5	<2	0.58	<0.5	5	4	9	2.08
CAE103333		0.13	1.255	1.0	1.53	21	<10	200	<0.5	<2	1.04	0.5	11	45	616	3.53
CAE103334		5.11	0.005	0.2	0.87	10	<10	90	<0.5	<2	0.47	<0.5	4	4	9	1.54
CAE103335		5.10	0.005	0.4	0.61	52	<10	50	<0.5	<2	0.14	<0.5	5	3	12	1.69
CAE103336		2.16	0.048	0.9	0.48	32	<10	50	<0.5	<2	0.20	0.6	4	5	18	1.94
CAE103337		1.00	<0.001	<0.2	0.29	2	<10	50	<0.5	<2	0.10	<0.5	1	5	1	0.69
CAE103338		4.91	0.014	<0.2	0.81	22	<10	70	<0.5	<2	0.19	<0.5	5	4	12	1.87
CAE103339		4.75	0.005	<0.2	0.97	7	<10	70	<0.5	<2	0.47	<0.5	5	6	14	1.87
CAE103340		2.30	0.010	<0.2	0.86	3	<10	80	<0.5	<2	0.57	<0.5	4	3	16	1.66
CAE103341		2.18	0.006	<0.2	0.91	8	<10	80	<0.5	<2	0.59	<0.5	5	3	17	1.73
CAE103342		4.83	0.007	<0.2	1.12	3	<10	100	<0.5	<2	0.94	<0.5	5	5	20	1.88
CAE103343		4.38	0.005	<0.2	1.07	<2	<10	110	<0.5	<2	1.37	<0.5	5	6	12	1.84
CAE103344		2.57	0.015	0.4	1.13	3	<10	90	<0.5	<2	0.75	<0.5	5	17	12	2.01
CAE103345		3.40	<0.001	<0.2	1.28	2	<10	130	<0.5	<2	0.81	<0.5	4	5	15	1.89
CAE103346		4.67	0.005	0.2	1.05	10	<10	70	0.5	2	1.04	<0.5	7	8	17	2.11
CAE103347		4.57	0.010	<0.2	1.00	5	<10	90	<0.5	<2	0.82	<0.5	5	4	9	1.79
CAE103348		5.19	0.008	0.2	0.87	8	<10	80	<0.5	<2	1.25	0.7	5	4	22	1.73
CAE103349		4.78	0.001	0.7	1.22	3	<10	140	<0.5	<2	1.37	<0.5	5	5	17	2.04
CAE103350		5.09	0.001	<0.2	1.23	3	<10	160	<0.5	<2	1.04	<0.5	5	4	22	2.02
CAE103351		4.95	<0.001	<0.2	1.06	3	<10	130	<0.5	<2	1.34	<0.5	4	5	7	1.74
CAE103352		4.90	0.004	<0.2	1.06	2	<10	100	<0.5	<2	1.48	<0.5	3	5	4	1.77
CAE103353		2.58	<0.001	<0.2	1.46	2	<10	110	<0.5	<2	1.25	<0.5	5	5	4	2.40
CAE103354		3.59	0.021	<0.2	1.17	3	<10	90	<0.5	<2	1.15	<0.5	4	5	5	2.26

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE103322		<10	<1	0.66	30	0.41	518	<1	0.06	1	280	6	0.06	<2	3	67
CAE103323		<10	1	0.49	30	0.34	364	28	0.03	1	260	8	0.40	<2	3	33
CAE103324		<10	<1	0.41	20	0.31	327	<1	0.04	1	290	6	0.71	<2	3	40
CAE103325		<10	1	0.32	20	0.13	149	1	0.04	<1	260	7	1.38	<2	2	25
CAE103326		<10	1	0.50	40	0.26	374	<1	0.04	<1	340	10	0.73	<2	5	24
CAE103327		<10	<1	0.61	30	0.41	545	<1	0.04	<1	280	6	0.14	2	4	37
CAE103328		<10	<1	0.62	30	0.39	523	1	0.05	1	290	6	0.18	<2	4	65
CAE103329		<10	<1	0.70	30	0.39	575	<1	0.05	1	300	6	0.10	<2	4	59
CAE103330		<10	<1	0.60	30	0.42	538	<1	0.06	2	290	5	0.04	<2	3	103
CAE103331		<10	1	0.78	40	0.52	690	<1	0.05	<1	400	13	0.14	<2	5	68
CAE103332		<10	<1	0.63	30	0.45	462	<1	0.03	1	300	4	0.40	3	4	30
CAE103333		<10	<1	0.24	10	0.73	470	30	0.11	32	670	74	0.61	<2	6	50
CAE103334		<10	1	0.39	20	0.24	224	<1	0.03	1	240	4	0.63	<2	3	40
CAE103335		<10	<1	0.28	20	0.08	146	<1	0.04	<1	240	7	1.16	<2	2	33
CAE103336		<10	1	0.16	10	0.07	52	36	0.03	2	190	26	1.85	<2	2	31
CAE103337		<10	<1	0.17	20	0.01	85	<1	0.09	<1	420	3	0.01	<2	1	123
CAE103338		<10	<1	0.44	20	0.21	359	1	0.04	1	250	4	0.74	<2	3	30
CAE103339		<10	1	0.49	30	0.33	509	1	0.03	1	240	3	0.41	<2	4	56
CAE103340		<10	1	0.46	30	0.30	410	<1	0.03	2	280	6	0.46	<2	3	42
CAE103341		<10	<1	0.48	20	0.31	414	<1	0.03	1	300	7	0.47	<2	3	41
CAE103342		<10	1	0.62	20	0.37	479	<1	0.03	2	290	6	0.30	<2	4	38
CAE103343		<10	<1	0.65	30	0.38	567	<1	0.04	<1	300	5	0.22	2	4	52
CAE103344		<10	1	0.56	20	0.46	428	<1	0.04	4	310	62	0.69	<2	5	63
CAE103345		<10	<1	0.62	30	0.42	543	<1	0.04	1	300	7	0.25	<2	4	48
CAE103346		<10	<1	0.41	20	0.33	660	4	0.02	4	320	33	0.66	<2	6	56
CAE103347		<10	1	0.46	20	0.32	418	1	0.03	<1	300	4	0.45	<2	5	51
CAE103348		<10	<1	0.42	30	0.31	347	1	0.03	1	330	47	0.76	3	4	59
CAE103349		<10	<1	0.58	30	0.44	600	1	0.05	<1	310	96	0.05	<2	4	135
CAE103350		<10	<1	0.61	30	0.45	514	2	0.05	<1	300	4	0.04	<2	4	101
CAE103351		<10	<1	0.57	20	0.34	524	<1	0.04	2	310	4	0.04	<2	3	35
CAE103352		<10	1	0.63	30	0.37	504	1	0.05	1	300	5	0.08	<2	3	41
CAE103353		10	1	0.75	30	0.56	627	<1	0.05	2	330	2	0.02	<2	5	49
CAE103354		<10	<1	0.70	20	0.44	574	7	0.05	2	310	4	0.20	<2	4	43

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 13-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11111278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE103322		20	0.07	<10	<10	21	<10	50
CAE103323		20	0.04	<10	<10	18	<10	50
CAE103324		<20	0.02	<10	<10	15	<10	61
CAE103325		<20	0.01	<10	<10	14	<10	43
CAE103326		20	0.03	<10	<10	17	<10	63
CAE103327		20	0.05	<10	<10	20	<10	51
CAE103328		20	0.06	<10	<10	21	<10	46
CAE103329		20	0.06	<10	<10	20	<10	44
CAE103330		<20	0.05	<10	<10	20	<10	43
CAE103331		20	0.07	<10	<10	28	<10	59
CAE103332		<20	0.06	<10	<10	25	<10	48
CAE103333		<20	0.12	<10	<10	70	20	103
CAE103334		<20	0.02	<10	<10	14	<10	36
CAE103335		<20	0.01	<10	<10	13	<10	40
CAE103336		<20	<0.01	<10	<10	15	<10	44
CAE103337		<20	0.01	<10	<10	36	<10	14
CAE103338		<20	0.03	<10	<10	19	<10	46
CAE103339		<20	0.04	<10	<10	21	<10	45
CAE103340		<20	0.03	<10	<10	18	<10	41
CAE103341		<20	0.03	<10	<10	18	<10	48
CAE103342		<20	0.06	<10	<10	24	<10	44
CAE103343		<20	0.06	<10	<10	23	<10	41
CAE103344		<20	0.05	<10	<10	32	<10	51
CAE103345		<20	0.06	<10	<10	23	<10	43
CAE103346		<20	0.03	<10	<10	29	<10	56
CAE103347		<20	0.03	<10	<10	22	<10	42
CAE103348		<20	0.02	<10	<10	18	<10	79
CAE103349		<20	0.05	<10	<10	24	<10	65
CAE103350		<20	0.06	<10	<10	25	<10	43
CAE103351		<20	0.05	<10	<10	19	<10	32
CAE103352		20	0.07	<10	<10	24	<10	32
CAE103353		20	0.08	<10	<10	33	<10	49
CAE103354		20	0.09	<10	<10	33	<10	44