ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

CERTIFICATE WH11129438

Project: JP Ross Project

P.O. No.: JP00372011

This report is for 128 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2011.

The following have access to data associated with this certificate:

KEITH FOWLOW	JEAN-PIERRE LONDERO	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **SELENE HOLDINGS LP**
ATTN: KEITH FOWLOW
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441183		1.86	0.007	0.7	1.11	2	<10	240	0.7	<2	0.50	1.2	4	28	56	2.61
CAE441184		3.35	0.013	0.9	0.98	4	<10	250	0.9	<2	0.40	1.4	4	27	49	2.73
CAE441185		3.48	0.009	0.6	0.89	2	<10	240	0.7	<2	0.52	1.1	4	29	42	2.46
CAE441186		3.99	0.007	0.6	0.81	2	<10	250	0.5	<2	0.35	0.8	3	28	46	2.67
CAE441187		2.82	0.008	0.5	0.86	2	<10	240	0.6	<2	0.49	1.2	3	29	43	2.58
CAE441188		3.33	0.013	0.7	0.99	2	<10	230	0.6	<2	0.32	1.4	5	30	73	3.13
CAE441189		4.75	0.008	0.5	0.83	<2	<10	310	0.5	<2	0.44	0.8	4	28	50	2.22
CAE441190		3.33	0.010	0.5	0.90	2	<10	300	0.5	<2	0.46	0.9	4	30	62	2.62
CAE441191		0.15	1.100	0.9	1.54	25	<10	200	<0.5	<2	1.07	0.6	12	46	617	3.65
CAE441192		4.72	0.011	0.5	0.89	<2	<10	250	0.5	<2	0.58	1.1	3	29	67	2.34
CAE441193		4.49	0.013	0.5	0.86	2	<10	250	0.5	<2	0.40	0.8	3	28	56	2.85
CAE441194		0.62	<0.001	<0.2	0.47	<2	<10	130	<0.5	<2	0.08	<0.5	1	8	2	1.24
CAE441195		3.69	0.015	0.6	0.83	<2	<10	250	0.5	<2	0.33	0.8	3	29	60	3.01
CAE441196		1.87	0.016	0.6	0.71	2	<10	170	0.6	<2	0.81	1.4	4	25	49	3.28
CAE441197		2.33	0.015	0.7	0.75	<2	<10	190	0.6	<2	0.77	1.4	3	28	47	3.48
CAE441198		4.82	0.017	0.6	0.80	<2	<10	190	0.6	<2	0.64	1.2	4	27	60	3.37
CAE441199		3.19	0.019	0.8	0.91	<2	<10	200	0.6	<2	0.45	1.2	3	27	65	3.48
CAE441200		4.50	0.011	0.6	0.86	<2	<10	220	0.5	<2	0.91	1.1	3	29	52	2.59
CAE441201		4.66	0.014	0.7	0.91	<2	<10	250	0.5	<2	0.47	1.0	3	28	62	2.59
CAE441202		4.55	0.013	0.7	0.91	2	<10	300	0.5	<2	0.60	0.7	3	27	47	2.19
CAE441203		3.25	0.016	0.5	0.89	<2	<10	250	0.5	<2	0.57	0.8	3	29	48	2.39
CAE441204		3.46	0.012	0.6	0.83	<2	<10	270	0.5	<2	0.41	1.0	3	26	47	2.30
CAE441205		3.88	0.013	0.5	0.91	<2	<10	280	0.6	<2	0.42	1.3	3	26	52	2.44
CAE441206		4.66	0.012	0.6	0.89	<2	<10	280	0.6	<2	0.39	0.9	3	27	63	2.29
CAE441207		4.12	0.016	0.8	0.80	<2	<10	250	0.5	<2	0.47	0.9	2	28	60	2.53
CAE441208		4.68	0.015	0.7	0.89	<2	<10	180	0.6	<2	0.36	1.4	4	27	63	3.06
CAE441209		4.16	0.016	0.8	0.81	<2	<10	170	0.6	<2	0.51	1.0	4	25	75	3.74
CAE441210		0.15	1.105	1.0	1.54	21	<10	200	<0.5	<2	1.05	0.6	11	46	601	3.56
CAE441211		3.85	0.016	0.7	0.78	<2	<10	180	0.6	<2	0.49	1.1	3	25	66	2.95
CAE441212		4.47	0.015	0.8	0.88	<2	<10	190	0.6	<2	0.42	1.1	2	28	81	3.26
CAE441213		4.94	0.017	0.8	0.83	2	<10	230	0.5	<2	0.37	0.9	3	28	81	2.60
CAE441214		0.52	0.001	<0.2	0.50	<2	<10	150	<0.5	<2	0.04	<0.5	1	8	2	1.20
CAE441215		4.75	0.023	0.8	0.72	<2	<10	160	0.6	<2	0.36	1.5	4	24	89	3.58
CAE441216		5.07	0.022	0.7	0.83	<2	<10	190	0.6	<2	0.37	1.4	3	27	96	3.44
CAE441217		4.28	0.019	0.8	0.76	<2	<10	180	0.6	<2	0.47	1.3	3	26	69	3.31
CAE441218		5.20	0.022	0.8	0.90	<2	<10	210	0.6	<2	0.46	0.9	3	30	81	2.77
CAE441219		5.02	0.023	0.8	0.82	<2	<10	180	0.5	<2	0.48	1.1	3	27	95	3.25
CAE441220		2.44	0.020	0.7	0.82	<2	<10	200	0.6	2	0.47	1.3	3	28	82	3.22
CAE441221		1.79	0.020	0.9	0.78	<2	<10	180	0.6	<2	0.48	1.4	3	25	83	3.15
CAE441222		4.40	0.017	0.8	0.88	2	<10	180	0.7	<2	0.70	1.6	4	29	95	3.68

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441183		<10	<1	0.29	20	0.61	581	3	0.10	16	600	29	0.02	<2	3	48
CAE441184		<10	<1	0.33	20	0.40	497	5	0.14	14	580	83	0.01	<2	3	65
CAE441185		<10	<1	0.31	20	0.51	519	5	0.14	13	600	34	0.01	<2	2	62
CAE441186		<10	<1	0.33	20	0.45	430	3	0.15	14	590	35	<0.01	<2	1	55
CAE441187		<10	<1	0.32	20	0.50	416	3	0.15	13	590	26	<0.01	<2	2	57
CAE441188		<10	<1	0.34	20	0.45	616	9	0.15	15	570	24	0.01	<2	3	56
CAE441189		<10	<1	0.37	20	0.48	412	2	0.19	14	600	28	0.01	<2	2	61
CAE441190		<10	<1	0.38	20	0.51	472	3	0.20	14	590	24	0.01	<2	2	68
CAE441191		10	<1	0.25	10	0.75	491	31	0.11	34	670	78	0.61	3	6	52
CAE441192		<10	<1	0.33	20	0.52	492	4	0.15	14	560	21	0.01	<2	3	64
CAE441193		<10	<1	0.36	20	0.45	438	4	0.18	13	550	24	0.01	<2	2	62
CAE441194		<10	<1	0.36	<10	0.03	233	<1	0.16	3	110	8	<0.01	<2	2	74
CAE441195		<10	<1	0.38	20	0.42	451	4	0.18	13	560	27	0.01	<2	2	63
CAE441196		<10	<1	0.29	20	0.34	569	14	0.11	12	510	21	0.05	<2	3	81
CAE441197		<10	<1	0.32	20	0.34	580	13	0.12	12	530	20	0.04	<2	3	80
CAE441198		<10	<1	0.31	20	0.41	661	12	0.12	13	520	27	0.09	<2	3	67
CAE441199		<10	<1	0.34	20	0.39	525	12	0.14	13	490	29	0.07	<2	3	62
CAE441200		<10	<1	0.34	20	0.47	449	7	0.16	12	540	23	0.09	<2	2	76
CAE441201		<10	<1	0.36	20	0.47	463	4	0.20	13	560	23	0.01	<2	2	69
CAE441202		<10	<1	0.40	20	0.49	409	5	0.23	12	590	32	0.02	<2	2	77
CAE441203		<10	<1	0.35	20	0.45	405	3	0.20	13	570	17	0.01	<2	2	71
CAE441204		<10	<1	0.36	20	0.45	397	3	0.20	13	590	21	0.01	<2	1	67
CAE441205		<10	<1	0.39	20	0.41	480	4	0.23	14	560	26	0.01	<2	2	131
CAE441206		<10	<1	0.38	20	0.42	387	3	0.21	12	580	27	0.01	<2	2	70
CAE441207		<10	<1	0.35	20	0.42	422	5	0.19	12	580	33	0.01	<2	1	68
CAE441208		<10	<1	0.31	20	0.41	453	10	0.14	12	520	26	0.04	<2	2	54
CAE441209		<10	<1	0.31	20	0.34	533	18	0.13	11	490	24	0.10	<2	2	65
CAE441210		10	<1	0.25	10	0.72	480	29	0.12	31	660	75	0.60	3	6	52
CAE441211		<10	<1	0.31	20	0.41	505	10	0.14	11	510	29	0.11	<2	2	58
CAE441212		<10	<1	0.34	20	0.42	476	9	0.16	12	500	30	0.05	<2	2	61
CAE441213		<10	<1	0.36	20	0.43	393	5	0.19	13	590	36	0.02	<2	2	62
CAE441214		<10	<1	0.43	<10	0.03	166	<1	0.17	3	110	5	0.01	<2	2	108
CAE441215		<10	<1	0.29	20	0.31	482	14	0.13	11	440	31	0.32	<2	2	49
CAE441216		<10	<1	0.33	20	0.34	431	16	0.15	12	490	32	0.08	<2	2	56
CAE441217		<10	<1	0.31	20	0.38	429	10	0.15	11	480	34	0.14	<2	2	58
CAE441218		<10	<1	0.32	20	0.47	463	4	0.18	12	550	29	0.02	<2	2	58
CAE441219		<10	<1	0.31	20	0.41	426	7	0.15	11	500	30	0.11	<2	2	57
CAE441220		<10	<1	0.33	20	0.44	488	15	0.17	11	520	34	0.09	<2	2	61
CAE441221		<10	<1	0.30	20	0.43	468	10	0.14	11	510	33	0.10	<2	2	56
CAE441222		<10	<1	0.33	20	0.45	609	12	0.15	12	520	28	0.43	<2	3	72

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441183		<20	0.08	<10	<10	29	<10	93
CAE441184		<20	0.07	<10	<10	28	<10	200
CAE441185		<20	0.10	<10	<10	28	<10	102
CAE441186		<20	0.12	<10	<10	28	<10	89
CAE441187		<20	0.11	<10	<10	29	<10	82
CAE441188		<20	0.07	<10	<10	28	<10	92
CAE441189		<20	0.13	<10	<10	29	<10	91
CAE441190		<20	0.12	<10	<10	30	<10	98
CAE441191		<20	0.12	<10	<10	73	20	109
CAE441192		<20	0.10	<10	<10	29	<10	88
CAE441193		<20	0.12	<10	<10	28	<10	89
CAE441194		<20	0.01	<10	<10	41	<10	25
CAE441195		<20	0.12	<10	<10	28	<10	85
CAE441196		<20	0.04	<10	<10	25	<10	86
CAE441197		<20	0.05	<10	<10	27	<10	85
CAE441198		<20	0.06	<10	<10	26	<10	101
CAE441199		<20	0.06	<10	<10	26	<10	93
CAE441200		<20	0.10	<10	<10	28	<10	82
CAE441201		<20	0.11	<10	<10	29	<10	85
CAE441202		<20	0.13	<10	<10	29	<10	94
CAE441203		<20	0.11	<10	<10	28	<10	69
CAE441204		<20	0.13	<10	<10	29	<10	91
CAE441205		<20	0.12	<10	<10	27	<10	93
CAE441206		<20	0.12	<10	<10	28	<10	91
CAE441207		<20	0.12	<10	<10	27	<10	96
CAE441208		<20	0.08	<10	<10	27	<10	98
CAE441209		<20	0.07	<10	<10	24	<10	83
CAE441210		<20	0.13	<10	<10	73	20	107
CAE441211		<20	0.09	<10	<10	26	<10	91
CAE441212		<20	0.08	<10	<10	26	<10	92
CAE441213		<20	0.12	<10	<10	29	<10	101
CAE441214		<20	0.01	<10	<10	43	<10	21
CAE441215		<20	0.07	<10	<10	24	<10	107
CAE441216		<20	0.09	<10	<10	26	<10	98
CAE441217		<20	0.09	<10	<10	25	<10	105
CAE441218		<20	0.11	<10	<10	28	<10	97
CAE441219		<20	0.09	<10	<10	27	<10	96
CAE441220		<20	0.10	<10	<10	28	<10	105
CAE441221		<20	0.10	<10	<10	27	<10	106
CAE441222		<20	0.07	<10	<10	28	<10	132

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441223		4.77	0.016	0.7	0.84	<2	<10	180	0.6	<2	0.64	1.2	4	25	100	3.74
CAE441224		4.02	0.018	0.9	0.80	<2	<10	180	0.7	<2	0.72	1.2	3	26	103	4.08
CAE441225		3.37	0.029	0.9	0.54	3	<10	130	0.6	<2	0.72	1.5	6	23	100	4.45
CAE441226		5.35	0.014	1.0	0.55	2	<10	140	0.6	<2	0.49	1.7	5	20	75	3.81
CAE441227		5.72	0.016	0.7	0.74	<2	<10	150	0.6	<2	0.61	1.2	2	25	67	3.62
CAE441228		0.15	3.21	57.9	1.83	38	<10	160	<0.5	2	2.60	8.1	10	50	173	2.86
CAE441229		5.13	0.029	1.0	0.66	<2	<10	140	0.6	<2	0.80	1.0	2	26	105	4.08
CAE441230		5.27	0.020	1.0	0.54	<2	<10	110	0.6	<2	0.87	1.3	4	23	91	4.53
CAE441231		4.91	0.019	1.0	0.69	<2	<10	140	0.6	<2	0.78	1.0	5	24	97	4.27
CAE441232		5.54	0.018	0.8	0.71	<2	<10	150	0.6	<2	0.76	1.2	5	25	89	4.07
CAE441233		0.85	0.001	<0.2	0.44	<2	<10	130	<0.5	<2	0.03	<0.5	1	5	2	1.07
CAE441234		5.09	0.019	0.9	0.74	<2	<10	180	0.6	<2	0.71	1.0	4	24	89	3.38
CAE441235		4.66	0.023	1.3	0.64	59	<10	150	0.6	2	0.75	0.9	21	21	122	3.76
CAE441236		3.55	0.020	1.0	0.65	2	<10	150	0.6	<2	1.02	1.1	6	19	81	2.80
CAE441237		2.72	0.013	0.8	0.86	<2	<10	200	0.6	<2	0.90	1.0	6	24	81	2.54
CAE441238		2.30	0.014	0.8	0.90	<2	<10	220	0.6	<2	0.87	0.9	6	23	76	2.72
CAE441239		4.95	0.018	1.8	0.88	<2	<10	160	0.6	2	1.46	1.5	7	21	95	2.67
CAE441240		1.79	0.021	0.9	0.99	<2	<10	190	0.7	<2	0.90	1.2	5	26	83	3.26
CAE441241		3.26	0.022	0.7	1.00	<2	<10	210	0.6	<2	0.76	1.0	5	24	77	2.55
CAE441242		4.71	0.025	0.9	0.78	<2	<10	190	<0.5	<2	0.47	1.4	4	24	100	3.02
CAE441243		4.99	0.020	0.8	0.85	<2	<10	180	0.5	2	0.75	1.1	6	24	89	2.88
CAE441244		4.86	0.048	1.0	0.79	<2	<10	190	<0.5	<2	0.70	1.1	6	24	110	3.18
CAE441245		4.59	0.013	0.7	0.87	<2	<10	200	0.5	<2	0.76	1.1	7	24	56	2.65
CAE441246		4.69	0.026	0.9	0.79	<2	<10	170	0.6	<2	0.98	1.5	6	22	73	3.14
CAE441247		4.95	0.019	0.7	0.79	<2	<10	180	0.5	<2	0.70	1.6	5	24	56	2.55
CAE441248		2.43	0.014	0.7	0.90	<2	<10	240	0.5	<2	0.60	1.2	5	23	55	2.42
CAE441249		4.88	0.071	1.2	1.06	<2	<10	190	0.5	<2	0.66	1.5	5	23	117	2.91
CAE441250		5.45	0.027	0.8	1.15	<2	<10	180	0.7	<2	1.18	1.0	6	22	88	3.03
CAE441251		5.49	0.026	0.7	1.22	<2	<10	200	0.7	<2	0.96	1.2	5	22	96	2.51
CAE441252		0.15	1.180	0.9	1.44	21	<10	190	<0.5	<2	0.98	0.6	13	43	576	3.40
CAE441253		5.14	0.029	0.9	1.11	<2	<10	150	0.6	<2	0.96	1.1	5	23	107	3.32
CAE441254		4.91	0.094	0.9	1.16	<2	<10	210	0.6	<2	0.81	1.3	5	24	126	2.60
CAE441255		0.96	<0.001	<0.2	0.42	<2	<10	110	<0.5	<2	0.02	<0.5	3	4	8	1.08
CAE441256		4.34	0.030	1.1	1.08	<2	<10	170	0.6	<2	0.90	1.2	6	23	135	2.77
CAE441257		4.82	0.039	1.3	0.79	<2	<10	200	<0.5	<2	0.52	1.0	4	24	145	2.84
CAE441258		4.78	0.032	1.0	0.76	<2	<10	200	<0.5	<2	0.64	1.2	5	25	117	2.31
CAE441259		4.89	0.029	0.9	0.79	<2	<10	200	<0.5	<2	0.72	1.0	5	24	107	2.47
CAE441260		2.56	0.015	0.9	0.87	3	<10	190	0.5	<2	0.83	1.0	6	24	84	2.41
CAE441261		2.05	0.014	0.7	0.87	<2	<10	190	0.5	<2	0.83	1.1	6	24	79	2.46
CAE441262		4.92	0.057	1.1	0.70	<2	<10	190	<0.5	<2	0.68	1.1	5	23	146	2.35

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
CAE441223		<10	<1	0.31	20	0.41	543	12	0.13	11	500	26	0.45	<2	2	67
CAE441224		<10	<1	0.34	20	0.41	537	12	0.15	10	460	25	0.25	<2	2	78
CAE441225		<10	<1	0.25	20	0.36	602	12	0.09	10	390	30	0.61	<2	2	90
CAE441226		<10	<1	0.25	30	0.24	506	14	0.07	10	380	40	0.37	<2	2	61
CAE441227		<10	<1	0.29	20	0.38	494	9	0.13	10	440	24	0.09	<2	2	65
CAE441228		10	12	0.25	10	1.52	541	9	0.07	36	490	1040	0.96	149	4	86
CAE441229		<10	<1	0.29	20	0.37	516	9	0.13	10	440	28	0.10	<2	2	86
CAE441230		<10	<1	0.24	20	0.34	545	13	0.09	9	390	31	0.50	<2	2	88
CAE441231		<10	<1	0.28	20	0.38	504	10	0.12	10	410	34	0.45	<2	2	75
CAE441232		<10	<1	0.29	20	0.40	489	10	0.14	11	460	35	0.48	<2	2	80
CAE441233		<10	<1	0.35	<10	0.03	196	<1	0.16	2	100	5	0.01	<2	1	70
CAE441234		<10	<1	0.33	20	0.45	434	8	0.16	10	460	33	0.42	<2	2	86
CAE441235		<10	1	0.28	20	0.41	459	8	0.10	14	420	43	1.15	<2	2	91
CAE441236		<10	1	0.27	20	0.43	429	11	0.08	13	460	30	0.41	<2	2	111
CAE441237		<10	1	0.28	20	0.56	367	12	0.11	12	510	29	0.16	<2	2	74
CAE441238		<10	<1	0.31	20	0.56	378	10	0.13	13	500	28	0.14	<2	2	77
CAE441239		<10	<1	0.28	20	0.36	448	14	0.08	11	480	44	0.29	<2	2	102
CAE441240		<10	<1	0.32	20	0.51	378	10	0.12	16	480	25	0.17	<2	2	74
CAE441241		<10	<1	0.30	20	0.53	341	11	0.13	13	500	26	0.20	<2	1	67
CAE441242		<10	1	0.30	20	0.37	321	12	0.15	12	490	33	0.10	<2	1	61
CAE441243		<10	1	0.29	20	0.42	351	11	0.15	12	500	28	0.38	<2	2	74
CAE441244		<10	<1	0.30	20	0.41	367	10	0.15	13	490	30	0.19	<2	1	66
CAE441245		<10	<1	0.31	20	0.45	361	9	0.14	12	510	32	0.20	<2	2	68
CAE441246		<10	<1	0.30	20	0.45	441	11	0.12	12	480	39	0.34	<2	2	93
CAE441247		<10	<1	0.30	20	0.39	363	12	0.15	11	510	36	0.12	<2	1	67
CAE441248		<10	<1	0.34	20	0.43	340	11	0.18	13	510	32	0.11	<2	1	76
CAE441249		<10	<1	0.29	20	0.52	371	12	0.13	11	490	33	0.21	<2	1	75
CAE441250		<10	<1	0.23	20	0.56	450	12	0.08	12	470	27	0.53	<2	1	125
CAE441251		<10	1	0.26	20	0.56	411	10	0.11	12	510	32	0.15	<2	1	132
CAE441252		<10	<1	0.23	<10	0.71	438	28	0.09	33	610	71	0.59	3	6	52
CAE441253		<10	1	0.24	20	0.55	413	10	0.10	13	500	29	0.14	<2	1	83
CAE441254		<10	1	0.27	20	0.58	393	12	0.11	11	520	32	0.17	<2	1	84
CAE441255		<10	1	0.31	<10	0.02	130	1	0.17	7	60	7	0.01	<2	<1	58
CAE441256		<10	<1	0.26	20	0.51	372	13	0.11	13	490	28	0.18	<2	1	72
CAE441257		<10	<1	0.28	20	0.36	307	11	0.15	12	500	26	0.08	<2	1	79
CAE441258		<10	<1	0.29	20	0.39	309	12	0.17	11	520	30	0.13	<2	1	74
CAE441259		<10	1	0.29	20	0.41	333	12	0.17	14	520	23	0.19	<2	1	75
CAE441260		<10	<1	0.30	20	0.46	328	12	0.15	13	520	25	0.28	<2	1	69
CAE441261		<10	1	0.30	20	0.47	342	12	0.14	13	510	24	0.17	<2	1	69
CAE441262		<10	<1	0.27	20	0.35	308	12	0.17	11	520	28	0.09	<2	1	63

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441223		<20	0.06	<10	<10	26	<10	107
CAE441224		<20	0.08	<10	<10	27	<10	93
CAE441225		<20	0.04	<10	<10	22	<10	133
CAE441226		<20	0.02	<10	<10	19	<10	139
CAE441227		<20	0.07	<10	<10	27	<10	95
CAE441228		<20	0.04	<10	<10	45	<10	2150
CAE441229		<20	0.06	<10	<10	25	<10	94
CAE441230		<20	0.03	<10	<10	22	<10	99
CAE441231		<20	0.06	<10	<10	24	<10	90
CAE441232		<20	0.07	<10	<10	25	<10	103
CAE441233		<20	<0.01	<10	<10	17	<10	12
CAE441234		<20	0.07	<10	<10	25	<10	99
CAE441235		<20	0.06	<10	<10	20	<10	90
CAE441236		<20	0.05	<10	<10	19	<10	105
CAE441237		<20	0.11	<10	<10	25	<10	82
CAE441238		<20	0.12	<10	<10	25	<10	80
CAE441239		<20	0.05	<10	<10	21	<10	107
CAE441240		<20	0.11	<10	<10	26	<10	83
CAE441241		<20	0.12	<10	<10	26	<10	80
CAE441242		<20	0.13	<10	<10	25	<10	95
CAE441243		<20	0.11	<10	<10	26	<10	86
CAE441244		<20	0.12	<10	<10	26	<10	89
CAE441245		<20	0.12	<10	<10	26	<10	96
CAE441246		<20	0.09	<10	<10	23	<10	122
CAE441247		<20	0.12	<10	<10	25	<10	111
CAE441248		<20	0.13	<10	<10	26	<10	94
CAE441249		<20	0.11	<10	<10	25	<10	114
CAE441250		<20	0.08	<10	<10	23	<10	82
CAE441251		<20	0.10	<10	<10	25	<10	95
CAE441252		<20	0.14	<10	<10	66	20	98
CAE441253		<20	0.10	<10	<10	26	<10	89
CAE441254		<20	0.11	<10	<10	26	<10	95
CAE441255		<20	0.03	<10	<10	23	<10	16
CAE441256		<20	0.10	<10	<10	24	<10	93
CAE441257		<20	0.13	<10	<10	25	<10	75
CAE441258		<20	0.14	<10	<10	26	<10	95
CAE441259		<20	0.13	<10	<10	26	<10	76
CAE441260		<20	0.12	<10	<10	25	<10	86
CAE441261		<20	0.12	<10	<10	25	<10	95
CAE441262		<20	0.13	<10	<10	25	<10	84

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441263		5.36	0.041	1.1	0.81	<2	<10	210	0.5	<2	0.75	1.8	6	26	139	2.43
CAE441264		4.98	0.032	0.9	0.69	<2	<10	200	<0.5	<2	0.51	1.7	5	25	117	2.22
CAE441265		4.92	0.055	1.0	0.69	<2	<10	190	<0.5	<2	0.57	1.5	5	27	171	2.43
CAE441266		4.96	0.041	1.2	0.74	2	<10	200	<0.5	<2	0.59	1.8	5	25	139	2.29
CAE441267		5.03	0.044	0.9	0.74	<2	<10	200	<0.5	<2	0.70	1.1	5	26	106	2.41
CAE441268		4.88	0.039	1.0	0.83	<2	<10	190	<0.5	<2	0.83	1.3	6	25	110	2.29
CAE441269		2.92	0.028	0.8	0.70	<2	<10	220	<0.5	<2	0.49	1.2	5	27	110	2.07
CAE441270		0.15	3.08	57.6	1.81	38	<10	160	<0.5	<2	2.66	7.9	12	50	170	2.91
CAE441271		4.08	0.053	1.4	0.87	3	<10	210	0.5	<2	0.68	1.2	5	25	200	2.29
CAE441272		3.42	0.027	1.6	1.29	2	<10	210	0.8	<2	1.36	0.9	7	22	189	2.75
CAE441273		0.68	0.001	<0.2	0.46	<2	<10	120	<0.5	<2	0.04	<0.5	2	6	3	1.06
CAE441274		4.68	0.034	1.2	1.02	2	<10	220	0.6	<2	0.60	1.0	4	26	185	2.28
CAE441275		5.22	0.035	1.0	0.83	<2	<10	240	0.5	<2	0.62	0.9	4	27	174	2.43
CAE441276		2.20	0.022	0.9	0.96	<2	<10	200	0.6	<2	1.10	0.8	4	26	156	2.74
CAE441277		1.81	0.082	0.8	0.89	2	<10	200	0.6	<2	1.09	0.8	4	25	157	2.49
CAE441278		4.85	0.015	0.9	0.87	<2	<10	210	0.7	<2	1.33	1.2	5	23	113	2.55
CAE441279		4.95	0.010	0.8	0.66	<2	<10	90	<0.5	2	0.68	1.7	6	24	66	2.57
CAE441280		4.70	0.006	0.6	0.66	<2	<10	160	<0.5	<2	0.31	4.7	6	20	55	2.70
CAE441281		6.24	0.010	0.7	0.78	<2	<10	80	<0.5	2	0.16	2.1	6	24	74	2.83
CAE441282		4.81	0.010	0.9	0.78	<2	<10	140	<0.5	<2	0.53	1.9	6	25	88	2.72
CAE441283		4.68	0.008	0.8	0.74	2	<10	120	<0.5	<2	0.78	1.3	7	16	81	2.28
CAE441284		4.48	0.018	0.7	0.77	<2	<10	150	<0.5	<2	0.78	2.0	5	19	74	2.80
CAE441285		4.97	0.008	1.1	0.70	13	<10	130	<0.5	2	0.80	1.6	5	19	60	2.21
CAE441286		5.08	0.008	0.7	0.58	2	<10	130	<0.5	<2	0.83	1.1	6	17	69	2.51
CAE441287		0.98	<0.001	<0.2	0.39	<2	<10	120	<0.5	<2	0.05	<0.5	2	6	1	0.87
CAE441288		4.99	0.048	1.2	0.84	4	<10	110	<0.5	<2	0.67	1.3	5	13	82	2.31
CAE441289		4.44	0.017	0.8	0.70	2	<10	120	<0.5	<2	0.62	0.5	4	21	121	2.50
CAE441290		4.94	0.019	1.0	0.58	3	<10	100	<0.5	<2	0.73	0.6	4	18	137	2.25
CAE441291		0.84	<0.001	<0.2	0.36	2	<10	100	<0.5	<2	0.04	<0.5	1	8	2	1.32
CAE441292		4.60	0.017	1.8	0.71	5	<10	120	<0.5	3	0.73	2.3	5	13	111	2.02
CAE441293		4.44	0.013	0.7	0.83	<2	<10	120	<0.5	<2	0.67	1.1	4	13	71	2.29
CAE441294		4.65	0.031	1.0	1.20	2	<10	250	<0.5	<2	0.78	1.3	8	82	74	3.11
CAE441295		4.85	0.013	0.3	2.92	3	<10	1250	0.5	<2	0.96	<0.5	22	302	70	4.52
CAE441296		2.30	0.008	0.2	2.04	<2	<10	710	0.5	<2	1.13	0.8	14	168	46	3.71
CAE441297		1.97	0.007	0.2	2.21	<2	<10	770	0.5	<2	1.22	0.8	15	186	51	4.29
CAE441298		2.63	0.030	0.5	0.73	<2	<10	200	<0.5	<2	0.68	1.4	6	23	34	2.38
CAE441299		6.15	0.008	1.0	1.21	2	<10	300	<0.5	<2	0.69	1.3	8	52	91	3.63
CAE441300		5.89	0.006	0.7	0.95	15	<10	180	<0.5	<2	0.60	1.4	8	28	48	2.75
CAE441301		5.59	0.010	0.9	0.59	2	<10	170	<0.5	2	0.95	1.5	8	38	57	3.43
CAE441302		4.16	0.008	0.5	1.21	3	<10	400	0.6	<2	0.95	0.7	5	42	41	2.09

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441263		<10	<1	0.27	20	0.38	338	13	0.16	12	520	44	0.18	<2	1	379
CAE441264		<10	<1	0.29	20	0.33	320	9	0.20	11	530	43	0.08	2	1	73
CAE441265		<10	1	0.28	20	0.35	328	9	0.18	13	520	39	0.18	<2	1	65
CAE441266		<10	<1	0.29	20	0.33	306	9	0.19	12	530	48	0.13	<2	1	172
CAE441267		<10	<1	0.30	20	0.34	329	9	0.18	11	520	33	0.12	<2	1	110
CAE441268		<10	1	0.30	20	0.42	345	9	0.17	11	540	33	0.21	<2	1	99
CAE441269		<10	<1	0.28	20	0.34	300	8	0.18	12	530	35	0.05	<2	1	193
CAE441270		10	12	0.23	10	1.54	525	9	0.05	38	490	1030	0.98	151	4	90
CAE441271		<10	<1	0.29	20	0.42	327	9	0.16	13	530	37	0.19	<2	1	82
CAE441272		<10	<1	0.27	20	0.56	447	9	0.10	16	530	43	0.59	2	2	115
CAE441273		<10	<1	0.37	<10	0.02	155	<1	0.17	2	60	7	0.01	<2	1	69
CAE441274		<10	1	0.28	20	0.53	350	7	0.15	13	570	39	0.10	<2	1	96
CAE441275		<10	<1	0.28	20	0.42	318	6	0.17	12	540	36	0.04	<2	1	122
CAE441276		<10	<1	0.28	20	0.51	426	7	0.16	13	530	22	0.07	<2	2	94
CAE441277		<10	<1	0.27	20	0.49	426	7	0.15	13	520	27	0.06	<2	2	90
CAE441278		<10	<1	0.29	20	0.43	477	8	0.12	13	540	40	0.42	2	2	120
CAE441279		<10	1	0.18	10	0.29	465	6	0.03	17	190	56	0.41	2	3	45
CAE441280		<10	<1	0.20	10	0.37	323	6	0.02	16	80	59	0.41	<2	3	32
CAE441281		<10	1	0.18	10	0.43	252	6	0.02	16	140	34	0.41	<2	4	31
CAE441282		<10	1	0.24	10	0.36	400	7	0.04	20	470	36	0.36	2	3	56
CAE441283		<10	1	0.22	10	0.33	455	8	0.06	13	210	32	0.44	<2	3	66
CAE441284		<10	<1	0.24	10	0.35	390	7	0.06	16	650	34	0.51	<2	2	67
CAE441285		<10	<1	0.24	10	0.34	401	6	0.08	11	260	28	0.33	<2	3	63
CAE441286		<10	<1	0.23	10	0.33	490	5	0.09	13	210	27	0.32	<2	2	57
CAE441287		<10	<1	0.35	<10	0.02	175	<1	0.13	2	100	4	0.01	<2	1	153
CAE441288		<10	<1	0.22	10	0.34	330	7	0.06	12	200	43	0.41	<2	2	81
CAE441289		<10	<1	0.24	10	0.30	421	6	0.10	12	230	16	0.16	2	3	50
CAE441290		<10	<1	0.22	10	0.35	401	5	0.09	11	210	17	0.16	<2	3	52
CAE441291		<10	1	0.27	<10	0.01	157	<1	0.16	2	70	4	0.01	<2	<1	71
CAE441292		<10	<1	0.22	10	0.31	359	8	0.07	11	240	48	0.39	<2	2	90
CAE441293		<10	<1	0.23	10	0.33	444	6	0.09	11	280	32	0.31	<2	2	94
CAE441294		10	<1	0.56	10	1.00	560	5	0.06	60	360	36	0.34	<2	6	68
CAE441295		10	<1	2.32	10	3.52	788	8	0.19	190	1170	10	0.12	<2	10	53
CAE441296		10	<1	1.36	10	2.13	584	7	0.12	119	760	19	0.26	<2	7	65
CAE441297		10	<1	1.51	10	2.38	677	6	0.13	128	760	22	0.30	<2	8	68
CAE441298		<10	<1	0.25	10	0.36	329	4	0.02	34	440	32	0.38	<2	3	55
CAE441299		<10	<1	0.38	10	0.70	502	5	0.02	40	700	33	0.42	9	7	62
CAE441300		<10	<1	0.24	10	0.49	348	4	0.02	31	560	41	0.53	<2	5	68
CAE441301		<10	<1	0.24	10	0.63	626	5	0.02	30	400	60	0.46	3	5	72
CAE441302		<10	<1	0.44	10	0.60	391	6	0.09	29	480	25	0.20	<2	3	105

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441263		<20	0.12	<10	<10	26	<10	129
CAE441264		<20	0.13	<10	<10	26	<10	121
CAE441265		<20	0.12	<10	<10	26	<10	115
CAE441266		<20	0.13	<10	<10	25	<10	129
CAE441267		<20	0.12	<10	<10	26	<10	92
CAE441268		<20	0.11	<10	<10	25	<10	109
CAE441269		<20	0.13	<10	<10	25	<10	87
CAE441270		<20	0.06	<10	<10	43	<10	2040
CAE441271		<20	0.09	<10	<10	26	<10	103
CAE441272		<20	0.04	<10	<10	23	<10	100
CAE441273		<20	0.01	<10	<10	31	<10	18
CAE441274		<20	0.09	<10	<10	27	<10	97
CAE441275		<20	0.10	<10	<10	28	<10	90
CAE441276		<20	0.06	<10	<10	27	<10	73
CAE441277		<20	0.07	<10	<10	28	<10	82
CAE441278		<20	0.04	<10	<10	23	<10	107
CAE441279		<20	0.01	<10	<10	22	<10	166
CAE441280		<20	0.02	<10	<10	18	<10	385
CAE441281		<20	0.01	<10	<10	23	<10	200
CAE441282		<20	0.02	<10	<10	31	<10	197
CAE441283		<20	0.01	<10	<10	15	<10	132
CAE441284		<20	0.01	<10	<10	20	<10	191
CAE441285		<20	0.01	<10	<10	19	<10	159
CAE441286		<20	0.01	<10	<10	18	<10	122
CAE441287		<20	0.01	<10	<10	17	<10	11
CAE441288		<20	<0.01	<10	<10	14	<10	136
CAE441289		<20	0.02	<10	<10	26	<10	75
CAE441290		<20	0.02	<10	<10	26	<10	90
CAE441291		<20	0.01	<10	<10	11	<10	9
CAE441292		<20	<0.01	<10	<10	12	<10	220
CAE441293		<20	0.01	<10	<10	13	<10	127
CAE441294		<20	0.07	<10	<10	65	<10	177
CAE441295		<20	0.30	<10	<10	117	<10	158
CAE441296		<20	0.24	<10	<10	92	<10	159
CAE441297		<20	0.26	<10	<10	102	<10	168
CAE441298		<20	0.01	<10	<10	29	<10	154
CAE441299		<20	0.08	<10	<10	78	<10	316
CAE441300		<20	0.03	<10	<10	43	<10	147
CAE441301		<20	0.04	<10	<10	49	<10	153
CAE441302		<20	0.04	<10	<10	33	<10	116

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CAE441303		5.21	0.006	0.6	1.29	2	<10	510	0.5	2	0.89	0.7	8	83	57	3.16
CAE441304		4.76	0.005	0.4	0.72	2	<10	280	<0.5	<2	0.82	<0.5	3	14	45	1.59
CAE441305		5.22	0.005	0.6	1.47	7	<10	480	0.5	3	0.86	1.0	12	180	38	3.23
CAE441306		5.49	0.004	0.6	1.74	2	<10	610	<0.5	<2	0.78	0.8	14	200	60	3.80
CAE441307		4.77	0.005	0.6	1.42	<2	<10	540	<0.5	<2	0.80	1.3	12	114	48	3.85
CAE441308		5.13	0.007	0.9	1.34	<2	<10	450	<0.5	2	0.92	1.0	8	59	65	3.17
CAE441309		2.56	0.006	1.0	1.94	<2	<10	770	0.6	<2	1.13	1.9	9	83	73	3.58
CAE441310		3.75	0.008	0.8	1.85	<2	<10	700	1.0	<2	0.73	0.6	7	73	79	2.98

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CAE441303		<10	<1	0.62	10	1.03	570	6	0.07	71	640	24	0.38	2	6	88
CAE441304		<10	1	0.26	10	0.31	438	3	0.08	14	330	21	0.15	<2	2	98
CAE441305		<10	<1	0.84	10	1.53	596	5	0.06	116	860	25	0.34	<2	5	68
CAE441306		10	<1	1.15	10	1.99	652	6	0.04	153	960	23	0.35	<2	8	44
CAE441307		10	<1	0.78	10	1.42	676	4	0.04	75	1000	29	0.30	<2	9	38
CAE441308		10	1	0.39	10	0.98	462	5	0.03	45	620	29	0.49	<2	6	46
CAE441309		10	1	0.69	10	1.39	555	4	0.08	55	1140	45	0.41	<2	7	68
CAE441310		10	<1	0.60	10	1.29	466	5	0.07	58	840	17	0.27	2	6	76

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **SELENE HOLDINGS LP**
885 WEST GEORGIA STREET, SUITE 1380
VANCOUVER BC V6C 3E8

Finalized Date: 29-JUL-2011
Account: SELHOL

Project: JP Ross Project

CERTIFICATE OF ANALYSIS WH11129438

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CAE441303		<20	0.08	<10	<10	47	<10	121
CAE441304		<20	0.01	<10	<10	12	<10	87
CAE441305		<20	0.07	<10	<10	46	<10	162
CAE441306		<20	0.15	<10	<10	108	<10	165
CAE441307		<20	0.15	<10	<10	119	<10	112
CAE441308		<20	0.08	<10	<10	73	<10	111
CAE441309		<20	0.12	<10	<10	69	<10	206
CAE441310		<20	0.13	<10	<10	71	<10	98